

INSERT CUSTOMER DATA

ORGANIZATION MIKKILINENI LIKHITHA PROJECT Project 0

book_metadata Customers +

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1-8 of 8

_id	ObjectID	customer_id	name	city	account_type	balance
1	ObjectID('6a7e95d6e00437...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000
2	ObjectID('6a7e95f5e00437...	102	"Priya Sharma"	"Vijayawada"	"Current"	125000
3	ObjectID('6a7e96d0e00437...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000
4	ObjectID('6a7e964ce00437...	104	"Sneha Rao"	"Warangal"	"Savings"	210000
5	ObjectID('6a7e9656e00437...	105	"Kiran Kumar"	"Guntur"	"Current"	65000
6	ObjectID('6a7e966ee00437...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000
7	ObjectID('6a7e967ee00437...	107	"Rahul Verma"	"Bengaluru"	"Current"	95000
8	ObjectID('6a7e968fe00437...	108	"Meena Devi"	"Chennai"	"Savings"	320000

INSERT TRANSACTION DATA

ORGANIZATION MIKKILINENI LIKHITHA PROJECT Project 0

book_metadata transactions +

Cluster0 > BankDB > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25

_id	ObjectID	transaction_id	customer_id	type	amount	mode
1	ObjectID('6a7e96af00437...	1001	101	"Deposit"	25000	"UPI"
2	ObjectID('6a7e96c1e00437...	1002	101	"Withdrawal"	10000	"ATM"
3	ObjectID('6a7e96d0e00437...	1003	102	"Deposit"	50000	"NEFT"
4	ObjectID('6a7e96e3e00437...	1004	102	"Withdrawal"	15000	"ATM"
5	ObjectID('6a7e96f6e00437...	1005	103	"Deposit"	30000	"UPI"
6	ObjectID('6a7e971ee00437...	1006	103	"Withdrawal"	5000	"ATM"
7	ObjectID('6a7e972ce00437...	1007	104	"Deposit"	100000	"NEFT"
8	ObjectID('6a9102719bc02a...	1008	104	"Withdrawal"	25000	"ATM"
9	ObjectID('6a9103019bc02a...	1009	105	"Deposit"	15000	"UPI"
10	ObjectID('6a91030c9bc02a...	1010	106	"Deposit"	75000	"NEFT"
11	ObjectID('6a91031b9bc02a...	1011	106	"Withdrawal"	20000	"ATM"
12	ObjectID('6a9103259bc02a...	1012	107	"Deposit"	40000	"IMPS"
13	ObjectID('6a9103279bc02a...	1013	107	"Withdrawal"	12000	"ATM"
14	ObjectID('6a9103429bc02a...	1014	108	"Deposit"	150000	"NEFT"
15	ObjectID('6a91034c9bc02a...	1015	108	"Withdrawal"	30000	"ATM"

QUERY 2: FIND ACTIVE CUSTOMERS

ORGANIZATION MIKKILINENI LIKHITHA PROJECT Project 0

book_metadata transactions Customers +

Cluster0 > BankDB > Customers

Documents 8 Aggregations Schema Indexes 1 Validation

[Generate query](#) [Explain](#) [Reset](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1-7 of 7

_id	ObjectID	customer_id	name	city	account_type	balance	status
1	ObjectID('6a7e95d6e00437...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2	ObjectID('6a7e95f5e00437...	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"
3	ObjectID('6a7e96d0e00437...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
4	ObjectID('6a7e964ce00437...	104	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
5	ObjectID('6a7e9656e00437...	105	"Kiran Kumar"	"Hyderabad"	"Savings"	175000	"Active"
6	ObjectID('6a7e967ee00437...	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	"Active"
7	ObjectID('6a7e968fe00437...	108	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"

QUERY 3: FIND CUSTOMERS WITH BALANCE GREATER THAN 100000

[Generate query](#) [Explain](#) [Reset](#)

```
{
  "balance": {
    "$gt": 100000
  }
}
```

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1-4 of 4

_id	ObjectID	customer_id	name	city	account_type	balance	status
1	ObjectID('6a7e95f5e00437...	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"
2	ObjectID('6a7e964ce00437...	104	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
3	ObjectID('6a7e966ee00437...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"
4	ObjectID('6a7e968fe00437...	108	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"

QUERY 4: FIND HYDERABAD CUSTOMERS:

 { "city": "Hyderabad" } [Generate query](#) [Explain](#) [Res](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#) [?](#) 25 1-3 of 3 [↺](#) [↻](#)

★ Customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status Str
1	ObjectId('6a7e95d6e00437...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2	ObjectId('6a7e960ce00437...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
3	ObjectId('6a7e966ee00437...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"

QUERY 5: FIND SAVINGS ACCOUNT CUSTOMERS:

 { "account_type": "Savings" } [Generate query](#) [Explain](#) [Reset](#) [Find](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#) [?](#) 25 1-5 of 5 [↺](#) [↻](#)

★ Customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status String
1	ObjectId('6a7e95d6e00437...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2	ObjectId('6a7e960ce00437...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
3	ObjectId('6a7e964ce00437...	104	"Sneha Rao"	"Marangal"	"Savings"	210000	"Active"
4	ObjectId('6a7e966ee00437...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"
5	ObjectId('6a7e968fe00437...	108	"Meena Devi"	"Chennai"	"Savings"	220000	"Active"

QUERY 6: FIND TRANSACTIONS GREATER THAN 20000:

ORGANIZATION: MRSKULNENI LOKHET... PROJECT: Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS

Search clusters

Cluster 0

Customers

Transactions

admin

backflow

book_metadata

books

tool

example_mflix

Cluster 0 > BookDB > transactions

Documents

Aggregations

Schema

Indexes

Validation

 { "amount": { "\$gt": 20000 } } [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#) [?](#) 25

★ transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId('6a7e96afe00437...	1001	101	"Deposit"	25000	"UPI"
2	ObjectId('6a7e96b0e00437...	1003	102	"Deposit"	50000	"NEFT"
3	ObjectId('6a7e96f6e00437...	1005	103	"Deposit"	30000	"UPI"
4	ObjectId('6a7e9732e00437...	1007	104	"Deposit"	100000	"NEFT"
5	ObjectId('6a9102f30bc02a...	1008	104	"Withdrawal"	25000	"ATM"
6	ObjectId('6a91030bc02a...	1009	105	"Deposit"	75000	"UPI"
7	ObjectId('6a91032b9bc02a...	1012	107	"Deposit"	40000	"IMPS"
8	ObjectId('6a9103439bc02a...	1014	108	"Deposit"	150000	"NEFT"
9	ObjectId('6a9103439bc02a...	1015	108	"Withdrawal"	30000	"ATM"

QUERY 7: FIND DEPOSITS

 { "type": "Deposit" } [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#) [?](#) 25

★ transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId('6a7e96afe00437...	1001	101	"Deposit"	25000	"UPI"
2	ObjectId('6a7e96b0e00437...	1003	102	"Deposit"	50000	"NEFT"
3	ObjectId('6a7e96f6e00437...	1005	103	"Deposit"	30000	"UPI"
4	ObjectId('6a7e972ce00437...	1007	104	"Deposit"	100000	"NEFT"
5	ObjectId('6a9103019bc02a...	1009	105	"Deposit"	15000	"UPI"
6	ObjectId('6a91030c9bc02a...	1010	106	"Deposit"	75000	"NEFT"
7	ObjectId('6a91032b9bc02a...	1012	107	"Deposit"	40000	"IMPS"
8	ObjectId('6a9103429bc02a...	1014	108	"Deposit"	150000	"NEFT"

QUERY 8: FIND ATM TRANSACTIONS

 { "mode": "ATM" } [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#) [?](#) 25

★ transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId('6a7e96c1e00437...	1002	101	"Withdrawal"	10000	"ATM"
2	ObjectId('6a7e96e3e00437...	1004	102	"Withdrawal"	15000	"ATM"
3	ObjectId('6a7e971ee00437...	1006	103	"Withdrawal"	5000	"ATM"
4	ObjectId('6a9102f19bc02a...	1008	104	"Withdrawal"	25000	"ATM"
5	ObjectId('6a91031b9bc02a...	1011	106	"Withdrawal"	20000	"ATM"
6	ObjectId('6a9103379bc02a...	1013	107	"Withdrawal"	12000	"ATM"
7	ObjectId('6a91034c9bc02a...	1015	108	"Withdrawal"	30000	"ATM"

QUERY 9: FIND DEPOSITS GREATER THAN 50000

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

Generate query ↗

Explain ▾

Reset

ADD DATA

BULK

EXPORT CODE

25 ▾ 1 - 3 of 3

transactions

_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	date String
1 ObjectId('6a7e972ce00437...	1007	104	"Deposit"	100000	"NEFT"	"2026-08-04"
2 ObjectId('6a91030c9bc02a...	1010	106	"Deposit"	75000	"NEFT"	"2026-08-06"
3 ObjectId('6a9103429bc02a...	1014	108	"Deposit"	150000	"NEFT"	"2026-08-08"

QUERY 10: FIND HYDERABAD CUSTOMERS WITH HIGH BALANCE

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

Generate query ↗

Explain ▾

Reset

ADD DATA

BULK

EXPORT CODE

25 ▾ 1 - 1 of 1

Customers

_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	status String
1 ObjectId('6a7e966ee00437...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"

QUERY 11: FIND CUSTOMERS IN MULTIPLE CITIES

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

Generate query ↗

ADD DATA

BULK

EXPORT CODE

25 ▾ 1

Customers

_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1 ObjectId('6a7e95d6e00437...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000
2 ObjectId('6a7e95f5e00437...	102	"Priya Sharma"	"Vijayawada"	"Current"	125000
3 ObjectId('6a7e960ce00437...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000
4 ObjectId('6a7e964ce00437...	104	"Sneha Rao"	"Warangal"	"Savings"	210000
5 ObjectId('6a7e966ee00437...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000

QUERY 12: SORT CUSTOMERS BY BALANCE

```
1 {
2   "balance": -1
3 }
4 {
```

Stage1 | Sort

Output preview after Sort stage (Sample of 8 documents)

_id: ObjectId('6a7e966ee00437c442709e49')

customer_id: 100

name: "Meena Devi"

city: "Chennai"

account_type: "Savings"

balance: 320000

status: "Active"

_id: ObjectId('6a7e964ce00437c442709e38')

customer_id: 104

name: "Sneha Rao"

city: "Warangal"

account_type: "Savings"

balance: 210000

status: "Active"

_id: ObjectId('6a7e966ee00437c442709e3c')

customer_id: 106

name: "Anjali Singh"

city: "Hyderabad"

account_type: "Savings"

balance: 175000

status: "Active"

_id: ObjectId('6a7e95f5e00437c442709e34')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

QUERY 13: CALCULATE TOTAL TRANSACTION AMOUNT

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
7
```

Stage1 | \$group

Output preview after \$group stage (Sample of 1 document)

_id: null

total_amount: 0

QUERY 14: CALCULATE AVERAGE TRANSACTION AMOUNT

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
7
8
9
```

Stage1 | \$group

Output preview after \$group stage (Sample of 1 document)

_id: null

average_amount: null

QUERY 15: TOTAL TRANSACTION AMOUNT BY TYPE

Stage1\$group

1 {

2 "id": "type",

3 "total_amount": {

4 "\$sum": "\$amount"

5 }

6 }

7 }

Output preview after \$group stage (Sample of 1 document)

_id: null

total_amount: 0

QUERY 16: CUSTOMER + TRANSACTION JOIN

Stage1\$lookup

1 {

2 "from": "customers",

3 "localField": "customer_id",

4 "foreignField": "customer_id",

5 "as": "customer_details"

6 }

7 }

Output preview after \$lookup stage (Sample of 8 documents)

_id: ObjectId('6a7e9d6e00437c4427e9e32...')

customer_id: 101

name: "Davi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 95000

status: "Active"

customer_details: Array (empty)

_id: ObjectId('6a7e95f5e00437c4427e9e34...')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

customer_details: Array (empty)

_id: ObjectId('6a7e968ce00437c4427e9e36...')

customer_id: 103

name: "Arjun Reddy"

city: "Hyderabad"

account_type: "Savings"

balance: 45000

status: "Active"

customer_details: Array (empty)

_id: ObjectId('6a7e964ce00437c4427e9e38...')

customer_id: 104

name: "Sneha Iyer"

city: "Mangaluru"

account_type: "Savings"

balance: 210000

status: "Active"

customer_details: Array (empty)

_id: ObjectId('6a7e966ee00437c4427e9e3c...')

customer_id: 106

name: "Anjali Singh"

city: "Hyderabad"

account_type: "Savings"

balance: 175000

status: "Active"

customer_details: Array (empty)

_id: ObjectId('6a7e967ee00437c4427e9e3e...')

customer_id: 107

name: "Rahul Verma"

city: "Bengaluru"

account_type: "Current"

balance: 95000

status: "Active"

customer_details: Array (empty)

_id: ObjectId('6a7e968fe00437c4427e9e40...')

customer_id: 108

name: "Meena Devi"

city: "Chennai"

account_type: "Savings"

balance: 320000

status: "Active"

customer_details: Array (empty)

QUERY 17: DISPLAY CUSTOMER NAME AND TRANSACTION AMOUNT

Stage1\$project

1 {

2 "_id": 0,

3 "transaction_id": 1,

4 "customer_name": "\$customer.name",

5 "city": "\$customer.city",

6 "type": 1,

7 "amount": 1,

8 "mode": 1

9 }

Output preview after \$project stage (Sample of 10 documents)

transaction_id: 1001

type: "Deposit"

amount: 25000

mode: "UPI"

transaction_id: 1002

type: "Withdrawal"

amount: 10000

mode: "ATM"

transaction_id: 1003

type: "Deposit"

amount: 50000

mode: "NEFT"

transaction_id: 1004

type: "Withdrawal"

amount: 15000

mode: "ATM"

Output preview after \$project stage (Sample of 10 documents)

transaction_id: 1006

type: "Withdrawal"

amount: 5000

mode: "ATM"

transaction_id: 1007

type: "Deposit"

amount: 100000

mode: "NEFT"

transaction_id: 1008

type: "Withdrawal"

amount: 25000

mode: "ATM"

transaction_id: 1009

type: "Deposit"

amount: 15000

mode: "UPI"