

****HOSPITAL DISCHARGE SUMMARY****

****PATIENT DEMOGRAPHICS:****

Patient Name: Patient 02

Age: 74 years old | Sex: Female

MRN: 000-TEST-02

Admission Date: [DATE] | Discharge Date: [DATE]

Admitting Physician: Dr. M. Richardson, MD

****PRIMARY DIAGNOSIS:****

Acute Decompensated Heart Failure with reduced ejection fraction (HFrEF)

****SECONDARY DIAGNOSES:****

- Atrial fibrillation (AFib), not on warfarin
- Obesity (BMI 34.2)
- Type 2 Diabetes Mellitus
- Hypertension
- Hyperlipidemia

****HOSPITAL COURSE:****

Patient 02 presented to Metro Medical Center via ED with acute dyspnea, orthopnea, and 7-lb weight gain over 5 days. Initial vitals: BP 158/92, HR 104 (irregularly irregular), RR 22, SpO2 89% on room air. Chest X-ray showed bilateral pulmonary edema and cardiomegaly. Echocardiogram revealed EF of 28% (severely reduced) with global hypokinesis. BNP on admission was 1,247 pg/mL.

Patient was admitted to CCU and initiated on IV furosemide 40 mg BID with uptitration to 80 mg IV q.d. on hospital day 2 due to persistent crackles and DOE. Diuresis totaled 12 L over 48 hours with improvement in respiratory status (SpO2 98% on 2L NC). Daily weights monitored; net loss of 8.2 lb by discharge. EKG confirmed AFib with RVR; rate controlled with metoprolol 50 mg BID after initial loading.

Echocardiogram also noted moderate mitral regurgitation secondary to LV dilatation. Patient transferred to telemetry on hospital day 4 with hemodynamic stability. Repeat BNP prior to discharge: 856 pg/mL (downtrending). Tolerating PO intake; ambulating with assistance. No acute complications; no arrhythmias on continuous monitoring.

****DISCHARGE MEDICATIONS:****

Medication	Dose	Frequency	Duration
---	---	---	---
Furosemide (Lasix)	40 mg	q.d. morning	Ongoing
Sacubitril/Valsartan (Entresto)	49/51 mg	BID	Ongoing
Metoprolol succinate (Toprol-XL)	50 mg	q.d.	Ongoing
Atorvastatin (Lipitor)	40 mg	q.d. at bedtime	Ongoing
Aspirin	81 mg	q.d.	Ongoing
Apixaban (Eliquat)	5 mg	BID	Ongoing
Spironolactone (Aldactone)	25 mg	q.d.	Ongoing
Digoxin	0.25 mg	q.d. (Mon/Wed/Fri only)	PRN rate control
Metformin	500 mg	BID with meals	Ongoing

****ACTIVITY & MOBILITY:****

- No strenuous exertion; avoid heavy lifting >10 lbs
- Encourage walking 20–30 min daily as tolerated
- May resume normal ADLs with modification
- No driving until cleared by cardiologist

****DIETARY RESTRICTIONS:****

- ****STRICT sodium restriction: <2 g/day**** (1 tsp salt equivalent)
- Fluid restriction: ****1.5**