```
5 rows in set (0.076 sec)

mysql> TABLE DATABASE College;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual t
hat corresponds to your MySQL server version for the right syntax to use nea
r 'DATABASE College' at line 1
mysql>
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'D
ATABASE College' at line 1
mysql> CREATE DATABASE College;
Query OK, 1 row affected (0.290 sec)

mysql> USE College;
Database changed
mysql> CREATE TABLE Student( Student_ID INT,Name VARCHAR(30),Age INT,Marks INT,City VARCHAR(20));
Query OK, 0 rows affected (0.164 sec)

mysql> INSERT INTO Student VALUES(1,'Anu',20,85,'Bangalore'),(2,'Ravi',21,72,'Mysuru'),(3,'priya',19,90,'Chennai'),(4,'kiran',22,65,'Bangalore'),(5,'sneha',
20,78,'Mysuru');
Query OK, 5 rows affected (0.053 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql> show tables;
+-------------------+
| Tables_in_college |
+-------------------+
| student           |
+-------------------+
1 row in set (0.302 sec)

mysql> SELECT * FROM Student;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          2 | Ravi  |   21 |    72 | Mysuru    |
|          3 | priya |   19 |    90 | Chennai   |
|          4 | kiran |   22 |    65 | Bangalore |
|          5 | sneha |   20 |    78 | Mysuru    |
+------------+-------+------+-------+-----------+
5 rows in set (0.225 sec)
```

```
mysql> SELECT Name,Marks + 5 AS updated_Marks  FROM Student;
+-------+--------------+
| Name  | updated_Marks |
+-------+--------------+
| Anu   |           90 |
| Ravi  |           77 |
| priya |           95 |
| kiran |           70 |
| sneha |           83 |
+-------+--------------+
5 rows in set (0.033 sec)

mysql> SELECT Name,Marks - 5 AS reduced_Marks  FROM Student;
+-------+---------------+
| Name  | reduced_Marks |
+-------+---------------+
| Anu   |            80 |
| Ravi  |            67 |
| priya |            85 |
| kiran |            60 |
| sneha |            73 |
+-------+--------------+
5 rows in set (0.008 sec)

mysql> SELECT Name,Marks * 2  AS Double_Marks  FROM Student;
+-------+--------------+
| Name  | Double_Marks |
+-------+--------------+
| Anu   |          170 |
| Ravi  |          144 |
| priya |          180 |
| kiran |          130 |
| sneha |          156 |
+-------+--------------+
5 rows in set (0.011 sec)
```

```
mysql> SELECT Name,Marks / 2  AS Half_Marks  FROM Student;
+-------+------------+
| Name  | Half_Marks |
+-------+------------+
| Anu   |    42.5000 |
| Ravi  |    36.0000 |
| priya |    45.0000 |
| kiran |    32.5000 |
| sneha |    39.0000 |
+-------+------------+
5 rows in set (0.007 sec)

mysql> SELECT * FROM Student WHERE City = 'Bangalore';
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          4 | kiran |   22 |    65 | Bangalore |
+------------+-------+------+-------+-----------+
2 rows in set (0.233 sec)

mysql> SELECT * FROM Student WHERE Marks > 80;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          3 | priya |   19 |    90 | Chennai   |
+------------+-------+------+-------+-----------+
2 rows in set (0.008 sec)

mysql> SELECT * FROM Student WHERE Marks < 70;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          4 | kiran |   22 |    65 | Bangalore |
+------------+-------+------+-------+-----------+
1 row in set (0.239 sec)
```

```
mysql> SELECT * FROM Student WHERE Marks >= 80;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          3 | priya |   19 |    90 | Chennai   |
+------------+-------+------+-------+-----------+
2 rows in set (0.009 sec)

mysql> SELECT * FROM Student WHERE Marks <= 78;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          2 | Ravi  |   21 |    72 | Mysuru    |
|          4 | kiran |   22 |    65 | Bangalore |
|          5 | sneha |   20 |    78 | Mysuru    |
+------------+-------+------+-------+-----------+
3 rows in set (0.008 sec)

mysql> SELECT * FROM Student WHERE City <> 'Mysuru';
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          3 | priya |   19 |    90 | Chennai   |
|          4 | kiran |   22 |    65 | Bangalore |
+------------+-------+------+-------+-----------+
3 rows in set (0.010 sec)

mysql> SELECT * FROM Student WHERE Marks > 70 AND Age = 20;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          5 | sneha |   20 |    78 | Mysuru    |
+------------+-------+------+-------+-----------+
2 rows in set (0.009 sec)
```

```
mysql> SELECT * FROM Student WHERE City = 'Mysuru' OR Marks > 85;
+------------+-------+------+-------+---------+
| Student_ID | Name  | Age  | Marks | City    |
+------------+-------+------+-------+---------+
|          2 | Ravi  |   21 |    72 | Mysuru  |
|          3 | priya |   19 |    90 | Chennai |
|          5 | sneha |   20 |    78 | Mysuru  |
+------------+-------+------+-------+---------+
3 rows in set (0.011 sec)

mysql> SELECT * FROM Student WHERE City = 'Bangalore';
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          4 | kiran |   22 |    65 | Bangalore |
+------------+-------+------+-------+-----------+
2 rows in set (0.010 sec)

mysql> SELECT * FROM Student WHERE Marks BETWEEN 70 AND 85;
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          2 | Ravi  |   21 |    72 | Mysuru    |
|          5 | sneha |   20 |    78 | Mysuru    |
+------------+-------+------+-------+-----------+
3 rows in set (0.240 sec)

mysql> SELECT * FROM Student WHERE City IN ('Bangalore', 'Mysuru');
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          2 | Ravi  |   21 |    72 | Mysuru    |
|          4 | kiran |   22 |    65 | Bangalore |
|          5 | sneha |   20 |    78 | Mysuru    |
+------------+-------+------+-------+-----------+
4 rows in set (0.237 sec)
```

```
mysql> SELECT * FROM Student WHERE City IN ('Bangalore', 'Mysuru');
+------------+-------+------+-------+-----------+
| Student_ID | Name  | Age  | Marks | City      |
+------------+-------+------+-------+-----------+
|          1 | Anu   |   20 |    85 | Bangalore |
|          2 | Ravi  |   21 |    72 | Mysuru    |
|          4 | kiran |   22 |    65 | Bangalore |
|          5 | sneha |   20 |    78 | Mysuru    |
+------------+-------+------+-------+-----------+
4 rows in set (0.237 sec)

mysql> SELECT * FROM Student WHERE Name LIKE 'P%';
+------------+-------+------+-------+---------+
| Student_ID | Name  | Age  | Marks | City    |
+------------+-------+------+-------+---------+
|          3 | priya |   19 |    90 | Chennai |
+------------+-------+------+-------+---------+
1 row in set (0.008 sec)

mysql> SELECT * FROM Student WHERE City IS NULL;
Empty set (0.007 sec)
```