

LINXYS



G050P-L

PURE ELECTRIC VAN



Compact, lightweight, and fully equipped

- The compact body allows you to move unobstructed through all kinds of streets.
- 210km range and fast charging ,it eliminates all your concerns about transportation.
- Max Gradient 27%, IP67 Waterproof: Conquer Challenging Terrains.

Compact body, massive capacity


- Spacious cargo bed, effortlessly accommodating every business need!
- 1669 × 1376 × 370mm large cargo bed, offering versatile loading space to meet your diverse demands, ensuring efficient transportation and a winning start!



30 kW Peak Power Motor: Quick Acceleration, Powerful Performance.



Powered by CATL batteries: delivering high quality, safety, and stability.



Built-in multiple safety protection mechanisms with real-time monitoring of temperature, voltage, and current



COZY COCKPIT

Compact and intelligent cockpit design for a more user-friendly experience. Pure electric driving with simple and enjoyable operation.



Central control system




Cup holder storage compartment



Dashboard storage compartment



Remote key



Headliner storage compartment




USB power supply



Push-Button start



Front view camera assembly



Comfortable seat



Comprehensive Safety Design

- Certified by UN ECE and Japan PHP, compliant with UN collision safety regulations, ensuring safety and security.

System reduces impact and enhances safety by automatically engaging brakes in potential front or rear collisions.



Utilize the camera-based Lane Departure Warning to receive alerts when your vehicle unintentionally drifts out of the lane.



Obstacle detection sensors emit audible alerts with variable intervals, indicating the distance between the vehicle and obstacles. To prevent driver misoperation, firm pressing of the accelerator pedal is required to start the vehicle.



When parking, an audible warning will sound if the distance from the vehicle in front exceeds 4 meters after it starts moving.




During hill start, the vehicle prevents backward movement for approximately 5 seconds upon reapplication of the pedal, even if the brake is released.



When the driver exits the vehicle in "D" or "R" gear, the system automatically switches to "P" gear to prevent unintended movement. Developed by ASF, this system prevents self-moving accidents.



Model		G050P-L
Dimensions	Overall dim. (mm)	3695×1475×1980
	Bed dim. (mm)	1669×1376×370
	Wheelbase (mm)	2430
Capability	GVW (kg)	1640
	Curb weight (kg)	1080
	carrying capacity (kg)	410
Power parameter	Driving range (km)	210
	Maximum speed (km/h)	100
Battery	Battery type	LFP (CATL)
	Battery energy (kWh)	29.67
	Fast charging time	30Min (SOC30%-80%,25°C)
Driving Motor	Battery heating	●
	Max. power (KW)	30
Passability	Max. torque (N·m)	120
	Tread front/rear (mm)	1300/1290
Chassis and braking system	Minimum ground clearance (mm)	130
	Maximum gradability (%)	27
	Minimum turing radius (m)	4.4m
	Brake system	Front disc and rear drum hydraulic brakes
Safety Configuration	Main driver airbag	●
	Seat Belt Reminder	●
	ESC	●
	Lane departure warning	●
	Forward vehicle start noticing	●
	Self walking prevention function	●
	Anti sliding slope function	●
other	Rudder	LHD
	Seating capacity	2
	AC/PTC	●
	Left and right exterior mirrors	Electric folding type
	Large center control screen	●
	Backup camera/Car backing radar	●
	Basic hand tool	●
	Reading light	●
	Safety frame	●
	Remote key	●
	Auto LightSystem	●
	Charging standard	CHAdeMO (AC+DC) / CCS2 (AC+DC)



Body color:



Sky silver:

Candy white:

Trim color:



Sapphire blue:

Onyx black:

LINXYS

G050P-L EV VAN MAXIMIZE YOUR BUSINESS

