



G105-3

PURE ELECTRIC VAN

LINXYS

LINX15



Your partner for sustainable transport



252km+ range and fast charging



5.2m³ large loading space



The CATL battery pack is safe and efficient



Electronic stability control



LED DRLs



Reversing radar

LINXYS



Nice interior experience



High quality seat:
good support、anti-slip design.



Precise dashboard



Knob-type gear shift



Electric lifting

Model		G105-3
Dimensions	Overall dim. (mm)	4525×1610×1900
	Cargo compartment dim. (mm)	2668×1457×1340
	Wheelbase (mm)	3050
	Front/rear wheel track (mm)	1386/1408
Capability	Curb weight (kg)	1390
	GVW (kg)	2510
	Payload (kg)	970
Power parameter	Driving range (km)	252
	Maximum speed (km/h)	90
Battery	Battery energy (kWh)	41.86
	Fast charging time	30Min (SOC30%-80%,25°C)
	Battery type	LFP(CATL)
	Battery heating	●
Driving Motor	Rated/peak power (kW)	30/60
	Rated/peak torque (N·m)	90/220
	Type	PMSM
Passability	Minimum ground clearance (mm)	125
	Front/rear overhang (mm)	580/895
	Maximum gradability (%)	24.3
	Minimum turing diameter (m)	11.9
Chassis and braking system	Front suspension	Macpherson independent suspension
	Rear suspension	Leaf spring non-independent suspension
	Tyres (F/R)	175/70R14C
	Brake type	Front disc and rear drum hydraulic braking system
Safety	Driver airbag	●
	ABS+EBD	●
Others	Rudder	LHD
	colors	Candy white
	Reversing radar	●
	Daytime running lights (DRLs)	●
	Automatic headlights	●
	Charging standard	CCS2 (DC+AC)

* To meet customer needs, Linxys Automotive will continuously improve its products. Please refer to the actual vehicle for specific details. *



LINXYS

G105-3 EV VAN
MAXIMIZE YOUR BUSINESS

