




git pull updates your current HEAD branch W the latest ds from remote






Now I'm going to 'git pull' to update a bromch!



v This is same as:

git fetch origin git merge origin/master

When the current bromch is tabby




♥ Same as:

git fetch origin git merge origin/ tobby



git merge origin/ tobby



ogit push

git push (remote) (branch) e.g. origin e.g. tabby

push the specified branch wi all commits

git pldsh - u < vemote > (branch)

5 = -- Set-upstream the -u flag sets up the association between your branch + the remote branch explicitly. you don't need it once you've done!

git push -f <remote> cloranch> 9 -- force

> force the push, even if it results in a non-fast-forward merge. jush ignore + push!

git push -- all (remote)

100 Push all of your local branches! (8)




"Now the tabby branch on local + remote are syncid!



COPYC skeetch

ogit merge incorporates changes into the current branch



git meow-ge!!!



* Merge is like having 2 pavents + 1 resulting child!

* rebase adds all new As on top of one parent. Nome:

git merge

master






If you want to rebase from the remote master instead of local, do either:

\$ git fetch origin \$ git rebase origin / master

fgit pull -- rebase origin master




♥ Qit Cherry-pick lets you grab some commits from one branch & apply it into another





wait log lets you view the Commit history

@girlie_mac



git log prints out

Commit e346d8

Author: Little-princess Leia (leia@ Kity.cat)

Date: Sun Sept 23 17:30:42 2018 - 0700

Add body

commit des2ac

Author; Jamie < jam@kity.cat>

Date :

Simpler log with:

