## Cliente

### **Execution Environment**

Host name Isepulvedap - p-Isepulvedap.intergrupo.com

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 77.0.3865.120

Summary

ID Test Suites/Clientes/Cliente

Description

Total 4

Passed 2 Failed 2 Error 0 Incomplete 0

Start 2019-11-06 16:58:11 End 2019-11-06 17:00:03

Elapsed 1m - 52,702s

#	ID	Description	Status
1	Test Cases/Clientes/ValidarIngresoApp		PASSED
2	Test Cases/Clientes/ConsultaCliente		FAILED
3	Test Cases/Clientes/CrearCliente		PASSED
4	Test Cases/Clientes/ModificarCLiente		FAILED

# ValidarIngresoApp

### Information

ID Test Cases/Clientes/ValidarIngresoApp

Description

Tag

Start 2019-11-06 16:58:11 End 2019-11-06 16:58:48

Elapsed 37,470s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Clientes/ValidarIngresoApp.feature")	34,590s	PASSED

Feature file: 'Include/features/Clientes/ValidarIngresoApp.feature' was passed

## ConsultaCliente

### Information

ID Test Cases/Clientes/ConsultaCliente

Description

Tag

Start 2019-11-06 16:58:48 End 2019-11-06 16:59:09

Elapsed 20,594s Status FAILED


#### **Details**

# Description Elapsed Status

# ConsultaCliente

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Clientes/ConsultarCliente.feature")	18,315s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Clientes/ConsultarCliente.feature' was failed		
	$at\ com. kms. katalon. core. keyword. internal. Keyword Main. step Failed (Keyword Main.$		
	groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:82)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:46)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:101) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at ConsultaCliente.run(ConsultaCliente:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1573077456413.run(TempTestSuite1573077456413.groovy:35)		

## ConsultaCliente



## CrearCliente

### Information

ID Test Cases/Clientes/CrearCliente

Description

Tag

Start 2019-11-06 16:59:09 End 2019-11-06 16:59:54

Elapsed 44,568s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Clientes/CrearCliente.feature")	42,293s	PASSED

Feature file: 'Include/features/Clientes/CrearCliente.feature' was passed

## ModificarCLiente

### Information

ID Test Cases/Clientes/ModificarCLiente

Description

Tag

Start 2019-11-06 16:59:54 End 2019-11-06 17:00:03

Elapsed 9,727s
Status FAILED

#### **Details**

# Description Elapsed Status

# ModificarCLiente

# Description	Elapsed	Status
1 runFeatureFile("Include/features/Clientes/ModificarCliente.feature")	7,509s	FAILED
Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Clientes/ModificarCliente.feature' was failed		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:23)  at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknown Source) at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:82)		
at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:46) at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:101) at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at ModificarCLiente.run(ModificarCLiente:51)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1573077456413.run(TempTestSuite1573077456413.groovy:35)		

# ModificarCLiente



