Usuarios

Execution Environment

Host name Isepulvedap - p-Isepulvedap.intergrupo.com

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 78.0.3904.108

Summary

ID Test Suites/Usuarios/Usuarios

Description

Total 3

Passed 2 Failed 1
Error 0 Incomplete 0

Start 2019-11-25 14:15:40 End 2019-11-25 14:16:33

Elapsed 53,523s

| # | ID | Description | Status |
|---|---|-------------|--------|
| 1 | Test Cases/Administracion/ConsultarUsuarios | | PASSED |
| 2 | Test Cases/Administracion/CrearUsuario | | FAILED |
| 3 | Test Cases/Administracion/ModificarUsuarios | | PASSED |

ConsultarUsuarios

Information

ID Test Cases/Administracion/ConsultarUsuarios

Description

Tag

Start 2019-11-25 14:15:40 End 2019-11-25 14:15:42

Elapsed 2,633s
Status PASSED

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | return null | 0,032s | PASSED |

Information

ID Test Cases/Administracion/CrearUsuario

Description

Tag

Start 2019-11-25 14:15:42 End 2019-11-25 14:16:16

Elapsed 33,163s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("http://smdessc01:4800/CAF.Tesoreria.Web") Browser is opened with url: 'http://smdessc01:4800/CAF.Tesoreria.Web' | 5,222s | PASSED |
| 2 | click(findTestObject("Object Repository/Administracion/i_Administracin_fas fa-cog")) Object: 'Object Repository/Administracion/i_Administracin_fas fa-cog' is clicked on | 1,073s | PASSED |
| 3 | click(findTestObject("Object Repository/Administracion/a_Crear Usuarios")) Object: 'Object Repository/Administracion/a_Crear Usuarios' is clicked on | 0,713s | PASSED |
| 4 | setText(findTestObject("Object Repository/Administracion/input_LoginUsuario"), "login") Text 'login' is set on object 'Object Repository/Administracion/input_LoginUsuario' | 0,205s | PASSED |
| 5 | click(findTestObject("Administracion/btnBuscarLoginUsuario")) Object: 'Object Repository/Administracion/btnBuscarLoginUsuario' is clicked on | 0,252s | PASSED |
| 6 | delay(5) Delayed 5 second(s) | 5,033s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | waitForElementPresent(findTestObject("Object Repository/Administracion/p_El usuario no es vlido o no existe por favor verifique el usuario"), 5) Object 'Object Repository/Administracion/p_El usuario no es vlido o no existe por favor | 5,248s | PASSED |
| | verifique el usuario' is not present after 5 second(s) | | |
| 8 | click(findTestObject("Object Repository/Administracion/div_Login Usuario")) Object: 'Object Repository/Administracion/div_Login Usuario' is clicked on | 0,138s | PASSED |
| | | | |
| 9 | setText(findTestObject("Object Repository/Administracion/input_LoginUsuario"), loginUsuario) | 0,269s | PASSED |
| | Text 'Isepulvedap' is set on object 'Object Repository/Administracion/input_LoginUsuario' | | |
| 10 | delay(5) | 5,004s | PASSED |
| | Delayed 5 second(s) | | |
| 11 | click(findTestObject("Administracion/btnBuscarLoginUsuario")) | 0,150s | PASSED |
| | Object: 'Object Repository/Administracion/btnBuscarLoginUsuario' is clicked on | | |
| 12 | click(findTestObject("Object Repository/Administracion/span_Roles Disponibles")) | 0,164s | PASSED |
| | Object: 'Object Repository/Administracion/span_Roles Disponibles' is clicked on | | |
| 13 | click(findTestObject("Object Repository/Administracion/btnGuardarUser")) | 0,168s | PASSED |
| | Object: 'Object Repository/Administracion/btnGuardarUser' is clicked on | | |
| 14 | waitForElementPresent(findTestObject("Object Repository/Administracion/p_El usuario ya existe en el sistema"), 5) | 0,118s | PASSED |
| | Object 'Object Repository/Administracion/p_El usuario ya existe en el sistema' is present | | |
| 15 | click(findTestObject("Object Repository/Administracion/a_Regresar")) | 0,697s | PASSED |
| | Object: 'Object Repository/Administracion/a_Regresar' is clicked on | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 16 | delay(5) | 5,008s | PASSED |
| | Delayed 5 second(s) | | |
| 17 | click(findTestObject("Object Repository/Administracion/h1_Bandeja de Usuarios")) | 0,147s | PASSED |
| | Object: 'Object Repository/Administracion/h1_Bandeja de Usuarios' is clicked on | | |
| 18 | closeBrowser() | 0,763s | PASSED |
| | Browser is closed | | |

| Description | Elapsed | Status |
|--|---------|--------|
| verifyTextPresent("", false) | 0,030s | FAILED |
| | • | |
| Unable to verify text " is present (Root cause: com.kms.katalon.core.exception. | | |
| StepFailedException: Unable to verify text " is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword | | |
| (WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. | | |
| verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. | | |
| execute(VerifyTextPresentKeyword.groovy:68) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent | | |
| (WebUiBuiltInKeywords.groovy:1693) at com.kms.katalon.core.webui.keyword. | | |
| WebUiBuiltInKeywords\$verifyTextPresent\$4.call(Unknown Source) | | |
| at CrearUsuario.run(CrearUsuario:54) | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:328) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExecutor.java:307) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:233) | | |
| $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Case Main Phase$ | | |
| (TestSuiteExecutor.java:169) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 91) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 157) | | |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) at TempTestSuite1574709335549.run(TempTestSuite1574709335549.groovy:35) | | |
| Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser | | |
| is not opened | | |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| System info: host: 'P-LSEPULVEDAP', ip: '10.60.6.164', os.name: 'Windows 10', os.arch: | | |
| 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: unknown | | |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen | | |
| (DriverFactory.java:714) | | |
| at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver | | |
| (DriverFactory.java:699) | | |
| at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. | | |
| java:685) at com.kms.katalon.core.webui.keyword.builtin. | | |
| VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword. | | |
| groovy:75) | | |

```
Description
                                                                                                Elapsed
                                                                                                                  Status
          at com.kms.katalon.core.webui.keyword.builtin.
Verify Text Present Keyword \$\_verify Text Present\_closure 1. call (Verify Text Present Keyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.
verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.
execute(VerifyTextPresentKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. verify Text Present
(WebUiBuiltInKeywords.groovy:1693)
          at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyTextPresent$4.call(Unknown Source)
          at Script1574171656642.run(Script1574171656642.groovy:54)
```

... 13 more

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 20 | acceptAlert() | 0,031s | FAILED |
| | | | |
| | Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: | | |
| | Unable to accept alert at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert | | |
| | (AcceptAlertKeyword.groovy:71) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute | | |
| | (AcceptAlertKeyword.groovy:66) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert (WebUiBuiltInKeywords.groovy:1492) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5. | | |
| | call(Unknown Source) | | |
| | at CrearUsuario.run(CrearUsuario:56) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | $at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$ | | |
| | java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1574709335549.run(TempTestSuite1574709335549.groovy:35) | | |
| | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser | | |
| | is not opened | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | System info: host: 'P-LSEPULVEDAP', ip: '10.60.6.164', os.name: 'Windows 10', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '1.8.0_181' | | |
| | Driver info: driver.version: unknown | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen | | |
| | (DriverFactory.java:714) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java: | | |
| | 727) at com.kms.katalon.core.webui.keyword.builtin. | | |
| | AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | AcceptAlertKeyword\$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | • | | |

Description Elapsed Status (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71) $at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute$ (AcceptAlertKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert$ (WebUiBuiltInKeywords.groovy:1492) at com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ accept Alert \$ 5.call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:56) ... 13 more

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | getCSSValue(findTestObject(null), "") | 0,081s | FAILED |
| | Connect and CCC II(O)II value on II(A)II (Post occupy con large hateless care exception | | |
| | Cannot get CSS "{0}" value on "{1}". (Root cause: com.kms.katalon.core.exception. StepFailedException: Cannot get CSS "{0}" value on "{1}". | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword. | | |
| | getCSSValue(GetCSSValueKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute | | |
| | (GetCSSValueKeyword.groovy:68) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue | | |
| | (WebUiBuiltInKeywords.groovy:3508) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getCSSValue\$6. call(Unknown Source) | | |
| | at CrearUsuario.run(CrearUsuario:58) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) | | |
| | at TempTestSuite1574709335549.run(TempTestSuite1574709335549.groovy:35) | | |
| | Caused by: java.lang.lllegalArgumentException: Object is null | | |
| | at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter | | |
| | (KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin. | | |
| | getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | getCSSValueKeyword\$_getCSSValue_closure1.call(GetCSSValueKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.getCSSValue(GetCSSValueKeyword.groovy:84) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute | | |
| | (GetCSSValueKeyword.groovy:68) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |

Description

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue
(WebUiBuiltInKeywords.groovy:3508)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getCSSValue\$6.

call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:58) ... 13 more

)

| # | Description | Elapsed | Status |
|----|---|---------|---------|
| 22 | acceptAlert() | 0,013s | FAILED |
| | | 0,0100 | 1711223 |
| | Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: | | |
| | Unable to accept alert at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute | | |
| | (AcceptAlertKeyword.groovy:66) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert (WebUiBuiltInKeywords.groovy:1492) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5. | | |
| | call(Unknown Source) | | |
| | at CrearUsuario.run(CrearUsuario:60) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1574709335549.run(TempTestSuite1574709335549.groovy:35) | | |
| | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser | | |
| | is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | System info: host: 'P-LSEPULVEDAP', ip: '10.60.6.164', os.name: 'Windows 10', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '1.8.0_181' | | |
| | Driver info: driver.version: unknown | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen | | |
| | (DriverFactory.java:714) at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java: | | |
| | 727) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword\$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |

Description Elapsed Status (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71) $at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute$ (AcceptAlertKeyword.groovy:66) $at\ com.kms.katalon.core.keyword.internal.Keyword Executor.$ executeKeywordForPlatform(KeywordExecutor.groovy:56) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert$ (WebUiBuiltInKeywords.groovy:1492) at com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ accept Alert \$ 5.call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:60) ... 13 more

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 23 | acceptAlert() | 0,036s | FAILED |
| | Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to accept alert | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert | | |
| | (AcceptAlertKeyword.groovy:71) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute | | |
| | (AcceptAlertKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert | | |
| | (WebUiBuiltInKeywords.groovy:1492) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5. | | |
| | call(Unknown Source) at CrearUsuario.run(CrearUsuario:62) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:328) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1574709335549.run(TempTestSuite1574709335549.groovy:35) | | |
| | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'P-LSEPULVEDAP', ip: '10.60.6.164', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' | | |
| | Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen | | |
| | (DriverFactory.java:714) at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java: | | |
| | 727) at com.kms.katalon.core.webui.keyword.builtin. | | |
| | AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72) at com kms katalon core webui keyword builtin | | |

at com.kms.katalon.core.webui.keyword.builtin.

 $AcceptAlertKeyword \$_acceptAlert_closure 1. call (AcceptAlertKeyword.groovy)$

 $at\ com.kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword$

at Script1574171656642.run(Script1574171656642.groovy:62)

call(Unknown Source)

)

... 13 more

Description

(WebUlKeywordMain.groovy:20)
 at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert
(AcceptAlertKeyword.groovy:71)
 at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute
(AcceptAlertKeyword.groovy:66)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:56)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert
(WebUiBuiltInKeywords.groovy:1492)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5.

| Description | | Elapsed | Status |
|----------------|--|---------|--------|
| • | sent("El usuario no es válido o no existe, por favor verifique el usuario.", false) | 0,037s | FAILED |
| | | , | |
| | fy text 'El usuario no es válido o no existe, por favor verifique el usuario.' is | | |
| • | t cause: com.kms.katalon.core.exception.StepFailedException: Unable to | | |
| | usuario no es válido o no existe, por favor verifique el usuario.' is present | | |
| | om.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | ordMain.groovy:64) | | |
| | om.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword ordMain.groovy:26) | | |
| | om.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. | | |
| | sent(VerifyTextPresentKeyword.groovy:83) | | |
| | om.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword. | | |
| | TextPresentKeyword.groovy:68) | | |
| | om.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | ordForPlatform(KeywordExecutor.groovy:56) | | |
| | om.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent | | |
| | Keywords.groovy:1693) | | |
| | om.kms.katalon.core.webui.keyword. | | |
| | (eywords\$verifyTextPresent\$4.call(Unknown Source) | | |
| | rearUsuario.run(CrearUsuario:64) | | |
| at c | om.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| at c | om.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | | | |
| at c | om.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:337) | | | |
| at c | om.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:328) | | | |
| | om.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | cutor.java:307) | | |
| | om.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | cutor.java:299) | | |
| | om.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:233) | T 10 % F 10 % F 10 M 1 Pl | | |
| | om.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |
| | cutor.java:169) | | |
| | om.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | cutor.java:142) pm.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 91) | om.kms.katalon.core.main.restouteExecutor.execute(restouteExecutor.java. | | |
| | om.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 157) | oni.kins.katalon.core.main.restoasewaln.startrestodite(restoasewaln.java. | | |
| | om.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | om.kms.katalon.core.main.restoasewaliiystarrestoureyo.caii(onknown | | |
| | empTestSuite1574709335549.run(TempTestSuite1574709335549.groovy:35) | | |
| | om.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser | | |
| is not opened | minimical data of the obtained to be produced by the data of the obtained to t | | |
| | sion: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | ost: 'P-LSEPULVEDAP', ip: '10.60.6.164', os.name: 'Windows 10', os.arch: | | |
| | ersion: '10.0', java.version: '1.8.0_181' | | |
| | ver.version: unknown | | |
| at c | om.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen | | |
| (DriverFactory | | | |
| | om.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver | | |
| (DriverFactory | | | |
| | om.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. | | |
| java:685) | | | |
| | om.kms.katalon.core.webui.keyword.builtin. | | |
| VerifvTextPre | sentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword. | | |

Description Elapsed Status groovy:75) at com.kms.katalon.core.webui.keyword.builtin. $Verify Text Present Keyword \$_verify Text Present_closure 1. call (Verify Text Present Keyword.$ groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) $at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.$ verifyTextPresent(VerifyTextPresentKeyword.groovy:83) $at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.$ execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. verify Text Present$ (WebUiBuiltInKeywords.groovy:1693) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyTextPresent\$4.call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:64)

ModificarUsuarios

Information

ID Test Cases/Administracion/ModificarUsuarios

Description

Tag

Start 2019-11-25 14:16:16 End 2019-11-25 14:16:33

Elapsed 17,368s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 2,575s | PASSED |
| 2 | navigateToUrl("http://smdessc01:4800/CAF.Tesoreria.Web/") Navigate to 'http://smdessc01:4800/CAF.Tesoreria.Web/' successfully | 0,918s | PASSED |
| 3 | click(findTestObject("Object Repository/Administracion/Administracion/i_Administracin_fas fa-cog")) Object: 'Object Repository/Administracion/Administracion/i_Administracin_fas fa-cog' is clicked on | 0,748s | PASSED |
| 4 | click(findTestObject("Object Repository/Administracion/Administracion/button_Modificar")) Object: 'Object Repository/Administracion/Administracion/button_Modificar' is clicked on | 0,738s | PASSED |
| 5 | delay(5) Delayed 5 second(s) | 5,003s | PASSED |
| 6 | click(findTestObject("Object Repository/Administracion/li_AdministradorFuncional")) Object: 'Object Repository/Administracion/li_AdministradorFuncional' is clicked on | 0,161s | PASSED |

ModificarUsuarios

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | click(findTestObject("Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/span_Roles Disponibles_k-icon k-i-arrow-60-left")) Object: 'Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/span_Roles Disponibles_k-icon k-i-arrow-60-left' is clicked on | 0,174s | PASSED |
| 8 | click(findTestObject("Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/input_Off_btn btn-primary orange-button no-margin-top")) Object: 'Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/input_Off_btn btn-primary orange-button no-margin-top' is clicked on | 0,215s | PASSED |
| 9 | click(findTestObject("Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/p_El usuario fue guardado exitosamente")) Object: 'Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/p_El usuario fue guardado exitosamente' is clicked on | 0,199s | PASSED |
| 10 | click(findTestObject("Object Repository/Administracion/Page_Bandeja de Usuarios - Contactos de Tesorera/h1_Bandeja de Usuarios")) Object: 'Object Repository/Administracion/Page_Bandeja de Usuarios - Contactos de Tesorera/h1_Bandeja de Usuarios' is clicked on | 3,396s | PASSED |
| 11 | closeBrowser() | 0,804s | PASSED |

Browser is closed