Usuarios

Execution Environment

Host name Isepulvedap - p-Isepulvedap.intergrupo.com

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 78.0.3904.108

Summary

ID Test Suites/Usuarios/Usuarios

Description

Total 3

Passed 1 Failed 2
Error 0 Incomplete 0

Start 2019-11-24 22:31:24 End 2019-11-24 22:32:26

Elapsed 1m - 1,508s

#	ID	Description	Status
1	Test Cases/Administracion/ConsultarUsuarios		PASSED
2	Test Cases/Administracion/CrearUsuario		FAILED
3	Test Cases/Administracion/ModificarUsuarios		FAILED

ConsultarUsuarios

Information

ID Test Cases/Administracion/ConsultarUsuarios

Description

Tag

Start 2019-11-24 22:31:25 End 2019-11-24 22:31:27

Elapsed 2,628s
Status PASSED

Details

#	Description	Elapsed	Status
1	return null	0,013s	PASSED

Information

ID Test Cases/Administracion/CrearUsuario

Description

Tag

Start 2019-11-24 22:31:27 End 2019-11-24 22:32:06

Elapsed 38,564s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("http://smdessc01:4800/CAF.Tesoreria.Web") Browser is opened with url: 'http://smdessc01:4800/CAF.Tesoreria.Web'	8,616s	PASSED
2	click(findTestObject("Object Repository/Administracion/i_Administracin_fas fa-cog")) Object: 'Object Repository/Administracion/i_Administracin_fas fa-cog' is clicked on	1,331s	PASSED
3	click(findTestObject("Object Repository/Administracion/a_Crear Usuarios")) Object: 'Object Repository/Administracion/a_Crear Usuarios' is clicked on	1,545s	PASSED
4	setText(findTestObject("Object Repository/Administracion/input_LoginUsuario"), "login") Text 'login' is set on object 'Object Repository/Administracion/input_LoginUsuario'	0,257s	PASSED
5	click(findTestObject("Administracion/btnBuscarLoginUsuario")) Object: 'Object Repository/Administracion/btnBuscarLoginUsuario' is clicked on	0,390s	PASSED
6	delay(5) Delayed 5 second(s)	5,032s	PASSED

#	Description	Elapsed	Status
7	waitForElementPresent(findTestObject("Object Repository/Administracion/p_El usuario no es vlido o no existe por favor verifique el usuario"), 5)	5,241s	PASSED
	Object 'Object Repository/Administracion/p_El usuario no es vlido o no existe por favor verifique el usuario' is not present after 5 second(s)		
8	click(findTestObject("Object Repository/Administracion/div_Login Usuario")) Object: 'Object Repository/Administracion/div_Login Usuario' is clicked on	0,115s	PASSED
9	setText(findTestObject("Object Repository/Administracion/input_LoginUsuario"), loginUsuario)	0,192s	PASSED
	Text 'Isepulvedap' is set on object 'Object Repository/Administracion/input_LoginUsuario'		
10	delay(5)	5,005s	PASSED
	Delayed 5 second(s)		
11	click(findTestObject("Administracion/btnBuscarLoginUsuario"))	0,137s	PASSED
	Object: 'Object Repository/Administracion/btnBuscarLoginUsuario' is clicked on		
12	click(findTestObject("Object Repository/Administracion/span_Roles Disponibles"))	0,167s	PASSED
	Object: 'Object Repository/Administracion/span_Roles Disponibles' is clicked on		
13	click(findTestObject("Object Repository/Administracion/btnGuardarUser"))	0,171s	PASSED
	Object: 'Object Repository/Administracion/btnGuardarUser' is clicked on		
14	waitForElementPresent(findTestObject("Object Repository/Administracion/p_El usuario ya existe en el sistema"), 5)	0,618s	PASSED
	Object 'Object Repository/Administracion/p_El usuario ya existe en el sistema' is present		
15	click(findTestObject("Object Repository/Administracion/a_Regresar"))	1,262s	PASSED
	Object: 'Object Repository/Administracion/a_Regresar' is clicked on		

#	Description	Elapsed	Status
16	delay(5)	5,003s	PASSED
	Delayed 5 second(s)		
17	click(findTestObject("Object Repository/Administracion/h1_Bandeja de Usuarios"))	0,122s	PASSED
	Object: 'Object Repository/Administracion/h1_Bandeja de Usuarios' is clicked on		
18	closeBrowser()	0,781s	PASSED
	Browser is closed		

Desc	ription	Elapsed	State
verify	TextPresent("", false)	0,026s	FAIL
Unah	le to verify text " is present (Root cause: com.kms.katalon.core.exception.		
	FailedException: Unable to verify text " is present		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Web	UIKeywordMain.groovy:64)		
(\Moh	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword UIKeywordMain.groovy:26)		
(vven	at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.		
verify	TextPresent(VerifyTextPresentKeyword.groovy:83)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.		
exec	ute(VerifyTextPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exec	uteKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent		
(Web	UiBuiltInKeywords.groovy:1693)		
(1100	at com.kms.katalon.core.webui.keyword.		
Webl	JiBuiltInKeywords\$verifyTextPresent\$4.call(Unknown Source)		
	at CrearUsuario.run(CrearUsuario:54)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java:	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java.	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:			
(T .	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Test	CaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Test	CaseExecutor.java:299)		
(1000	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(Test	SuiteExecutor.java:169)		
(Toet	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase SuiteExecutor.java:142)		
(165)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)			
,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)			
0	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sour	ce) at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35)		
Caus	ed by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	opened		
	info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	em info: host: 'P-LSEPULVEDAP', ip: '10.0.210.10', os.name: 'Windows 10', os.arch:		
	64', os.version: '10.0', java.version: '1.8.0_181'		
Drive	r info: driver.version: unknown		
(Drive	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen erFactory.java:714)		
(2/1/4)	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(Drive	erFactory.java:699)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
java:			
1/- "	at com.kms.katalon.core.webui.keyword.builtin.		
verify	r/TextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword. ry:75)		

```
Description
                                                                                                Elapsed
                                                                                                                  Status
          at com.kms.katalon.core.webui.keyword.builtin.
Verify Text Present Keyword \$\_verify Text Present\_closure 1. call (Verify Text Present Keyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.
verifyTextPresent(VerifyTextPresentKeyword.groovy:83)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.
execute(VerifyTextPresentKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. verify Text Present
(WebUiBuiltInKeywords.groovy:1693)
          at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyTextPresent$4.call(Unknown Source)
          at Script1574171656642.run(Script1574171656642.groovy:54)
```

... 13 more

#	Description	Elapsed	Status
20	acceptAlert()	0,021s	FAILED
	Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Unable to accept alert		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71)		
	at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute		
	(AcceptAlertKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
	(WebUiBuiltInKeywords.groovy:1492) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5.		
	call(Unknown Source)		
	at CrearUsuario.run(CrearUsuario:56)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'P-LSEPULVEDAP', ip: '10.0.210.10', os.name: 'Windows 10', os.arch:		
	'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:714)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java:		
	727) at com.kms.katalon.core.webui.keyword.builtin.		
	AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72)		
	at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword\$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		

Description Elapsed Status (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71) $at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute$ (AcceptAlertKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert$ (WebUiBuiltInKeywords.groovy:1492) at com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ accept Alert \$ 5.call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:56) ... 13 more

#	Description	Elapsed	Status
		•	
21	getCSSValue(findTestObject(null), "")	0,026s	FAILED
	Cannot get CSS "{0}" value on "{1}". (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Cannot get CSS "{0}" value on "{1}".		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.		
	getCSSValue(GetCSSValueKeyword.groovy:84)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue		
	(WebUiBuiltInKeywords.groovy:3508) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getCSSValue\$6.		
	call(Unknown Source)		
	at CrearUsuario.run(CrearUsuario:58)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script AsRaw Text (Script Engine.)$		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35)		
	Caused by: java.lang.lllegalArgumentException: Object is null		
	at com.kms.katalon.core.helper.KeywordHelper.checkTestObjectParameter		
	(KeywordHelper.java:33) at com.kms.katalon.core.webui.keyword.builtin.		
	getCSSValueKeyword\$_getCSSValue_closure1.doCall(GetCSSValueKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	getCSSValueKeyword\$_getCSSValue_closure1.call(GetCSSValueKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.		
	getCSSValue(GetCSSValueKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.getCSSValueKeyword.execute		
	(GetCSSValueKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

Description

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getCSSValue
(WebUiBuiltInKeywords.groovy:3508)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getCSSValue\$6.

call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:58) ... 13 more

)

# Description	Elapsed	Status
22 acceptAlert()	0,011s	FAILED
22 acceptaient()	0,0113	TAILLD
Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException:		
Unable to accept alert		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
(AcceptAlertKeyword.groovy:71)		
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute (AcceptAlertKeyword.groovy:66)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:56)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
(WebUiBuiltInKeywords.groovy:1492) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5.		
call(Unknown Source)		
at CrearUsuario.run(CrearUsuario:60)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35)		
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System info: host: 'P-LSEPULVEDAP', ip: '10.0.210.10', os.name: 'Windows 10', os.arch:		
'amd64', os.version: '10.0', java.version: '1.8.0_181'		
Driver info: driver.version: unknown		
at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:714)		
at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java:		
727)		
at com.kms.katalon.core.webui.keyword.builtin.		
AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72)		
at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword\$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		

Description Elapsed Status (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert (AcceptAlertKeyword.groovy:71) $at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute$ (AcceptAlertKeyword.groovy:66) $at\ com.kms.katalon.core.keyword.internal.Keyword Executor.$ executeKeywordForPlatform(KeywordExecutor.groovy:56) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert$ (WebUiBuiltInKeywords.groovy:1492) at com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ accept Alert \$ 5.call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:60) ... 13 more

#	Description	Elapsed	Status
23	acceptAlert()	0,012s	FAILED
	Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to accept alert		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
	(AcceptAlertKeyword.groovy:71) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute		
	(AcceptAlertKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert (WebUiBuiltInKeywords.groovy:1492)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5. call(Unknown Source)		
	at CrearUsuario.run(CrearUsuario:62) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'P-LSEPULVEDAP', ip: '10.0.210.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:714)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java: 727)		
	at com.kms.katalon.core.webui.keyword.builtin. AcceptAlertKeyword\$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72)		
	at com kms katalon core webui keyword builtin		

at com.kms.katalon.core.webui.keyword.builtin.

 $AcceptAlertKeyword \$_acceptAlert_closure 1. call (AcceptAlertKeyword.groovy)$

 $at\ com.kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword$

at Script1574171656642.run(Script1574171656642.groovy:62)

call(Unknown Source)

)

... 13 more

Description

(WebUlKeywordMain.groovy:20)
 at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert
(AcceptAlertKeyword.groovy:71)
 at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute
(AcceptAlertKeyword.groovy:66)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:56)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert
(WebUiBuiltInKeywords.groovy:1492)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$acceptAlert\$5.

#	Description	Elapsed	Status
24	verifyTextPresent("El usuario no es válido o no existe, por favor verifique el usuario.", false)	0,026s	FAILED
27	verify rexti resent Li usuano no es valido o no existe, por lavor verifique el usuano. , laise)	0,0203	TAILLD
	Unable to verify text 'El usuario no es válido o no existe, por favor verifique el usuario.' is		
	present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to		
	verify text 'El usuario no es válido o no existe, por favor verifique el usuario.' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	$at\ com. kms. katalon. core. webui. keyword. built in. Verify Text Present Keyword.$		
	verifyTextPresent(VerifyTextPresentKeyword.groovy:83)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.		
	execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent		
	(WebUiBuiltInKeywords.groovy:1693)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$verifyTextPresent\$4.call(Unknown Source)		
	at CrearUsuario.run(CrearUsuario:64) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'P-LSEPULVEDAP', ip: '10.0.210.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'		
	Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:714)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
	(DriverFactory.java:699)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:685)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall(VerifyTextPresentKeyword.		

Description Elapsed Status groovy:75) at com.kms.katalon.core.webui.keyword.builtin. $Verify Text Present Keyword \$_verify Text Present_closure 1. call (Verify Text Present Keyword.$ groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) $at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.$ verifyTextPresent(VerifyTextPresentKeyword.groovy:83) $at\ com. kms. katalon. core. we bui. keyword. builtin. Verify Text Present Keyword.$ execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. verify Text Present$ (WebUiBuiltInKeywords.groovy:1693) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyTextPresent\$4.call(Unknown Source) at Script1574171656642.run(Script1574171656642.groovy:64)

Information

ID Test Cases/Administracion/ModificarUsuarios

Description

Tag

Start 2019-11-24 22:32:06 End 2019-11-24 22:32:26

Elapsed 20,028s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2,394s	PASSED
2	navigateToUrl("http://smdessc01:4800/CAF.Tesoreria.Web/") Navigate to 'http://smdessc01:4800/CAF.Tesoreria.Web/' successfully	4,961s	PASSED
3	click(findTestObject("Object Repository/Administracion/Administracion/i_Administracin_fas fa-cog")) Object: 'Object Repository/Administracion/Administracion/i_Administracin_fas fa-cog' is clicked on	1,049s	PASSED
4	click(findTestObject("Object Repository/Administracion/Administracion/button_Modificar")) Object: 'Object Repository/Administracion/Administracion/button_Modificar' is clicked on	1,243s	PASSED
5	delay(5) Delayed 5 second(s)	5,004s	PASSED
6	click(findTestObject("Object Repository/Administracion/li_AdministradorFuncional")) Object: 'Object Repository/Administracion/li_AdministradorFuncional' is clicked on	0,145s	PASSED


#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de Tesorera/span_Roles Disponibles_k-icon k-i-arrow-60-left"))	0,495s	FAILED
	<style forecolor="#0099FF">Unable to click on object 'Object</td><td></td><td></td></tr><tr><td></td><td>Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de</td><td></td><td></td></tr><tr><td></td><td>Tesorera/span_Roles Disponibles_k-icon k-i-arrow-60-left' (Root cause: com.kms.katalon.</td><td></td><td></td></tr><tr><td></td><td>core.exception.StepFailedException: Unable to click on object 'Object Repository/Administracion/Page_Modificar Roles De Usuario - Contactos de</td><td></td><td></td></tr><tr><td></td><td>Tesorera/span_Roles Disponibles_k-icon k-i-arrow-60-left'</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</td><td></td><td></td></tr><tr><td></td><td>(WebUlKeywordMain.groovy:64)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</td><td></td><td></td></tr><tr><td></td><td>(WebUIKeywordMain.groovy:26)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute</td><td></td><td></td></tr><tr><td></td><td>(ClickKeyword.groovy:67)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.keyword.internal.KeywordExecutor.</td><td></td><td></td></tr><tr><td></td><td>executeKeywordForPlatform(KeywordExecutor.groovy:56)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click</td><td></td><td></td></tr><tr><td></td><td>(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call</td><td></td><td></td></tr><tr><td></td><td>(Unknown Source)</td><td></td><td></td></tr><tr><td></td><td>at ModificarUsuarios.run(ModificarUsuarios:49)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</td><td></td><td></td></tr><tr><td rowspan=3></td><td>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.</td><td></td><td></td></tr><tr><td>java:119)</td><td></td><td></td></tr><tr><td>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.</td><td></td><td></td></tr><tr><td></td><td>java:328)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase</td><td></td><td></td></tr><tr><td></td><td>(TestCaseExecutor.java:307)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.</td><td></td><td></td></tr><tr><td></td><td>java:233)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase</td><td></td><td></td></tr><tr><td></td><td>(TestSuiteExecutor.java:169)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase</td><td></td><td></td></tr><tr><td></td><td>(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:</td><td></td><td></td></tr><tr><td></td><td>91)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:</td><td></td><td></td></tr><tr><td></td><td>157)</td><td></td><td></td></tr><tr><td></td><td>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown</td><td></td><td></td></tr><tr><td></td><td>Source)</td><td></td><td></td></tr><tr><td></td><td>at TempTestSuite1574651991226.run(TempTestSuite1574651991226.groovy:35) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click</td><td></td><td></td></tr><tr><td></td><td>intercepted: Element is not clickable at point</td><td></td><td></td></tr><tr><td></td><td>(974, 339). Other element would receive the click: </td><td></td><td></td></tr><tr><td></td><td>(Session info: chrome=78.0.3904.108)</td><td></td><td></td></tr><tr><td></td><td>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</td><td></td><td></td></tr><tr><td></td><td>System info: host: 'P-LSEPULVEDAP', ip: '10.0.210.10', os.name: 'Windows 10', os.arch:</td><td></td><td></td></tr><tr><td></td><td>'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver</td><td></td><td></td></tr><tr><td></td><td>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</td><td></td><td></td></tr><tr><td></td><td>78.0.3904.108, chrome: {chromedriverVersion: 77.0.3865.40 (f484704e052e0,</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></tbody></table></style>		

Elapsed

Status

```
Description
userDataDir: C:\Users\LSEPUL~1\AppData\L...}, goog:chromeOptions: {debuggerAddress:
localhost:55181}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(),
setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000,
script: 30000}, unhandledPromptBehavior: dismiss and notify}
Session ID: 8ce09889e7bbd22d198a04e3088adb8e
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:79)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:86)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:616)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$0.call
(Unknown Source)
         at Script1574205925909.run(Script1574205925909.groovy:49)
         ... 13 more
```

)</style>



Browser is closed