### **Notas**

#### **Execution Environment**

Host name Isepulvedap - p-Isepulvedap.intergrupo.com

OS Windows 10 64bit

Katalon version 6.3.3.11

Browser Chrome 78.0.3904.97

Summary

ID Test Suites/Notas/Notas

Description

Total 3

Passed 1 Failed 2
Error 0 Incomplete 0

Start 2019-11-15 09:54:45 End 2019-11-15 09:57:34

Elapsed 2m - 48,307s

# ID	Description	Status
1 Test Cases/Notas/ConsultarNota	S	PASSED
2 Test Cases/Notas/ModificarNotas		FAILED
3 Test Cases/Notas/CrearNotas		FAILED

### ConsultarNotas

#### Information

ID Test Cases/Notas/ConsultarNotas

Description

Tag


Start 2019-11-15 09:54:46 End 2019-11-15 09:54:59

Elapsed 13,936s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	4,974s	PASSED
2	navigateToUrl("http://smdessc01:4800/CAF.Tesoreria.Web/")  Navigate to 'http://smdessc01:4800/CAF.Tesoreria.Web/' successfully	3,514s	PASSED
3	click(findTestObject("Notas/Notas"))  Object: 'Object Repository/Notas/Notas' is clicked on	1,013s	PASSED
4	setText(findTestObject("Notas/TextoParaBusqueda"), "BMW")  Text 'BMW' is set on object 'Object Repository/Notas/TextoParaBusqueda'	0,319s	PASSED
5	sendKeys(findTestObject("Notas/TextoParaBusqueda"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Notas/TextoParaBusqueda'	0,164s	PASSED
6	verifyElementPresent(findTestObject("Notas/IDBBG"), 2)  Object 'Object Repository/Notas/IDBBG' is present	0,184s	PASSED

### ConsultarNotas



#### Information

ID Test Cases/Notas/ModificarNotas

Description

Tag

Start 2019-11-15 09:54:59 End 2019-11-15 09:55:12

Elapsed 12,106s Status FAILED


#### **Details**

#	Description	Elapsed	Status
1	openBrowser("http://smdessc01:4800/CAF.Tesoreria.Web/")	3,880s	PASSED
	Browser is opened with url: 'http://smdessc01:4800/CAF.Tesoreria.Web/'		
2	click(findTestObject("Notas/Notas"))	0,836s	PASSED
	Object: 'Object Repository/Notas/Notas' is clicked on		
3	verifyElementPresent(findTestObject("Notas/a_Modificar"), 5)	0,125s	PASSED
	Object 'Object Repository/Notas/a_Modificar' is present		
4	click(findTestObject("Notas/a_Modificar"))	0,870s	PASSED
	Object: 'Object Repository/Notas/a_Modificar' is clicked on		
5	setText(findTestObject("Notas/input_Ttulo_Titulo"), "NOTA DE PRUEBA MODIFICADA")	0,343s	PASSED
	Text 'NOTA DE PRUEBA MODIFICADA' is set on object 'Object Repository/Notas/input_Ttulo_Titulo'		
6	click(findTestObject("Notas/div_NotasCrearNotaModNota"))	0,003s	NOT_RUN
	NOT_RUN: click(findTestObject("Notas/div_NotasCrearNotaModNota"))		
7	setText(findTestObject("Notas/input_Ttulo_Titulo"), "MODIFICADO")	0,008s	NOT_RUN
	NOT_RUN: setText(findTestObject("Notas/input_Ttulo_Titulo"), "MODIFICADO")		

#	Description	Elapsed	Status
8	click(findTestObject("Notas/input_Fecha baja_btn"))	0,207s	PASSED
	Object: 'Object Repository/Notas/input_Fecha baja_btn' is clicked on		
9	click(findTestObject("Notas/p_La nota fue guardada exitosamente (1)"))	0,149s	PASSED

Object: 'Object Repository/Notas/p\_La nota fue guardada exitosamente (1)' is clicked on

Descrip	tion	Elapsed	Statu
verifyEle	ementPresent(findTestObject("Notas/Bandeja de Notas"), 2)	2,472s	FAILE
com.km	s.katalon.core.webui.exception.WebElementNotFoundException: Web element with		
	ct Repository/Notas/Bandeja de Notas' located by 'By.xpath: //*[@id="wrapper"]/div		
	v[1]/div' not found (Root cause: com.kms.katalon.core.exception.		
	edException: com.kms.katalon.core.webui.exception.		
	mentNotFoundException: Web element with id: 'Object Repository/Notas/Bandeja		
	s' located by 'By.xpath: //*[@id="wrapper"]/div[2]/div/div[1]/div' not found		
ue Nota	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(\Mobi III	KeywordMain.groovy:64)		
(vvebon	at com.kms.katalon.core.webui.keyword.builtin.		
\/orifvEl	ementPresentKeyword\$_verifyElementPresent_closure1.doCall		
	lementPresentKeyword.groovy:85)		
(VerifyE	at com.kms.katalon.core.webui.keyword.builtin.		
\/orifvEl	ementPresentKeyword\$_verifyElementPresent_closure1.call		
	lementPresentKeyword.groovy)		
(verily=	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(\Mahl III	KeywordMain.groovy:20)		
(vvebon	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
verifyEle	ementPresent(VerifyElementPresentKeyword.groovy:92)		
VerifyEle	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
evecute	(VerifyElementPresentKeyword.groovy:68)		
execute	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
evecute	KeywordForPlatform(KeywordExecutor.groovy:56)		
CACCULC	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
verifyEle	ementPresent(WebUiBuiltInKeywords.groovy:1434)		
VOITIYETC	at com.kms.katalon.core.webui.keyword.		
WebLliB	uiltInKeywords\$verifyElementPresent\$4.call(Unknown Source)		
***************************************	at ModificarNotas.run(ModificarNotas:34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
,	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337			
,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328	·		
,	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:307)		
•	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSui	teExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSui	teExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35)		
)			



Browser is closed

#### Information

ID Test Cases/Notas/CrearNotas

Description

Tag

Start 2019-11-15 09:55:12 End 2019-11-15 09:57:34

Elapsed 2m - 21,926s

Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("http://smdessc01:4800/CAF.Tesoreria.Web/")	3,823s	PASSED
	Browser is opened with url: 'http://smdessc01:4800/CAF.Tesoreria.Web/'		
2	click(findTestObject("Notas/Notas"))	0,698s	PASSED
	Object: 'Object Repository/Notas/Notas' is clicked on		

Elapsed

0,679s

Status

FAILED

#	Description
3	click(findTestObject("Notas/a_Crear Notas"))
	<style forecolor="#0099FF">Unable to click on object 'Object Repository/Notas/a_Crear Notas' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Notas/a_Crear Notas'</td></tr><tr><th></th><td>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</td></tr><tr><th></th><td>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</td></tr><tr><th></th><td>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)</td></tr><tr><th></th><td>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)</td></tr><tr><th></th><td>at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)</td></tr><tr><th></th><td>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</td></tr><tr><th></th><td>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</td></tr><tr><th></th><td>at CrearNotas.run(CrearNotas:20)</td></tr><tr><th></th><td>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</td></tr><tr><th></th><td>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)</td></tr><tr><th></th><td>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)</td></tr><tr><th></th><td>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)</td></tr><tr><th></th><td>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase</td></tr><tr><th></th><td>(TestCaseExecutor.java:299)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.</td></tr><tr><th></th><td>java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase</td></tr><tr><th></th><td>(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase</td></tr><tr><th></th><td>(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:</td></tr><tr><th></th><td>91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:</td></tr><tr><th></th><td>157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown</td></tr><tr><th></th><td>Source) at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35)</td></tr><tr><th></th><td>Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a href="/CAF.Tesoreria.Web/Nota/Crear?moduloRegresar=0&amp; crearDesdeBandejaNotas=True"></a> is not clickable at point (308, 145). Other element</td></tr><tr><th></th><td>would receive the click: <div class="loader" id="AjaxLoader" style=""></div> (Session info: chrome=78.0.3904.97)</td></tr><tr><th></th><td>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'P-LSEPULVEDAP', ip: '10.60.6.164', os.name: 'Windows 10', os.arch: 'emd64', os.version: '10.0', ip: version: '10.0', and the state of the state of</td></tr><tr><th></th><td>'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver</td></tr><tr><th></th><td>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</td></tr><tr><th></th><td>78.0.3904.97, chrome: {chromedriverVersion: 77.0.3865.40 (f484704e052e0, userDataDir: C:\Users\LSEPUL~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost: 61108}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:</td></tr><tr><th></th><td>normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true,</td></tr></tbody></table></style>

# Description Elapsed Status

strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}

Session ID: 1db75ef0cecd2a3eb466079c2adc629e

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)

at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)

at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.doCall(ClickKeyword.groovy:79)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.call (ClickKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)


at Script1573758256288.run(Script1573758256288.groovy:20)

... 13 more




# Description Elapsed Status


Desc	ription	Elapsed	Statu
verify	ElementPresent(findTestObject("Notas/FormCrearNotas"), 2)	2,418s	FAILE
com.	kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with		
	bject Repository/Notas/FormCrearNotas' located by 'By.xpath: //*[@id="frmCrearNota"]		
	]/div/h1' not found (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with		
	bject Repository/Notas/FormCrearNotas' located by 'By.xpath: //*[@id="frmCrearNota"]		
/div[1	]/div/h1' not found		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(VVeb	UIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	/ElementPresentKeyword\$_verifyElementPresent_closure1.doCall		
(Veri	yElementPresentKeyword.groovy:85)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	/ElementPresentKeyword\$_verifyElementPresent_closure1.call		
(Veri	yElementPresentKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Web	UIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
verify	ElementPresent(VerifyElementPresentKeyword.groovy:92)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.		
exec	ute(VerifyElementPresentKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exec	uteKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
verify	ElementPresent(WebUiBuiltInKeywords.groovy:1434)		
·	at com.kms.katalon.core.webui.keyword.		
Webl	JiBuiltInKeywords\$verifyElementPresent\$4.call(Unknown Source)		
	at CrearNotas.run(CrearNotas:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:			
,	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:			
,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:			
javan	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Test	CaseExecutor.java:307)		
(100	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Test	CaseExecutor.java:299)		
(100	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:			
jaran	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(Test	SuiteExecutor.java:169)		
(100)	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Test	SuiteExecutor.java:142)		
(1031	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)	a. 33/11/14/10/14/14/14/14/14/14/14/14/14/14/14/14/14/		
01)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)	at 55.1.1.1.110.1.1.1.1.1.1.1.1.1.1.1.1.1.1		
101)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sour			
Court	at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35)		
)	a. 1.5.11p 100.00 (101002000 1012.10 (1011p 100.00 (101002000 1012.g) (000 y).00)		
)			



#	Description	Elancod	Status
		Elapsed	
5	verifyElementPresent(findTestObject("Notas/span_Seleccione cliente"), 5)	5,496s	FAILED
	com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Notas/span_Seleccione cliente' located by 'By.xpath: //span [@unselectable = 'on' and @class = 'k-input' and (text() = 'Seleccione cliente' or . = 'Seleccione cliente')]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object		
	Repository/Notas/span_Seleccione cliente' located by 'By.xpath: //span[@unselectable = 'on' and @class = 'k-input' and (text() = 'Seleccione cliente' or . = 'Seleccione cliente')]' not found		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)		
	at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call  (VerifyElementPresentKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	verifyElementPresent(WebUiBuiltInKeywords.groovy:1434) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementPresent\$4.call(Unknown Source)		
	at CrearNotas.run(CrearNotas:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35)		



#	Description	Elapsed	Status
6	click(findTestObject("Notas/span_Seleccione cliente"))	31,415s	FAILED
	Unable to click on object 'Object Repository/Notas/span_Seleccione cliente' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Notas/span_Seleccione cliente' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:616)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)		
	at CrearNotas.run(CrearNotas:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/Notas/span_Seleccione cliente' located by 'By.xpath: //span[@unselectable = 'on' and @class = 'k-input' and (text() = 'Seleccione cliente' or . =		
	'Seleccione cliente')]' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:77)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)		



Status

FAILED

#	Description	Elapsed
7	click(findTestObject("Notas/li_Liliana"))	31,292s
		01,2020
	Unable to click on object 'Object Repository/Notas/li_Liliana' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to click on object 'Object Repository/Notas/li_Liliana'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	
	(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call	
	(Unknown Source) at CrearNotas.run(CrearNotas:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase	
	(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140)	
	(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)	
	at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web	
	element with id: 'Object Repository/Notas/li_Liliana' located by 'By.xpath: //ul [@id='CodigoCliente_listbox']/li' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	
	(WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:77)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	

Description Elapsed Status (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute

(ClickKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.


executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click


(WebUiBuiltInKeywords.groovy:616)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)


at Script1573758256288.run(Script1573758256288.groovy:28)




#	Description	Elapsed	Status
8	setText(findTestObject("Notas/input_Ttulo_Titulo"), "TITULO DE LA NOTA")	31,341s	FAILED
	Linchia to act toys ITITUU O DE LA NOTAL of chicat l'Object		
	Unable to set text 'TITULO DE LA NOTA' of object 'Object		
	Repository/Notas/input_Ttulo_Titulo' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to set text 'TITULO DE LA NOTA' of object 'Object Repository/Notas/input_Ttulo_Titulo'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:950)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call		
	(Unknown Source)		
	at CrearNotas.run(CrearNotas:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/Notas/input_Ttulo_Titulo' located by 'By.xpath: //input		
	[@id='Titulo']' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1097)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)		



Description	Elapsed	Status
setText(findTestObject("Notas/textarea_Contenido_Contenido"), "CONTENIDO")	31,315s	FAILED
	,	
Unable to set text 'CONTENIDO' of object 'Object		
Repository/Notas/textarea_Contenido_Contenido' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to set text 'CONTENIDO' of object 'Object		
Repository/Notas/textarea_Contenido_Contenido'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:56)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:950)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call		
(Unknown Source)		
at CrearNotas.run(CrearNotas:32)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1573829681072.run(TempTestSuite1573829681072.groovy:35)		
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
element with id: 'Object Repository/Notas/textarea_Contenido_Contenido' located by 'By.		
xpath: //textarea[@id='Contenido']' not found		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1097)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.		
SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)		
at com.kms.katalon.core.webui.keyword.builtin.		
SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)		



NOT\_RUN: click(findTestObject("Notas/p\_La nota fue guardada exitosamente"))



Browser is closed