

C63: Delete Added Mechanism Field

Type	Priority	Estimate	References
Functional	High	None	None
Automation Type	Is Automated		
None	No		
Labels			

Preconditions

- Open EasyDMARC SPF Record Generator page
- SPF Record Generator form is visible

Test Data:

- Domain: test.com
- MX Record: google.com
- Failure Policy: SoftFail

Steps


1

Open the EasyDMARC SPF Record Generator page.

Expected Result:

The SPF Record Generator page should open successfully and load without errors.

Screenshot:



2

In the Domain input field, enter test.com.

Expected Result:

The test.com should be displayed in the Domain input field and no validation error should be displayed.

Screenshot:

SPF Record Generator

Generate valid SPF records for your domain with EasyDMARC's SPF record creator

[Get an embed](#)

Enter your domain name

test.com

Choose source values

☐ Use Redirect (i)

Include

Start typing Email Sender name or include value

[+ Include](#) [+ IPv4](#) [Show more](#)

Select failure policy (i)


SoftFail

[Activate Windows](#)
Go to Settings to activate Windows.

- 3 Click the **delete (trash)** button for the added Include field.

Expected Result:

The **include** input field should be **deleted**.


Screenshot:

- 4 Click the **Show more** button.

Expected Result:

The following buttons should be displayed:


- **Include**
- **IPv4**
- **IPv6**
- **A record**
- **MX record**
- **Exist**
- **Show less**

Screenshot:

- 5 Click the **MX record** button.

Expected Result:

The **MX record** input field should be displayed with its placeholder of '**e.g. example2.com**'.

Screenshot:

- 6 Enter **google.com** in the **MX record** input field.

Expected Result:


The **google.com** should be displayed in the MX Record input field and no validation error should be displayed.

7

Click the **delete (trash)** button for the added **MX Record** field.

Expected Result:

The **MX record** input field should be **deleted**.

Screenshot:

8

Click the **Generate** button.

Expected Result:

The SPF record output area should be displayed successfully.

9

Review the generated SPF record output.

Expected Result:

The generated SPF record should include the following fields:

- Host: **test.com**
- Type: **TXT**
- Value should start with **v=spf1**
- Value should reflect the selected SoftFail policy: **~all**
- The deleted mechanism is not present in output.