

REQUEST FOR QUOTATION - DRAFT FOR DG APPROVAL

Schneider Electric | LOT 2 - Electrical Installation Components and consumables | UNOPS ITB/2026/62389

Recipient	Schneider Electric Customer Care - Malawi	Verified channel	za-ccc@se.com
Destination	Lilongwe, Malawi	Quotation deadline	17 August 2026, 14:00 CAT (Malawi time)
Delivery	60 a 90 jours calendaires apres signature du contrat	Delivery pricing basis	DAP Lilongwe (Schedule of Requirements); FCA plus freight and insurance to DPU Lilongwe (Price Schedule) - Incoterms 2020
From / Reply-To	contact@lilotopsarl.com	Status	NOT SENT - DG AUTHORIZATION REQUIRED

Official lines assigned to this supplier

Line	Product	Qty	Unit	Official specification	Supplier response
1	Distribution board (heavy duty)	15	Each	Heavy duty Distribution board Minimum Technical Specifications Required (like or better than): Number of Outgoing Ways: 6 Electrical Phase: 1 Maximum Current: 125 A Compact design suitable for various installations The bidder must provide a minimum manufacturer warranty valid for commercial/industrial operating conditions The bidder must provide the product datasheet	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
2	MCB 10A, 1P	15	Each	Minimum Technical Specifications Required (like or better than): Number of Poles: 1 Current Rating: 10A Tripping Characteristics: Type C Rated AC Voltage: 230V Breaking Capacity: 6 kA Mounting Style: DIN Rail Mount The bidder must provide the product datasheet	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
3	MCB , 32A,3P+ N	15	Each	Minimum Technical Specifications Required (like or better than): Number of Poles: 3 + N Current Rating: 32A Tripping Characteristics: Type C Rated AC Voltage: 230V Breaking Capacity: 4.5 kA Mounting Style: DIN Rail Mount The bidder must provide the product datasheet	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
4	Neutral link	30	Each	Neutral Conductor Lead-Through Terminal For Use with Circuit Breaker The bidder must provide the product datasheet	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:

Line	Product	Qty	Unit	Official specification	Supplier response
41	Over & Under Voltage Protection	5	Each	Over & Under Voltage Protection Max Running Current:30 Amps Adjustable from 10 seconds to 10 minutes	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
48	Battery isolator	5	Each	Battery Isolator,Double pole, 30A Each 5	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
49	Solar panel isolator	10	Each	Solar Panel Isolator,Double pole, 30A Each 10	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
50	Change over switch	5	Each	Changeover Switch,Single phase, 63A Each 5	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:
51	Switch	15	Each	63A/30mA RCD,63A, 30mA Each 15	COMPLY: YES / NO / ALTERNATIVE Model / Part No.: Deviation:

Commercial response required

1	COMPLY status for every line	Supplier response
2	Manufacturer, exact model and part number	Supplier response
3	Unit and total price with currency	Supplier response
4	DAP Lilongwe price	Supplier response
5	FCA price and named FCA location	Supplier response
6	Freight and insurance separately to DPU Lilongwe	Supplier response
7	Availability and delivery lead time	Supplier response
8	Minimum 12-month manufacturer warranty	Supplier response
9	Country of origin	Supplier response
10	Product datasheets and photos	Supplier response
11	Payment terms	Supplier response
12	Quotation validity	Supplier response

Important

This draft RFQ is a request for quotation only. It is not an order or contractual commitment. It must not be sent without explicit DG authorization for this exact supplier.