Nama : Chalil Al Vareel

NIM : 201401043

KOM : B

Lab : PW1-3

1. Screenshot file




D:\Program Files\XAMPP\htdocs\phpku\koneksi.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php
<?php
$host = "localhost";
$user = "root";
$pass = "";
$name = "phpku";
$koneksi = mysqli_connect($host, $user, $pass) or die ("Koneksi ke database gagal.");
mysqli_select_db($koneksi, $name);
?>


D:\Program Files\XAMPP\htdocs\phpku\aksi_login.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php
<?php
session_start();
include ('koneksi.php');
$username = $_POST ['username'];
$password = $_POST ['password'];
$query = mysqli_query($koneksi, "select * from user where username = '$username' and password = '$password' ");
$cek = mysqli_num_rows($query);
if ($cek == TRUE){
$_SESSION['username'] = $username;
header ("location:index.php");
}
else{
echo "<script>alert('Username atau Paswword yang anda masukkan salah, silakan coba lagi.');
location='login.php'</script>";
}
?>
PHP Hypertext Preprocessor file
length : 520 lines : 18
Ln : 18 Col : 4 Pos : 521
Windows (CR LF)
UTF-8
INS
Type here to search
27°C
15:23
29/05/2021


D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php
<?php
session_start();
include "koneksi.php";
if(!isset($_SESSION['username'])){
header ("location:login.php");
}
if(isset($_SESSION['username'])){
$username = $_SESSION['username'];
}
?>
<!doctype html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<!-- Bootstrap CSS -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css" integrity="sha384-B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUFpCjEUQo
<link rel="stylesheet" href="css\styleisi.css">
<title>SUperShop</title>
</head>
<style>
@import url('https://fonts.googleapis.com/css2?family=Economica:wght@700&display=swap');
body{
font-family: 'Economica', sans-serif;
}
</style>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">SUperShop</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="To

</button>
PHP Hypertext Preprocessor file
length : 9.339 lines : 205
Ln : 41 Col : 69 Pos : 1.381
Windows (CR LF)
UTF-8
INS
Type here to search
27°C
15:27
29/05/2021


D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php

<ol class="carousel-indicators">
<li data-target="#carouselExampleCaptions" data-slide-to="0" class="active"></li>
<li data-target="#carouselExampleCaptions" data-slide-to="1"></li>
<li data-target="#carouselExampleCaptions" data-slide-to="2"></li>
</ol>

<img src="img\gambar1_8x.jpg" class="d-block w-100" alt="Welcome to SUperShop">

<h5 style="color:black;">Welcome to SUperShop</h5>
The #1 online shop in Banyak Island

<img src="img\gambar2_8x.jpg" class="d-block w-100" alt="Provide everything that the other online shop don't">

<h5>Provide everything that the other online shop don't</h5>
We provide more than what the other do because the shipment can't afford it everytime so we shoud provide more stuff and quantities

<img src="img\gambar3_8x.jpg" class="d-block w-100" alt="Well-Packaged<">

<h5 style="color:black;"">Well-Packaged</h5>
We know that the Inter-Island shipment is tough, we also pack the stuff with double packaging for free.

<a class="carousel-control-prev" href="#carouselExampleCaptions" role="button" data-slide="prev">

Previous
</a>
<a class="carousel-control-next" href="#carouselExampleCaptions" role="button" data-slide="next">

Next
</a>

PHP Hypertext Preprocessor file
length : 9.339 lines : 205
Ln : 41 Col : 69 Pos : 1.381
Windows (CR LF)
UTF-8
INS
Type here to search
27°C
15:27
29/05/2021

D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

login.php koneksi.php aksi_login.php index.php aksi_logout.php

```
<nav class="navbar navbar-expand-lg navbar-light bg-light">
  <a class="navbar-brand" href="#">SUperShop</a>
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="To
    <span class="navbar-toggler-icon"></span>
  </button>

  <div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
      <li class="nav-item active">
        <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#location">Location</a>
      </li>
      <li class="nav-item">
        <a class="nav-link disabled" href="#" tabindex="-1" aria-disabled="true">Price List</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
          Menu
        </a>
        <div class="dropdown-menu" aria-labelledby="navbarDropdown">
          <a class="dropdown-item" href="#biodata">Biodata</a>
          <div class="dropdown-divider"></div>
          <a class="dropdown-item" href="#callcenter">Call center</a>
        </div>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="aksi_logout.php" tabindex="-1">Log Out</a>
      </li>
    </ul>
    <form class="form-inline my-2 my-lg-0">
      <input class="form-control mr-sm-2" type="search" placeholder="Search" aria-label="Search">
      <button class="btn btn-outline-success my-2 my-sm-0" type="submit">Search</button>
    </form>
  </div>
</nav>
```

PHP Hypertext Preprocessor file | length : 9.339 | lines : 205 | Ln : 41 | Col : 69 | Pos : 1.381 | Windows (CR LF) | UTF-8 | INS

Type here to search | 27°C | 15:27 | 29/05/2021

D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

login.php koneksi.php aksi_login.php index.php aksi_logout.php

```
<div class="container">
    <div class="card-deck mt-5 mb-5">
        <div class="card">
            <img src="img\potokotak1.jpg" class="card-img-top" alt="Camera">
            <div class="card-body">
            <h5 class="card-title">Best DSLR Camera 2020</h5>
            <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.</p>
            <p class="card-text"><small class="text-muted">Last updated 2 hours ago</small></p>
            </div>
        </div>
        <div class="card">
            <img src="img\potokotak2.jpg" class="card-img-top" alt="Gadget">
            <div class="card-body">
            <h5 class="card-title">Best Flashdisk 2020</h5>
            <p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
            <p class="card-text"><small class="text-muted">Last updated 2 hours ago</small></p>
            </div>
        </div>
        <div class="card">
            <img src="img\potokotak3.jpg" class="card-img-top" alt="Clothes">
            <div class="card-body">
            <h5 class="card-title">Best Clothes for Kids</h5>
            <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show t
            <p class="card-text"><small class="text-muted">Last updated 2 hours ago</small></p>
            </div>
        </div>
    </div>
</div>

<div id="location" class="container">
    <table>
        <thead>
            <tr>
                <td colspan="4" style="text-align: center;"><b>Location : </b></td>
            </tr>
        </thead>
    </table>
    <div class="embed-responsive embed-responsive-16by9">
        <iframe class="embed-responsive-item" src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d255167.28757766137!2d97.09510839097777!3d2.157932719814162?!2m3!1f0!2f0!3f0!3m
```

PHP Hypertext Preprocessor file | length : 9.339 | lines : 205 | Ln : 41 | Col : 69 | Pos : 1.381 | Windows (CR LF) | UTF-8 | INS

Type here to search | 27°C | 15:27 | 29/05/2021

D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

login.php koneksi.php aksi_login.php index.php aksi_logout.php

```
</div>

<div id="location" class="container">
    <table>
        <thead>
            <tr>
                <td colspan="4" style="text-align: center;"><b>Location : </b></td>
            </tr>
        </thead>
    </table>
    <div class="embed-responsive embed-responsive-16by9">
        <iframe class="embed-responsive-item" src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d255167.28757766137!2d97.09510839097777!3d2.157932719814162?!2m3!1f0!2f0!3f0!3m
    </div>
</div>

<div id="biodata" class="container">
    <table class="table table-borderless table-dark table-hover mb-5 mt-5">
    <thead>
        <tr>
            <td colspan="4" style="text-align: center;"><b>BIODATA</b></td>
        </tr>
    </thead>
    <tbody>
        <tr>
            <th scope="row">Name</th>
            <td>:</td>
            <td colspan="2">SUperShop</td>
        </tr>
        <tr>
            <th scope="row">Estabilished</th>
            <td>:</td>
            <td colspan="2">2021</td>
        </tr>
        <tr>
            <th scope="row"><Address>Adress</Address> </th>
            <td>:</td>
            <td colspan="2"><Address>Banyak Island</Address></td>
        </tr>
        <tr>
```

PHP Hypertext Preprocessor file | length : 9.339 | lines : 205 | Ln : 41 | Col : 69 | Pos : 1.381 | Windows (CR LF) | UTF-8 | INS

Type here to search | 27°C | 15:27 | 29/05/2021


D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php

<table class="table table-borderless table-dark table-hover mb-5 mt-5">
<thead>
<tr>
<td colspan="4" style="text-align: center;">BIODATA</td>
</tr>
</thead>
<tbody>
<tr>
<th scope="row">Name</th>
<td>:</td>
<td colspan="2">SUperShop</td>
</tr>
<tr>
<th scope="row">Estabilished</th>
<td>:</td>
<td colspan="2">2021</td>
</tr>
<tr>
<th scope="row"><Address>Adress</Address> </th>
<td>:</td>
<td colspan="2"><Address>Banyak Island</Address></td>
</tr>
<tr>
<th id="callcenter" scope="row">Call Center</th>
<td>:</td>
<td colspan="2">(021)6565648796</td>
</tr>
</tbody>
</table>

<footer class="text-center">
Soon we'll have the logo
</footer>
<!-- Optional JavaScript; choose one of the two! -->
PHP Hypertext Preprocessor file
length : 9.339 lines : 205
Ln : 41 Col : 69 Pos : 1.381
Windows (CR LF) UTF-8 INS
Type here to search
27°C
15:27
29/05/2021


D:\Program Files\XAMPP\htdocs\phpku\index.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php
<th scope="row">Estabilished</th>
<td>:</td>
<td colspan="2">2021</td>
<th scope="row"><Address>Adress</Address> </th>
<td>:</td>
<td colspan="2"><Address>Banyak Island</Address></td>
<th id="callcenter" scope="row">Call Center</th>
<td>:</td>
<td colspan="2">(021)6565648796</td>
<footer class="text-center">
Soon we'll have the logo
</footer>
<!-- Optional JavaScript; choose one of the two! -->
<!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-Piv4xVNRyMGpqkS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" cros
<!-- Option 2: Separate Popper and Bootstrap JS -->
<!--
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin=
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-+YQ4JLhjyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossorigin
-->
</body>
</html>
PHP Hypertext Preprocessor file
length : 9.339 lines : 205
Ln : 41 Col : 69 Pos : 1.381
Windows (CR LF) UTF-8 INS
Type here to search
27°C
15:27
29/05/2021


D:\Program Files\XAMPP\htdocs\phpku\aksi_logout.php - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
login.php koneksi.php aksi_login.php index.php aksi_logout.php
<?php
session_start();
session_destroy();
header ("location:login.php");
?>
PHP Hypertext Preprocessor file
length : 82 lines : 5
Ln : 4 Col : 35 Pos : 79
Windows (CR LF) UTF-8 INS
Type here to search
27°C
15:39
29/05/2021

2. Screenshot hasil

a. Login dan setelah logout (langsung menuju bage login setelah logout)




b. Jika berhasil masuk



c. Jika gagal masuk