

# PrEP Data Validation Exercise before Entry into UCSR

Lily Alexander

March 30, 2018

## Abstract

**Summary.** This is a document to validate and check variables before they are integrated into the UCSR.

## 1 High-level codebook for all variables

---

disease	Disease
---------	---------

---

type: string (str3)

unique values: 1                      missing "": 0/13

tabulation:	Freq.	Value
	13	"HIV"

---

collapsed	Collapsed
-----------	-----------

---

type: string (str3), but longest is str2

unique values: 1                      missing "": 0/13

tabulation:	Freq.	Value
	13	"No"

---


lead_author	Lead Author
-------------	-------------

---

type: string (str7)

unique values: 1                      missing "": 0/13

tabulation:	Freq.	Value
	13	"Ying, R"

ref_year	Reference Year
<hr/>	
type: numeric (int)	
range: [2015,2015]	units: 1
unique values: 1	missing .: 0/13
tabulation: Freq. Value	
13 2015	
<hr/>	
output_unit2	Output unit
<hr/>	
type: string (str20)	
unique values: 1	missing "": 0/13
tabulation: Freq. Value	
13 "Cost Per Couple-Year" 	
warning: variable has embedded blanks	
<hr/>	
title	Title
<hr/>	
type: string (str143)	
unique values: 1	missing "": 0/13
tabulation: Freq. Value	
13 "Cost-effectiveness of pre-exposure prophylaxis targeted to high-risk serodiscordant couples as a bridge to sustained ART use in Kampala, Uganda"	
warning: variable has embedded blanks	
<hr/>	
journal_etc	Journal
<hr/>	
type: string (str41)	
unique values: 1	missing "": 0/13
tabulation: Freq. Value	
13 "J Int AIDS Soc. 2015; 18(4Suppl 3): 20013"	

warning: variable has embedded blanks

---

url	URL
-----	-----

---

type: string (str56)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13	"< <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4509901/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4509901/</a> >."
----	--

---

iso_name	Country
----------	---------

---

type: string (str8)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13	"Uganda"
----	----------

---

location	Location
----------	----------

---

type: string (str23)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13	"Kasangati Health Centre"
----	---------------------------

warning: variable has embedded blanks

---

no_sites	Sites
----------	-------

---

type: numeric (byte)

range: [1,1] units: 1

unique values: 1 missing .: 0/13

tabulation: Freq. Value

13	1
----	---

---

pop_density	Urbanicity
-------------	------------

---

```

        type: string (str10)

unique values: 1                                missing "": 0/13

    tabulation: Freq. Value
                  13 "Peri-Urban"

-----
ownership                                                    Ownership
-----

        type: string (str6)

unique values: 1                                missing "": 0/13

    tabulation: Freq. Value
                  13 "Public"

-----
platform                                                    Platform
-----

        type: string (str15), but longest is str14

unique values: 1                                missing "": 0/13

    tabulation: Freq. Value
                  13 "Fixed Facility"

        warning: variable has embedded blanks

-----
facility_cat                                                    Platform specificity
-----

        type: string (str68), but longest is str28

unique values: 1                                missing "": 0/13

    tabulation: Freq. Value
                  13 "Hospital - Level Unspecified"

        warning: variable has embedded blanks

-----
id_class                                                    Intervention Category
-----

        type: string (str10)

unique values: 1                                missing "": 0/13

    tabulation: Freq. Value

```

### 13 "Prevention"

---

id_int	Intervention
--------	--------------

---

type: string (str31)

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"PRE-EXPOSURE PROPHYLAXIS (PREP)"

warning: variable has embedded blanks

---

int_description_long	Intervention Description (Long)
----------------------	---------------------------------

---

type: string (str263)

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"Standard care for HIV positive partner included: sexual behavior counseling, ART provision, adherence counseling, viral load monitoring. PrEP care for HIV negative partner included: HIV counseling & testing, drug provision, serum creatinine tests, pregnancy tests"

warning: variable has embedded blanks

---

clinical_monitoring	Clinical monitoring
---------------------	---------------------

---

type: string (str31)

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"Vl Monitoring, Serum Creatinine"

warning: variable has embedded blanks

---

demand_generation	Demand generation
-------------------	-------------------

---

type: string (str2), but longest is str1

unique values: 1 missing "": 0/13

```

      tabulation: Freq. Value
                  13 "."
-----
counseling_content                                     Counseling content
-----

      type: string (str64)

unique values: 1                                     missing "": 0/13

      tabulation: Freq. Value
                  13 "Sexual Behavior Counseling, Adherence
                     Counseling, Hiv Counseling"

      warning: variable has embedded blanks
-----
staff_type                                             Staff type & number
-----

      type: string (str36)

unique values: 1                                     missing "": 0/13

      tabulation: Freq. Value
                  13 "Nurse Counselors (4), Clinicians (2)"

      warning: variable has embedded blanks
-----
supportive_care                                       Supportive care
-----

      type: string (str2), but longest is str1

unique values: 1                                     missing "": 0/13

      tabulation: Freq. Value
                  13 "."
-----
visits                                                Visit type & number
-----

      type: string (str45)

unique values: 1                                     missing "": 0/13

      tabulation: Freq. Value
                  13 "Screening (7), Enrollment (5),
                     Follow-Up (18)"

```



warning: variable has embedded blanks

---

referrals	Referrals
-----------	-----------

---

type: string (str2), but longest is str1

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"."

---

method	Method
--------	--------

---

type: string (str10)

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"Rapid Test"

warning: variable has embedded blanks

---

id_tech	Technology
---------	------------

---

type: string (str16)

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"First Line, Prep"

warning: variable has embedded blanks

---

treatment_phase	Treatment phase
-----------------	-----------------

---

type: string (str10)

unique values: 1 missing "": 0/13

tabulation:	Freq.	Value
	13	"initiation"

---

arv_regimen	ARV Regimen
-------------	-------------

---

```
type: string (str11)
unique values: 1 missing "": 0/13
```


```
tabulation: Freq. Value
            13 "FTC+TDF+EFV"
```

---

treatment	Treatment
-----------	-----------

---

```
type: string (str7)
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "FTC+TDF" 
```

---

screening_diagnoses	Screening and diagnosis
---------------------	-------------------------

---

```
type: string (str30)
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "HIV testing, Pregnancy testing"
```

```
warning: variable has embedded blanks
```

---

community_awareness	Community awareness
---------------------	---------------------

---

```
type: string (str2), but longest is str1
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "."
```

---

health_system	Health system
---------------	---------------

---

```
type: string (str2), but longest is str1
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "."
```



id\_activities Costed activities

```
type: string (str86)
unique values: 1 missing "": 0/13
tabulation: Freq. Value
              13 "Clinical Monitoring; Counseling
                  Content; Arv Regimen; Screening &
                  Diagnoses; Treatment"
warning: variable has embedded blanks
```

start\_month Start Month

```
type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 13/13
tabulation: Freq. Value
              13 .
```

start\_year Start Year

```
type: string (str2), but longest is str1
unique values: 1 missing "": 0/13
tabulation: Freq. Value
              13 ". "
```

end\_month End Month

```
type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 13/13
tabulation: Freq. Value
              13 .
```

end\_year End Year

```
type: string (str2), but longest is str1
```

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 "."

---

period\_portrayed Total Months

---

type: string (str2)

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 "12"

---

year\_intro Year introduced at study site

---

type: numeric (byte)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value  
13 .

---

coverage Coverage

---

type: numeric (byte)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value  
13 .

---

id\_pop\_dem\_std Target group (demographic)

---

type: string (str23)

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 "Sero-discordant Couples"

warning: variable has embedded blanks

---

id_pop_clin_std	Target group (clinical)
-----------------	-------------------------

---

type: string (str22)

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

13	"serodiscordant couples"
----	--------------------------

warning: variable has embedded blanks



---

pop_age	Average Age
---------	-------------

---

type: numeric (byte)

range: [30,30]                      units: 1

unique values: 1                      missing .: 0/13

tabulation: Freq. Value

13	30
----	----

---

pop_sex	Gender
---------	--------

---

type: string (str1)

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

13	."
----	----

---

pop_ses	SES
---------	-----

---

type: string (str2), but longest is str1

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

13	."
----	----

---

pop_education	Education
---------------	-----------

---

type: string (str2), but longest is str1

unique values: 1                      missing "": 0/13

```

      tabulation: Freq. Value
                  13  "."
-----
hiv_prev                                              HIV Prevalence
-----

      type: numeric (double)

      range: [.5,.5]          units: 1
unique values: 1              missing .: 0/13

      tabulation: Freq. Value
                  13  .5
-----
tb_prev                                              TB Prevalence
-----

      type: string (str2), but longest is str1

unique values: 1              missing "": 0/13

      tabulation: Freq. Value
                  13  "."
-----
tb_rx_resistance                                    TB Drug Resistance
-----

      type: string (str1)

unique values: 1              missing "": 0/13

      tabulation: Freq. Value
                  13  "."
-----
costing_purpose                                        Costing Purpose
-----

      type: string (str145)

unique values: 1              missing "": 0/13

      tabulation: Freq. Value
                  13  "To assess the feasibility of
                        antiretroviral-based interventions (ART
                        and PrEP) to prevent HIV transmission
                        among high-risk serodiscordant couples"

      warning: variable has embedded blanks

```

---

timing	Timing
--------	--------

---

type: string (str15)

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

                 13 "Cross-Sectional"

---

country_sampling	Country Sampling
------------------	------------------

---

type: string (str3), but longest is str1

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

                 13 "."

---

geo_sampling_incountry	Geographic Area In Country Sampling
------------------------	-------------------------------------

---

type: string (str1)

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

                 13 "."

---

site_sampling	Site Sampling
---------------	---------------

---

type: string (str1)

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

                 13 "."

---

px_sampling	Patient Sampling
-------------	------------------

---

type: string (str14)

unique values: 1                      missing "": 0/13

tabulation: Freq. Value

                 13 "Entire Program"

warning: variable has embedded blanks

---

sample\_size\_derived Sample size formally derived

---

type: string (str2)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13 "No"

---

controls Controls

---

type: string (str2)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13 "No"

---

econ\_perspective\_actual Perspective

---

type: string (str8)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13 "Provider"

---

econ\_costing Economic / Financial

---

type: string (str8)

unique values: 1 missing "": 0/13

tabulation: Freq. Value

13 "Economic"

---

real\_world Real World / Per Protocol

---

type: string (str10)

unique values: 1 missing "": 0/13

```
tabulation: Freq. Value
            13 "Real World"
```

```
warning: variable has embedded blanks
```

---

```
asd_costs
```

---

```
Above Service Costs Included
```

```
type: string (str17)
```

```
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "No Costs Included"
```

```
warning: variable has embedded blanks
```

---

```
list_asd_costs
```

---

```
Above Service Cost List
```

```
type: string (str4)
```

```
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "None"
```

---

```
omitted_costs
```

---

```
Omitted Costs
```

```
type: string (str13)
```

```
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "Patient costs"
```

```
warning: variable has embedded blanks
```

---

```
sensitivity_analysis
```

---

```
Sensitivity Analysis
```

```
type: string (str13)
```

```
unique values: 1 missing "": 0/13
```

```
tabulation: Freq. Value
            13 "Comprehensive"
```

---

scale	Economies of scale
-------	--------------------

---

```

type: string (str7)

unique values: 1          missing "": 0/13

tabulation: Freq. Value
              13  "Ignored"

```

---

research_costs	Research Costs Included
----------------	-------------------------

---

```

type: string (str8)

unique values: 1          missing "": 0/13

tabulation: Freq. Value
              13  "Excluded"

```

---

unrelated_costs	Unrelated Costs Included
-----------------	--------------------------

---

```

type: string (str2)

unique values: 1          missing "": 0/13

tabulation: Freq. Value
              13  "No"

```

---

overhead	Overhead Costs Included
----------	-------------------------

---

```

type: string (str3)

unique values: 1          missing "": 0/13

tabulation: Freq. Value
              13  "Yes"

```

---

overhead_costs	Overhead Costs List
----------------	---------------------

---

```

type: string (str50)

unique values: 1          missing "": 0/13

tabulation: Freq. Value
              13  "Start-Up, Transportation, Fuel,

```



Building, Vehicles"

warning: variable has embedded blanks

---

pot\_distortions Potential distortions

---

type: string (str2), but longest is str1

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 ". "

---

volunteer\_time Valuing Volunteer Time

---

type: string (str1)

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 ". "

---

family\_time Valuing Family Time

---

type: string (str1)

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 ". "

---

px\_costs\_measured Patient-Incurred Costs Measured

---

type: string (str12)

unique values: 1 missing "": 0/13

tabulation: Freq. Value  
13 "Not Included"

warning: variable has embedded blanks

---

cat\_cost Catastrophic Cost Calculated

---

```

type: string (str2)

unique values: 1 missing "": 0/13

tabulation: Freq. Value
            13 "No"

```

---

currency\_yr Reported Currency Year

---

```

type: numeric (int)

range: [2012,2012] units: 1
unique values: 1 missing .: 0/13

tabulation: Freq. Value
            13 2012

```

---

iso\_code Reported Currency

---

```

type: string (str3)

unique values: 1 missing "": 0/13

tabulation: Freq. Value
            13 "USD"

```

---


currency\_iso Currency of Data Collection

---

```

type: string (str3)

unique values: 2 missing "": 0/13

tabulation: Freq. Value
            12 "." 
            1 "UGX"

```

---

currency\_x Currency Exchange Method

---

```

type: string (str11)

unique values: 1 missing "": 0/13

tabulation: Freq. Value
            13 "Market Only"

warning: variable has embedded blanks

```

```

-----
current_x_rate                                     Currency Exchange Rate
-----

      type:  string (str2), but longest is str1

unique values:  1                                missing "":  0/13

      tabulation:  Freq.  Value
                   13  "."

-----

discount_rate                                     Discount Rate
-----

      type:  numeric (byte)

      range:  [3,3]                                units:  1
unique values:  1                                missing .:  0/13

      tabulation:  Freq.  Value
                   13  3

-----

inflation                                         Inflation rate
-----

      type:  string (str2), but longest is str1

unique values:  1                                missing "":  0/13

      tabulation:  Freq.  Value
                   13  "."

-----

mean_cost                                         Mean Unit Cost
-----

      type:  numeric (double)

      range:  [97.423084,1120.3655]                units:  1.000e-06
unique values:  13                                missing .:  0/13

      mean:    521.979
      std. dev: 316.055

      percentiles:      10%      25%      50%      75%      90%
                       106.954  382.28  479.703  672.431  1064.24

-----

si_personnel                                     Personnel (SI)
-----

```

```

        type: numeric (double)

        range: [47.52552,47.52552]          units: .00001
unique values: 1                          missing .: 12/13

        tabulation: Freq.  Value
                     1    47.52552
                     12    .

```

---

```

si_per_service_delivery                                Personnel: Direct Service Delivery (SI)

```

---

```

        type: numeric (float)

        range: [.,.]                      units: .
unique values: 0                          missing .: 13/13

        tabulation: Freq.  Value
                     13    .

```

---

```

si_per_support                                          Personnel: Support (SI)

```

---

```

        type: numeric (float)

        range: [.,.]                      units: .
unique values: 0                          missing .: 13/13

        tabulation: Freq.  Value
                     13    .

```

---

```

si_per_mixed_unspec                                    Personnel: Mixed Unspecified (SI)

```

---

```

        type: numeric (double)

        range: [47.52552,47.52552]          units: .00001
unique values: 1                          missing .: 12/13

        tabulation: Freq.  Value
                     1    47.52552
                     12    .

```

---

```

si_recurrent                                          Recurrent Goods (SI)

```

---

```

        type: numeric (double)

        range: [371.56316,371.56316]        units: .00001
unique values: 1                          missing .: 12/13

```

```

tabulation: Freq. Value
              1 371.56316
              12 .

```

---

```

si_rec_key_drugs                                     Recurring: Supplies (key drugs) (SI)

```

---

```

type: numeric (double)

range: [159.85857,159.85857]      units: .00001
unique values: 1                  missing .: 12/13

```

```

tabulation: Freq. Value
              1 159.85857
              12 .

```

---

```

si_rec_med_int_supplies                             Recurring: Medical Supplies (excluding drugs) (SI)

```

---

```

type: numeric (double)

range: [12.961506,12.961506]     units: 1.000e-06
unique values: 1                  missing .: 12/13

```

```

tabulation: Freq. Value
              1 12.961506
              12 .

```

---

```

si_rec_nonmed_int_supplies                         Recurring: Non-medical Supplies (SI)

```

---

```

type: numeric (float)

range: [.,.]                      units: .
unique values: 0                  missing .: 13/13

```

```

tabulation: Freq. Value
              13 .

```

---

```

si_rec_building_space                               Recurring: Building Space (SI)

```

---

```

type: numeric (float)

range: [.,.]                      units: .
unique values: 0                  missing .: 13/13

```

```

tabulation: Freq. Value
              13 .

```

---

si\_rec\_other Recurring: Other (SI)

---

type: numeric (double)

range: [198.74309,198.74309]      units: .00001  
unique values: 1      missing : 12/13

tabulation: Freq. Value  
             1 198.74309  
             12 .

---

si\_capital Capital (SI)

---

type: numeric (double)

range: [8.641004,8.641004]      units: 1.000e-06  
unique values: 1      missing : 12/13

tabulation: Freq. Value  
             1 8.6410036  
             12 .

---

si\_cap\_med\_equip Capital: Equipment (medical) (SI)

---

type: numeric (float)

range: [.,.]      units: .  
unique values: 0      missing : 13/13

tabulation: Freq. Value  
             13 .

---

si\_cap\_nonmed\_equip Capital: Equipment (non-medical) (SI)

---

type: numeric (float)

range: [.,.]      units: .  
unique values: 0      missing : 13/13

tabulation: Freq. Value  
             13 .

---

si\_cap\_building\_space Capital: Building Space (SI)

---

```

        type: numeric (float)

        range: [.,.]
        unique values: 0
        units: .
        missing : 13/13

        tabulation: Freq. Value
                     13 .

```

---

```

si_cap_vehicles
Capital: Vehicles (SI)

```

---

```

        type: numeric (float)

        range: [.,.]
        unique values: 0
        units: .
        missing : 13/13

        tabulation: Freq. Value
                     13 .

```

---

```

si_cap_other
Capital: Other (SI)

```

---

```

        type: numeric (double)

        range: [8.641004,8.641004]
        unique values: 1
        units: 1.000e-06
        missing : 12/13

        tabulation: Freq. Value
                     1 8.6410036
                     12 .

```

---

```

si_mixed
Mixed (SI)

```

---

```

        type: numeric (double)

        range: [692.63575,692.63575]
        unique values: 1
        units: .00001
        missing : 12/13

        tabulation: Freq. Value
                     1 692.63575
                     12 .

```

---

```

a_primary_sd
Primary Service Delivery (A)

```

---

```

        type: numeric (double)

        range: [895.69933,895.69933]
        units: .00001

```

unique values: 1 missing .: 12/13

tabulation: Freq. Value  
1 895.69933  
12 .

---

a\_prisd\_arv\_delivery Primary SD: ARV Delivery (A)

---

type: numeric (double)

range: [688.31525,688.31525] units: .00001  
unique values: 1 missing .: 12/13

tabulation: Freq. Value  
1 688.31525  
12 .

---

a\_prisd\_unspecified Primary SD: Unspecified (A)

---

type: numeric (double)

range: [207.3841,207.3841] units: .0001  
unique values: 1 missing .: 12/13

tabulation: Freq. Value  
1 207.38409  
12 .

---

a\_secondary\_sd Secondary Service Delivery (A)

---

type: numeric (float)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value  
13 .

---

a\_secsd\_unspecified Secondary SD: Unspecified (A)

---

type: numeric (float)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value



---

a\_ancillary Ancillary (A)

---

type: numeric (double)

range: [211.70459,211.70459]      units: .00001  
unique values: 1      missing : 12/13

tabulation: Freq. Value  
                 1 211.70459  
                 12 .

---

a\_anc\_demand\_generation Ancillary: Demand Generation (A)

---

type: numeric (float)

range: [.,.]      units: .  
unique values: 0      missing : 13/13

tabulation: Freq. Value  
                 13 .

---

a\_anc\_lab\_services Ancillary: Lab Services (A)

---

type: numeric (double)

range: [198.74309,198.74309]      units: .00001  
unique values: 1      missing : 12/13

tabulation: Freq. Value  
                 1 198.74309  
                 12 .

---

a\_anc\_adhereten Ancillary: Adherence/Retention (A)

---

type: numeric (float)

range: [.,.]      units: .  
unique values: 0      missing : 13/13

tabulation: Freq. Value  
                 13 .

---

a\_anc\_unspecified Ancillary: Unspecified (A)

---

---

```

        type: numeric (double)

        range: [12.961506,12.961506]          units: 1.000e-06
unique values: 1                             missing .: 12/13

        tabulation: Freq. Value
                     1 12.961506
                     12 .

```

---



---

```

a_operational                                                    Operational (A)

```

---

```

        type: numeric (double)

        range: [12.961505,12.961505]          units: 1.000e-10
unique values: 1                             missing .: 12/13

        tabulation: Freq. Value
                     1 12.961505
                     12 .

```

---



---

```

a_ope_bldg_equip                                                Operational: Buildings and Equipment (A)

```

---

```

        type: numeric (float)

        range: [.,.]                          units: .
unique values: 0                             missing .: 13/13

        tabulation: Freq. Value
                     13 .

```

---



---

```

a_ope_logistics                                                  Operational: Logistics (A)

```

---

```

        type: numeric (double)

        range: [8.641004,8.641004]            units: 1.000e-06
unique values: 1                             missing .: 12/13

        tabulation: Freq. Value
                     1 8.6410036
                     12 .

```

---



---

```

a_ope_program_mgmt                                              Operational: Program Management (A)

```

---

```

        type: numeric (float)

```

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value  
13 .

---

a\_ope\_supervision Operational: Supervision (A)

---

type: numeric (float)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value  
13 .

---

a\_ope\_training Operational: Training (A)

---

type: numeric (float)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value  
13 .

---

a\_ope\_transportation Operational: Transportation (A)

---

type: numeric (double)

range: [4.320502,4.320502] units: 1.000e-06  
unique values: 1 missing .: 12/13

tabulation: Freq. Value  
1 4.3205018  
12 .

---

a\_ope\_massed Operational: Mass Education (A)

---

type: numeric (float)

range: [.,.] units: .  
unique values: 0 missing .: 13/13

tabulation: Freq. Value

13 .

---

a_ope_hmis	Operational: HMIS and Record-Keeping (A)
------------	--

---

type: numeric (float)

range:	[.,.]	units:	.
unique values:	0	missing .:	13/13

tabulation: Freq. Value

13	.
----	---

---

a_ope_unspecified	Operational: Unspecified (A)
-------------------	------------------------------

---

type: numeric (float)

range:	[.,.]	units:	.
unique values:	0	missing .:	13/13

tabulation: Freq. Value

13	.
----	---

---

a_mixed	Mixed (A)
---------	-----------

---

type: numeric (float)

range:	[.,.]	units:	.
unique values:	0	missing .:	13/13

tabulation: Freq. Value

13	.
----	---