

Data Check

. codebook

| study | | Study |
|--|--|-------------------|
| type: string (str6) unique values: 26 missing "": 0/186 examples: "hiv105" "hiv111" "hiv116" "hiv123" | | |
| collapsed | | Collapsed |
| type: string (str2) unique values: 1 missing "": 0/186 tabulation: Freq. Value 186 "No" | | |
| Flags | | (unlabeled) |
| type: string (str1) unique values: 1 missing "": 0/186 tabulation: Freq. Value 186 " ." | | |
| id | | ID Variable |
| type: string (str7) unique values: 118 missing "": 0/186 examples: "hiv105b" "hiv111a" "hiv116e" "hiv123c" | | |
| unit_cost | | Unit Cost ID |
| type: string (str12) unique values: 186 missing "": 0/186 examples: "hiv105b_i" "hiv111a_i" "hiv116e_i" "hiv123c_i" | | |
| lead_author | | Lead Author |
| type: string (str18) unique values: 25 missing "": 0/186 examples: "Duong" "Mann" "Nguyen" "Scott" warning: variable has embedded and trailing blanks | | |
| ref_author | | Reference Authors |
| type: string (str1) unique values: 1 missing "": 0/186 tabulation: Freq. Value 186 " ." | | |
| ref_year | | Reference Year |
| type: numeric (int) range: [2008,2016] units: 1 unique values: 8 missing .: 0/186 tabulation: Freq. Value 27 2008 6 2009 14 2011 7 2012 | | |

37 2013
52 2014
39 2015
4 2016

| title | Title |
|---|--------------------|
| <p>type: string (str214)</p> <p>unique values: 26 missing "": 0/186</p> <p>examples: "Cost and outcomes of paediatric antiretroviral treatment in South Africa " "Costs and benefits of HAART for patients with HIV in a public hospital in Mexico" "Multi-Country Analysis of Treatment Costs for HIV/AIDS (MATCH): Facility-Level ART Unit Cost Analysis in Ethiopia, Malawi, Rwanda, South Africa and Zambia" "The cost-effectiveness of integrated care for people living with HIV including antiretroviral treatment in a primary health care center in Bujumbura, Burundi"</p> <p>warning: variable has embedded and trailing blanks</p> | |
| journal_etc | Journal |
| <p>type: string (str46)</p> <p>unique values: 16 missing "": 0/186</p> <p>examples: "BMC Health Services Research" "Journal of Acquired Immune Deficiency Syndrome" "Lancet Infectious Disease" "Salud Publica de Mexico"</p> <p>warning: variable has embedded blanks</p> | |
| url | URL |
| <p>type: string (str1)</p> <p>unique values: 1 missing "": 0/186</p> <p>tabulation: Freq. Value 186 "."</p> | |
| ownership | Ownership |
| <p>type: string (str17)</p> <p>unique values: 6 missing "": 0/186</p> <p>tabulation: Freq. Value 10 "." 6 "In-country NGO" 29 "International NGO" 18 "Mixed" 8 "Private" 115 "Public"</p> <p>warning: variable has embedded blanks</p> | |
| id_facility | Facility Category |
| <p>type: string (str4)</p> <p>unique values: 12 missing "": 0/186</p> <p>examples: "HC04" "HC04" "HC05" "HC10"</p> | |
| platform | Platform |
| <p>type: string (str15), but longest is str14</p> <p>unique values: 3 missing "": 0/186</p> <p>tabulation: Freq. Value 6 "." 175 "Fixed facility" 5 "Other"</p> <p>warning: variable has embedded blanks</p> | |
| id_class | Intervention Class |
| <p>type: string (str18)</p> <p>unique values: 3 missing "": 0/186</p> <p>tabulation: Freq. Value 8 "." 2 "Prevention" 176 "Treatment and Care"</p> <p>warning: variable has embedded blanks</p> | |

```

id_type ----- Intervention Type -----
      type: string (str36)
unique values: 7              missing "": 0/186

      tabulation: Freq. Value
                   8      "."
                   92     "Adult ART"
                   71     "Antiretroviral Therapy"
                    2     "Other Health System Interventions"
                    3     "Pediatric ART"
                    8     "Pre-ART Care"
                    2     "Service Packages for Key Populations"

      warning: variable has embedded blanks

-----
id_modality ----- Delivery Modality -----
      type: string (str39)
unique values: 4              missing "": 0/186

      tabulation: Freq. Value
                   18      "."
                    2     "Behavior Change Communications
                        Approach"
                  162     "Treatment Phase"
                    4     "Treatment Phase
initiation,
                        maintenance"

      warning: variable has embedded blanks

-----
disease ----- Disease -----
      type: string (str3)
unique values: 1              missing "": 0/186

      tabulation: Freq. Value
                   186     "HIV"

-----
id_tech ----- Technology -----
      type: string (str122)
unique values: 24             missing "": 0/186

      examples: "."
                "AZT+3TC+NVP; d4T+3TC+NVP; AZT+3TC+EFV; d4T+3TC+EFV;
                3TC+ddI+NVP; AZT+3TC+ABC; d4T+3TC+ABC; d4T+ddI+EFV;
                AZT+3TC+NVP; Other"
                "d4T + 3TC + EFV; d4T + 3TC + NVP"
                "d4t + 3TC + NVP (most common)"

      warning: variable has embedded and trailing blanks

-----
id_tech_diag ----- Technology for diagnosis -----
      type: string (str1)
unique values: 1              missing "": 0/186

      tabulation: Freq. Value
                   186      "."

-----
id_tech_treat ----- Technology for treatment -----
      type: string (str1)
unique values: 1              missing "": 0/186

      tabulation: Freq. Value
                   186      "."

-----
id_tech_prevention ----- Technology for prevention -----
      type: string (str1)
unique values: 1              missing "": 0/186

      tabulation: Freq. Value
                   186      "."

-----
id_phase ----- Phase -----
      type: string (str23)
unique values: 8              missing "": 0/186

      tabulation: Freq. Value
                   12      "."
                    4     "HCT"
                    1     "Initiation"
                    3     "initiation"
                   59     "initiation"
                   74     "initiation; maintenance"
                   31     "maintenance"
                    2     "pre-ART"

```

warning: variable has embedded blanks

int_description_long Intervention Description (Long)

type: string (str1071)

unique values: 36 missing "": 0/186

examples: "ART initiation criteria included more than two hospitalizations per year or prolonged hospitalization (>4 weeks) for HIV-related disease; modified WHO Stage 3 or 4 disease; or a CD4 percentage less than 20% in a child under 18 months old or less than 15% in a child over 18 months old, both irrespective of disease stage. The recommended paediatric regimens consisted of stavudine, lamivudine, and lopinavir/ritonavir for children initiated at less than 3 years of age and of stavudine, lamivudine, and efavirenz for children initiated at 3 years or older "
"For both cohorts, first-line ART included efavirenz or nevirapine. In the 2003-2004 cohort, clinic visits were scheduled monthly. For the 2006-2008 cohort, visit frequency in the second year was reduced to every second or third month among clinically stable patients. At each visit, patients were seen by a physician or nurse and by a pharmacist who dispensed ART and provided adherence counseling. Additional counseling was provided by a social worker upon referral by a clinician. Laboratory testing protocols for the 2003-2004 cohort included CD4 cell count, complete blood count, creatinine, liver function tests, and glucose before ART initiation and at 6-month intervals in follow-up for patients on ART. In the 2006-2008 cohort, CD4 cell count was done at baseline and then annually, with other tests conducted only as clinically indicated."
"Patients on ART >6months, and switching of medications was allowed. Selected nurses in each clinic were authorized to prescribe first line ART, and received additional training and guidelines covering ART prescribing, drug effects and side-effects, and criteria for referral to doctor. "
"The Yerelom project relies on peer educators to recruit, educate and ensure high follow-up rates of FSW. It is a specialised clinic that provides condoms, STI testing/treatment, HIV testing and counselling, ART, medical consultations and safer sex counselling and psychological support. Peer-educators are crucial to the clinic's success as they identify FSW in the 'milieu', get them tested and treated at the clinic and retain them in care. They also conduct daily group education sessions with women in the waiting room. Both a pharmacy and laboratory are on site and all services are free of charge to participants. "

warning: variable has embedded and trailing blanks

start_month Start Month

type: string (str5)

unique values: 8 missing "": 0/186

tabulation: Freq. Value
40 ". "
84 "1 "
1 "2 "
24 "4 "
1 "7 "
4 "8 "
26 "Mixed"
6 "Open"

start_year Start Year

type: string (str5)

unique values: 13 missing "": 0/186

examples: ". "
"2005"
"2008"
"2011"

end_month End Month

type: string (str5)

unique values: 9 missing "": 0/186

tabulation: Freq. Value
48 ". "
9 "1 "
57 "12 "
11 "2 "
26 "3 "
1 "6 "
2 "7 "
26 "Mixed"
6 "Open"

end_year End Year

type: string (str5)

```

unique values: 11                                missing "": 0/186
examples: "."
          "2007"
          "2009"
          "2011"

-----
period_portrayed                                Total Months
-----

type: numeric (double)
label: non_standard, but 12 nonmissing values are not labeled
range: [6,288]                                units: 1.000e-07
unique values: 13                            missing .: 2/186
examples: 12
          12
          12
          25

-----
coverage                                          Coverage
-----

type: numeric (byte)
range: [.,.]                                units: .
unique values: 0                            missing .: 186/186
tabulation: Freq. Value
           186 .

-----
int_services                                    Integrated Services
-----

type: string (str20)
unique values: 4                            missing "": 0/186
tabulation: Freq. Value
           33 "."
           119 "Integrated"
           24 "Mixed"
           10 "Partially integrated"
warning: variable has embedded blanks

-----
country                                          Country
-----

type: string (str12)
unique values: 20                            missing "": 0/186
examples: "Indonesia"
          "Multiple"
          "South Africa"
          "Uganda"
warning: variable has embedded blanks

-----
region                                          Region
-----

type: string (str6)
unique values: 4                            missing "": 0/186
tabulation: Freq. Value
           51 "Asia"
           7 "Global"
           14 "LAC"
           114 "SSA"

-----
pop_density                                    Urbanicity
-----

type: string (str10)
unique values: 5                            missing "": 0/186
tabulation: Freq. Value
           12 "."
           59 "Mixture"
           2 "Peri-Urban"
           23 "Rural"
           90 "Urban"

-----
neonates                                        Target group (demographic)
-----

type: numeric (float)
label: neonates
range: [0,0]                                units: 1
unique values: 1                            missing .: 0/186
tabulation: Freq. Numeric Label
           186 0 Adults and/or Adolescents

-----
location                                          Location
-----

type: string (str55)
unique values: 28                            missing "": 0/186

```

```

examples: "Botswana, Ethiopia, Nigeria, Uganda, Vietnam,
           Mozambique"
           "Gauteng Province "
           "Mexico City, Cuernavaca, Guadalajara"
           "mixed"

warning: variable has embedded and trailing blanks
-----
ss_unique_trait                                     Unique Trait
-----

type: string (str89)

unique values: 115                                missing "": 0/186

examples: "Cohort: 2006-2008
Phase: Maintenance (second year)"
           "Intervention: Adult First-line ART (maintenance)"
           "Setting: HIV unit within a public sector academic
           hospital. Patient volume: Low. Year: 1"
           "Site 4: Primary care clinic (NGO)"

warning: variable has embedded blanks
-----
id_pop_dem_std                                     Population served
-----

type: string (str1)

unique values: 1                                missing "": 0/186

tabulation: Freq. Value
            186      "."
-----

pop_age                                             Average Age
-----

type: string (str31)

unique values: 24                                missing "": 0/186

examples: "."
           "27"
           "31-34 (depending on care phase)"
           "38"

warning: variable has embedded and trailing blanks
-----

pop_sex                                             Gender
-----

type: string (str38)

unique values: 34                                missing "": 0/186

examples: "."
           "."
           "48%-83% male (depending on care phase)"
           "68% female"

warning: variable has embedded blanks
-----

pop_ses                                             SES
-----

type: string (str25)

unique values: 7                                missing "": 0/186

tabulation: Freq. Value
            161      "."
            2       "63% earning"
            3       "64.8% above middle income"
            8       "70% worked in agriculture"
            1       "84.1% farmers"
            1       "92% working"
            10      "Sex workers"

warning: variable has embedded blanks
-----

pop_education                                     Education
-----

type: string (str93)

unique values: 14                                missing "": 0/186

examples: "."
           "."
           "."
           "0% primary; 51% secondary; 48% tertiary"

warning: variable has embedded blanks
-----

pop_couples                                       Couples
-----

type: string (str3), but longest is str2

unique values: 2                                missing "": 0/186

tabulation: Freq. Value
            184      "."
            2       "Nr"
-----

hiv_prev                                           HIV Prevalence
-----

```

```

type: string (str17)
unique values: 7          missing "": 0/186

tabulation: Freq. Value
             127      "."
             2       ".003"
             23      ".0045"
             2       ".022"
             20      ".16666666666666667"
             2       ".37"
             10      "7% - 36.2% "

warning: variable has embedded and trailing blanks
-----
cd4_med                                         Median CD4 Count
-----

type: string (str18)
unique values: 39          missing "": 0/186

examples: "."
          ".1405"
          "124"
          "275"

warning: variable has embedded blanks
-----
cd4_range                                       CD4 Range
-----

type: string (str23)
unique values: 32          missing "": 0/186

examples: "."
          "."
          "."
          "66-76"

warning: variable has leading and embedded blanks
-----
tb_prev                                         TB Prevalence
-----

type: string (str3), but longest is str1
unique values: 1          missing "": 0/186

tabulation: Freq. Value
             186      "."

-----
tb_rx_resistance                             TB Drug Resistance
-----

type: string (str3), but longest is str1
unique values: 1          missing "": 0/186

tabulation: Freq. Value
             186      "."

-----
costing_purpose_cat                             Costing Purpose
-----

type: string (str26)
unique values: 6          missing "": 0/186

tabulation: Freq. Value
             2       "."
             22      "econ eval/priority setting"
             51      "financial planning"
             45      "mixed"
             16      "multiple"
             50      "tech efficiency analysis"

warning: variable has embedded blanks
-----
timing                                         Timing
-----

type: string (str15)
unique values: 3          missing "": 0/186

tabulation: Freq. Value
             1       "Cross-sectional"
             140      "cross-sectional"
             45      "longitudinal"

-----
country_sampling                             Country Sampling
-----

type: string (str9)
unique values: 2          missing "": 0/186

tabulation: Freq. Value
             178      "."
             8       "purposive"

-----
geo_sampling_incountry                       Geographic Area In Country Sampling
-----

type: string (str11)

```

```

unique values: 4              missing "": 0/186

  tabulation: Freq. Value
               145  "."
               5    "convenience"
               31  "purposive"
               5    "random"

-----
site_sampling                  Site Sampling
-----

  type: string (str14)

unique values: 5              missing "": 0/186

  tabulation: Freq. Value
               121  "."
               10  "convenience"
               4    "entire program"
               46  "purposive"
               5    "random"

  warning: variable has embedded blanks

-----
px_sampling                    Patient Sampling
-----

  type: string (str14)

unique values: 5              missing "": 0/186

  tabulation: Freq. Value
               34  "."
               10  "cluster"
               86  "convenience"
               40  "entire program"
               16  "random"

  warning: variable has embedded blanks

-----
sample_size_derived            Sample size formally derived
-----

  type: string (str3)

unique values: 3              missing "": 0/186

  tabulation: Freq. Value
               142  "."
               27  "no"
               17  "yes"

-----
controls                       Controls
-----

  type: string (str3)

unique values: 3              missing "": 0/186

  tabulation: Freq. Value
               120  "."
               43  "no"
               23  "yes"

-----
econ_perspective_actual         Perspective
-----

  type: string (str17)

unique values: 4              missing "": 0/186

  tabulation: Freq. Value
               174  "healthcare system"
               2    "patient"
               7    "provider"
               3    "society"

  warning: variable has embedded blanks

-----
econ_costing                   Economic / Financial
-----

  type: string (str14)

unique values: 2              missing "": 0/186

  tabulation: Freq. Value
               131  "economic"
               55  "financial only"

  warning: variable has embedded blanks

-----
real_world                     Real World / Per Protocol
-----

  type: string (str12)

unique values: 3              missing "": 0/186

  tabulation: Freq. Value
               2    "mix"
               24  "per protocol"
               160  "real world"

  warning: variable has embedded blanks

-----
asd_costs                     Above Service Costs Included
-----

```



```

type: string (str19)
unique values: 4 missing "": 0/186

tabulation: Freq. Value
            38 "."
            105 "no costs included"
            23 "not included"
            20 "some costs included"

warning: variable has embedded blanks

-----
list_asd_costs Above Service Cost List
-----

type: string (str104)
unique values: 7 missing "": 0/186

tabulation: Freq. Value
            68 "."
            8 "ART storage at a central facility"
            10 "ARVs and condoms were donated and
                priced according to the central pharmacy
                price list"
            1 "Advocacy meetings with key stakeholders
                Advocacy with radio; TV and newspapers;
                Website design; Training"
            1 "Laboratory investigations are requested
                by providers in the health unit, but
                done in a central facility"
            5 "None"
            93 "none"

warning: variable has embedded blanks

-----
research_costs Research Costs Included
-----

type: string (str8)
unique values: 3 missing "": 0/186

tabulation: Freq. Value
            101 "."
            73 "excluded"
            12 "included"

-----
unrelated_costs Unrelated Costs Included
-----

type: string (str17)
unique values: 3 missing "": 0/186

tabulation: Freq. Value
            101 "."
            15 "no"
            70 "no costs included"

warning: variable has embedded blanks

-----
overhead Overhead Costs Included
-----

type: string (str7)
unique values: 4 missing "": 0/186

tabulation: Freq. Value
            4 "."
            6 "no"
            2 "partial"
            174 "yes"

-----
overhead_costs Overhead Costs List
-----

type: string (str164)
unique values: 23 missing "": 0/186

examples: "admin staff, electricity and gas, building
            maintenance and security, phone and communications,
            computers, furniture, office supplies"
            "administrative and operational costs: utilities,
            office supplies, rentals, repairs, annual capital
            costs"
            "infrastructure, equipment and furnishings, data
            capture, programme management"
            "none"

warning: variable has embedded and trailing blanks

-----
omitted_costs Author-reported Omitted Costs
-----

type: string (str121)
unique values: 12 missing "": 64/186

examples: ""
            "above service costs, patient costs"
            "above service costs, patient costs, per diem paid by
            hospital for patients from other cities"
            "patient costs, informal payments, start-up.
            Opportunity costs for land, buildings, and some
            fixed expenditures (capital)"

```

```

warning: variable has embedded and trailing blanks
-----
volunteer_time                                     Valuing Volunteer Time
-----
type: string (str3), but longest is str1
unique values: 1                                missing "": 0/186
tabulation: Freq. Value
              186  "."
-----
family_time                                       Valuing Family Time
-----
type: string (str17)
unique values: 3                                missing "": 0/186
tabulation: Freq. Value
              181  "."
              3    "interview"
              2    "local paid income"
warning: variable has embedded blanks
-----
currency_yr                                     Reported Currency Year
-----
type: numeric (int)
range: [2002,2015]                            units: 1
unique values: 10                             missing .: 6/186
mean: 2008.73
std. dev: 2.3632
percentiles: 10%    25%    50%    75%    90%
              2006    2006    2009    2010    2011.5
-----
iso_code                                       Reported Currency
-----
type: string (str3)
unique values: 2                                missing "": 0/186
tabulation: Freq. Value
              1    "BRL"
              185  "USD"
-----
currency_x                                     Currency Exchange Method
-----
type: string (str11)
unique values: 2                                missing "": 0/186
tabulation: Freq. Value
              25  "."
              161 "market only"
warning: variable has embedded blanks
-----
current_x_rate                                Currency Exchange Rate
-----
type: numeric (double)
range: [6.8,20828]                            units: .01
unique values: 16                             missing .: 60/186
mean: 4425.48
std. dev: 7425.56
percentiles: 10%    25%    50%    75%    90%
              6.8    6.8    259.1  4861  18462
-----
discount_rate                                Discount Rate
-----
type: numeric (double)
range: [0,3]                                  units: .0001
unique values: 8                             missing .: 90/186
tabulation: Freq. Value
              8    0
              20  .03
              4    .035
              10  .0425
              2    .05
              9    .07
              2    .08
              41  3
              90  .
-----
sensitivity_analysis                          Sensitivity Analysis
-----
type: string (str13)
unique values: 4                                missing "": 0/186
tabulation: Freq. Value
              2    "."
              60  "comprehensive"
              12  "limited"

```

```

112 "none"

-----
uncertainty_rmk                                     Uncertainty Remarks
-----

      type: string (str198)
unique values: 5                                missing "": 0/186

      tabulation: Freq. Value
                   47 "."
                   4  "1 comprehensive multivariate SA"
                   2  "One limitation is the assumption that
                     active surveillance leads to a higher
                     rate of detection and treatment of AEs
                     in LMIC. If this assumption is
                     incorrect, the validity of the model
                     will decrease. "
                   131 "none"
                   2  "one SA, of treatment naive patients
                     under HAART"

      warning: variable has embedded and trailing blanks

-----
mean_cost                                           Mean Unit Cost
-----

      type: numeric (double)
      range: [2.1446438,8613.9464]          units: 1.000e-08
unique values: 178                        missing .: 6/186

      mean: 909.932
      std. dev: 1271.33

      percentiles:      10%      25%      50%      75%      90%
                       122.687  285.017  607.131  1053.63  1419.21

-----
si_capital                                           Capital (SI)
-----

      type: numeric (double)
      range: [0,11.498906]                units: 1.000e-07
unique values: 12                        missing .: 166/186

      mean: 3.20673
      std. dev: 3.93646

      percentiles:      10%      25%      50%      75%      90%
                       0        .618852  2.09071  3.43036  11.4989

-----
si_mixed                                           Mixed (SI)
-----

      type: numeric (double)
      range: [1.1187215,1227.5558]        units: 1.000e-15
unique values: 103                      missing .: 70/186

      mean: 216.824
      std. dev: 210.276

      percentiles:      10%      25%      50%      75%      90%
                       16.7808  48.1867  154.505  325.548  553.651

-----
si_personnel                                         Personnel (SI)
-----

      type: numeric (double)
      range: [.12803844,1119.416]          units: 1.000e-15
unique values: 74                      missing .: 107/186

      mean: 81.7836
      std. dev: 138.819

      percentiles:      10%      25%      50%      75%      90%
                       2.46474  21.2557  53.9328  85.0228  176.665

-----
si_recurrent                                         Recurrent Goods (SI)
-----

      type: numeric (double)
      range: [.33076596,6173.8052]        units: 1.000e-16
unique values: 122                      missing .: 61/186

      mean: 581.801
      std. dev: 1037.4

      percentiles:      10%      25%      50%      75%      90%
                       35.7991  134.213  252.831  595.28  1028.56

-----
si_cap_medical equip                               Capital: Equipment (medical) (SI)
-----

      type: numeric (float)
      range: [.,.]                        units: .
unique values: 0                          missing .: 186/186

      tabulation: Freq. Value
                   186 .

-----
si_cap_nonmed equip                               Capital: Equipment (non-medical) (SI)
-----

```

```

type: numeric (float)
range: [.,.] units: .
unique values: 0 missing .: 186/186
tabulation: Freq. Value
186 .
-----
si_cap_other Capital: Other capital (SI)
-----
type: numeric (double)
range: [0,11.498906] units: 1.000e-07
unique values: 12 missing .: 166/186
mean: 2.9454
std. dev: 4.04047
percentiles: 10% 25% 50% 75% 90%
0 .618852 1.04536 3.43036 11.4989
-----
si_mix_mixed Mixed: Mixed (SI)
-----
type: numeric (double)
range: [1.1187215,1227.5558] units: 1.000e-15
unique values: 103 missing .: 70/186
mean: 211.217
std. dev: 208.885
percentiles: 10% 25% 50% 75% 90%
16.7808 48.1867 147.918 316.114 553.651
-----
si_per_mixed_unspec Personnel: Direct Service Delivery (SI)
-----
type: numeric (double)
range: [.12803844,264.61276] units: 1.000e-09
unique values: 17 missing .: 168/186
mean: 35.506
std. dev: 61.9776
percentiles: 10% 25% 50% 75% 90%
.373445 1.24837 10.5418 54.4163 56.9719
-----
si_per_service_delivery Personnel: Support (SI)
-----
type: numeric (double)
range: [9.8941702,1119.416] units: 1.000e-15
unique values: 60 missing .: 121/186
mean: 89.0414
std. dev: 147.408
percentiles: 10% 25% 50% 75% 90%
16.1096 30.3771 56.8087 85.0228 176.665
-----
si_per_support Personnel: Mixed Unspecified (SI)
-----
type: numeric (double)
range: [0,21.650233] units: 1.000e-08
unique values: 9 missing .: 175/186
tabulation: Freq. Value
3 0
1 .11187215
1 .2237443
1 .33561647
1 .78310508
1 1.0068494
1 1.1187215
1 8.8729572
1 21.650233
175 .
-----
si_rec_building_space Recurring: Building Space (SI)
-----
type: numeric (double)
range: [3.1360652,12.544261] units: 1.000e-07
unique values: 4 missing .: 178/186
tabulation: Freq. Value
2 3.1360652
1 4.1814203
4 8.3628407
1 12.544261
178 .
-----
si_rec_med_int_supplies Recurring: Medical Supplies (excluding drugs) (SI)
-----
type: numeric (double)
range: [0,249.18712] units: 1.000e-16
unique values: 79 missing .: 93/186
mean: 45.9666
std. dev: 46.727

```



```

unique values: 2                                missing .: 184/186

  tabulation: Freq. Value
               1 10.068493
               1 17.899544
               184 .

```

```

a_anc_unspecified                                Ancillary: Unspecified (A)

```

```

type: numeric (double)

range: [0,249.18712]          units: 1.000e-11
unique values: 43              missing .: 134/186

mean: 39.8096
std. dev: 49.8702

percentiles:    10%    25%    50%    75%    90%
               .338668  6.304  23.6162  52.7151  81.5496

```

```

a_mix_mixed                                    Ancillary: Mixed (A)

```

```

type: numeric (double)

range: [.06401922,264.61276]  units: 1.000e-08
unique values: 16              missing .: 170/186

mean: 27.7494
std. dev: 65.8402

percentiles:    10%    25%    50%    75%    90%
               .074689  .245407  1.07766  21.3397  56.5503

```

```

a_ope_bldg equip                               Operational: Buildings and Equipment (A)

```

```

type: numeric (double)

range: [3.1360652,325.20996]  units: 1.000e-07
unique values: 4              missing .: 176/186

  tabulation: Freq. Value
               3 3.1360652
               4 6.2721305
               1 10.453551
               2 325.20996
               176 .

```

```

a_ope_logistics                               Operational: Logistics (A)

```

```

type: numeric (double)

range: [0,26.623423]          units: 1.000e-07
unique values: 4              missing .: 172/186

  tabulation: Freq. Value
               2 0
               5 1.0453551
               1 2.0907102
               6 26.623423
               172 .

```

```

a_ope_program mgmt                             Operational: Program Management (A)

```

```

type: numeric (double)

range: [5.385083,5.385083]    units: 1.000e-06
unique values: 1              missing .: 185/186

  tabulation: Freq. Value
               1 5.3850832
               185 .

```

```

a_ope_supervision                             Operational: Supervision (A)

```

```

type: numeric (double)

range: [96.154114,96.154114]  units: 1
unique values: 1              missing .: 183/186

  tabulation: Freq. Value
               3 96.154114
               183 .

```

```

a_ope_training                                Operational: Training (A)

```

```

type: numeric (double)

range: [0,24.902742]          units: 1.000e-07
unique values: 3              missing .: 181/186

  tabulation: Freq. Value
               2 0
               1 1.3600882
               2 24.902742
               181 .

```

```

a_ope_transportation                           Operational: Transportation (A)

```

```

type: numeric (double)

```

```

range: [3.1360652,94.081955]      units: 1.000e-11
unique values: 10                  missing .: 171/186

mean: 19.0664
std. dev: 29.1519

percentiles:      10%      25%      50%      75%      90%
                  3.13607  5.50335  7.31749  11.4989  85.7191
-----
a_ope_unspecified                                Operational: Unspecified (A)
-----

type: numeric (double)

range: [.41612491,288.11575]      units: 1.000e-08
unique values: 69                  missing .: 105/186

mean: 46.1363
std. dev: 53.2182

percentiles:      10%      25%      50%      75%      90%
                  2.23744  11.6099  34.6109  59.2922  94.5137
-----
a_prisd_circumcision_proced                    Primary SD: Circumcision Procedure (A)
-----

type: numeric (float)

range: [.,.]                      units: .
unique values: 0                  missing .: 186/186

tabulation: Freq. Value
            186 .
-----
a_prisd_unspecified                            Primary SD: Unspecified (A)
-----

type: numeric (double)

range: [.19845958,1119.416]      units: 1.000e-15
unique values: 81                  missing .: 99/186

mean: 119.42
std. dev: 128.891

percentiles:      10%      25%      50%      75%      90%
                  29.6461  56.2941  103.021  141.497  217.283
-----
a_secsd_hct                                    Secondary SD: HIV Counseling and Testing (A)
-----

type: numeric (float)

range: [.,.]                      units: .
unique values: 0                  missing .: 186/186

tabulation: Freq. Value
            186 .

```