

Patient Tracking Data Validation Exercise before Entry into UCSR

Lily Alexander

April 7, 2018

Abstract

Summary. This is a document to validate and check variables before they are integrated into the UCSR.

1 High-level codebook for all variables

disease	Disease
---------	---------

type: string (str3)

unique values: 1 missing "": 0/2

tabulation:	Freq.	Value
	2	"HIV"

collapsed	Collapsed
-----------	-----------

type: string (str3), but longest is str2

unique values: 1 missing "": 0/2

tabulation:	Freq.	Value
	2	"No"

lead_author	Lead Author
-------------	-------------

type: string (str8)

unique values: 1 missing "": 0/2

tabulation:	Freq.	Value
	2	"Rosen, S"

warning: variable has embedded blanks

ref_year	Reference Year
----------	----------------

type: numeric (int)


range: [2010,2010] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
 2 2010

output_unit2	Output unit
--------------	-------------

type: string (str23)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
 2 "Cost Per Patient Traced" 

warning: variable has embedded blanks

title	Title
-------	-------

type: string (str159)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
 2 "Cost of using a patient tracer to
 reduce loss to follow-up and ascertain
 patient status in a large antiretroviral
 therapy program in Johannesburg, South
 Africa"

warning: variable has embedded blanks

journal_etc	Journal
-------------	---------

type: string (str47)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
 2 "Trop Med Int Health. 2010 Jun; 15(s1):

98104"

warning: variable has embedded blanks

url	URL
-----	-----

type: string (str56)

unique values: 1 missing "": 0/2

tabulation:	Freq.	Value
	2	"< https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3059411/ >."

iso_name	Country
----------	---------

type: string (str14)

unique values: 1 missing "": 0/2

tabulation:	Freq.	Value
	2	"South Africa"

warning: variable has embedded blanks

location	Location
----------	----------

type: string (str12)

unique values: 1 missing "": 0/2

tabulation:	Freq.	Value
	2	"Johannesburg"

no_sites	Sites
----------	-------

type: numeric (byte)

range:	[1,1]	units:	1
unique values:	1	missing .:	0/2

tabulation:	Freq.	Value
	2	1

pop_density	Urbanicity
-------------	------------

```

-----
                type:  string (str5)

unique values:  1                                missing "":  0/2

      tabulation:  Freq.  Value
                    2  "Urban"
-----

ownership                                                    Ownership
-----

                type:  string (str6)

unique values:  1                                missing "":  0/2

      tabulation:  Freq.  Value
                    2  "Public"
-----

platform                                                    Platform
-----

                type:  string (str15), but longest is str14

unique values:  1                                missing "":  0/2

      tabulation:  Freq.  Value
                    2  "Fixed Facility"

      warning:  variable has embedded blanks
-----

facility_cat                                                    Platform specificity
-----

                type:  string (str68), but longest is str29

unique values:  1                                missing "":  0/2

      tabulation:  Freq.  Value
                    2  "Hospital - Primary (District)"

      warning:  variable has embedded blanks
-----

id_class                                                    Intervention Category
-----

                type:  string (str13)

unique values:  1                                missing "":  0/2

```

```

tabulation: Freq. Value
              2 "Health System"

```

warning: variable has embedded blanks

```

id_int                                              Intervention

```

```

type: string (str16)

```

```

unique values: 1                                missing "": 0/2

```

```

tabulation: Freq. Value
              2 "PATIENT TRACKING"

```

warning: variable has embedded blanks

```

int_description_long                                Intervention Description (Long)

```

```

type: string (str1224)

```

```

unique values: 1                                missing "": 0/2

```

```

tabulation: Freq. Value
              2 "In the role of patient tracer, the
                researcher was instructed to use all
                available contact information to locate
                patients; discuss the patient's
                situation by phone or in person; and,
                following pre-established guidelines,
                assist the patient to return to care.
                Assistance allowed by the intervention's
                guidelines included making an
                appointment at the clinic on the
                patient's behalf; meeting the patient
                for the appointment and assisting in the
                consultation if requested; helping to
                obtain documentation required to
                continue treatment; finding and
                referring the patient to another
                treatment facility closer to the
                patient's home or open at different
                times; helping the patient to disclose
                his/her HIV or treatment status to
                family members; providing other
                information or referrals as requested;
                and/or providing up to R100
                (approximately $11) per patient for
                transport fares to and from the clinic.
                The intention of providing transport
                funds was to allow the patient to make

```

one additional roundtrip visit to the clinic, in the hope that the clinic staff could assist the patient in devising a longer-term solution to the lack of transport funds, such as transferring to a closer facility or applying for a social support grant."

warning: variable has embedded blanks

clinical_monitoring

Clinical monitoring

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

demand_generation

Demand generation

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

counseling_content

Counseling content

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

staff_type

Staff type & number

type: string (str19)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Patient Tracker (1)"

warning: variable has embedded blanks

supportive_care

Supportive care

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

visits

Visit type & number

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

referrals

Referrals

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

method

Method

type: string (str1)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 ". "

id_tech

Technology

type: string (str27)

unique values: 1 missing "": 0/2

```

tabulation: Freq. Value
              2 "Phone-Based Tracking System"

```

```

warning: variable has embedded blanks

```

```

-----
treatment_phase                                     Treatment phase
-----

```

```

              type: string (str2), but longest is str1
unique values: 1                                     missing "": 0/2
              tabulation: Freq. Value
                      2 "."

```

```

-----
arv_regimen                                           ARV Regimen
-----

```

```

              type: string (str2), but longest is str1
unique values: 1                                     missing "": 0/2
              tabulation: Freq. Value
                      2 "."

```

```

-----
treatment                                             Treatment
-----

```

```

              type: string (str2), but longest is str1
unique values: 1                                     missing "": 0/2
              tabulation: Freq. Value
                      2 "."

```

```

-----
screening_diagnoses                                 Screening and diagnosis
-----

```

```

              type: string (str2), but longest is str1
unique values: 1                                     missing "": 0/2
              tabulation: Freq. Value
                      2 "."

```

```

-----
community_awareness                                 Community awareness
-----

```

```

              type: string (str2), but longest is str1

```


unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "."

health_system

health_system

type: string (str27)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "phone-based tracking system"

warning: variable has embedded blanks

id_activities

Costed activities

type: string (str13)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Health System"

warning: variable has embedded blanks

start_month

Start Month

type: numeric (byte)

range: [2,2] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
2 2

start_year

Start Year

type: numeric (int)

range: [2009,2009] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value

2 2009

end_month	End Month
-----------	-----------

type: numeric (byte)

range: [6,6] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
 2 6

end_year	End Year
----------	----------

type: numeric (int)


range: [2009,2009] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
 2 2009

period_portrayed	Total Months
------------------	--------------

type: numeric (byte)

range: [4,4] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value 
 2 4

year_intro	Year introduced at study site
------------	-------------------------------

type: numeric (int)

range: [2009,2009] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
 2 2009

coverage	Coverage
----------	----------

```

        type: numeric (byte)

        range: [.,.]
        unique values: 0
        units: .
        missing .: 2/2

```

```

    tabulation: Freq. Value
                2 .

```

```

id_pop_dem_std                                     Target group (demographic)

```

```

        type: string (str19)

        unique values: 1
        missing "": 0/2

        tabulation: Freq. Value
                    2 "General Populations"

        warning: variable has embedded blanks

```

```

id_pop_clin_std                                     Target group (clinical)

```

```

        type: string (str12)

        unique values: 1
        missing "": 0/2

        tabulation: Freq. Value
                    2 "HIV positive"

        warning: variable has embedded blanks

```

```

pop_age                                             Average Age

```

```

        type: string (str2), but longest is str1

        unique values: 1
        missing "": 0/2

        tabulation: Freq. Value
                    2 "."

```

```

pop_sex                                             Gender

```

```

        type: string (str1)

        unique values: 1
        missing "": 0/2

        tabulation: Freq. Value

```

2 "."

pop_ses	SES
---------	-----

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value

2	"."
---	-----

pop_education	Education
---------------	-----------

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value

2	"."
---	-----

hiv_prev	HIV Prevalence
----------	----------------

type: numeric (byte)

range: [.,.] units: .

unique values: 0 missing .: 2/2

tabulation: Freq. Value

2	.
---	---

tb_prev	TB Prevalence
---------	---------------

type: string (str2), but longest is str1

unique values: 1 missing "": 0/2

tabulation: Freq. Value

2	"."
---	-----

tb_rx_resistance	TB Drug Resistance
------------------	--------------------

type: string (str1)

unique values: 1 missing "": 0/2

```

      tabulation: Freq. Value
                  2  "."

```

```

costing_purpose                                     Costing Purpose

```

```

      type: string (str127)

unique values: 1                                missing "": 0/2

      tabulation: Freq. Value
                  2  "To conduct a cost-effectiveness analysis
                    of a pilot 'patient tracer' intervention
                    that the site implemented over a 4-month
                    period"

warning: variable has embedded blanks

```

```

timing                                             Timing

```

```

      type: string (str15)

unique values: 1                                missing "": 0/2

      tabulation: Freq. Value
                  2  "Cross-Sectional"

```

```

country_sampling                                Country Sampling

```

```

      type: string (str3), but longest is str1

unique values: 1                                missing "": 0/2

      tabulation: Freq. Value
                  2  "."

```

```

geo_sampling_incountry                           Geographic Area In Country Sampling

```

```

      type: string (str3), but longest is str1

unique values: 1                                missing "": 0/2

      tabulation: Freq. Value
                  2  "."

```

site_sampling Site Sampling

type: string (str14)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Entire Program"

warning: variable has embedded blanks

px_sampling Patient Sampling

type: string (str6)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Random"

sample_size_derived Sample size formally derived

type: string (str2)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "No"

controls Controls

type: string (str2)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "No"

econ_perspective_actual Perspective

type: string (str8)

unique values: 1 missing "": 0/2

tabulation: Freq. Value

2 "Provider"

econ_costing	Economic / Financial
--------------	----------------------

type: string (str14)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Financial Only"

warning: variable has embedded blanks

real_world	Real World / Per Protocol
------------	---------------------------

type: string (str10)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Real World"

warning: variable has embedded blanks

asd_costs	Above Service Costs Included
-----------	------------------------------

type: string (str1)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "."

list_asd_costs	Above Service Cost List
----------------	-------------------------

type: string (str4)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "None"

omitted_costs	Omitted Costs
---------------	---------------

```

type: string (str33)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
             2 "Vehicles/transport, Patient costs"

warning: variable has embedded blanks

```

```

sensitivity_analysis Sensitivity Analysis

```

```

type: string (str7)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
             2 "Limited"

```

```

scale Economies of scale

```

```

type: string (str9)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
             2 "Discussed"

```

```

research_costs Research Costs Included

```

```

type: string (str8)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
             2 "Excluded"

```

```

unrelated_costs Unrelated Costs Included

```

```

type: string (str2)

unique values: 1 missing "": 0/2

tabulation: Freq. Value
             2 "No"

```

overhead Overhead Costs Included

```
type: string (str3)
unique values: 1 missing "": 0/2
tabulation: Freq. Value
              2 "Yes"
```

overhead_costs Overhead Costs List

```
type: string (str55)
unique values: 1 missing "": 0/2
tabulation: Freq. Value
              2 "Office Expenses And Service,
                Communication And Supplies"
warning: variable has embedded blanks
```

pot_distortions Potential distortions

```
type: string (str2), but longest is str1
unique values: 1 missing "": 0/2
tabulation: Freq. Value
              2 "."
```

volunteer_time Valuing Volunteer Time

```
type: string (str3), but longest is str1
unique values: 1 missing "": 0/2
tabulation: Freq. Value
              2 "."
```

family_time Valuing Family Time

```
type: string (str3), but longest is str1
unique values: 1 missing "": 0/2
```

```

      tabulation: Freq. Value
                  2  "."
-----
px_costs_measured                                     Patient-Incurred Costs Measured
-----

      type: string (str12)

unique values: 1                                     missing "": 0/2

      tabulation: Freq. Value
                  2  "Not Included"

      warning: variable has embedded blanks
-----
cat_cost                                              Catastrophic Cost Calculated
-----

      type: string (str4)

unique values: 1                                     missing "": 0/2

      tabulation: Freq. Value
                  2  "None"
-----
currency_yr                                           Reported Currency Year
-----

      type: numeric (int)

      range: [2009,2009]                                units: 1
unique values: 1                                     missing .: 0/2

      tabulation: Freq. Value
                  2  2009
-----
iso_code                                              Reported Currency
-----

      type: string (str3)

unique values: 1                                     missing "": 0/2

      tabulation: Freq. Value
                  2  "USD"
-----
currency_iso                                           Currency of Data Collection
-----

```

type: string (str3)
unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "ZAR"

currency_x Currency Exchange Method

type: string (str11)
unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "Market Only"

warning: variable has embedded blanks

current_x_rate Currency Exchange Rate

type: numeric (double)
range: [9.36,9.36] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
2 9.36

discount_rate Discount Rate

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

inflation Inflation rate

type: string (str2), but longest is str1
unique values: 1 missing "": 0/2

tabulation: Freq. Value
2 "."

```
-----
mean_cost                                     Mean Unit Cost
-----
```

```

      type: numeric (double)

      range: [77.322704,120.27357]      units: 1.000e-06
unique values: 2                      missing .: 0/2

      tabulation: Freq.  Value
                   1    77.322704
                   1    120.27357

```

```
-----
si_personnel                                Personnel (SI)
-----
```

```

      type: numeric (double)

      range: [58.82765,101.77852]      units: .00001
unique values: 2                      missing .: 0/2

      tabulation: Freq.  Value
                   1    58.827648
                   1    101.77852

```

```
-----
si_per_service_delivery                    Personnel: Direct Service Delivery (SI)
-----
```

```

      type: numeric (double)

      range: [58.82765,101.77852]      units: .00001
unique values: 2                      missing .: 0/2

      tabulation: Freq.  Value
                   1    58.827648
                   1    101.77852

```

```
-----
si_per_support                             Personnel: Support (SI)
-----
```

```

      type: numeric (float)

      range: [.,.]                      units: .
unique values: 0                      missing .: 2/2

      tabulation: Freq.  Value
                   2    .

```

```
-----
si_per_mixed_unspec                       Personnel: Mixed Unspecified (SI)
-----
```

```

-----
                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                           2 .

```

```

-----
si_recurrent                                     Recurrent Goods (SI)
-----

```

```

                type: numeric (double)

                range: [18.495056,18.495056]    units: 1
unique values: 1                missing .: 0/2

                tabulation: Freq. Value
                           2 18.495056

```

```

-----
si_rec_key_drugs                               Recurring: Supplies (key drugs) (SI)
-----

```

```

                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                           2 .

```

```

-----
si_rec_med_int_supplies                       Recurring: Medical Supplies (excluding drugs) (SI)
-----

```

```

                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                           2 .

```

```

-----
si_rec_nonmed_int_supplies                   Recurring: Non-medical Supplies (SI)
-----

```

```

                type: numeric (double)

                range: [18.160808,18.160808]    units: 1
unique values: 1                missing .: 0/2

```

```

tabulation: Freq. Value
              2 18.160808

```

```

si_rec_building_space                                     Recurring: Building Space (SI)

```

```

type: numeric (float)

range: [.,.]          units: .
unique values: 0      missing : 2/2

```

```

tabulation: Freq. Value
              2 .

```

```

si_rec_mixed                                             Recurring: Mixed (SI)

```

```

type: numeric (float)

range: [.,.]          units: .
unique values: 0      missing : 2/2

```

```

tabulation: Freq. Value
              2 .

```

```

si_rec_other                                             Recurring: Other (SI)

```

```

type: numeric (double)

range: [.33424801,.33424801]  units: 1
unique values: 1              missing : 0/2

```

```

tabulation: Freq. Value
              2 .33424801

```

```

si_capital                                              Capital (SI)

```

```

type: numeric (float)

range: [.,.]          units: .
unique values: 0      missing : 2/2

```

```

tabulation: Freq. Value
              2 .

```

```

si_cap_med_equip                                       Capital: Equipment (medical) (SI)

```

```

-----
                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                        2 .

```

```

-----
si_cap_nonmed_equip                Capital: Equipment (non-medical) (SI)
-----

```

```

                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                        2 .

```

```

-----
si_cap_building_space                Capital: Building Space (SI)
-----

```

```

                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                        2 .

```

```

-----
si_cap_vehicles                Capital: Vehicles (SI)
-----

```

```

                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

                tabulation: Freq. Value
                        2 .

```

```

-----
si_cap_mixed                Capital: Mixed (SI)
-----

```

```

                type: numeric (float)

                range: [.,.]                units: .
unique values: 0                missing .: 2/2

```

```

      tabulation: Freq. Value
                  2 .

-----
si_cap_other                                           Capital: Other (SI)
-----

      type: numeric (float)

      range: [.,.]                                units: .
unique values: 0                                missing .: 2/2

      tabulation: Freq. Value
                  2 .

-----
si_mixed                                               Mixed (SI)
-----

      type: numeric (float)

      range: [.,.]                                units: .
unique values: 0                                missing .: 2/2

      tabulation: Freq. Value
                  2 .

-----
si_unspecified                                         Unspecified (SI)
-----

      type: numeric (float)

      range: [.,.]                                units: .
unique values: 0                                missing .: 2/2

      tabulation: Freq. Value
                  2 .

-----
a_primary_sd                                           Primary Service Delivery (A)
-----

      type: numeric (double)

      range: [58.82765,101.77852]                units: .00001
unique values: 2                                missing .: 0/2

      tabulation: Freq. Value
                  1 58.827648
                  1 101.77852

```


a_prisd_unspecified Primary SD: Unspecified (A)

type: numeric (double)

range: [58.82765,101.77852] units: .00001
unique values: 2 missing : 0/2

tabulation: Freq. Value
1 58.827648
1 101.77852

a_prisd_unspec_counseling Primary SD: Counseling unspecified (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_prisd_post_test_counseling Primary SD: Post-test counseling (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_prisd_lab_services Primary SD: Lab services (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_prisd_htc_service_delivery Primary SD: HTC service delivery (A)

type: numeric (float)

```

range: [.,.]
unique values: 0
units: .
missing : 2/2

tabulation: Freq. Value
             2 .

```

```

a_prisd_hiv_rapid_test
Primary SD: HIV rapid testing (A)

```

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing : 2/2

tabulation: Freq. Value
             2 .

```

```

a_prisd_arv_delivery
Primary SD: ARV delivery

```

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing : 2/2

tabulation: Freq. Value
             2 .

```

```

a_secondary_sd
Secondary Service Delivery (A)

```

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing : 2/2

tabulation: Freq. Value
             2 .

```

```

a_ancillary
Ancillary (A)

```

```

type: numeric (float)

range: [.,.]
unique values: 0
units: .
missing : 2/2

tabulation: Freq. Value
             2 .

```

a_anc_demand_generation Ancillary: Demand generation (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_anc_lab_services Ancillary: Lab Services (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_anc_adhreten Ancillary: Adherence/Retention (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_anc_bldg_equip Ancillary: Building equipment (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing : 2/2

tabulation: Freq. Value
2 .

a_anc_unspecified Ancillary: Unspecified (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_operational Operational (A)

type: numeric (double)

range: [18.495056,18.495056] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
2 18.495056

a_ope_bldg_equip Operational: Buildings and Equipment (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_logistics Operational: Logistics (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_program_mgmt Operational: Program Management (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_supervision Operational: Supervision (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_training Operational: Training (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_transportation Operational: Transportation (A)

type: numeric (double)

range: [.33424801,.33424801] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
2 .33424801

a_ope_massed Operational: Mass Education (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_hmis Operational: HMIS and Record-Keeping (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_ope_unspecified Operational: Unspecified (A)

type: numeric (double)

range: [18.160808,18.160808] units: 1
unique values: 1 missing .: 0/2

tabulation: Freq. Value
2 18.160808

a_mixed Mixed (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_mix_bldg_equip Mixed: Building Equipment (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

a_unspecified Unspecified (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 2/2

tabulation: Freq. Value
2 .

