Data Validation Exercise before Entry into UCSR

Lily Alexander

March 19, 2018

Abstract

Summary. This is a document to validate and check variables before they are integrated into the UCSR.

1 High-level codebook for all variables

unique values: 1

tabulation: Freq. Value

disease			Disease
type:	string	(str3)	
unique values:	1	missing "": 0/4	
tabulation:	_	Value "HIV"	
collapsed			Collapsed
type:	string	(str3), but longest is str2	
unique values:	1	missing "": 0/4	
tabulation:	-	Value "No"	
 lead_author 			Lead Author
type:	string	(str15)	

missing "": 0/4

"Christofides, N"

warning: variable has embedded blanks

ref_year Reference Year

type: numeric (int)

range: [2006,2006] units: 1 unique values: 1 missing .: 0/4

tabulation: Freq. Value 4 2006

output_unit2 Output unit

type: string (str15)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "Cost Per Person"
2 "Cost Per Visit"

warning: variable has embedded blanks

title

type: string (str184)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Including Post-exposure prophylaxis to prevent HIV/AIDS into post-sexual assault health services in South Africa: Costs and cost effectiveness of user preferred approaches to provision"

warning: variable has embedded blanks

journal_etc Journal

type: string (str34)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Medical Research Council, Pretoria"

warning: variable has embedded blanks

URI. url type: string (str70) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "<https://www.unicef.org/southafrica/SAF _resource_violencehivaids.pdf>." Country iso_name type: string (str14) unique values: 1 missing "": 0/4 tabulation: Freq. Value 4 "South Africa" warning: variable has embedded blanks type: string (str12) missing "": 0/4 unique values: 2 tabulation: Freq. Value 2 "Cape Town" 2 "Thohoyandhou" warning: variable has embedded blanks no_sites type: numeric (byte) range: [1,1] units: 1 unique values: 1 missing .: 0/4

4 1

tabulation: Freq. Value

pop_density Urbanicity ______ type: string (str5) missing "": 0/4 unique values: 2 tabulation: Freq. Value 2 "Rural" 2 "Urban" ownership Ownership type: string (str6) unique values: 1 missing "": 0/4 tabulation: Freq. Value 4 "Public" platform type: string (str15), but longest is str14 missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "Fixed Facility" warning: variable has embedded blanks facility_cat Platform specificity type: string (str68), but longest is str43 unique values: 2 missing "": 0/4 tabulation: Freq. Value 2 "Hospital - Secondary (Regional, Specialist)" "Unspecified Health Care Facility Type" warning: variable has embedded blanks id_class Intervention Category -----

type: string (str8)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Enablers"

id_int Intervention

type: string (str18)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "POST-VIOLENCE CARE"

warning: variable has embedded blanks

type: string (str1700)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

"HIV testing is conducted at the initial visit to the service but results provided in a follow up visit three days later. The survivor undergoes a medico legal examination, which takes the doctor approximately one hour to complete, using a standard sexual assault evidence collection kit (SAECK). Kits are provided by the South African Police Service, but a small supply is kept on site in case of shortages. STD treatment is provided and a comfort kit of toiletries, underwear and sweets given to the survivor. A three-day starter pack of AZT (single therapy) is given at first visit.2 Where an HIV negative test result is obtained for the survivor a weekly supply of drugs is then given at each of four weekly follow up visits required to collect drugs and for monitoring of progress and responses to the antiretrovirals. This includes follow up liver function tests.3 A

- further follow up visit is made at 3 months to repeat the HIV and pregnancy tests"
- 2 "Upon first visit a debriefer interviews the woman and if this is a new rape case (i.e. occurred less than 72 hours prior to the visit) will provide pre-test counselling. A doctor and nurse will be called from casualty and generally arrive within 30 minutes of the call. The doctor conducts a medico legal examination and the nurse both supports the doctor and takes bloods for the HIV test. The use of a rapid test means results can be provided quickly and where a negative result in obtained the full month course of PEP drugs are given to the survivor at this first visit. Where it is assessed, however, that the secondary trauma caused by the receipt of the HIV test result is greater than the woman car bear at that time, a three day starter pack of AZT/3TC (Combivir) is given and the women given a bus ticket to return to the services three days later for a follow up visit including the provision of the remainder of one months supply of AZT/3TC where a negative HIV test result was returned. In addition, if the test is positive, a follow up visit may be requested so that confirmatory Elisa test results can be given. A comfort kit with soap, toothbrush, pair of underpants, face cloth and a teddy bear are provided to the woman. In addition a bag of fortified maize meal sufficient for one month for the survivor is provided at this first visit. In line with government guidelines the TVEP programme for survivors of sexual assault includes a follow up visit for repeat blood tests at 6 weeks, 3 months and 6 months. In addition an outreach follow up visit is made within a few weeks of the first visit to the trauma centre and a case monitor assists the survivor through the court process."

warning: variable has embedded blanks

clinical_monitoring Clinical monitoring

type: string (str19)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "Blood Test"

2 "Liver Function Test"

warning: variable has embedded blanks

demand_generation Demand generation

type: string (str2), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value

counseling_content Counseling content

type: string (str14)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Hiv Counseling"

warning: variable has embedded blanks

type: string (str96)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "Community-Based Advocacy Officers (Nr), Community Liasion Officers (Nr), Doctor

(Nr), Nurse (Nr)"

2 "Nursing Sister (1), Professional Nurse
 (1), Victim Empowerment/Support Officer

(1), Doctor (Nr)"

warning: variable has embedded blanks

type: string (str74)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "Comfort Kit (Soap, Toothbrush, Pair Of
 Underpants, Face Cloth, Teddy Bear)"
2 "Comfort Kit (Toiletries, Underwear,

Sweets)"

warning: variable has embedded blanks

visits Visit type & number

type: string (str141)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "Initial (Hiv Counseling & Testing, Sexual Assault Evidence Collection, Azt Dispension), Follow-Up (4, Azt

Dispension), Follow-Op (4, A2t Dispension And Blood Tests Weekly)" 2 "Initial (Hiv Counseling & Testing, Sexual Assault Evidence Collection, Azt Dispension), Follow-Up (4, Azt

Dispension), rollow-op (4, AZC

Dispension Weekly)"

warning: variable has embedded blanks

referrals Referral

type: string (str2), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

method Method

type: string (str1)

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

id_tech Technology type: string (str19) missing "": 0/4 unique values: 2 tabulation: Freq. Value "Rapid Test, Azt" 2 "Rapid Test, Azt/3Tc" warning: variable has embedded blanks treatment_phase Treatment phase type: string (str9) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "initation" ARV Regimen arv_regimen type: string (str7) missing "": 0/4 unique values: 2 tabulation: Freq. Value "AZT" "AZT/3TC" treatment Treatment type: string (str7) missing "": 0/4 unique values: 2 tabulation: Freq. Value "AZT" 2 "AZT/3TC" screening_diagnoses Screening and diagnosis _____

type: string (str43)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "HIV testing"

2 "STD testing, HIV testing, pregnancy

testing"

warning: variable has embedded blanks

._____

community_awareness Community awareness

type: string (str33)

unique values: 2 missing "": 0/4

tabulation: Freq. Value 2 "."

2 "Educational workshops & campaigns"

warning: variable has embedded blanks

nealth system Health System

health_system Health System

type: string (str2), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

id_activities Costed activities

type: string (str120)

unique values: 2 missing "": 0/4

tabulation: Freq. Value

2 "Clinical Monitoring, Counseling Content, Staff, Supportive Care, Arv Regimen, Screening & Diagnoses"

2 "Clinical Monitoring, Counseling Content, Staff, Supportive Care, Arv Regimen, Screening & Diagnoses,

Community Awareness"

warning: variable has embedded blanks

start_month Start Month type: numeric (byte) range: [5,5] units: 1 unique values: 1 missing .: 0/4 tabulation: Freq. Value 4 5 Start Year start_year type: numeric (int) range: [2003,2003] units: 1 unique values: 1 missing .: 0/4 tabulation: Freq. Value 4 2003 end_month End Month type: numeric (byte) range: [10,10] units: 1 unique values: 1 missing .: 0/4 tabulation: Freq. Value end_year type: numeric (int) range: [2003,2003] units: 1 unique values: 1 missing .: 0/4 tabulation: Freq. Value 4 2003 Total Months period_portrayed

type: numeric (byte)

range: [6,6] units: 1 unique values: 1 missing .: 0/4

tabulation: Freq. Value

4 6

year_intro Year introduced at study site

type: numeric (byte)

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

4 .

coverage

type: numeric (byte)

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

4 .

id_pop_dem_std Target group (demographic)

type: string (str14)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Rape survivors"

warning: variable has embedded blanks

id_pop_clin_std Target group (clinical)

type: string (str18)

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "unknown HIV status" warning: variable has embedded blanks Average Age pop_age type: string (str2), but longest is str1 missing "": 0/4 unique values: 1 tabulation: Freq. Value Gender pop_sex type: string (str5) unique values: 1 missing "": 0/4 tabulation: Freq. Value 4 "Women" SES pop_ses type: string (str2), but longest is str1 missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "." pop_education Education type: string (str2), but longest is str1 missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "."

HIV Prevalence

type: numeric (byte)

hiv_prev

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

4 .

tb_prev TB Prevalence

type: string (str2), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value

tb_rx_resistance TB Drug Resistance

type: string (str1)

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

costing_purpose Costing Purpose

type: string (str162)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "To cost post-rape serives at an urban and rural site and to estimate scale up costs for providing sexual assault services nationally in accordance with

the policy"

warning: variable has embedded blanks

timing Timing

type: string (str15)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Cross-Sectional"

country_sampling

Country Sampling

type: string (str3), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

geo_sampling_incountry

Geographic Area In Country Sampling

type: string (str3), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

site_sampling

Site Sampling

type: string (str9)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Purposive"

Patient Sampling px_sampling _____

type: string (str14)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Entire Program"

warning: variable has embedded blanks

sample_size_derived

Sample size formally derived

type: string (str2)

missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "No" Controls type: string (str2) unique values: 1 missing "": 0/4 tabulation: Freq. Value 4 "No" econ_perspective_actual Perspective _____ type: string (str8) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "Provider" Economic / Financial econ_costing type: string (str8) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "Economic" Real World / Per Protocol real_world type: string (str10) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "Real World" warning: variable has embedded blanks

Above Service Costs Included

asd_costs

type: string (str17)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "No Costs Included"

warning: variable has embedded blanks

list_asd_costs Above Service Cost List

type: string (str4)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "None"

omitted_costs Omitted Costs

type: string (str13)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Patient costs"

warning: variable has embedded blanks

sensitivity_analysis Sensitivity Analysis

type: string (str4)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "None"

scale Economies of scale

type: string (str7)

unique values: 1 missing "": 0/4

tabulation: Freq. Value
4 "Ignored"

research_costs Research Costs Included

type: string (str8)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Excluded"

type: string (str2)

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "No"

overhead Overhead Costs Included

type: string (str3)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Yes"

type: string (str30)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Building, Furniture, Equipment"

warning: variable has embedded blanks

pot_distortions Potential distortions

type: string (str2), but longest is str1

missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "." volunteer_time Valuing Volunteer Time ----type: string (str3), but longest is str1 unique values: 1 missing "": 0/4 tabulation: Freq. Value 4 "." family_time Valuing Family Time ______ type: string (str3), but longest is str1 unique values: 1 missing "": 0/4 tabulation: Freq. Value 4 "." Patient-Incurred Costs Measured px_costs_measured type: string (str12) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "Not Included" warning: variable has embedded blanks cat_cost Catastrophic Cost Calculated type: string (str4) missing "": 0/4 unique values: 1 tabulation: Freq. Value 4 "None"

Reported Currency Year

currency_yr

type: numeric (int)

range: [2004,2004] units: 1 unique values: 1 missing .: 0/4

tabulation: Freq. Value 4 2004

iso_code Reported Currency

type: string (str3)

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "ZAR"

currency_iso Currency of Data Collection

type: string (str3)

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "ZAR"

currency_x Currency Exchange Method

type: string (str11)

unique values: 1 missing "": 0/4

tabulation: Freq. Value

4 "Market Only"

warning: variable has embedded blanks

current_x_rate Currency Exchange Rate

type: numeric (double)

range: [6.5,6.5] units: 1 unique values: 1 missing .: 0/4

tabulation: Freq. Value 4 6.5

discount_rate Discount Rate

type: numeric (byte)

range: [6,6] units: 1 unique values: 1 missing .: 0/4

tabulation: Freq. Value

4 6

inflation Inflation rate ._____

type: string (str2), but longest is str1

unique values: 1 missing "": 0/4

tabulation: Freq. Value 4 "."

Mean Unit Cost mean_cost

type: numeric (float)

range: [1342.6927,7901.1343] units: .0001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 1342.6927 1 1543.9717 1 3270.4695 1 7901.1343

Personnel (SI) si_personnel

type: numeric (double)

range: [541.3277,3274.2201] units: .0001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 541.32772 1 1045.15 1 2526.6128

1 3274.2201

si_per_service_delivery Personnel: Direct Service Delivery (SI)

type: numeric (double)

range: [315.04522,1305.1874] units: .00001 unique values: 4 missing .: 0/4

•

si_per_support Personnel: Support (SI)

type: numeric (double)

range: [210.03015,2169.0615] units: .00001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 210.03015 1 730.1048 1 1969.0327 1 2169.0615

si_per_mixed_unspec Personnel: Mixed Unspecified (SI)

type: numeric (float)

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

si_recurrent Recurrent Goods (SI)

type: numeric (double)

range: [511.32342,4484.3939] units: .00001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

511.32342
 751.35789

1 1037.6491 4484.3939

si_rec_key_drugs Recurring: Supplies (key drugs) (SI)

type: numeric (double)

range: [180.02585,1175.1687] units: .00001 unique values: 3 missing .: 0/4

tabulation: Freq. Value

2 180.025851 245.035171 1175.1687

si_rec_med_int_supplies Recurring: Medical Supplies (excluding drugs) (SI)

type: numeric (double)

range: [157.52262,2956.6745] units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 157.52262 1 216.28106 1 736.35572 1 2956.6745

si_rec_nonmed_int_supplies Recurring: Non-medical Supplies (SI)

type: numeric (double)

range: [13.751974,125.01795] units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 13.751974 1 61.258797 1 65.009336 1 125.01795

si_rec_building_space Recurring: Building Space (SI)

type: numeric (double)

range: [12.501795,235.03375] units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 12.501795 1 78.761307 1 120.01723 1 235.03375

si_rec_other Recurring: Other (SI)

type: numeric (double)

range: [30.004309,107.51543] units: 1.000e-08

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 30.004309 1 33.754847 1 55.007898 1 107.51543

si_capital Capital (SI)

type: numeric (double)

range: [15.002154,143.77065] units: 1.000e-07

unique values: 4 missing .: 0/4

tabulation: Freq. Value
1 15.002154

1 15.002154 1 21.253052 1 61.258795 1 143.77065

si_cap_med_equip Capital: Equipment (medical) (SI)

type: numeric (double)

range: [0,27.503948] units: 1.000e-07

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 0

1.2501795
 2.5003591
 27.503948

.....

si_cap_nonmed_equip

Capital: Equipment (non-medical) (SI)

type: numeric (double)

range: [8.7512565,23.75341] units: 1.000e-07

unique values: 2 missing .: 2/4

tabulation: Freq. Value

8.7512565
 23.75341

2 .

si_cap_building_space Capital: Building Space (SI)

type: numeric (double)

range: [10.001436,93.763466] units: 1.000e-06

unique values: 2 missing .: 2/4

tabulation: Freq. Value

1 10.001436 1 93.763466

2 .

type: numeric (double)

range: [8.751257,23.75341] units: 1.000e-06

unique values: 2 missing .: 2/4

tabulation: Freq. Value

8.7512569
 23.75341

2 .

si_cap_other Capital: Other (SI)

type: numeric (double)

range: [2.5003591,22.503231] units: 1.000e-07

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 2.5003591

1 3.7505386

1 12.501795

1 22.503231

si_mixed Mixed (SI)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 4/4

tabulation: Freq. Value

4.

a_primary_sd Primary Service Delivery (A)

type: numeric (double)

range: [331.29757,1305.1874] units: .00001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 331.29757 1 495.07107 1 537.57717 1 1305.1874

a_prisd_unspecified Primary SD: Unspecified (A)

type: numeric (double)

range: [331.29757,1305.1874] units: .00001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 331.29757 1 495.07107 1 537.57717 1 1305.1874

a_secondary_sd Secondary Service Delivery (A)

type: numeric (double)

range: [522.575,3386.7363] units: .0001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 522.57501 1 730.1048 1 2169.0615 1 3386.7363

a_secsd_unspecified

Secondary SD: Unspecified (A)

type: numeric (double)

range: [522.575,3386.7363] units: .0001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 522.57501 1 730.1048 1 2169.0615 1 3386.7363

a_ancillary

Ancillary (A)

type: numeric (double)

range: [218.78142,2714.1397]

units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 218.78142 1 281.29039 1 668.84603 1 2714.1397

a_anc_demand_generation

Ancillary: Demand Generation (A)

.

type: numeric (float)

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

4 .

a_anc_lab_services Ancillary: Lab Services (A)

type: numeric (double)

range: [22.503231,2269.0758] units: 1.000e-08

unique values: 3 missing .: 0/4

tabulation: Freq. Value

2 22.5032311 548.82881 2269.0758

a_anc_adhreten Ancillary: Adherence/Retention (A)

type: numeric (double)

range: [8.751257,118.76705] units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 8.7512569 1 47.506821 1 60.008617 1 118.76705

.....

a_anc_unspecified Ancillary: Unspecified (A)

type: numeric (double)

range: [111.26598,397.55707] units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 111.26598 1 136.26957 1 140.02011 1 397.55707

a_operational Operational (A)

type: numeric (double)

range: [71.26023,496.32127] units: .00001 unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 71.260232 1 133.76921 1 351.30045 1 496.32127

Operational: Buildings and Equipment (A) a_ope_bldg_equip type: numeric (double) range: [8.751257,245.03519] units: 1.000e-06 unique values: 4 missing .: 0/4 tabulation: Freq. Value 1 8.7512569 1 25.00359 1 26.253769 1 245.03519 Operational: Logistics (A) a_ope_logistics type: numeric (float) range: [.,.] units: . unique values: 0 missing .: 4/4 tabulation: Freq. Value Operational: Program Management (A) a_ope_program_mgmt type: numeric (double) range: [13.751975,130.01867] units: 1.000e-06 unique values: 2 missing .: 2/4 tabulation: Freq. Value 1 13.751975 1 130.01867 2 . a_ope_supervision Operational: Supervision (A) type: numeric (float) units: . range: [.,.] unique values: 0 missing .: 4/4 tabulation: Freq. Value

type: numeric (double)

range: [1.2501795,13.751974] units: 1.000e-07

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 1.2501795 1 3.7505386 1 12.501795 1 13.751974

type: numeric (double)

range: [30.004309,107.51543] units: 1.000e-06

unique values: 4 missing .: 0/4

tabulation: Freq. Value

1 30.004309 1 40.005744 1 71.260231 1 107.51543

type: numeric (float)

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

4 .

a_ope_hmis Operational: HMIS and Record-Keeping (A)

type: numeric (float)

range: [.,.] units: .
unique values: 0 missing .: 4/4

tabulation: Freq. Value

4.

type: numeric (double)

range: [81.261666,242.53483] units: 1.000e-06

unique values: 2 missing : 2/4

tabulation: Freq. Value

1 81.261666 1 242.53483

2.

 ${\tt a_mixed} \\$

type: numeric (float)

range: [.,.] units: . unique values: 0 missing .: 4/4

tabulation: Freq. Value

4 .