创建session

接口概述

您可以通过接口创建一个全新的agent会话，可以通过查看请求示例，点击 curl命令示例 右侧的调试按钮验证业务接口调用效果。

前提条件（查看APP_KEY）

先进入菜单[主页->点击头像->APP_KEY]创建APP_KEY;然后进入 智能体页面,完成智能体配置,获取智能体编码和版本编码或者配置输出版本

接口调用地址

```
POST  http://10.54.102.36:80/xlm-gateway--vinrl/sfm-api-gateway/gateway/agent/api/createSession
```

入参描述

Header传参

字段	数据类型	是否必填	描述	示例
Authorization	String	是	APP_KEY	Bearer YOUR_APP_
Content-Type	String	是	Content-Type	application/json

Body传参

字段	数据类型	是否必填	描述	示例
agentCode	string	是	智能体编码	e36a0ab1-b673-49
agentVersion	string	否	智能体版本	1706863858334

出参描述

字段	数据类型	描述
success	boolean	是否成功
data	object	返回数据

请求示例

curl命令示例

```
curl -X 'POST' http://10.54.102.36:80/xlm-gateway--vinrl/sfm-api-gateway/gateway/agent/api/createSession \
-H 'Authorization: Bearer YOUR_APP_KEY' \
-H 'Content-Type: application/json' \
-d '{
"agentCode": "",
"agentVersion": ""
}'
```

响应示例

非流式输出


```
{
"success": true,
"data": {
"uniqueCode": "4bcaa882-9c54-4b78-9057-54db58591b5b"
},
"errorCode": null,
"errorMsg": null
}
```

状态码说明

Http状态返回码	错误描述	错误释义
401	GATEWAY APP_KEY MISSING!	网关必填参数缺失
401	GATEWAY APP_KEY WRONG!	鉴权失败,无效 APP_KEY
401	GATEWAY APP_KEY ALREADY EXPIRED!	鉴权失败,APP_KEY 已过期
401	GATEWAY ROLE NOT MATCH!	鉴权失败,当前 APP_KEY 归属用户对应的角色不匹配
401	GATEWAY ROLE HAS EXPIRED!	鉴权失败,当前 APP_KEY 归属用户对应的角色已过期
403	GATEWAY APP_PATH NOT FOUND!	无效的服务调用路径
403	GATEWAY APP_PATH NOT REGISTER!	当前服务调用路径未注册
429	GATEWAY LIMIT !	服务触发限流,请稍后再试
403	GATEWAY HEADER PARAMETER MISSING!	业务所需必填参数缺失
403	GATEWAY PARAMETER WORKSPACE NO MATCH!	传递的工作空间编码与APP_KEY归属用户关联的工作空间编码不匹配
401	GATEWAY AUTH_TYPE WRONG!	鉴权失败,不支持的鉴权方式
401	GATEWAY AUTH_USER NOT MATCH WRONG!	鉴权失败,AK用户信息不匹配
401	GATEWAY AUTH_USER_ROLE WRONG!	鉴权失败,用户角色不匹配
404	GATEWAY ROUTE URL NOT FOUND!	无效的目标服务地址
401	GATEWAY LIMIT !	服务链接已达上限,请稍后再试
500	TARGET_SERVICE_ERROR_CONNECTION_REFUSE_EXCEPTION	目标服务拒绝连接
500	TARGET_SERVICE_ERROR_NO_RESPONSE_EXCEPTION	目标服务无响应