

Table	API call	Description	Sample Request Body / Response
Forum	GET /api/forum	Get all the forum	<p>Response</p> <pre>{ "success": true, "message": "", "body": [{ "forumID": 1, "content": "1", "title": "1", "img_url": "1", "userID": 1, "updated_at": "-0001-11-30 00:00:00", "created_at": "-0001-11-30 00:00:00" }, { "forumID": 2, "content": "asd",</pre>

			<pre> "title": "asd", "img_url": "2", "userID": 3, "updated_at": "2017-12-11 08:07:19", "created_at": "2017-12-11 08:07:19" }] } </pre>
	POST /api/forum	Create forum	Request <pre> { "title":'asd', "content":'asd', "userID":3, "img_url":'2' } </pre>

			<div><div>Response</div><div><div>{</div><div>"success": true,</div><div>"message": "Forum created",</div><div>"body": {</div><div>"title": "asd",</div><div>"content": "asd",</div><div>"userID": 3,</div><div>"img_url": "2",</div><div>"updated_at": "2017-12-11 08:13:36",</div><div>"created_at": "2017-12-11 08:13:36",</div><div>"forumID": 4</div><div>}</div><div>}</div></div></div>
--	--	--	--

	GET /api/forum/{id}	Get specific forum	Response <pre>{ "success": true, "message": "", "body": { "forumID": 1, "content": "1", "title": "1", "img_url": "1", "userID": 1, "updated_at": "-0001-11-30 00:00:00", "created_at": "-0001-11-30 00:00:00" } }</pre>
--	------------------------	-----------------------	--

	<div>PUT</div> <div>/api/forum/{id}</div>	<div>Edit forum</div>	<div>Request (Field are optional)</div> <div><div>{</div><div>"title":'asd',</div><div>"content": "asd",</div><div>"userID":3,</div><div>"img_url": "2"</div><div>}</div></div> <div><div>Response</div><div><div>{</div><div>"success": true,</div><div>"message": "Forum edited",</div><div>"body": {</div><div>"forumID": 2,</div><div>"content": "asd",</div><div>"title": "asdasd",</div><div>"img_url": "2",</div><div>"userID": 3,</div><div>}</div></div></div>
--	---	-----------------------	--

			<pre>"updated_at": "2017-12-11 08:18:23", "created_at": "2017-12-11 08:07:19" }</pre>
	DELETE /api/forum/{id}	Delete forum	Response <pre>{ "success": true, "message": "1 deleted" }</pre>

Comment	GET /api/comment/{forum_id}	Get all comment for that specific forum	Response { "success": true, "message": "", "body": [{ "commentID": 6, "content": "test", "forumID": 1, "userID": 1, "updated_at": "2017-12-11 07:48:42", "created_at": "2017-12-11 07:48:42" }, { "commentID": 3, "content": "test", "forumID": 1, "userID": 1, "updated_at": "2017-12-11 07:46:38", "created_at": "2017-12-11 07:46:38" },] }
---------	--------------------------------	---	---

			<pre>{ "commentID": 1, "content": "1", "forumID": 1, "userID": 1, "updated_at": "-0001-11-30 00:00:00", "created_at": "-0001-11-30 00:00:00" }, { "commentID": 2, "content": "2", "forumID": 1, "userID": 1, "updated_at": "-0001-11-30 00:00:00", "created_at": "-0001-11-30 00:00:00" }] }</pre>
--	--	--	--

	<p>POST /api/comment</p>	<p>Create new comment</p>	<p>Request</p> <pre>{ "forumID":1, "userID":2, "content":"content" }</pre> <p>Response</p> <pre>{ "success": true, "message": "Comment created", "body": { "content": "test", "forumID": 1, "userID": 1, "updated_at": "2017-12-11 07:48:42", "created_at": "2017-12-11 07:48:42", "commentID": 6 } }</pre>
--	------------------------------	-------------------------------	---

			<pre>} }</pre>
	<p>PUT /api/comment/{comment_id}</p>	<p>Edit comment content</p>	<p>Request</p> <pre>{ "content": "content" }</pre> <p>Response</p> <pre>{ "success": true, "message": "Update success", "body": { "commentID": 5, "content": "1qdasd", "forumID": 1, "userID": 1, "updated_at": "2017-12-11 08:01:53",</pre>

			<pre> "created_at": "2017-12-11 07:48:24", "userId": 1 } } </pre>
	DELETE /api/comment/{comment_id}	Delete specific comment	Response <pre> { "success": true, "message": "4 deleted" } </pre>
Fitcamp	GET /api/fitcamp/	Get all fitcamp content	Response <pre> { "success": true, "message": "", "body": [{ "fitcampID": 1, "img_url": "123", "description": "asda", "title": "asd", </pre>

			<pre> "location": "asd", "limit": null, "expired_date": "2017-12-11 08:59:55", "start_date": "2017-12-11 08:59:55", "end_date": "2017-12-11 08:59:55", "updated_at": "2017-12-11 09:00:20", "created_at": "2017-12-11 09:00:20" }] }</pre>
	GET /api/fitcamp/{fitc amp_id}	Get specific fitcamp content	Response <pre> { "success": true, "message": "", "body": { "fitcampID": 1, "img_url": "123", "description": "asda", "title": "asd",</pre>

			<pre>"location": "asd", "limit": null, "expired_date": "2017-12-11 08:59:55", "start_date": "2017-12-11 08:59:55", "end_date": "2017-12-11 08:59:55", "updated_at": "2017-12-11 09:00:20", "created_at": "2017-12-11 09:00:20" } }</pre>
--	--	--	--

	<p>POST</p> <p>/api/fitcamp/</p>	<p>Create new</p> <p>fitcamp</p>	<p>Request</p> <pre>{ "img_url":123, "description":"asda", "title":"asd", "location":"asd", "expired_date":"2017-12-11 08:59:55", "start_date":"2017-12-11 08:59:55", "end_date":"2017-12-11 08:59:55" }</pre> <p>Response</p> <pre>{ "success": true, "message": "Forum created", "body": { "img_url": 123,</pre>
--	----------------------------------	----------------------------------	--

			<div>"description": "asda", "title": "asd", "location": "asd", "expired_date": "2017-12-11 08:59:55", "start_date": "2017-12-11 08:59:55", "end_date": "2017-12-11 08:59:55", "updated_at": "2017-12-11 09:04:54", "created_at": "2017-12-11 09:04:54", "fitcampID": 2 } }</div>
--	--	--	--

	<p>PUT</p> <p>/api/fitcamp/{fitcamp_id}</p>	<p>Edit fitcamp content</p>	<p>Request (field are optional)</p> <pre>{ "img_url":123, "description":"asda", "title":"asd", "location":"asd", "expired_date":"2017-12-11 08:59:55", "start_date":"2017-12-11 08:59:55", "end_date":"2017-12-11 08:59:55" }</pre> <p>Response</p> <pre>{ "success": true, "message": "Forum edited", "body": {</pre>
--	---	-----------------------------	---

			<pre> "fitcampID": 1, "img_url": "123", "description": "wwwwww", "title": "asd", "location": "asd", "limit": null, "expired_date": "2017-12-11 08:59:55", "start_date": "2017-12-11 08:59:55", "end_date": "2017-12-11 08:59:55", "updated_at": "2017-12-11 09:05:59", "created_at": "2017-12-11 09:00:20" } } </pre>
	DELETE /api/fitcamp/{fitc amp_id}	Delete specific fitcamp	Response <pre> { "success": true, "message": "asd deleted" } </pre>

Fitcamp attendance	GET /api/fitcamp/attendance/fitcampID/{fitcamp_id}	Find all attendance of that fitcamp	Response { "success": true, "message": "", "body": [{ "fitcampID": 2, "userID": 1, "updated_at": "2017-12-11 09:32:51", "created_at": "2017-12-11 09:32:51" }] }
--------------------	---	-------------------------------------	---

	<p>GET</p> <p>/api/fitcamp/attendance/userID/{user_id}</p>	<p>Find all attendance of that user</p>	<p>Response</p> <pre>{ "success": true, "message": "", "body": [{ "fitcampID": 2, "userID": 1, "updated_at": "2017-12-11 09:32:51", "created_at": "2017-12-11 09:32:51" }, { "fitcampID": 1, "userID": 1, "updated_at": "2017-12-11 09:32:46", "created_at": "2017-12-11 09:32:46" }] }</pre>
--	--	---	---

	<p>POST</p> <p>/api/fitcamp/attendance/</p>	<p>Add attendance</p>	<p>Request</p> <pre>{ "userID":1, "fitcampID":2 }</pre> <p>Response</p> <pre>{ "success": true, "message": "Attendance created", "body": { "userID": 1, "fitcampID": 2, "updated_at": "2017-12-11 09:32:51", "created_at": "2017-12-11 09:32:51", "id": 0 } }</pre>
--	---	-----------------------	--

	DELETE /api/fitcamp/attendance/{forum_id} ? userID = {user_id}	Delete attendance	Response <pre>{ "success": true, "message": " deleted" }</pre>
Fitcamp coach	GET /api/fitcamp/coach/fitcampID/{fitcamp_id}	Get all the coach from the fitcamp id	Response <pre>{ "success": true, "message": "", "body": [{ "updated_at": "2017-12-11 12:02:42", "created_at": "2017-12-11 12:02:42", "coachID": 2, "fitcampID": 2 }, { "updated_at": "2017-12-11 12:01:48", "created_at": "2017-12-11 12:01:48", "coachID": 1, </pre>

			<pre> "fitcampID": 2 }] } </pre>
	GET /api/fitcamp/coach/userID/{coach_id}	Get all the fitcamp from that coach id	Response <pre> { "success": true, "message": "", "body": [{ "updated_at": "2017-12-11 12:02:42", "created_at": "2017-12-11 12:02:42", "coachID": 2, "fitcampID": 2 }] } </pre>

	<p>POST</p> <p>/api/fitcamp/coach/</p>	<p>Create new coach</p>	<p>Request</p> <pre>{ "fitcampID":2, "coachID":1 }</pre> <p>Response (ignore id)</p> <pre>{ "success": true, "message": "Coach created", "body": { "fitcampID": 2, "coachID": 1, "updated_at": "2017-12-11 11:57:39", "created_at": "2017-12-11 11:57:39", "id": 0 } }</pre>
--	--	-------------------------	---

	DELETE /api/fitcamp/coach/{fitcamp_id} ? userID = {coach_id}	Delete coach	Response { "success": true, "message": " deleted" }
Fitcamp register	GET /api/fitcamp/register/fitcampID/{fitcamp_id}	Get all the register from that fitcamp id	Response { "success": true, "message": "", "body": [{ "updated_at": "2017-12-11 12:02:42", "created_at": "2017-12-11 12:02:42", "coachID": 2, "fitcampID": 2 }] }

	GET /api/fitcamp/register/userID/{user_id}	Get all the register from that user id	Response { "success": true, "message": "", "body": [{ "updated_at": "2017-12-11 12:02:42", "created_at": "2017-12-11 12:02:42", "coachID": 2, "fitcampID": 2 }] }
--	---	--	--

	<p>POST</p> <p>/api/fitcamp/register/</p>	<p>Create register</p>	<p>Request</p> <pre>{ "fitcampID":2, "userID":2 }</pre> <p>Response</p> <pre>{ "success": true, "message": "Register created", "body": { "fitcampID": 2, "userID": 2, "updated_at": "2017-12-11 12:11:46", "created_at": "2017-12-11 12:11:46", "id": 0 } }</pre>
--	---	------------------------	--

	<div>DELETE</div> <div>/api/fitcamp/register/{fitcamp_id} ?</div> <div>userID =</div> <div>{user_id}</div>	<div>Delete register</div>	<div>Response</div> <div>{</div> <div>"success": true,</div> <div>"message": " deleted"</div> <div>}</div>
--	--	----------------------------	--

Product	GET /api/product	Get all product	Response { "success": true, "message": "", "body": [{ "productID": 1, "name": "test", "img_url": "test", "description": "test", "price": 123, "quantity": 12, "updated_at": "2017-12-11 12:33:24", "created_at": "2017-12-11 12:33:24" }, { "productID": 2, "name": "test", "img_url": "test", "description": "test", "price": 123, "quantity": 12, "updated_at": "2017-12-11 12:33:24", "created_at": "2017-12-11 12:33:24" }] }
---------	---------------------	-----------------	--

			<pre> "price": 123, "quantity": 12, "updated_at": "2017-12-11 12:34:20", "created_at": "2017-12-11 12:34:20" }] } </pre>
	GET /api/product/{product_id}	Get specific product	Response <pre> { "success": true, "message": "", "body": { "productID": 1, "name": "test", "img_url": "test", "description": "test", "price": 123, "quantity": 12, "updated_at": "2017-12-11 12:33:24", </pre>

			<pre> "created_at": "2017-12-11 12:33:24" } } </pre>
	POST /api/product/	Create new product	<p>Request</p> <pre> { "name": "test", "img_url": "test", "description": "test", "price": 123, "quantity": 12 } </pre> <p>Response</p> <pre> { "success": true, "message": "Product created", "body": { "name": "test", "img_url": "test", </pre>

			<pre> "description": "test", "price": 123, "quantity": 12, "updated_at": "2017-12-11 12:33:24", "created_at": "2017-12-11 12:33:24", "productID": 1 } } </pre>
	PUT /api/product/{product_id}	Edit specific product	Response (same like POST but field are optional)
	DELETE /api/product/{product_id}	Delete specific product	Response <pre> { "success": true, "message": " deleted" } </pre>

Challenge	GET /api/challenge	Get all challenge	Response { "success": true, "message": "", "body": [{ "challengeID": 2, "img_url": "asd", "title": "asd", "description": "asd", "score_point": 123, "updated_at": "2017-12-11 13:06:51", "created_at": "2017-12-11 13:06:51" }, { "challengeID": 3, "img_url": "asd", "title": "asd", "description": "asd", "score_point": 123, }] }
-----------	-----------------------	-------------------	---

			<pre> "updated_at": "2017-12-11 13:06:54", "created_at": "2017-12-11 13:06:54" }] }</pre>
	GET /api/challenge/{challenge_id}	Find specific challenge	Response <pre> { "success": true, "message": "", "body": { "challengeID": 2, "img_url": "asd", "title": "asd", "description": "asd", "score_point": 123, "updated_at": "2017-12-11 13:06:51", "created_at": "2017-12-11 13:06:51" } }</pre>

	<p>POST</p> <p>/api/challenge</p>	<p>Create new challenge</p>	<p>Request</p> <pre>{ "img_url": "asd", "title": "asd", "description": "asd", "score_point": 123 }</pre> <p>Response</p> <pre>{ "success": true, "message": "Challenge created", "body": { "img_url": "asd", "title": "asd", "description": "asd", "score_point": 123, "updated_at": "2017-12-11 13:03:10", "created_at": "2017-12-11 13:03:10", } }</pre>
--	-----------------------------------	-----------------------------	---

			<pre> "challengeID": 1 } } </pre>
	PUT /api/challenge	Edit challenge	Same like POST but filed optional
	DELETE /api/challenge/{c hallenge_id}	Delete challenge	Response <pre> { "success": true, "message": " deleted" } </pre>

User challenge	GET /api/challenge/user/{user_id}	Get all user challenge	Response { "success": true, "message": "", "body": [{ "userChallengeID": 3, "userID": 2, "challengeID": 123, "updated_at": "2017-12-11 13:14:07", "created_at": "2017-12-11 13:14:07" }, { "userChallengeID": 2, "userID": 2, "challengeID": 123, "updated_at": "2017-12-11 13:13:37", "created_at": "2017-12-11 13:12:53" }] }
----------------	--------------------------------------	------------------------	--

			}
	POST /api/challenge/user/	Create user challenge	<p>Request</p> <pre>{ "userID":1123, "challengeID":123 }</pre> <p>Response</p> <pre>{ "success": true, "message": "User challenge created", "body": { "userID": 1123, "challengeID": 123, "updated_at": "2017-12-11 13:10:05", "created_at": "2017-12-11 13:10:05", "userChallengeID": 1 } }</pre>

	PUT /api/challenge/user/{user_challenge_id}	Edit user challenge	Same like POST but field optional
	DELETE /api/challenge/user/{user_challenge_id}	Delete user challenge	Response <pre>{ "success": true, "message": " deleted" }</pre>

Achievement	GET /api/achievement/ 	Get all achievement	Response { "success": true, "message": "", "body": [{ "achievementID": 1, "img_url": "asd", "description": "asd", "title": "asd", "score_point": 123, "updated_at": "2017-12-11 13:42:49", "created_at": "2017-12-11 13:42:49" }, { "achievementID": 2, "img_url": "asd", "description": "asd", "title": "asd", "score_point": 123, }] }
-------------	------------------------------	---------------------	---

			<pre> "updated_at": "2017-12-11 13:43:12", "created_at": "2017-12-11 13:43:12" }] }</pre>
	<pre> GET /api/achievement /{achievement_id }</pre>	Find achievement	<p>Response</p> <pre> { "success": true, "message": "", "body": { "achievementID": 1, "img_url": "asd", "description": "asd", "title": "asd", "score_point": 123, "updated_at": "2017-12-11 13:42:49", "created_at": "2017-12-11 13:42:49" } }</pre>

	<p>POST</p> <p>/api/achievement</p> <p>/</p>	<p>Create achievement</p>	<p>Request</p> <pre>{ "img_url": "asd", "description": "asd", "title": "asd", "score_point": 123 }</pre> <p>Response</p> <pre>{ "success": true, "message": "Challenge created", "body": { "img_url": "asd", "description": "asd", "title": "asd", "score_point": 123, "updated_at": "2017-12-11 13:42:49", "created_at": "2017-12-11 13:42:49", "achievementID": 1 } }</pre>
--	--	---------------------------	--

			<pre> } } </pre>
	PUT /api/achievement /{achievement_id }	Edit achievement	Same like POST
	DELETE /api/achievement /{achievement_id }	Delete achievement	Response <pre> { "success": true, "message": " deleted" } </pre>

User achievement	GET /api/achievement /user/{user_id}	Get all user achieved achievement	Response { "success": true, "message": "", "body": [{ "userAchieveID": 2, "userID": 123, "achieveID": 32, "updated_at": "2017-12-11 13:55:02", "created_at": "2017-12-11 13:55:02" }, { "userAchieveID": 1, "userID": 123, "achieveID": 32, "updated_at": "2017-12-11 13:54:25", "created_at": "2017-12-11 13:54:25" }] }
---------------------	--	---	--

			}
	POST /api/achievement /user/	Create user achievement	<p>Request</p> <pre>{ "userID":123, "achieveID":32 }</pre> <p>Response</p> <pre>{ "success": true, "message": "User achieve created", "body": { "userID": 123, "achieveID": 32, "updated_at": "2017-12-11 13:54:25", "created_at": "2017-12-11 13:54:25", "userAchieveID": 1 } }</pre>

	PUT /api/achievement /user/	Edit user achievement	SAME like POST
	DELETE /api/achievement /user/	Delete user achievement	Response { "success": true, "message": " deleted" }

Achievement condition]	GET /api/achievement/condition/{achievement_id}	Get achievement condition for that achievement id	Response { "success": true, "message": "", "body": [{ "conditionID": 3, "achievementID": 32, "goal_value": 123, "description": "asd", "goal_condition": "fat", "goal_operate": "<", "updated_at": "2017-12-11 14:04:11", "created_at": "2017-12-11 14:04:11" }, { "conditionID": 2, "achievementID": 32, "goal_value": 123, "description": "asd",
------------------------	--	---	--

			<pre>"goal_condition": "fat", "goal_operate": "<", "updated_at": "2017-12-11 14:04:10", "created_at": "2017-12-11 14:04:10" }] }</pre>
--	--	--	--

	<p>POST</p> <p>/api/achievement</p> <p>/condition/</p>	<p>Create</p> <p>achievement</p> <p>condition</p>	<p>Request</p> <pre>{ "goal_condition": "fat", "achievementID": 32, "goal_value": 123, "description": "asd", "goal_operate": "<" }</pre> <p>Response</p> <pre>{ "success": true, "message": "User achieve created", "body": { "goal_condition": "fat", "achievementID": 32, "goal_value": 123, "description": "asd", "goal_operate": "<",</pre>
--	--	---	---

			<pre> "updated_at": "2017-12-11 14:03:27", "created_at": "2017-12-11 14:03:27", "conditionID": 1 } } </pre>
	PUT /api/achievement /condition/{condition_id}	Edit achievement condition	Same like POST
	DELETE /api/achievement /condition/{condition_id}	Delete achievement condition	Response <pre> { "success": true, "message": " deleted" } </pre>

Redeem	GET /api/redeem	Get all redeem	Response { "success": true, "message": "", "body": [{ "redeemID": 1, "img_url": "fat", "description": "123", "title": "123", "point": 2, "quantity": 1, "updated_at": "2017-12-11 14:38:26", "created_at": "2017-12-11 14:38:26" }, { "redeemID": 2, "img_url": "fat", "description": "123", "title": "123", }] }
--------	--------------------	----------------	--

			<pre> "point": 2, "quantity": 1, "updated_at": "2017-12-11 14:39:30", "created_at": "2017-12-11 14:39:30" }] } </pre>
	GET /api/redeem/{redeem_id}	Find redeem	Response <pre> { "success": true, "message": "", "body": { "redeemID": 2, "img_url": "fat", "description": "123", "title": "123", "point": 2, "quantity": 1, "updated_at": "2017-12-11 14:39:30", "created_at": "2017-12-11 14:39:30" </pre>

			<pre>} }</pre>
	<p>POST /api/redeem/</p>	<p>Create redeem</p>	<p>Request</p> <pre>{ "img_url": "fat", "description": "123", "title": "123", "point": 2, "quantity": 1 }</pre> <p>Response</p> <pre>{ "success": true, "message": "Challenge created", "body": { "img_url": "fat", "description": "123",</pre>

			<pre> "title": "123", "point": 2, "quantity": 1, "updated_at": "2017-12-11 14:38:26", "created_at": "2017-12-11 14:38:26", "redeemID": 1 } } </pre>
	PUT /api/redeem/	Edit redeem	Same as POST
	DELETE /api/redeem	Delete redeem	Response <pre> { "success": true, "message": " deleted" } </pre>

User redeem	GET /api/redeem/user/{user_id}	Get all user redeem	Response { "success": true, "message": "", "body": [{ "userID": 2, "redeemID": 1, "quantity": 12, "updated_at": "2017-12-11 14:41:56", "created_at": "2017-12-11 14:41:56" }, { "userID": 2, "redeemID": 1, "quantity": 12, "updated_at": "2017-12-11 14:41:53", "created_at": "2017-12-11 14:41:53" }] }
-------------	-----------------------------------	---------------------	--

			}
	POST /api/redeem/user/	Create new user redeem	<p>Request</p> <pre>{ "userID":2, "redeemID":1, "quantity":12 }</pre> <p>Response</p> <pre>{ "success": true, "message": "User redeem created", "body": { "userID": 2, "redeemID": 1, "quantity": 12, "updated_at": "2017-12-11 14:41:22", "created_at": "2017-12-11 14:41:22", "id": 0 } }</pre>

			}
	DELETE /api/redeem/user/ {redeem_id} ? userID = {user_id}	Delete user redeem	Response { "success": true, "message": " deleted" }
Tracking	PUT /api/tracking/{use r_id}	Update user attribute	Same like POST

	<div>POST</div> <div>/api/tracking/</div>	<div>Create new track</div>	<div><div>Request</div><div>{</div><div><div>"userID":2,</div><div>"height":1,</div><div>"weight":12,</div><div>"water":12,</div><div>"visceral":32,</div><div>"fat":43,</div><div>"bmr":5,</div><div>"pr":6</div></div><div>}</div><div><div>Response</div><div>{</div><div><div>"success": true,</div><div>"message": "Track created",</div><div>"body": {</div><div><div>"userID": 2,</div><div>"height": 1,</div></div></div></div></div>
--	---	-----------------------------	---

			<pre>"weight": 12, "water": 12, "visceral": 32, "fat": 43, "bmr": 5, "pr": 6, "updated_at": "2017-12-11 15:27:27", "created_at": "2017-12-11 15:27:27", "id": 0 } }</pre>
--	--	--	---

	<p>GET</p> <p>/api/tracking/{user_id}</p>	<p>Get specific user attribute</p>	<p>Response</p> <pre>{ "success": true, "message": "", "body": [{ "height": 1, "weight": 12, "water": 12, "visceral": 32, "fat": 43, "bmr": 5, "pr": 6, "userID": 2, "updated_at": "2017-12-11 15:27:27", "created_at": "2017-12-11 15:27:27" }] }</pre>
--	---	------------------------------------	--

	GET /api/tracking/	Get all user attribute	Response { "success": true, "message": "", "body": [{ "height": 1, "weight": 12, "water": 12, "visceral": 32, "fat": 43, "bmr": 5, "pr": 6, "userID": 2, "updated_at": "2017-12-11 15:27:27", "created_at": "2017-12-11 15:27:27" }] }
--	-----------------------	---------------------------	---

Tracking history	GET /api/tracking/history/{user_id}	Get all tracking history of that user id	Response { "success": true, "message": "", "body": [{ "userID": 2, "coachID": 12, "height": 1, "weight": 12, "fat": 43, "water": 12, "visceral": 32, "bmr": 5, "pr": 6, "historyID": 2, "updated_at": "2017-12-11 15:31:26", "created_at": "2017-12-11 15:31:26" },] }
------------------	--	--	---

			<pre>"userID": 2, "coachID": 12, "height": 1, "weight": 12, "fat": 43, "water": 12, "visceral": 32, "bmr": 5, "pr": 6, "historyID": 1, "updated_at": "2017-12-11 15:30:29", "created_at": "2017-12-11 15:30:29" }] }</pre>
--	--	--	---

	POST /api/tracking/history/	Add new tracking history	<div>Request</div> <div>{ "coachID":12, "userID":2, "height":1, "weight":12, "water":12, "visceral":32, "fat":43, "bmr":5, "pr":6 }</div> <div>Response</div> <div>{ "success": true, "message": "User track created", "body": { "coachID": 12, "userID": 2,</div>
--	--------------------------------	--------------------------	---

			<pre> "height": 1, "weight": 12, "water": 12, "visceral": 32, "fat": 43, "bmr": 5, "pr": 6, "updated_at": "2017-12-11 15:30:29", "created_at": "2017-12-11 15:30:29", "historyID": 1 } } </pre>
	DELETE /api/tracking/history/{tracking_id}	Delete tracking history	Response <pre> { "success": true, "message": " deleted" } </pre>
User profile	GET /api/users/{user_id}?pass={pass}	Login	Response

	GET /api/users/profile/	Get all user profile detail	
	GET /api/users/profile/ {user_id}	Get profile detail of that user id	Response
	POST /api/users/	Create new user	Request { "password": "asdas", "email": "asdasd", "username": "" } Response
	PUT /api/users/{user_id}	Edit user profile	Response

	DELETE <code>/api/users/</code>	Delete user	Response { "success": true, "message": " deleted" }
--	---	-------------	--

User goal	GET /api/users/goal/	Get all user goal	Response { "success": true, "message": "", "body": [{ "goalID": 2, "goal_condition": "123", "description": "123", "userID": 1, "status": 12, "verified": 12, "goal_value": 32, "current_value": 43, "updated_at": "2017-12-11 15:59:41", "created_at": "2017-12-11 15:59:41" }, { "goalID": 1, "goal_condition": "123", }] }
-----------	-------------------------	-------------------	---

			<pre>"description": "123", "userID": 1, "status": 12, "verified": 12, "goal_value": 32, "current_value": 43, "updated_at": "2017-12-11 15:59:06", "created_at": "2017-12-11 15:59:06" }] }</pre>
--	--	--	---

	<p>GET</p> <p>/api/users/goal/{user_id}</p>	<p>Get user goal of that user id</p>	<p>Response</p> <pre>{ "success": true, "message": "", "body": [{ "goalID": 2, "goal_condition": "123", "description": "123", "userID": 1, "status": 12, "verified": 12, "goal_value": 32, "current_value": 43, "updated_at": "2017-12-11 15:59:41", "created_at": "2017-12-11 15:59:41" }, { "goalID": 1, "goal_condition": "123",</pre>
--	---	--------------------------------------	---

			<pre>"description": "123", "userID": 1, "status": 12, "verified": 12, "goal_value": 32, "current_value": 43, "updated_at": "2017-12-11 15:59:06", "created_at": "2017-12-11 15:59:06" }] }</pre>
--	--	--	---

	<p>POST</p> <p>/api/users/goal/</p>	<p>Create new user goal</p>	<p>Request</p> <pre>{ "goal_condition": "123", "description": "123", "userID": 1, "status": 12, "verified": 12, "goal_value": 32, "current_value": 43 }</pre> <p>Response</p> <pre>{ "success": true, "message": "Track created", "body": { "goal_condition": "123", "description": "123", "userID": 1, "status": 12, } }</pre>
--	-------------------------------------	-----------------------------	--

			<pre> "verified": 12, "goal_value": 32, "current_value": 43, "updated_at": "2017-12-11 15:59:06", "created_at": "2017-12-11 15:59:06", "goalID": 1 } } </pre>
	PUT /api/users/goal/	Edit user goal	Response (same like POST)
Register			
Login			