



# **Tribhuvan University**

## **Institute of Science and Technology**

### **Project Report on**

Frontend Intern at Global Square I.T. Company Pvt. Ltd.

#### **Submitted to:**

Department of Bachelor of Science in Computer Science and Information  
Technology (BSc.CSIT)  
National College of Computer Studies

*In partial fulfillment of the requirement for the degree of  
Bachelor of Science in Computer Science and Information Technology  
(BSc.CSIT)*

#### **Submitted by:**

Amardeep Limbu [28860/078]  
Regd. No.: 5-2-551-64-2021

**Under the supervision of**  
**Mr. Radha Krishna Gajurel**

**January, 2026**

## **SUPERVISOR'S RECOMMENDATION**

This is to certify that the internship report entitled "**Frontend Internship at Global Square IT Company Pvt. Ltd.**" has been prepared by **Amardeep Limbu [28860/078]** under my supervision and guidance.

The report reflects the student's practical experience, technical skill development, and the successful application of computer science principles in a professional environment. I have monitored the progress of this internship and the subsequent documentation throughout the semester.

I hereby recommend that this report, prepared in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Science and Information Technology (BSc.CSIT)**, be accepted and processed for the final evaluation.

---

**Mr. Radha Krishna Gajurel**  
Project Supervisor  
National College of Computer Studies  
Paknajol, Kathmandu

## CERTIFICATE OF APPROVAL

This is to certify that the report is evaluated and recommended to the Department of Computer Science and Information Technology for acceptance of the internship report entitled "**Frontend Internship at Global Square I.T. Company Pvt. Ltd.**" submitted by **Amardeep Limbu [28860/078]** in partial fulfillment for the degree of Bachelor of Science in Computer Science and Information Technology (B.Sc.CSIT), Institute of Science and Technology (IOST), Tribhuvan University.

---

### Signature of Supervisor

Mr. Radha Krishna Gajurel  
Faculty Member  
Computer Science and Information  
Technology  
National College of Computer Studies  
Paknajol, Kathmandu

---

### Signature of Coordinator

Ramesh Phuyal  
Coordinator of CSIT  
Department of Computer Science and  
Information Technology  
National College of Computer Studies  
Paknajol, Kathmandu

---

SIGNATURE of Internal Examiner

---

SIGNATURE of External Examiner

## **ACKNOWLEDGMENT**

I wish to express my sincere appreciation to **Global Square I.T. Company Pvt. Ltd.** for the opportunity to undertake my professional internship within their esteemed organization. The exposure to a collaborative and technologically advanced work environment has been pivotal in bridging the gap between my academic knowledge and the professional landscape.

I am deeply grateful to the **Department of Computer Science and Information Technology** at **National College of Computer Studies** for their consistent support. I owe a special debt of gratitude to our Program Coordinator, **Mr. Rajan Paudel**, whose efficient coordination and constant encouragement were essential for the successful completion of this internship.

I would like to extend my heartfelt thanks to my project supervisor, **Mr. Radha Krishna Gajurel**, for his invaluable guidance. His academic insights and constructive critiques throughout the semester were instrumental in the refinement of this report.

I am particularly thankful to my mentors at the organization, **Mr. Nabin Shrestha** and **Mr. Sushant Luitel**. Their expert technical mentorship and willingness to share their expertise allowed me to navigate complex challenges and contribute effectively to the company's projects.

Finally, I am thankful to my family, friends, and colleagues for their motivation and support during my academic tenure. Their shared insights and encouragement made this entire learning experience truly enriching.

Sincerely,

**Amardeep Limbu**

Roll No: 28860/078

TU Regd. No: 5-2-551-64-2021

## ABSTRACT

This report outlines the design and development of responsive web applications implemented during a frontend engineering internship. The primary objective was to construct scalable, user-centric interfaces through modern component-based architectures using React.js and Next.js. The development scope encompassed diverse applications, including e-commerce platforms and online examination systems, necessitating robust state management and cross-device compatibility. Key technical implementations involved strict type safety via TypeScript, schema validation, and seamless RESTful API integration to ensure data integrity and system reliability. Furthermore, the project emphasizes professional software engineering practices, including version control, modular code organization, and design-to-code translation. The outcomes demonstrate significant enhancements in application performance, usability, and maintainability, validating the effectiveness of integrating advanced frontend methodologies to deliver industrial-grade web solutions.

**KEYWORDS:** *Frontend Development, Web Applications, React.js, Component Architecture, API Integration*

# TABLE OF CONTENTS

<b>SUPERVISOR'S RECOMMENDATION</b> . . . . .	i
<b>CERTIFICATE OF APPROVAL</b> . . . . .	ii
<b>ACKNOWLEDGMENT</b> . . . . .	iii
<b>ABSTRACT</b> . . . . .	iv
<b>LIST OF FIGURES</b> . . . . .	vii
<b>LIST OF TABLES</b> . . . . .	viii
<b>LIST OF ABBREVIATIONS</b> . . . . .	ix
<b>CHAPTER 1: INTRODUCTION</b> . . . . .	1
1.1    Introduction . . . . .	1
1.2    Problem Statement . . . . .	1
1.3    Objective . . . . .	1
1.4    Scope and Limitations . . . . .	2
1.4.1    Scope . . . . .	2
1.4.2    Limitations . . . . .	2
1.5    Report Organization . . . . .	2
<b>CHAPTER 2: ORGANIZATION DETAILS AND LITERATURE REVIEW</b> . . . . .	4
2.1    Introduction to Organization . . . . .	4
2.2    Organizational Hierarchy . . . . .	5
2.3    Working Domains Of Organization . . . . .	5
2.3.1    Key Working Domains of the Organization . . . . .	5
2.4    Description of Intern Department . . . . .	6
2.5    Literature Review . . . . .	6
<b>CHAPTER 3: INTERNSHIP ACTIVITIES</b> . . . . .	9
3.1    Roles and Responsibilities . . . . .	9
3.1.1    Roles . . . . .	9
3.1.2    Responsibilities . . . . .	9
3.2    Weekly Log . . . . .	9

3.3 Tasks/Activities Performed . . . . .	11
<b>CHAPTER 4: CONCLUSION AND LEARNING OUTCOMES . . . . .</b>	<b>29</b>
4.1 Conclusion . . . . .	29
4.2 Learning Outcomes . . . . .	29
<b>REFERENCES . . . . .</b>	<b>31</b>
<b>APPENDIX . . . . .</b>	<b>32</b>

## LIST OF FIGURES

1	Organization Logo of Global Square I.T Company . . . . .	4
2	Organization Hierarchy . . . . .	5
3	Hoslog Affiliate Landing Page Hero Section . . . . .	11
4	Hoslog Affiliate Landing Page Features Section . . . . .	12
5	Hoslog Affiliate Landing Page FAQ Section . . . . .	13
6	Hoslog Affiliate Landing Page Footer Section . . . . .	13
7	Blog Site Homepage . . . . .	14
8	Blog Site Signup Page . . . . .	15
9	Online Exam Site Listening Section . . . . .	16
10	Online Exam Site Writing Section . . . . .	17
11	Online Exam Site Reading Section . . . . .	17
12	Code Snippet of Square Japan Landing Page . . . . .	19
13	Tapaiko Bazar Admin Login Interface . . . . .	21
14	Tapaiko Bazar Vendor Form Module . . . . .	22
15	Vendor Table Overview . . . . .	23
16	Product Details and Management View . . . . .	23
17	Product Management Dashboard . . . . .	24
18	Filtered Product Data View . . . . .	24
19	Client Portal Product Cart Interface . . . . .	25
20	Website Review and Rating Component . . . . .	25
21	Tapaiko Bazar Product Management UI . . . . .	26
22	Product Slider with Media Gallery . . . . .	27
23	Variant Handling in Product Creation . . . . .	28

## **LIST OF TABLES**

1	Contact Details of Organization . . . . .	5
2	Internship Details . . . . .	6
3	Weekly Tasks Performed During Internship . . . . .	9

## **LIST OF ABBREVIATIONS**

API	Application Programming Interface
CSS	Cascading Style Sheets
HTML	HyperText Markup Language
JS	JavaScript
JSON	JavaScript Object Notation
UI	User Interface
UX	User Experience
OTP	One-Time Password
SPA	Single-Page Application
REST	Representational State Transfer

# **CHAPTER 1: INTRODUCTION**

## **1.1 Introduction**

In the beginning, one of the projects that took part was developing the landing page for Affilater Hoslog at Global Square IT Company. So, my major objective was going to convert the predefined Figma design into a visually fully functional website. The landing page was developed using React.js and vanilla CSS, paying close attention to responsive layouts and mobile compatibility through CSS media queries. This helped me have real exposure to translating design specifications into a dynamic and interactive user interface.

Another important project was the creation of a landing page for Square Japan. More precisely, it included interactive features that served as a recruitment page and inquiry form. The Next.js library was applied to build a landing page with Tailwind CSS styling that kept the views consistent, maintainable, and responsive.

Contributed to the full-featured, collaborative e-commerce application. This included responsibilities such as designing and implementing the front-end UI for both customer and admin portals. Admin side comprises a dashboard developed along with a sidebar and data visualization charts using Recharts for actionable insights; on the client side, key pages such as login page, product listing pages were developed.

## **1.2 Problem Statement**

With the increasing demand for seamless online experiences, organizations need web applications that are both visually attractive and functionally robust. Frontend development involves several difficulties, such as converting design mockups into functional interfaces, managing dynamic data, ensuring cross-device compatibility, and maintaining code quality for long-term scalability. The internship mainly focused on addressing these challenges by working on real-world projects, implementing features like authentication, dynamic product displays, responsive layouts, and interactive components, thereby bridging the gap between academic learning and practical frontend development experience.

## **1.3 Objective**

The goals of the internship were as follows:

- To follow the industry's best practices in front-end development by writing clean, modular, and maintainable code, performing UI testing, and using version control tools to support collaboration

- To integrate frontend components with backend services, implement dynamic features, and enhance application performance, usability, and maintainability through real-world project development.

## **1.4 Scope and Limitations**

### **1.4.1 Scope**

The scope of the E-commerce web application developed during the internship includes the following:

- The internship involved creating front-end interfaces for various web applications, including landing pages and e-commerce platforms, utilizing modern technologies such as React.js, Next.js, CSS, and Tailwind CSS.
- The work emphasized responsive design, user experience, integration with backend APIs, and development of dynamic features to improve functionality and interactivity.

### **1.4.2 Limitations**

Despite its functionality and practical implementation, the E-commerce web application developed during the internship faces the following technical and operational limitations:

- The internship was mainly centered on frontend development, providing limited experience with advanced backend processes, database management, and server-side optimization.
- Certain projects were restricted by predefined designs, tight deadlines, and dependency on backend-developed APIs, which constrained full end-to-end control over the system.

## **1.5 Report Organization**

The report is organized in the systematic pattern where each chapter includes the subtopics to support the main title of the report. The report is organized as follows:

- Chapter 1: Introduction**

The chapter initiates with the introduction of the whole report, systematically partitioned into four distinct subchapters. It includes introduction of the internship project, problem statement, objectives, scope and limitation.

- Chapter 2: Organizational Review and Literature Review**

This chapter offers a concise overview of organization involved in the project and includes a review of relevant literature related to the project's domain.

- **Chapter 3: Internship Activities**

This chapter includes the roles, responsibilities and technical activities undertaken during the internship in detail. It also covers descriptions of the projects involved and a comprehensive list of tasks and activities completed.

- **Chapter 4: Conclusion and Learning Outcomes**

This chapter summarizes the project's architectural design, details the data utilized, and provides insights into the overall execution process of the project.

## **CHAPTER 2:**

### **ORGANIZATION DETAILS AND LITERATURE REVIEW**

#### **2.1 Introduction to Organization**

Global Square IT Company is a technology-focused software development firm located at Nil Kamal Marg, New Baneshwor, focused on delivering customized software solutions to support business transformation. The company specializes in designing and developing scalable and efficient software applications for a wide range of industries, including finance, healthcare, and retail. By leveraging modern development practices and a skilled technical workforce, Global Square aims to address complex business challenges through reliable and high-performance software systems.

A key characteristic of Global Square IT Company is its emphasis on building bespoke and client-oriented solutions rather than relying on generic software products. The organization adopts modern technologies such as C#, .NET, ReactJS, and cloud-based services to develop applications that are flexible, secure, and adaptable to evolving business requirements. The development process follows structured workflows that prioritize code quality, performance optimization, and seamless user experience, ensuring that the delivered solutions align closely with client expectations.

Within the broader context of the rapidly evolving technology sector, Global Square IT Company positions itself as a growth-driven organization focused on continuous improvement and innovation. By integrating emerging technologies and maintaining a strong collaborative development culture, the company supports long-term digital transformation for its clients. This approach enables Global Square to deliver sustainable value, enhance productivity, and maintain a competitive edge in an increasingly digital and competitive marketplace.




**Figure 1: Organization Logo of Global Square I.T Company**

**Table 1: Contact Details of Organization**

<b>Address</b>	Nil Kamal Marg, New Baneshwor, Nepal
<b>Contact Number</b>	976-3596355
<b>Email</b>	info@globalsquareit.com
<b>Website</b>	<a href="https://www.globalsquareit.com">https://www.globalsquareit.com</a>

## 2.2 Organizational Hierarchy

The following diagram shows the flat hierarchical structure that Global Square IT Company uses, the key role consists of:



**Figure 2: Organization Hierarchy**

## 2.3 Working Domains Of Organization

### 2.3.1 Key Working Domains of the Organization

The key working domains of the organization include:

#### 1. Web and Application Development

Global Square IT Company specializes in designing and developing modern, scalable web and software applications. This domain includes:

- **Frontend Development:** Building responsive and interactive user interfaces using technologies such as React.js, Next.js, and Tailwind CSS.
- **Backend Development:** Developing secure and efficient server-side applica-

tions using C#, .NET, and RESTful APIs.

- **Full-Stack Solutions:** Integrating frontend and backend components to deliver complete, high-performance applications tailored to client requirements.

## 2. UI/UX Design and Digital Solutions

The company places strong emphasis on user-centric design and digital transformation. This domain includes:

- **UI/UX Design:** Creating visually appealing, intuitive, and user-friendly interfaces to enhance user engagement and accessibility.
- **System Integration:** Integrating third-party services, APIs, and cloud-based solutions to improve functionality and scalability.
- **Maintenance and Optimization:** Providing continuous support, performance optimization, and updates to ensure long-term reliability and efficiency of software systems.

### 2.4 Description of Intern Department

At Global Square IT Company Pvt. Ltd., the Intern Department plays a vital role in connecting academic knowledge with advanced industry practices. As the company works with international clients, particularly from Japan, the department operates in a technically demanding, research-focused, and dynamic environment that prepares interns for real-world challenges.

**Table 2: Internship Details**

<b>Role</b>	Frontend Intern
<b>Department</b>	Frontend Department
<b>Mentor</b>	Nabin Shrestha, Sushant Luitel
<b>Project</b>	Hoslog Affiliater Landing Page, Ecommerce Website, Square Japan Landing Page
<b>Duration</b>	3 Months
<b>Start Date</b>	22nd September 2025
<b>End Date</b>	26th December 2025
<b>Working Hours Per Day</b>	10 AM - 6 PM (Monday to Friday)

### 2.5 Literature Review

Modern web applications heavily rely on the fundamental principles of JavaScript, particularly asynchronous programming, execution contexts, and event-driven architectures. Resources like W3Schools and JavaScript.info provide comprehensive explanations of these concepts, covering topics such as promises, async/await patterns, closures, and the call

stack. Understanding these fundamentals is critical for handling complex application behavior, managing concurrent tasks, and ensuring that code execution remains predictable and efficient. Mastery of these concepts forms the foundation for integrating advanced frameworks and libraries while adhering to modern ECMAScript standards, allowing developers to build robust, high-performance applications. JavaScript.info (2024) W3Schools (2024)

Managing data effectively is a key challenge in modern web development. TanStack Query addresses this by providing a server-state management solution that eliminates much of the manual client-side state tracking. Unlike traditional state management approaches, which often require repetitive boilerplate code for fetching, caching, and updating data, TanStack Query automates these processes. It offers built-in caching strategies, background data synchronization, and query invalidation, ensuring that the user interface always reflects the most up-to-date server state. By shifting the focus from local state management to server-driven state, applications can achieve improved performance, consistency, and maintainability. TanStack (2024a)

Effective routing is essential for building dynamic, single-page applications. TanStack Router enhances traditional routing by treating the URL as the primary source of truth, enabling type-safe state management and predictable navigation flows. This approach allows for consistent and bookmarkable application states, while ensuring that each page or component has access to the required data and parameters. TanStack Router integrates closely with server-state management tools, enabling developers to synchronize route transitions with data fetching and validation. As a result, applications built with this architecture maintain both functional consistency and a smooth user experience across complex navigation scenarios. TanStack (2024b)

Ensuring data correctness is a critical aspect of web application reliability. Zod is a TypeScript-first schema validation library that provides runtime validation of data structures. It allows developers to define strict schemas for API responses, form inputs, and application state, automatically catching errors before they propagate through the system. Zod's seamless integration with TypeScript also enables strong type inference, reducing the likelihood of runtime errors and improving code safety. By validating data at the boundaries of the system, applications can maintain integrity, prevent unexpected crashes, and provide more reliable user experiences. Zod (2024)

Presenting complex datasets in a clear and efficient manner is a common requirement for web applications. TanStack Table implements a “headless” architecture, separating data-handling logic from visual presentation. This approach allows developers to implement features such as sorting, filtering, grouping, and pagination without imposing any constraints on the UI design. By decoupling logic from interface, TanStack Table enables

high-performance data handling while maintaining complete control over the look and feel of the application. This separation promotes modularity, simplifies testing, and improves maintainability for data-intensive applications.TanStack (2024c) Modern UI development often requires reusable, consistent, and customizable components. Shadcn provides a modular component library designed to integrate seamlessly with modern frameworks while allowing full control over styling and behavior. Its component-driven architecture enables developers to build scalable interfaces, maintain design consistency, and quickly adapt to evolving project requirements. By combining modular UI components with headless libraries for logic, applications achieve both high usability and maintainability, while reducing development time and improving the overall quality of the user interface.shadcn/ui (2024)

# CHAPTER 3: INTERNSHIP ACTIVITIES

This chapter details the tasks, responsibilities and technical activities performed during the internship. It includes an overview of assigned duties, a weekly log of activities, and description of projects worked on.

## 3.1 Roles and Responsibilities

### 3.1.1 Roles

- Frontend Intern

### 3.1.2 Responsibilities

During the internship, the following responsibilities were undertaken:

- Designing and developing responsive user interfaces using modern frontend technologies such as React.js and Next.js.
- Converting UI/UX designs into functional web pages while ensuring visual accuracy and cross-browser compatibility.
- Implementing reusable components, managing application state, and organizing frontend code for scalability and maintainability.
- Integrating frontend applications with backend APIs to enable dynamic data handling and real-time functionality.
- Testing, debugging, and optimizing frontend features to improve performance, responsiveness, and overall user experience.

## 3.2 Weekly Log

**Table 3: Weekly Tasks Performed During Internship**

Week	Description of Tasks Performed
Week 1 (Sep 22-27)	<ul style="list-style-type: none"><li>• Learned React Basic Fundamentals</li><li>• Learned best practices in JS programming</li></ul>
Week 2 (Oct 6-10)	<ul style="list-style-type: none"><li>• Learned tailwind CSS</li><li>• Learned React Hooks: useState and useEffect</li><li>• Learned Custom Hooks in React and its useCases</li><li>• Implemented useState and useEffect for state management</li><li>• Created Custom Hook counter to keep track of count of button pressed</li></ul>

<b>Week</b>	<b>Description of Tasks Performed</b>
Week 3 (Oct 13-17)	<ul style="list-style-type: none"> <li>Completed frontend training exercises in React.js, JavaScript, and modern tools</li> <li>Developed basic components: loading bar, toast notifications, loading skeletons</li> <li>Learned Git and GitHub for version control</li> <li>Built a weather application using public API with TanStack</li> </ul>
Week 4 (Oct 27-31)	<p>Query</p> <ul style="list-style-type: none"> <li>Implemented Hoslog Affiliater Landing Page from Figma design</li> <li>Developed page using React.js and vanilla CSS</li> <li>Ensured mobile responsiveness and cross-device compatibility</li> </ul>
Week 5 (Nov 3-7)	<p>using CSS media queries</p> <ul style="list-style-type: none"> <li>Identified and resolved UI/UX issues reported by the design team</li> <li>Fixed layout, responsiveness, and interaction-related bugs</li> </ul>
Week 6 (Nov 10-14)	<ul style="list-style-type: none"> <li>Re-tested website across different devices to ensure stability</li> <li>Learned React Hook Form and Zod</li> <li>Implemented form validation using React Hook Form + Zod</li> <li>Designed and developed a clone of a Blog site</li> <li>Collaborated with fellow interns using Git for team workflows</li> <li>Implemented UI features: pagination, scroll to top, image ani-</li> </ul>
Week 7 (Nov 17-21)	<p>mations</p> <ul style="list-style-type: none"> <li>Created a landing page for an online Exam site</li> <li>Create exam page like Multiple choice question and essay section</li> </ul>
Week 8 (Nov 24-28)	<ul style="list-style-type: none"> <li>Implemented pagination and routing for the webpage</li> <li>Developed Square Japan Landing Page from Figma design</li> <li>Created Recruitment section</li> <li>Implemented inquiry forms using React Hook Form + Zod</li> </ul>
Week 9 (Dec 1-5)	<ul style="list-style-type: none"> <li>Integrated Shadcn UI components for cards</li> <li>Developed Tapaiko Bazar e-commerce website</li> <li>Fix issue in the Square Japan Landing Page</li> <li>Built admin portal using React.js + Shadcn UI; client portal using Next.js + Shadcn UI</li> <li>Created reusable and scalable components</li> <li>Designed admin vendor table, profile page, single product page, and login page using dummy data</li> </ul>

Week	Description of Tasks Performed
Week 10 (Dec 8-12)	<ul style="list-style-type: none"> <li>Consumed and integrated backend APIs for dynamic functionality</li> <li>Implemented admin-side features: login, add-product, profile, vendors</li> <li>Implemented admin-side APIs for profile, product, and vendor management</li> </ul>

### 3.3 Tasks/Activities Performed

#### 1. Hoslog Affiliate Landing Page

The Hoslog Affiliate Landing Page was developed using React.js in combination with vanilla CSS. The primary objective of the project was to translate a predefined Figma design into a fully functional and responsive web application. Particular emphasis was placed on maintaining visual fidelity to the original design, ensuring cross-device compatibility through the use of CSS media queries, and enhancing overall user experience. The development process incorporated responsive layout techniques and interactive UI components to improve usability. Additionally, the landing page was tested across multiple web browsers to ensure consistent performance and functionality in different browsing environments.



Figure 3: Hoslog Affiliate Landing Page Hero Section

## ホスログのアフィリエイト プログラムとは

ホストクラブの初回予約に特化したプラットフォーム「ホスログ」のアフィリエイトプログラムは、専用の紹介コードを広告することでホスログの新規利用者を獲得し、ホストクラブへの予約が実行されるとその件数により紹介報酬が獲得できるプログラムです。



1件のネット予約成立につき  
¥1,000報酬を獲得できます



新規アフィリエイターの獲得で  
その収益の10%も受け取れる！



ホストクラブは審査済みの優良店！  
安心・安全な広告活動ができます

アフィリエイター登録はこちら

**Tips：そもそもアフィリエイトって？**  
Webサイト・ブログ・SNSなどのメディア運営者が、自分のメディアに広告を掲載し、そのメディアの閲覧者が広告から商品を購入したりやサービスを利用することで報酬が発生する仕組みです。

**自身のメディアに広告を掲載**  
Webサイト・ブログ・SNSなどのメディアに商品やサービスの広告を掲載。

**知人やSNSで商品を紹介**  
メールやLINEを使って、友人・知人に直接紹介URLやQRコードを共有。

**YouTubeなどの動画で紹介**  
YouTubeやTikTokなど、動画を利用して視覚的に広いターゲットにプローチする近年主流の手法です。

Figure 4: Hoslog Affiliate Landing Page Features Section

## よくあるご質問

---

Q. ホスログのアフィリエイトプログラムに参加するにはどうすればいいですか？ ▾

Q. アフィリエイトプログラムに参加するための費用はかかりますか？ ▾

Q. アフィリエイトリンクをどのように取得できますか？ ▾

Q. 誰でもアフィリエイトプログラムに参加できますか？ ▾

Q. どのようにして報酬を得ることができますか ▾

Q. 報酬はどのように支払われますか？ ▾

Q. 自分の紹介したお客様が再訪した場合、報酬はどうなりますか？ ▾

Q. 報酬が正しく支払われていない場合、どうすれば良いですか？ ▾

Q. アフィリエイターの報酬を確認する方法はありますか？？ ▾

Q. 報酬の最低支払額はありますか？ ▾

Q. アフィリエイター紹介プログラムとは何ですか？ ▾

Q. アフィリエイターを紹介する方法は？ ▾

Q. 紹介したアフィリエイターがどれくらいの報酬を稼いでいるか確認できますか？ ▾

Q. 紹介プログラムの報酬はいつ支払われますか？ ▾

Q. アフィリエイトリンクをどのように活用すれば良いですか？ ▾

Q. 特定のホストクラブへの紹介を優先することはできますか？ ▾

Q. アフィリエイトリンクをシェアする際の注意点はありますか？ ▾

Figure 5: Hoslog Affiliate Landing Page FAQ Section



The footer section features the Hoslog logo at the top, followed by a large, bold headline: "\ 登録無料で簡単に広告活動が始められる！ /". Below the headline is a subtext: "ホスログのアフィリエイトプログラムに今すぐご参加ください！". A prominent purple button with white text reads "無料登録をして今すぐ広告活動を始める". At the bottom of the page, there is a green footer bar containing the copyright notice: "© 2019 - 2026 ホスログ".

Figure 6: Hoslog Affiliate Landing Page Footer Section

## 2. Blog Site Clone

The Blog Site Landing Page comprises three primary features developed using React with TypeScript. The Homepage implements pagination functionality with six articles per page, utilizing React Router's searchParams API to maintain state and Tailwind CSS media queries for responsive design across devices. The ScrollToTop utility component monitors route changes via the useLocation hook and automatically scrolls the viewport to the page top with smooth behavior, enhancing navigation experience in the single-page application. The Signup page integrates schema-based form validation using Zod and React Hook Form, capturing user credentials with real-time error feedback and asynchronous submission handling, providing a seamless user registration experience with confirmation messaging and navigation capabilities.




Figure 7: Blog Site Homepage

## Subscribe to Maktub

A super modern theme following the latest trends with premium Membership and fully compatible with Ghost.

Name

Enter your name

Email

Enter your email

Phone No

Enter phone number

Password

Create password

Confirm Password

Confirm password


**Figure 8: Blog Site Signup Page**

### 3. Online Exam Site


The Online Exam Application utilizes a structured navigation system built with React Router v6 and TypeScript to ensure a seamless and predictable user journey. At the core of the architecture is a centralized routing component that wraps the entire application in a dedicated exam provider. This setup uses the React Context API to maintain a consistent global state, allowing critical data—such as user responses, remaining time, and overall progress—to persist even as the student moves between different sections of the test.

The navigation logic is designed to guide users through a linear examination flow, starting with an automatic redirect from the root path to the first assessment module. By using programmatic navigation with history management, the system prevents users from accidentally navigating back into an empty state, ensuring the integrity of the testing session. The application is divided into four primary segments—Listening, Reading, Writing, and a final Summary—each mapped to a specific URL path to maintain a clear and organized single-page structure.

By leveraging a component-based routing approach paired with TypeScript, the system achieves high type safety and prevents common navigation errors. This ensures that as a student progresses from listening comprehension through to the final writing assessment, the transition is fluid and the underlying data remains synchronized. The final summary interface serves as a comprehensive conclusion to the workflow, pulling all stored state together to provide a clear overview of the completed examination.




**Figure 9: Online Exam Site Listening Section**



The screenshot shows a web browser window with the URL `localhost:5173/exam/writing`. The page title is "Writing Task 1". Below it, a sub-instruction says "Write at least 150 words." A large text input area is present, with "0 words" written in its top-left corner and "Minimum 150" in red text at the bottom-right corner. Below this, another section titled "Writing Task 2" is shown with the instruction "Write at least 250 words." and a similar large text input area.

**Figure 10: Online Exam Site Writing Section**



The screenshot shows a web browser window with the URL `localhost:5173/exam/reading`. The page title is "Reading Passage". The main content is a passage about climate change affecting daily life, agriculture, and energy usage. Below the passage is a question: "Which area is mentioned as adapting to climate change?" followed by four options: "Sports", "Agriculture", "Fashion", and "Entertainment", each preceded by a radio button. At the bottom of the page, there is a navigation bar with "Previous" and "Next" buttons, and a page number indicator showing pages 1 through 10, with page 1 highlighted in blue.

**Figure 11: Online Exam Site Reading Section**

#### **4. Square Japan Landing Page**

The Square Japan landing page was developed using Next.js, meticulously translating a Figma design into a high-performance web experience. To increase user engagement, the header section incorporates smooth, timed animations that activate upon page load or as the user scrolls, creating a polished and interactive first impression. These transitions provide a modern feel while guiding the user's attention naturally toward the primary messaging of the site.

Information architecture was a key focus, particularly within the FAQ section. Utilizing Shadcn UI components, this area features an accordion-based layout to keep the interface clean while providing immediate answers to common questions. To further improve usability, a tabbed navigation system was integrated, allowing users to switch between different FAQ categories effortlessly. This ensures that even large volumes of information remain organized and accessible without cluttering the landing page.

The communication and recruitment workflows were designed for maximum reliability and brand consistency. A dedicated modal dialog was implemented for the “Join Our Team” feature, offering a streamlined path for applicants to submit their details. Behind the scenes, custom email templates were developed for both general inquiries and recruitment forms to ensure all outreach reflects the professional branding of the project. These workflows are powered by the Resend email service, which automates confirmation messages to provide users with immediate and reliable feedback upon every submission.

## 問い合わせ

サービスに関するご質問やご相談など、お気軽にお問い合わせください。

お名前 必須

会社名 必須

メールアドレス 必須

電話番号 必須

お問い合わせ内容 必須

お問い合わせ内容を記入ください（10文字以上、500文字以内）

送信する

03-6903-5583

営業時間：平日13:00～21:00（土日祝を除く）  
※返信まで最長で3営業日かかる場合がございますので、ご了承ください。

Figure 12: Code Snippet of Square Japan Landing Page

#### **4. Tapaiko Bazar E-commerce Website**

Tapaiko Bazar project involved building a comprehensive, web-based dashboard system from the ground up. Developed through a close partnership between frontend and backend teams, the platform features distinct interfaces for administrators and clients. Our goal was to create a secure, scalable, and user-friendly ecosystem that simplifies vendor and product management while ensuring a smooth experience for everyday users.

The administrative side features a structured authentication system designed for security and ease of use. A clean, card-based login interface utilizes Zod for schema-based validation, ensuring that email and password inputs are accurate before submission.

To manage credential recovery, a modular "Forgot Password" workflow was implemented. This process follows a three-step sequence—email submission, one-time password (OTP) verification, and a secure password reset. Each step is handled through dedicated API endpoints, maintaining a clear separation between frontend form handling and backend security logic. Efficient vendor and product management are central to the administrative workflow. The vendor management module utilizes a responsive data table and Tailwind CSS to display records clearly across all devices. Similarly, the product management interface employs a two-column layout that separates product metadata from media management. By using the FormData API for image uploads and implementing automatic input resets upon successful submission, the system maintains a clean and high-performance environment for handling complex product data and multi-attribute variations.


On the client-facing side, the platform emphasizes intuitive navigation and discovery. A dynamic filtering system allows for product searches based on tags and price ranges, with states synchronized to URL parameters to ensure persistence during navigation. To further enhance the shopping experience, an intelligent variant selection algorithm evaluates product combinations in real-time, preventing users from selecting unavailable options. This is complemented by a custom carousel wrapper built for smooth image galleries and a dedicated website review module that displays overall platform feedback through dynamic star ratings and optimized imagery.

The platform maintains high standards of consistency by mirroring security workflows across all user roles. The password recovery process for clients utilizes the same multi-step modal design as the administrative side, providing a familiar and secure method for regaining account access. By integrating reusable UI components and synchronized backend services, the system ensures real-time data accuracy and a cohesive user experience throughout the entire application.



```
1 "use client";
2
3 import { Label } from "@ui/label";
4 import { LoginFormSchema, type LoginFormType } from "./AdminLoginForm.zod";
5 import { zodResolver } from "@hookform/resolvers/zod";
6 import { useForm } from "react-hook-form";
7 import { Button } from "@ui/button";
8 import { useLogin } from "@hooks/auth/useAuth";
9 import { Input } from "../Input/Input";
10 import { Dialog } from "../Dialog/Dialog";
11 import { ForgotPassword } from "../ForgotPassword/ForgotPassword";
12 import { useState } from "react";
13
14 export const AdminLoginForm = () => {
15   const { mutate, isPending } = useLogin();
16   const {
17     register,
18     handleSubmit,
19     reset,
20
21     formState: { errors },
22   } = useForm<LoginFormType>({
23     resolver: zodResolver(LoginFormSchema),
24     mode: "onChange",
25   });
26   const [open, setOpen] = useState(false);
27   const onSubmit = (data: LoginFormType) => {
28     reset();
29     mutate(data);
30   };
31
32   return (
33     <form
34       onSubmit={handleSubmit(onSubmit)}
35       className="py-6 flex flex-col gap-2"
36     >
37       <div className="text-3xl font-semibold mb-5">Login</div>
38       <div className="flex flex-col gap-3">
39         <Label htmlFor="email">Email</Label>
40         <Input
41           id="email"
42           {...register("email")}
43           type="email"
44           placeholder="Enter your email"
45         />
46         <p className="text-red-500">{errors.email?.message}</p>
47       </div>
48       <div className="flex flex-col gap-3">
49         <Label htmlFor="password">Password</Label>
50         <Input
51           {...register("password")}
52           type="password"
53           placeholder="Enter your password"
54         />
55         <p className="text-red-500">{errors.password?.message}</p>
56       </div>
57       <div>
58         <Button type="submit" className="mt-5 w-full" value="Login">
59           {isPending ? "Logging in..." : "Login"}
60         </Button>
61       </div>
62       <Dialog
63         open={open}
64         onChange={setOpen}
65         triggerContent={
66           <button className="text-sm underline" onClick={() => setOpen(true)}>
67             Forgot Password
68           </button>
69         }
70       >
71         <ForgotPassword onClose={() => setOpen(false)} />
72       </Dialog>
73     </form>
74   );
75 };
76
```

Figure 13: Tapaiko Bazar Admin Login Interface



```

1 import { useForm, type SubmitHandler } from "react-hook-form";
2 import { zodResolver } from "zod";
3 import {
4   AddVendorFormSchema,
5   type AddVendorFormValues,
6 } from "./AddVendorFormSchema.zod.ts";
7 import { useCreateVendor } from "@hooks/vendor/useCreateVendor.ts";
8 import { Button } from "@ui/button.tsx";
9 export const AddVendorForm = () => {
10   const { mutate } = useCreateVendor();
11   const {
12     register,
13     handleSubmit,
14     reset,
15     formState: { errors },
16   } = useForm<AddVendorFormValues>({
17     resolver: zodResolver(AddVendorFormSchema),
18     defaultValues: {
19       name: "",
20       contactPerson: "",
21       email: "",
22       phone: "",
23       address: "",
24     },
25     mode: "onChange",
26   });
27
28   const onSubmit: SubmitHandler<AddVendorFormValues> = (
29     data: AddVendorFormValues,
30   ) => {
31     mutate({
32       name: data.name,
33       contactPerson: data.contactPerson,
34       email: data.email,
35       phone: data.phone,
36       address: data.address,
37     });
38     reset();
39   };
40
41   return (
42     <form onSubmit={handleSubmit(onSubmit)}>
43       <div className="flex flex-col gap-4">
44         <div>
45           <label>Company Name</label>
46           <input
47             type="text"
48             placeholder="Enter company name"
49             className="mt-1 block w-full border border-gray-300 rounded-md shadow-sm p-2"
50             {...register("name")}>
51           </input>
52           {errors.name && (
53             <p className="text-sm text-red-500 mt-1">{errors.name.message}</p>
54           )}
55         </div>
56
57         <div>
58           <label>Contact Person</label>
59           <input
60             type="text"
61             placeholder="Enter contact person"
62             className="mt-1 block w-full border border-gray-300 rounded-md shadow-sm p-2"
63             {...register("contactPerson")}>
64           </input>
65           {errors.contactPerson && (
66             <p className="text-sm text-red-500 mt-1">{errors.contactPerson.message}</p>
67           )}
68         </div>
69
70         <div>
71           <label>Email</label>
72           <input
73             type="email"
74             placeholder="Enter email"
75             className="mt-1 block w-full border border-gray-300 rounded-md shadow-sm p-2"
76             {...register("email")}>
77           </input>
78           {errors.email && (
79             <p className="text-sm text-red-500 mt-1">{errors.email.message}</p>
80           )}
81         </div>
82
83         <div>
84           <label>Phone</label>
85           <input
86             type="tel"
87             placeholder="Enter phone number"
88             className="mt-1 block w-full border border-gray-300 rounded-md shadow-sm p-2"
89             {...register("phone")}>
90           </input>
91           {errors.phone && (
92             <p className="text-sm text-red-500 mt-1">{errors.phone.message}</p>
93           )}
94         </div>
95
96         <div>
97           <label>Address</label>
98           <input
99             type="text"
100             placeholder="Enter address"
101             className="mt-1 block w-full border border-gray-300 rounded-md shadow-sm p-2"
102             {...register("address")}>
103           </input>
104           {errors.address && (
105             <p className="text-sm text-red-500 mt-1">{errors.address.message}</p>
106           )}
107         </div>
108
109       <div className="flex justify-center mt-4">
110         <Button
111           type="submit"
112           variant="default"
113           className="px-4 py-4 text-white rounded-md">
114           Add Vendor
115         </Button>
116       </div>
117     </form>
118   );
119 }

```

**Figure 14:** Tapaiko Bazar Vendor Form Module

**Vendors**

**Vendors Table**

All Vendors Active Vendors Inactive Vendors

Vendor Id	Company Name	Contact Person	Email	Phone	Address	Joined On	Status	Actions
1	Samsung Nepal	Utsarga	utsarga@gmail.com	9801122334	Kalimati	2026-01-09	• Active	
2	Local Books Supplier	Amar	limbuamardeep18@gmail.co	9821313412	Kapan	2026-01-09	● Inactive	
3	Blienawf	Claref	contact@claref.com	9801122334	string	2026-01-09	• Active	
4	Brand Nepal	Bikin Nepal	bikinnepal@gmail.com	9843522535	Kapan	2026-01-09	• Active	

< Previous 1 Next >

**Figure 15: Vendor Table Overview**

**Men's Summer Bomber Windproof Jacket.**

Stay stylish and protected with this Men's Summer Bomber Windproof Jacket, designed for warm-weather comfort and reliable wind resistance. Crafted from lightweight, breathable fabric, this jacket helps block wind while keeping you cool and comfortable throughout the day. The classic bomber-style design adds a modern, sporty edge, making it easy to pair with jeans, chinos, or joggers. Ribbed cuffs and hem ensure a snug fit, while the smooth zipper closure allows for easy wear. Perfect for casual outings, travel, and evening wear during summer and mild weather.

**Rs. 899**

Category: Clothes Stock: 10

**Variants**

Size: Medium, Small, XL, XXL

Color: Black, Navy Blue

Quantity: 1

Add to cart

3 Issues ×

**Figure 16: Product Details and Management View**

## Product Management



### Add New Product

[Publish Product](#)

#### Basic Details

**Product Name**

**Short Description**

**Description**

Highlight this product in featured section

#### Upload Product Details

#### Categories

**Product Categories**

#### Attributes

<input type="checkbox"/> Color	<input type="checkbox"/> Size	<input type="checkbox"/> RAM	<input type="checkbox"/> Weight
<input type="checkbox"/> Storage	<input type="checkbox"/> Type	<input type="checkbox"/> Capacity	<input type="checkbox"/> Shoes size
<input type="checkbox"/> Lens	<input type="checkbox"/> Quantity		

[Publish Product](#)

**Figure 17: Product Management Dashboard**

The screenshot shows a web browser displaying a product search results page. The URL in the address bar is `localhost:3000/product?tags=4K+Camera%2CBest+Seller`. The page features a header with the logo 'eGujarati Bazar', a search bar, and navigation links for Home, Product (underlined), About Us, and Contact.

On the left, there is a sidebar with a 'Categories' section listing 'All', 'Grocery', 'Clothes', 'Shoes', and 'Electronics'. Below it is a 'Filter' section with checkboxes for 'Tags': '4K Camera' (checked), 'Best Seller' (checked), 'Electronics' (unchecked), and 'Fashion' (unchecked). A red button at the bottom of the filter section says 'N 5 Issues X'.

The main content area displays four products in a grid:

- Canon Camera**: High-quality Canon cameras ranging from beginner-friendly...  
Rs. 3000
- LG Refrigerator**: Energy-efficient LG refrigerators with smart cooling technology,...  
Rs. 89000
- Reebok Nano X**: Reebok training shoes for workouts.  
Rs. 13000
- Puma Smash v2**: Classic Puma casual sneakers.  
Rs. 10000

Each product card includes a 'View Details' button, an 'Add to cart' button, and a small heart icon. There are also four partially visible product cards below the main grid.

**Figure 18: Filtered Product Data View**




Figure 19: Client Portal Product Cart Interface





Figure 20: Website Review and Rating Component



```

1 import { BasicDetails } from "@/components/ProductManagement/BasicDetails";
2 import { Header } from "@/components/ProductManagement/Header";
3 import { UploadProductDetails } from "@/components/ProductManagement/UploadProductDetails";
4 import { Button } from "@ui/button";
5 import { useForm, FormProvider } from "react-hook-form";
6 import { zodResolver } from "@hookform/resolvers/zod";
7 import {
8   ProductFormSchema,
9   type ProductFormType,
10 } from "@/components/ProductManagement/schema/ProductForm.zod";
11 import { useCreateProduct } from "@/hooks/useCreateProduct";
12 import { useRef } from "react";
13 export const ProductManagement = () => {
14   const { mutate, isPending } = useCreateProduct();
15   const uploadRef = useRef({ resetImages: () => void 0 }>(null));
16   const methods = useForm({
17     resolver: zodResolver(ProductFormSchema),
18     defaultValues: {
19       highlightFeatured: false,
20       isActive: true,
21     },
22     shouldUnregister: true,
23     mode: "all",
24   });
25   const handleFormSubmit = (data: ProductFormType) => {
26     const formData = new FormData();
27     formData.append("name", data.name);
28     formData.append("description", data.description || "");
29     formData.append("shortDescription", data.shortDescription || "");
30     if (data.categoryId) {
31       formData.append("categoryId", String(data.categoryId));
32     }
33     if (typeof data.isActive === "boolean") {
34       formData.append("isActive", String(data.isActive ? "true" : "false"));
35     }
36     if (typeof data.highlightFeatured === "boolean") {
37       formData.append("highlightFeatured", String(data.highlightFeatured));
38     }
39     const files: File[] = data.images ?? [];
40     if (files.length > 0) {
41       files.forEach((file) => formData.append("images", file));
42     }
43     if (typeof data.primaryIndex === "number") {
44       formData.append("primaryIndex", String(data.primaryIndex));
45     }
46   }
47   if (data.attributes && data.attributes.length > 0) {
48     data.attributes.forEach((attr) => {
49       formData.append("RequiredAttributeNames", attr);
50     });
51   }
52 }
53
54 mutate(formData, {
55   onSuccess: () => {
56     methods.reset();
57     uploadRef.current?.resetImages();
58   },
59 });
60 };
61 return (
62   <div className="px-2 sm:px-3 md:px-5 pt-3 md:pt-5 pb-6 md:pb-8 w-full max-w-full">
63     <div className="pt-5 pb-2 sm:pb-4">
64       <Header />
65     </div>
66     <FormProvider {...methods}>
67       <form
68         id="productForm"
69         onSubmit={methods.handleSubmit(handleFormSubmit)}
70         className="w-full"
71       >
72         <div className="grid grid-cols-1 lg:grid-cols-2 gap-4 sm:gap-3 md:gap-5 w-full">
73           <BasicDetails />
74           <UploadProductDetails ref={uploadRef} />
75         </div>
76         <div className="flex flex-col sm:flex-row justify-start sm:justify-end items-stretch sm:items-center gap-3 md:gap-4 mt-3 md:mt-4">
77           <Button
78             variant="default"
79             className="h-12 w-full sm:w-auto"
80             type="submit"
81           >
82             {isPending ? "Publishing..." : "Publish Product"}
83           </Button>
84         </div>
85       </form>
86     </FormProvider>
87   </div>
88 );
89 };

```

**Figure 21: Tapaiko Bazar Product Management UI**

```

1  "use client";
2
3  import Autoplay from "embla-carousel-autoplay";
4  import { useMemo } from "react";
5  import { Slides } from "./constants/Slides";
6  import { Carousel } from "../Carousel/Carousel";
7  import Link from "next/link";
8
9  export const ProductSlider = () => {
10    const autoplay = useMemo(
11      () => Autoplay({ delay: 6000, stopOnInteraction: true }),
12      []
13    );
14
15    return (
16      <Carousel
17        rootClassName="relative w-full h-[400px] overflow-hidden"
18        previousClassName="absolute left-4 top-1/2 -translate-y-1/2 bg-white text-gray-700 p-2 rounded-full shadow hover:bg-gray-100"
19        nextClassName="absolute right-4 top-1/2 -translate-y-1/2 bg-white text-gray-700 p-2 rounded-full shadow hover:bg-gray-100"
20        opts={{ loop: true }}
21        plugins={[autoplay]}
22        items={Slides.map((slide) => (
23          <div key={slide.key} className="relative w-full h-[400px]">
24            <img
25              src={slide.src}
26              alt={slide.alt}
27              className="w-full h-full object-cover"
28            />
29
30            {slide.overlay && (
31              <div className="absolute inset-0 flex items-center px-12 bg-black/30">
32                <div className="ml-5 text-white max-w-md">
33                  <h2 className="text-4xl font-bold">{slide.overlay.title}</h2>
34                  <p className="mt-2">{slide.overlay.description}</p>
35
36                  <Link
37                    href={`/product?categoryId=${slide.overlay.categoryId}`}
38                    className="inline-block mt-4 bg-white text-black px-6 py-2 rounded"
39                  >
40                    {slide.overlay.buttonText}
41                  </Link>
42                </div>
43              </div>
44            )}
45          </div>
46        )));
47      />
48    );
49  };
50

```

**Figure 22: Product Slider with Media Gallery**

```

1  const [selectedVariants, setSelectedVariants] = useState<
2    Record<string, string | undefined>
3  >(() => getDefaultSelectedVariants(productItems.data?.variants));
4
5  if (
6    productItems.data?.variants &&
7    Object.keys(selectedVariants).length === 0
8  ) {
9    const defaults = getDefaultSelectedVariants(productItems.data.variants);
10   if (Object.keys(defaults).length > 0) {
11     setSelectedVariants(defaults);
12   }
13 }
14
15 const activeVariant = productItems.data?.variants?.find((variant) =>
16   Object.entries(selectedVariants).every(
17     ([key, value]) => variant.attributes[key] === value,
18   ),
19 );
20
21 const handleVariantChange = (attributeName: string, value: string) => {
22   const variants = productItems.data?.variants ?? [];
23   const nextSelection = { ...selectedVariants, [attributeName]: value };
24
25   Object.keys(nextSelection).forEach((key) => {
26     if (key === attributeName) return;
27
28     const valid = variants.find(
29       (v) =>
30         v.attributes[attributeName] === value &&
31         v.attributes[key] === nextSelection[key],
32     );
33
34     if (!valid) {
35       const fallback = variants.find(
36         (v) => v.attributes[attributeName] === value,
37       );
38       nextSelection[key] = fallback?.attributes[key];
39     }
40   });
41
42   setSelectedVariants(nextSelection);
43 };
44
45 const isAvailable = (
46   variants: Variant[] | undefined,
47   selected: Record<string, string | undefined>,
48   attrName: string,
49   value: string,
50 ) => {
51   const temp = { ...selected, [attrName]: value };
52   return variants?.some((v) =>
53     Object.entries(temp).every(
54       ([key, val]) => !val || v.attributes[key] === val,
55     ),
56   );
57 };

```

**Figure 23: Variant Handling in Product Creation**

## CHAPTER 4:

# CONCLUSION AND LEARNING OUTCOMES

### 4.1 Conclusion

The internship at Global Square IT Company presented a valuable opportunity to translate theoretical knowledge into practical application within a professional environment. This role focused on frontend development, contributing to various projects that included landing pages, e-commerce platforms, and content management systems. Throughout this period, proficiency was strengthened in React.js, Next.js, Tailwind CSS, and Shadcn UI, alongside practical experience with complementary tools such as React Hook Form, Zod, TanStack Table, and TanStack Query.

Collaboration with fellow interns and integration with backend APIs deepened the understanding of team-based workflows, version control using Git, and the importance of effective communication in software development. The experience further enhanced problem-solving capabilities, attention to detail, and the ability to deliver responsive, interactive, and dynamic web applications.

Overall, the internship substantially advanced technical expertise, provided meaningful professional insight, and fostered increased confidence in approaching future challenges within web development.

### 4.2 Learning Outcomes

The internship at Global Square IT Company facilitated the acquisition of a wide array of technical and professional competencies, significantly deepening the understanding of frontend development and enhancing readiness for real-world software engineering challenges.

- **Frontend Development Skills:** Gained hands-on experience in building responsive, interactive, and visually appealing web applications using React.js, Next.js, Tailwind CSS, Shadcn UI, and vanilla CSS.
- **Form Handling and Validation:** Learned to implement robust form handling and validation using React Hook Form and Zod, ensuring accurate and user-friendly input management.
- **Data Management and Dynamic UI:** Gained experience in integrating frontend components with backend APIs, fetching dynamic data, and displaying it effectively using tools like TanStack Table and TanStack Query.

- **Version Control and Collaboration:** Developed practical skills in Git and GitHub, including branching, merging, resolving conflicts, and collaborating efficiently with a team of interns and developers.
- **Problem Solving and Debugging:** Improved abilities to identify, troubleshoot, and fix UI/UX bugs, ensuring consistency, performance, and responsiveness across devices.
- **Project Management and Workflow:** Learned to work in a structured project environment, manage tasks, prioritize features, and follow best practices for code organization and maintainability.

## **REFERENCES**

- JavaScript.info. (2024). The modern JavaScript tutorial. <https://javascript.info>
- shadcn/ui. (2024). Shadcn/ui: Beautiful, customizable React components. <https://ui.shadcn.com>
- TanStack. (2024a). TanStack Query: Powerful asynchronous state management. <https://tanstack.com/query/latest>
- TanStack. (2024b). TanStack Router: Type-safe routing for modern web applications. <https://tanstack.com/router/latest>
- TanStack. (2024c). TanStack Table: Headless UI for building powerful tables and datagrids. <https://tanstack.com/table/latest>
- W3Schools. (2024). JavaScript tutorial. <https://www.w3schools.com/js/>
- Zod. (2024). Zod documentation. <https://zod.dev>

## APPENDIX

### Hoslog Affiliate Landing Page



ホスログのアフィリエイト  
プログラムとは

ホストクラブの初回予約に特化したプラットフォーム「ホスログ」のアフィリエイトプログラムは、専用の紹介コードを広告することでホスログの新規利用者を獲得し、ホストクラブへの予約が実行されるとその件数により紹介報酬が獲得できるプログラムです。

1件のネット予約成立につき  
¥1,000報酬が獲得できます

新規アフィリエイターの獲得で  
その収益の10%も受け取れる！

ホストクラブは審査済みの優良店！  
安心・安全な広告活動ができます

アフィリエイター登録はこちら

Tips: そもそもアフィリエイトって？

Webサイト・ブログ・SNSなどのメディア運営者が、自分のメディアに広告を掲載し、そのメディアの閲覧者が広告から商品を購入したりやサービスを利用することで報酬が発生する仕組みです。

自身のメディアに広告を掲載  
Webサイト・ブログ・SNSなどのメディアに商品やサービスの広告を掲載。

知人やSNSで商品を紹介  
メールやLINEを使って、友人・知人に直接紹介URLやQRコードを共有。

YouTubeなどの動画で紹介  
YouTubeやTikTokなど、動画を利用して視覚的に広いターゲットにプローチする近年主流の手法です。

ホスログアフィリエイトシステムは  
**こんな方におすすめ！**

-  ホストクラブを普段から利用している方  
(飲食店・美容室・バーなど)
-  SNSインフルエンサー
-  Webサイトやブログなどメディアを運用している方
-  アフィリエイトで新しい案件をお探しの方
-  ホストクラブ周辺に店舗を構えるオーナー様  
(飲食店・美容室・コンビニなど)

### ホスログ独自報酬の仕組み

*Base System*

紹介した利用者がホストクラブへ予約・来店すると  
**1予約につき1,000円の成果報酬が発生！**

「報酬パターン 01」



専用コードで広告活動

あなたの予約獲得件数

予約数 × ¥1000 獲得！

1 「ホスログ」を専用コードで紹介

2 予約が1件入ったので¥1,000GET

3 追加で3件予約!! +¥3,000

4 紹介したユーザーの予約報酬は何度も貰えるんだね!!

さらに、継続報酬プログラムを採用！

成果対象のユーザーが更に他の人を紹介した際に自分にも報酬が!!

「報酬パターン 02」

## 実際に活用した収益イメージ

様々な方やシーンで紹介を行った場合の紹介人数・収益イメージです

 <p><b>報酬パターン①</b> 事務職員Aさんの例 友人や自身のブログ経由で紹介</p> <table border="1" style="margin: auto;"> <thead> <tr> <th>予約件数</th> <th>10件 (¥1,000×10)</th> </tr> </thead> <tbody> <tr> <td>メンバーAの予約獲得件数</td> <td>10件</td> </tr> <tr> <td>メンバーBの予約獲得件数</td> <td>0件</td> </tr> </tbody> </table> <p><b>¥10,000/月</b></p>	予約件数	10件 (¥1,000×10)	メンバーAの予約獲得件数	10件	メンバーBの予約獲得件数	0件	 <p><b>報酬パターン②</b> インフルエンサーBさんの例 自身の店舗や知り合い経由で紹介</p> <table border="1" style="margin: auto;"> <thead> <tr> <th>予約件数</th> <th>40件 (¥1,000×40)</th> </tr> </thead> <tbody> <tr> <td>メンバーAの予約獲得件数</td> <td>240名 (¥100×240)</td> </tr> <tr> <td>メンバーBの予約獲得件数</td> <td>0件</td> </tr> </tbody> </table> <p><b>¥64,000/月</b></p>	予約件数	40件 (¥1,000×40)	メンバーAの予約獲得件数	240名 (¥100×240)	メンバーBの予約獲得件数	0件	 <p><b>報酬パターン③</b> 飲食店店長Cさんの例 自身の各種SNSや知人経由で紹介</p> <table border="1" style="margin: auto;"> <thead> <tr> <th>予約件数</th> <th>78件 (¥1,000×78)</th> </tr> </thead> <tbody> <tr> <td>メンバーAの予約獲得件数</td> <td>624名 (¥100×624)</td> </tr> <tr> <td>メンバーBの予約獲得件数</td> <td>240名 (¥100×240)</td> </tr> </tbody> </table> <p><b>¥164,400/月</b></p>	予約件数	78件 (¥1,000×78)	メンバーAの予約獲得件数	624名 (¥100×624)	メンバーBの予約獲得件数	240名 (¥100×240)
予約件数	10件 (¥1,000×10)																			
メンバーAの予約獲得件数	10件																			
メンバーBの予約獲得件数	0件																			
予約件数	40件 (¥1,000×40)																			
メンバーAの予約獲得件数	240名 (¥100×240)																			
メンバーBの予約獲得件数	0件																			
予約件数	78件 (¥1,000×78)																			
メンバーAの予約獲得件数	624名 (¥100×624)																			
メンバーBの予約獲得件数	240名 (¥100×240)																			

### 選ばれる3つのポイント

---

**Point 01**

**自身のSNSで広範囲に拡散可能**

自身のSNSで「ホスログ」や「ホスログアフィリエイトプログラム」を紹介することで友人・知人を始め広範囲に拡散!  
あなた専用の「利用者向け」「アフィリエイター向け」2種類の紹介コードを使ってSNS発信してください。



**Point 02**

**リアルな店舗も宣伝ができる**

ホストクラブ・近辺の居酒屋・美容室・コンビニなど、オンラインだけでなくリアルな店舗でもアフィリエイトプログラムによる広告活動が可能です!設置場所毎に紹介コードをカスタマイズでき複数店舗を所有のオーナー様にお薦め!




**Point 03**

**待っているだけで継続収入が入る**

自身で広告活動を行わずとも、あなたが紹介したアフィリエイター、更にアフィリエイターが紹介したアフィリエイターが広告活動により獲得した報酬の10%は待っているだけで継続的にあなたにも加算されます。(第二階層まで)



## 報酬獲得までの流れ



## 一部機能のご紹介

登録・利用は完全無料！  
振込手数料を差し引いて、  
成果報酬は全額入金されます

利用料金 0 円

ダッシュボード データ分析



\ 登録無料で簡単に広告活動が始められる！ /

hoselog.jp  
ホスログのアフィリエイトプログラムに今すぐご参加ください！

無料登録をして今すぐ広告活動を始める

アフィリエイター利用規約 | プライバシーポリシー

© 2019 - 2026 ホスログ

# Tapaiko Bazar

The screenshot shows a web browser window with the URL `localhost:5173/login` in the address bar. The page title is "Login". It contains two input fields: "Email" and "Password", both with placeholder text "Enter your email" and "Enter your password" respectively. Below the fields is a green "Login" button. At the bottom right of the form is a link "Forgot Password?".

The screenshot shows a modal dialog box with the following fields:

- Company Name**: Input field placeholder: "Enter company name".
- Contact Person**: Input field placeholder: "Enter contact person".
- Email**: Input field placeholder: "Enter email".
- Phone**: Input field placeholder: "Enter phone number".
- Address**: Input field placeholder: "Enter address".

At the bottom of the modal is a green "Add Vendor" button.

**Vendors**

**Add Vendor**

**Vendors Table**

All Vendors Active Vendors Inactive Vendors

Vendor Id	Company Name	Contact Person	Email	Phone	Address	Joined On	Status	Actions
1	Samsung Nepal	Utsarga	utsarga@gmail.com	9801122334	Kalimati	2026-01-09	● Active	
2	Local Books Supplier	Amar	limbuamardeep18@gmail.co	9821313412	Kapan	2026-01-09	● Inactive	
3	Bienawf	Claref	contact@claref.com	9801122334	string	2026-01-09	● Active	
4	Brand Nepal	Bikin Nepal	bikinnepal@gmail.com	9843522535	Kapan	2026-01-09	● Active	

< Previous 1 Next >

**Product Management**

**Add New Product**

**Basic Details**

Product Name

Short Description

Description

Highlight this product in featured section

**Upload Product Details**

Upload Image

**Categories**

Product Categories

**Attributes**

Color     Size     RAM     Weight  
 Storage     Type     Capacity     Shoes size  
 Lens     Quantity

**Publish Product**

**Men's Summer Bomber Windproof Jacket.**



Stay stylish and protected with this Men's Summer Bomber Windproof Jacket, designed for warm-weather comfort and reliable wind resistance. Crafted from lightweight, breathable fabric, this jacket helps block wind while keeping you cool and comfortable throughout the day. The classic bomber-style design adds a modern, sporty edge, making it easy to pair with jeans, chinos, or joggers. Ribbed cuffs and hem ensure a snug fit, while the smooth zipper closure allows for easy wear. Perfect for casual outings, travel, and evening wear during summer and mild weather.

**Rs. 899**


Category: Clothes Stock: 10

**Variants**

Size

Color


3 Issues X



## Our Happy Customers

Dont just take our word for it – see how our products and services have delighted customers across the globe, one experience at a time.

[Add Your Own Review](#)



localhost:3000/product?tags=4K+Camera%2CBest+Seller

त्रिपुरा Bazaar

Deliver to kapan

What are you looking for....

Home Product About Us Contact

Categories

All  
Grocery  
Clothes  
Shoes  
Electronics

Filter

Tags  
 4K Camera  
 Best Seller  
 Electronics  
 Fashion  
N 5 issues X

**Canon Camera**  
High-quality Canon cameras ranging from beginner-friendly...  
**Rs. 3000**

**LG Refrigerator**  
Energy-efficient LG refrigerators with smart cooling technology...  
**Rs. 89000**

**Reebok Nano X**  
Reebok training shoes for workouts.  
**Rs. 13000**

**Puma Smash v2**  
Classic Puma casual sneakers.  
**Rs. 10000**

**View Details** **Add to cart**

X

## Forgot Password

Enter your email address

Submit Email