




DUT0



DUT1



VCC_5.5V V0


BTSolution

Title
UBIVELOX SLC52AIA UBX 10DFN HTOL

Size A	Document Number <Doc>	Rev <RevCode>
-----------	--------------------------	------------------


Date: Thursday, May 14, 2026 Sheet 2 of 2






UBIVELOX SLC52AIA UBX HTOL (10DFN 3X3 P0.5)





BT26088A1
BTSolution

BSXXXX
BKXXXX





PCB LAYOUT TOP VIEW




No solder no silk screen in socket area

PCB Top side 0.8mm max component height allowed

Pad : Ni 3um, hard Au 0.5um or ENIG : Immersion Gold thickness should be 0.04um to 0.1um over 3um to 6um of Electroless Nickel

Socket PCB Mounting Screw
M2-8mm Hexa Head



Recommended
Screw Mounting Torque:
2.5~3.0Kg/Cm(2.2~2.6lb/in)

REV.	CHANGE DESCRIPTION	BY	DATE
A	Initial Drawing	PAUL	2026-05-08
B			
C			
D			
E			
F			
SCALE 1:1			
UNIT mm			


BY	DATE
DRAWN PAUL	2026-05-08
VERIFIED PETER	2026-05-08
APPROVED ANDY	2026-05-08
GENERAL TOLERANCES	
X± 0.1	X± 1°
.X± 0.05	.X± .5°
.XX± 0.02	.XX± .25°

TITLE	
Clamshell Test socket 10DFN-3x3-0.5P 14Pin	
DWG NO	REV.
TLC-0014-CSB	0

No	Project	MATERIAL	QTY	PartNo
1	Top Plate	PEI	1	TLC-0014-CSB-TP
2	Cover	PEI	1	TLC-0014-CSB-CO
3	IC Guide Plate	PEEK	1	TLC-0014-CSB-IG
4	Bottom Plate	PEI	1	TLC-0014-CSB-BP
5	Pusher	PEI	1	TLC-0014-CSB-PU
6	Latch	PEI	1	LA2534
7	Guide Pin	SUS	4	GP1533
8	Pin Hinge	SUS	1	HP15180 (D1.5X18L)
9	Pin Latch	SUS	1	LP15220 (D1.5X22L)
10	Spring IC Guide	SUS	4	GS1540
11	Spring Hinge	SUS	1	CS2940A (D2.9X4.0L)
12	Spring Latch	SUS	1	PS2955 (D2.9X5.5L)
13	Spring Pusher	SUS	4	PS2460
14	Pin Pusher	SUS	2	PP1570 (D1.5X18L)
15	Washer Stopper	SUS	4	WA4014 (D4.0X1.4T)
16	PEM Nut	SUS	4	PN1423B (M1.4X2.3L)
17	PEM Nut	SUS	4	PN2035B (M2.0X3.5L)
18	Screw IC Guide	SUS	4	FH1430 (M1.4X3.0L)
19	Screw Btm Plate	SUS	4	FH1460 (M1.4X6.0L)
20	E-Ring Hinge	SUS	1	ER0802 (D2.0X0.2T)
21	Contact Pin	BeCu	14	PL0310570-C13A
22	Wrench Bolt	SUS	4	HB20800 (M2xL8)


< Device Package >

Scale 2.5 : 1



< Contact Pin >

Scale 2.5 : 1



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS SOLE PROPERTY OF LST.
ANY REPRODUCTION IN PART
OR AS A WHOLE WITHOUT THE WRITTEN
PERMISSION OF LST IS PROHIBITED.

UBIVELOX SLC52AIA UBX 10DFN HTOL Board BOM									작성	검토	승인	
									정아영			
								DUT	2			2026-05-14
Customer : UBIVELOX								제작수량	120	Board Code : BT26088A1		
No.	Part	Part Size	온도 특성	Part Description	Reference	Part Name	Vendor	Qty	Total Qty	비고		
1	Chip Capacitor	2012	X8R	0.1uF / 50V / ±10%(K)	C2	GCM21BR91H104KA37L	Murata	1	120			
2	Chip Capacitor	3216	X8R	1uF / 50V / ±10%(K)	C1	CGA5L3X8R1H105K106AB	TDK	1	120			
3	Chip Resistor	1608	-	10KΩ, 1/10W	R101;R102;R201;R202	WR06X1002FTL	WALSIN	4	480			
4	HEADER	-	-	HEADER 1x2 2.54mm(Male)	JP101;JP102;JP103;JP104;JP105;JP106;JP107; JP108;JP109;JP110;JP111;JP112;JP113;JP114; JP115;JP116;JP117;JP118;JP201;JP202;JP203; JP204;JP205;JP206;JP207;JP208;JP209;JP210; JP211;JP212;JP213;JP214;JP215;JP216;JP217; JP218	-	-	36	4320			
NC PART												
No.	Part	Part Size	온도 특성	Part Description	Reference	Part Name	Vendor	Qty	Total Qty	비고		
1	-	-	-	-	-	-	-	-	-			
2	-	-	-	-	-	-	-	-	-			
3	-	-	-	-	-	-	-	-	-			

UBIVELOX SLC52AIA UBX 10DFN HTOL DUT BOARD CH INFORMATION

DR / CH	PIN NAME	DR / CH	PIN NAME	DR / CH	PIN NAME	DR / CH	PIN NAME	DR / CH	PIN NAME	DR / CH	PIN NAME
0	NC	41	NC	82	NC	123	SCL_1	164	NC	205	NC
1	NC	42	NC	83	SCL_0	124	NC	165	NC	206	NC
2	NC	43	NC	84	NC	125	SCL_1	166	NC	207	NC
3	NC	44	NC	85	SCL_0	126	NC	167	NC	208	NC
4	NC	45	NC	86	NC	127	SCL_1	168	NC	209	NC
5	NC	46	NC	87	SCL_0	128	NC	169	NC	210	NC
6	NC	47	NC	88	NC	129	NC	170	NC		
7	NC	48	NC	89	SCL_0	130	NC	171	NC	1DUT	
8	NC	49	NC	90	NC	131	NC	172	NC	2DUT	
9	NC	50	NC	91	SCL_0	132	NC	173	NC	JUMPER	
10	NC	51	NC	92	NC	133	NC	174	NC		
11	NC	52	SCL_1	93	SCL_0	134	NC	175	NC		
12	NC	53	NC	94	NC	135	NC	176	NC		
13	NC	54	SCL_1	95	SCL_0	136	NC	177	NC		
14	NC	55	NC	96	NC	137	NC	178	NC		
15	NC	56	SCL_1	97	NC	138	NC	179	NC		
16	NC	57	NC	98	NC	139	NC	180	NC		
17	NC	58	SCL_1	99	NC	140	NC	181	NC		
18	NC	59	NC	100	NC	141	NC	182	NC		
19	NC	60	NC	101	NC	142	NC	183	NC		
20	NC	61	NC	102	NC	143	NC	184	NC		
21	NC	62	NC	103	SDA_1	144	NC	185	NC		
22	NC	63	NC	104	NC	145	NC	186	NC		
23	NC	64	SDA_0	105	SDA_1	146	NC	187	NC		
24	NC	65	SDA_0	106	NC	147	NC	188	NC		
25	NC	66	SDA_0	107	SDA_1	148	NC	189	NC		
26	NC	67	SDA_0	108	NC	149	NC	190	NC		
27	NC	68	SDA_0	109	SDA_1	150	NC	191	NC		
28	NC	69	SDA_0	110	NC	151	NC	192	NC		
29	NC	70	NC	111	SDA_1	152	NC	193	NC		
30	NC	71	SDA_0	112	NC	153	NC	194	NC		
31	NC	72	NC	113	SDA_1	154	NC	195	NC		
32	NC	73	SDA_0	114	NC	155	NC	196	NC		
33	NC	74	NC	115	SDA_1	156	NC	197	NC		
34	NC	75	NC	116	NC	157	NC	198	NC		
35	NC	76	NC	117	SDA_1	158	NC	199	NC		
36	NC	77	GPIO	118	NC	159	NC	200	NC		
37	NC	78	NC	119	GPIO	160	NC	201	NC		
38	NC	79	NC	120	NC	161	NC	202	NC		
39	NC	80	NC	121	SCL_1	162	NC	203	NC		
40	NC	81	SCL_0	122	NC	163	NC	204	NC		