

Evaluating Low-Pass Whole Genome Sequencing as a Cost-Effective Method for Copy Number Variant Detection

Lionel Sequeira^{1,2}, Thomas V Fernandez^{3,4}, Gary A Heiman^{1,2}, Jinchuan Xing^{1,2}

¹ Department of Genetics, Rutgers, The State University of New Jersey, Piscataway, NJ 08854, USA

² Human Genetics Institute of New Jersey, Rutgers, The State University of New Jersey, Piscataway, NJ 08854, USA

³ Child Study Center, Yale School of Medicine, New Haven, CT 06510, USA

⁴ Department of Psychiatry, Yale School of Medicine, New Haven, CT 06510, USA

Correspondence:

Jinchuan Xing, Ph.D.
Department of Genetics
Rutgers, The State University of New Jersey
Life Science Building 225
145 Bevier Road
Piscataway, NJ 08854
Email: jinchuan.xing@rutgers.edu

Recent additions to the manuscript:

- Note: You can click on the blue text to move directly to the location of interest in the manuscript.
- Changed [Benchmark Dataset Preparation](#).
 - Wrote down explicit logic for which variant types from the VCF files were extracted into the BED files and while variant types were left behind.
 - Have not chosen to add any new sets yet to fill in the lack of DUP records that we now have until further discussion.
- Changed [CNV Overlap and Adjacency Graph Building](#) and [Consensus CNV Calling](#).
 - Reflect the graph-based approach that we now take to parse and merge the calls.
- Added [Null Model for Caller Agreement](#).
 - This proposes that if all of the calls in the aggregate call set were all part of a single population with a predefined probability of being detected by a caller, then you should be able to model the single-caller counts from the two-caller and three-caller consensus counts.
 - Rejecting this allows us to propose that there exists at least two populations of calls with different behaviors, with one being primarily composed of calls that are detectable independent of caller algorithm, and the other being primarily composed of calls that were identified due to caller specific effects, whether that be incorrect calls, artifact capture, algorithmic differences, etc.
- Expanded call set parsing and analysis sections of Results, see [Input Call Sets After Parsing](#) and [Sequence-based Consensus Call Set Construction](#).
 - Before, these sections were combined into one and much shorter because of how trivial our old operations were. Now we have considerably more information so I decided to split the sections up

between statistics on the raw counts from all call set sources after the initial parsing step, and the consensus calling which now includes the new null model for identifying the populations of calls within the consensus set.

- The Venn diagram for the Consensus section has been updated, and now there are tables for the breakdown of all 7 parts of the Venn diagram (3 for single-callers, 3 for pairwise combinations, and 1 for all callers).
- Added parameterization section, see [Parameterizing the Comparison](#).
 - This includes four subsections: Benchmark Padding, Size Floor, Consensus reciprocal overlap threshold, and Classification reciprocal overlap threshold.
 - The performance of the query/benchmark comparison is analyzed across the appropriate range for each parameter of interest.
 - This is coupled with a subsequent section on the Variance-based sensitivity analysis to show that the combined effects of parameter combinations are not significant enough to warrant a combinatorial analysis, and that analyzing each parameter one at a time is sufficient enough.

Abstract

Introduction

Copy number variation (CNV) is a type of structural variation (SV) characterized by duplications or deletions of genomic regions, with the number of repeats varying among individuals. CNVs are typically distinguished from SVs as variations that are greater than 1kb in length. CNVs play major roles in genetic diversity and disease phenotypes, and account for approximately 4.8-9.7% of the human genome [Zarrei 2015]. CNVs have been implicated as the primary contributors to the etiology of major diseases [Weischenfeldt 2013] [Hu 2018] [Glessner 2020], such as psychiatric disorders [Kushima 2025], cancers [Beroukhim 2010] [Shlien 2009], and rare genetic disorders [Lemire 2024]. Large CNVs have been tested clinically, although the clinical interpretation can be challenging [Hu 2018] [Nowakowska 2017]. In addition, our understanding of CNVs' functional impact and means of reliable detection are still limited [Valsesia 2013].

CNVs are typically detected using two approaches: array-based methods that use microarray Comparative Genomic Hybridization (aCGH) or SNP genotyping microarray to infer CNVs, and sequence-based methods that use next generation sequencing (NGS) or long read sequencing techniques to derive copy number from whole-exome sequencing (WES) and/or whole-genome sequencing (WGS) data. Array-based methods are generally cheaper and easier to perform, but suffer from fluorescence noise, non-specific hybridization, and poor breakpoint prediction [Valsesia 2013] [Li and Olivier 2012]. Conversely, sequencing-based methods can achieve single-base breakpoint resolution and detect inversions, translocations, and *de novo* CNVs that array-based methods struggle to identify. However, sequencing-based workflows that rely on high-coverage genomes are more expensive. Additionally, detection algorithms can fail to detect CNV regions due to non-uniform coverage. It may also yield high false positive rates, especially when using short-read data, due to erroneous mapping on highly repetitive genomic regions [Li and Olivier 2012]. Additionally, analyzing high-coverage sequencing data necessitates significant hardware infrastructure to store and process the data.

Recently, the Blended Genome-Exome (BGE) sequencing approach has emerged as a cost-competitive method that allows for obtaining low-coverage WGS data in addition to the WES data from the same sample. This process involves sequencing both genome and exome libraries of a sample using an NGS platform to generate low-coverage whole genome sequencing (lcWGS, 1-4x mean depth) data, in addition to the high-coverage WES data (30-40x) [Boltz 2026]. This protocol allows a minimum incurrence of additional cost as it can be integrated into existing WES pipelines [Broad Clinical Labs] [DeFelice 2024]. BGE has been shown to be valuable in performing cost-effective imputation and rare variant inference in an easily scalable manner. This is particularly appealing for large population studies where deep whole genomes are not economically feasible and for particular cohorts for which arrays fail to capture critical population-specific genetic variation [DeFelice 2024]. Additionally, forgoing the usage of SNP microarray data avoids additional costs and complexities with harmonizing array data and sequencing data [DeFelice 2024]. BGE data has also shown to be a promising method to capture un-biased genetic diversity in underrepresented populations at a fraction of the cost of deep WGS, with performance that is competitive against population-specific GWAS arrays [Boltz 2026].

In addition to the small variant imputation, the lcWGS has also been shown to be a cost-effective way for CNV calling in several studies [Kucharik 2021] [Mazzonetto 2024] [Mazzonetto 2024 (2)]. However, a comprehensive evaluation of the performance of lcWGS-based CNV detection derived from a BGE sequencing approach is still lacking. While BGE-derived exome data supports accurate detection of protein-coding CNVs [Boltz 2026], the performance of genome-wide CNV calling from the accompanying low-pass genome reads has not been systematically evaluated. In this study, we sought to evaluate the effectiveness of using short-read lcWGS sequencing data, such as that from BGE, for detection of CNVs traditionally targeted by SNP microarrays and develop a best-practice workflow for CNV calling using lcWGS data.

Materials & Methods

Sequence Data and Reference Files Retrieval

Thirteen samples from the 1000 Genomes project were selected for the analysis because of their presence in the three benchmark SV sets (1000 Genomes SV benchmark set [1000G 2015], HGSC3 [Logsdon 2025], and Oxford Nanopore Technology (ONT) Vienna set [Schloissnig 2024]), and because the availability of their SNP genotyping array data. The 13 samples can be identified on the International Genome Sample Resource (IGSR) data portal website (<https://www.internationalgenome.org/data-portal/sample>), using the following filters: 1) data collections: “1000 Genomes 30x on GRCh38”, “Human Genome Structural Variation Consortium, Phase 3”, “1000 Genomes phase 3 release”, and “1KG_ONT_VIENNA”, and 2) technology “HD genotype chip”.

High-coverage (~30x) short-read WGS data aligned to the GRCh38 reference genome was downloaded from the 1000G_2504_high_coverage collection hosted at the IGSR FTP database (<https://ftp.1000genomes.ebi.ac.uk/vol1/ftp/>) in Compressed Reference-oriented Alignment Map (CRAM) format [Fairley 2020]. CRAM-based workflows require the GRCh38 reference sequence that was used during alignment; accordingly, the GRCh38 reference genome and the centromeric locations were downloaded from the IGSR FTP site. An MD5-cache of the reference was built using the `seq_cache_populate.pl` script from samtools and an htlib reference cache was configured to speed up CRAM access, decoding, downsampling, and

downstream conversion to BAM for tools that require BAM input (e.g., Delly). Telomere, short arm, and heterochromatin region locations were downloaded from the UCSC hg38 genome annotation database (<https://hgdownload.soe.ucsc.edu/goldenPath/hg38/database/>).

Sequence File Preparation

The high-coverage sequences were subsampled using `samtools view --subsample {fraction} --subsample-seed {seed}` down to 6x, 4x, and 2x to simulate coverages typical in sequencing data retrieved from standard BGE pipelines. Before subsampling, centromere, telomere, short arms, heterochromatin regions, and non-standard chromosomes (i.e., decoys and alternate contigs) were excluded from the original via `bedtools subtract` due to their poor mappability or incompatibility in comparison against the benchmark sets. Each chromosome was subsampled individually to ensure even coverage. The subsampling was done with a defined set of subsample seeds for reproducibility.

Sequence-based CNV Calling

Three tools were used to call CNVs on sequencing data across all coverage types: CNVpytor [Suvakov 2021], GATK-gCNV [Babadi 2023], and Delly [Rausch 2012]. To ensure appropriate comparison and consensus merging across callers, each tool was set to use a 1000 bp bin size.

CNVpytor

CNVpytor was cloned from a GitHub repository (<https://github.com/abyzovlab/CNVpytor>, access date 03/12/2026) and installed, along with its dependencies, into a pip virtual environment. The tool was run in a bash script to retrieve the read-depth, histograms, partitions, and calls for each sample at a 1000 bp bin size. The cnvpytor interactive interface was automated to retrieve the final CNV calls in .vcf format.

GATK-gCNV

The GATK release 4.6.2.0 was downloaded from a GitHub repository (<https://github.com/broadinstitute/gatk>) and installed as a conda-env into a pixi environment. The gCNV pipeline as outlined on the Broad Institute website was adapted to this study. An interval size of 1000 bp was used, and the interval merging rule specified at all steps was set to “OVERLAPPING_ONLY”. Intervals across the genome were split into 24 equally sized shards to employ a scatter and gather methodology for more efficient runtime. Once the pipeline was complete, identified CNVs were retrieved from the .vcf.gz files of the genotyped segments output.

Delly

The statically linked binary for Delly v.1.7.2 was downloaded from a GitHub repository (<https://github.com/dellytools/delly>) and run in a bash script. CRAM sequence files were passed directly into the binary with the appropriate genome reference file. The `delly cnv` command was used with the mappability map for GRCh38 hosted on the Delly FTP server to generate a .bcf file with the CNV calls.

Post-Processing

Some callers treat regions previously excluded in the preparation step (centromeres, telomeres, short arms, heterochromatin, decoy/alternate contigs) as structural variants. Therefore, `bedtools intersect -v` was used to filter out CNVs that overlapped excluded regions by 50% of the interval length or greater to exclude the artifacts.

SNP Array-based CNV Calling

SNP array data was downloaded from 1000 Genomes Project phase 3. The samples were genotyped using the Illumina HumanOmni2.5-4 v1 DNA Analysis BeadChip. Normalized genotype intensities were downloaded from the supporting Broad dataset from the IGSF FTP database (https://ftp.1000genomes.ebi.ac.uk/vol1/ftp/release/20130502/supporting/hd_genotype_chip/broad_intensities/).

PennCNV [Wang 2007] was used to perform CNV calling. PennCNV uses a hidden Markov model to infer CNV calls. Release v.1.0.5 of the tool was downloaded from a GitHub repository (<https://github.com/WGLab/PennCNV>) and the perl scripts included with the tool were used according to the “CNV calling” guidelines on the PennCNV website (<https://penncnv.openbioinformatics.org/en/latest/user-guide/test/>).

The signal intensity files for 2,141 samples were extracted from the Broad signal intensities file and formatted to be compatible with PennCNV. A .pfb file was compiled using all samples’ signal intensity files. PennCNV was then used to detect CNVs and also filter out low quality CNVs, which was performed using `filter_cnv.pl` with the default settings specified by the tool.

Benchmark Dataset Preparation

The three benchmark datasets were chosen to serve as the benchmark sets for the CNVs in GRCh38.

Throughout this study a CNV is defined as a variant that changes the copy number of an interval of the reference assembly: a deletion (DEL), which lowers the copy number of a reference interval, or a duplication (DUP), which raises it. The definition is imposed by the detection method under evaluation rather than chosen for convenience. All three sequence-based callers infer copy number from sequencing depth over intervals of the reference, and the classification of a call as a true or false positive is decided by reciprocal overlap between two reference intervals. A variant is therefore only assessable if it occupies an interval of the reference whose copy number differs from two. Applying that criterion to the benchmark releases retains three record classes and excludes the rest. Deletions are retained, including the mobile-element deletion classes that 1000 Genomes phase 3 names separately (DEL_ALU, DEL_LINE1, DEL_SVA, and DEL_HERV), as each removes a reference interval and differs from a plain deletion only in the annotation of the sequence removed. Duplications are retained, including tandem and interspersed subclasses. Multi-allelic copy-number records, whose alternate alleles are absolute copy numbers relative to a diploid reference (<CN0>, <CN1>, <CN3>, and so on), are resolved separately for each alternate allele, so that a carrier of a <CN0> allele contributes a deletion and a carrier of a <CN3> allele at the same record contributes a duplication; the <CN2> allele is the reference copy number and contributes nothing.

Three classes are excluded. Insertions of novel sequence, whether unclassified (INS) or attributed to a mobile element (ALU, LINE1, SVA, MEI, HERV), are excluded because they occupy no interval of the reference: the reference span of such a record is either a single base or absent altogether, so overlap against a read-depth call is undefined and no depth-based caller can be scored against them. This exclusion is consequential, since assembly-based variant representations of the kind used by HGVSVC3 and ONT Vienna encode a tandem duplication as an insertion of the duplicated sequence at its own locus rather than as a copy-number gain over a reference interval, and the two cases are not separable from the released fields alone. Inversions and breakends are excluded as copy-number neutral. Records for which no end coordinate could be derived, from either the END or the SVLEN key of the INFO field, are excluded for want of a reference interval.

The 1000 Genomes phase 3 [1000G 2015] SV annotations were downloaded from the IGSF FTP site (https://ftp.1000genomes.ebi.ac.uk/vol1/ftp/phase3/integrated_sv_map/supporting/GRCh38_positions/ALL.wgs.integrated_sv_map_v2_GRCh38.20130502.svs.genotypes.vcf.gz) and contained 2504 samples. This benchmark is derived from a combination of low-coverage WGS, high-coverage WES, and microarray genotyping [Byrska-Bishop 2021]. The SV set had positions that were originally identified on GRCh37 and lifted over to GRCh38 using the UCSC liftover tool, which consequently resulted in the removal of SVs that did not have a viable GRCh38 equivalent due to unmappability or significant size changes (>10%).

Human Genome Structural Variation Consortium, Phase 3 (HGSVC3) [Logsdon 2025] is an extensive analysis of 65 individuals of diverse ancestries across 27 distinct populations. The benchmark contains SVs derived from PacBio HiFi long reads (~47x coverage) and ultra-long Oxford Nanopore Technologies (ONT) reads (~56x coverage). The dataset contains annotations for variants derived from sequences natively aligned to GRCh38. The GRCh38 SV InsDel Alt annotation file under HGSVC3 2024 v.1.0 was downloaded from the data collections on the IGSF FTP server (https://ftp.1000genomes.ebi.ac.uk/vol1/ftp/data_collections/HGSVC3/release/Variant_Calls/1.0/GRCh38/variants_GRCh38_sv_insdel_alt_HGSVC2024v1.0.vcf.gz).

The Oxford Nanopore Technology (ONT) Vienna [Schloissnig 2024] dataset includes long-read sequencing and SV characterization of 1,019 samples from the 1000 Genomes project. The dataset contains annotations for variants derived from sequences aligned to GRCh38. The SVIM HG38 annotation file under release v.1.1 was downloaded from the data collections on the IGSF FTP server (https://ftp.1000genomes.ebi.ac.uk/vol1/ftp/data_collections/1KG_ONT_VIENNA/release/v1.1/svim-asm-hg38/svim.asm.hg38.bcf).

BED File Conversion

Sequenced-based CNV calls, SNP Array CNV calls, and benchmark CNV calls were all converted from their native formats into BED format using Python. One BED file per sample was generated and contained the following information: chromosome number, start position, end position, the two structural variant types (DEL or DUP), and the source of the CNV call.

The VCF-like files were all processed using the cyvcf2 package [cyvcf2] package. CNV end positions were extracted from the END key in the INFO field, or calculated from the SVLEN key in the INFO field when the former was not available. Structural variant type (DEL or DUP) was extracted from the SVTYPE key in the INFO field, or was derived from the RCDN (read-depth copy number) key in the FORMAT field when the former was not available.

For the SNP Array CNV calls, the PennCNV final output file was split to retrieve per sample calls in the BED format, and the positions were lifted over from its native hg18 positions to hg38/GRCh38 using the Python liftover package and chain files from the UCSC hg38 database (<https://hgdownload.soe.ucsc.edu/goldenPath/hg38/liftOver/>). CNVs with unmappable positions or those that changed in size by more than 10% were excluded, matching the restrictions from the liftover done for the 1000 Genomes phase 3 benchmark call set.

After liftover, any calls deemed artifactual due to overlapping with poorly mappable regions – including centromeres, telomeres, and heterochromatin regions – were removed from the call set. A 1% overlap with a poorly mappable region was the criteria to remove a call, with other more and less stringent criteria also being tested for comparison. The behavior of this filtering on the number of calls removed as well

as the number of bases overlapping unmappable regions, the number of bases removed in total, and the ratio between the two were plotted and analyzed.

CNV Overlap and Adjacency Graph Building

After retrieving all CNV call sets of interest and converting them to a standardized BED format, the CNV data was loaded into Python to generate a graph representation of call sets. Individual graphs were generated for 1) All benchmark calls, 2) Sequence-based CNV calls per tool, 3) Sequence-based CNV calls aggregated across all tools, and 4) SNP array CNV calls.

The edge calculation process began by generating an iterable list of nodes and ensuring that the input is chromosome and start sorted. An empty connected component is initialized for each unique partition of tuple (Sample ID, Chromosome, SV type), defining the boundary across which edges cannot be made. For each sequential node, it checks whether or not there exists overlap between itself and any nodes in the appropriate partition’s connected component: If there is, create an “overlap edge” between nodes with the reciprocal overlap as the weight; otherwise, create a “gap edge” between the nodes with their distance from each other as the weight and reset the connected component to only contain the current node. This continues until all edges are built.

Consensus CNV Calling

Merging sub-networks of the graphs according to different edge and network filtering parameters was also performed in order to derive consensus CNV call sets. Edges were filtered by minimum reciprocal overlap threshold or by maximum distance between calls, in a mutually exclusive manner. Once the edges were filtered, all connected components were retrieved and additionally filtered for a minimum number of unique sources across the nodes in each component. Once all connected components that passed the filters were retrieved, the nodes within each component were aggregated by union into a single child call node, taking the minimum start position and the maximum end position across all member nodes.

Consensus CNV call graphs were generated for the benchmark sets to create a single merged benchmark set to serve as the primary truth source for downstream analysis. Consensus call graphs were also generated for the three sequence-based call sets derived from the calling tools of interest. Multiple versions of these two consensus call graphs were generated across different filtering parameters for downstream analysis of performance across the parameter field.

Null Model for Caller Agreement

Consensus construction assigns every merged component to one of seven categories according to which of the three callers contributed a call to it. Those categories describe how the callers relate to one another, but on their own they do not distinguish callers that detect a common population of events at different rates from callers that detect different populations. To separate the two, we fit a null model in which a single population is assumed and identify where the model fails.

Let N be the number of events available to be detected, and let p_i be the probability that caller i detects any one of them, independently of the other two callers. Writing n_A for the number of components detected by exactly the set of callers A , the model’s expectation for each category is

$$\mathbb{E}[n_A] = N \prod_{i \in A} p_i \prod_{i \notin A} (1 - p_i)$$

The model has four parameters and the seven categories supply seven counts, so it is over-determined and can be fit on a subset of them. We fit it on the four categories in which at least two callers agree, which is the part of the data a single-population model is meant to describe. Writing n_{all} for the all-three category and n_{-i} for the pairwise category from which caller i is absent, the two differ only in whether caller i detected the event, so their ratio removes N and both of the remaining rates,

$$\frac{\mathbb{E}[n_{\text{all}}]}{\mathbb{E}[n_{-i}]} = \frac{p_i}{1 - p_i}$$

Each rate is therefore determined by a single observed ratio $r_i = n_{\text{all}}/n_{-i}$, and the pool size follows from the all-three category alone.

$$\hat{p}_i = \frac{r_i}{1 + r_i} \quad \hat{N} = n_{\text{all}} / \prod_i \hat{p}_i$$

The three single-caller categories take no part in the fit. They are predicted rather than described, which leaves the model three degrees of freedom against which it can be rejected, and it is the size of the discrepancy in those three categories that carries the result. Category sizes, median interval sizes, and duplication shares were computed from the same merged components used for consensus call set construction, at 30x and at a 50% reciprocal overlap threshold.

Binary Classification

CNV calls derived from either the sequence-based CNV calling tools or the SNP array, including both the raw calls from the tools and the consensus calls across the sequence-based tools, were defined as query call sets. These call sets were run against the truth call sets derived from the consensus of the three benchmark call sets.

Query and truth calls were used to generate a separate graph with overlap edges being calculated in the same manner as the consensus calling. Edges were then filtered down based on reciprocal overlap threshold. Binary classification of the calls were then performed on the filtered graph.

Query CNV calls were marked as true positive if there existed an edge to a truth CNV call, or marked as false positive otherwise. Truth CNV calls were marked as “found” if there existed an edge to a query CNV call, or false negative otherwise. From the counts of these metrics, the Precision, Recall/Sensitivity, and F_β -score were derived using the formulas listed below.

$$\text{Precision} = \frac{\text{TP}}{\text{TP} + \text{FP}} \quad \text{Recall} = \frac{\text{TP}}{\text{TP} + \text{FN}}$$

$$F_\beta = \frac{\beta^2 + 1}{(\beta^2 \cdot \text{recall}^{-1}) + \text{precision}^{-1}}$$

A beta value of 1 was used for the F-score. CNV calls present in the benchmark set that were not identified in any sample in any of the CNV call sets were excluded from the false negatives for the binary classification, as these were deemed as undiscoverable by the data and calling algorithms that we used.

Figures were generated with matplotlib [v3.11.1]. Two families of plots summarise the classification. Size-resolved performance is shown as kernel-smoothed density curves over CNV size, together with cumulative and complementary cumulative distribution functions giving the proportion of CNVs at or

below, and at or above, each size threshold. Query-to-truth matching structure is summarised by the number of query calls matching more than one truth call and vice versa; because matching is many-to-many, true-positive counts on the query and truth sides do not necessarily coincide.

Parameter Selection

Four parameters govern the comparison between the query and truth call sets. The benchmark padding decides when records from different benchmark sets describe the same event based on their proximity to each other. The size floor decides the smallest event the comparison is allowed to score, and therefore which intervals enter it from the query or truth side. The query consensus reciprocal-overlap threshold decides when calls from different callers describe the same event, and affects which calls from the sequence-based caller outputs propagate into the consensus call sets. The classification reciprocal-overlap threshold decides when a query call and a benchmark interval describe the same event.

Each parameter was then profiled over its range with the other three held at the values adopted for the pipeline. Precision, recall, and F1 were recorded at every point, together with the number of intervals entering the comparison on each side and the match topology, so that a change in a metric can be attributed to a change in total set size rather than reported as a change in performance.

Benchmark padding

Padding is applied to both ends of every interval, so a padding of p increases an interval's span by $2p$ and bridges any two intervals separated by no more than p . Its intended role is to absorb the breakpoint imprecision between benchmark sets built from different technologies and assemblies, and it carries that meaning only while p remains small relative to the intervals it acts on. Once p approaches their typical span, bridging no longer joins two descriptions of one variant and begins fusing descriptions of distinct ones. A second consequence follows from the order of operations, the size floor being applied after merging rather than before it: fusion can carry a run of sub-floor fragments across the floor as a single interval. This is intended to aggregate these runs of near-adjacent fragments into larger intervals such as those sequence-based callers with limited, short read-based evidence are more likely to identify. Padding was profiled over $[0, 100 \text{ kb}]$, a range wide enough to reach the regime in which it dominates the intervals it is applied to, and the transitions are reported with the results. For subsequent performance comparisons, padding was capped at 1 kb; this is the bin size common to all three callers and therefore the largest boundary error the comparison can be asked to tolerate.

Size floor

All three sequence-based callers were run with a 1 kb bin size and consequently cannot resolve a CNV narrower than that, whereas the merged benchmark is dominated by events an order of magnitude smaller. Comparing the two sets without a size restriction therefore results in callers failing to detect variants that the chosen bin size places outside their resolution, which reduces recall for a reason that has nothing to do with sequencing depth.

The floor is applied after both call sets have been merged rather than before, which is what allows the padding of the preceding subsection to carry a run of sub-floor benchmark records across it. It was applied to the query and truth call sets symmetrically, both sides being restricted to intervals of at least the floor before any matching was performed.

The floor was profiled over $[1 \text{ bp}, 100 \text{ kb}]$ at 80 logarithmically spaced points for each of the six 30x query call sets, and takes the values $[0, 250, 500, 1000, 2000, 5000, 10000]$ within the joint grid. Alongside

the metrics we tracked the number of intervals surviving in each call set and the maximum attainable recall, defined as the ratio of query calls to truth intervals and capped at one. That ratio is the largest recall achievable if every query call were to match a distinct truth interval, so it bounds recall from above independently of how well the callers perform, and it identifies the regime in which a call set has become larger than the truth set it is being scored against.

Query consensus reciprocal overlap

A consensus component is the transitive closure of the pairwise overlaps that pass this threshold, so the threshold dictates what degree of agreement between calls is required for calls to propagate. At the permissive end of requiring only one base pair overlap between calls, entire locuses are collapsed into a single component whose span exceeds that of any call within it; the consensus level then records co-location rather than agreement about an event. At the stringent end only calls with nearly coincident coordinates merge, so two callers that detect the same variant but place its breakpoints by different conventions are recorded as disagreeing. The threshold was examined over [0.05–0.95] in steps of 0.05.

Classification reciprocal overlap

The same geometry applies between a query call and a benchmark interval, with one consequence specific to matching. At a threshold of 0.5 or above a query call cannot cover half of each of two benchmark intervals unless those intervals themselves overlap, so the matching is forced one-to-one whenever both sets are internally disjoint; below 0.5 it becomes genuinely many-to-many, and a single call can be credited against several benchmark intervals at once. Match topology was therefore recorded alongside the metrics, since it is what distinguishes a threshold that admits more correct matches from one that admits the same match repeatedly. A threshold of exactly zero admits a single shared base pair as a match and is excluded from the grid on that basis, with the analysis including it reported in the supplementals. The threshold was examined over [0.05–0.95] in steps of 0.05.

Variance-based sensitivity analysis and Pareto front

The profiles above vary one parameter at a time. They describe the pipeline completely only if the effect of moving one parameter does not depend on where the other three are held, which is an assumption about the shape of the metric field rather than something the profiles themselves can show. All four parameters were therefore also varied jointly, over the full factorial grid of the ranges fixed above with padding taking [0, 10, 25, 50, 100, 200, 400, 700, 1000] and the size floor taking [0, 250, 500, 1000, 2000, 5000, 10000], and precision, recall, and F1 were evaluated at every combination together with the number of query and truth intervals entering it. What follows asks how much of the variation in each metric the one-at-a-time reading accounts for, and where a joint reading is required instead.

Sensitivity Indices

The contribution of each parameter was quantified by variance-based sensitivity analysis (Sobol', 1993). Writing Y for a metric (precision, recall, f1) and $x_1, \dots, x_4$ for the parameters, the first order Sobol index S_i of parameter i is the fraction of the metric's variance attributable to that parameter acting alone.

$$S_i = \frac{\text{Var}(\mathbb{E}[Y | X_i])}{\text{Var}(Y)}$$

The total-order index S_{T_i} additionally includes every interaction involving i .

$$S_{Ti} = 1 - \frac{\text{Var} (\mathbb{E}[Y \mid \mathbf{X}_{\sim i}])}{\text{Var} (Y)}$$

The difference $S_{Ti} - S_i$ is the variance a parameter contributes only jointly with others. Because the design is a complete factorial grid, each conditional expectation is a marginal mean over the grid and both indices were computed exactly. The complete decomposition, comprising every term up to fourth order, sums to one, and this was verified numerically.

Additivity

The same decomposition expresses the metric field as a grand mean plus one univariate function per parameter:

$$Y \approx \mu + \sum_i f_i(X_i) \quad \text{with} \quad f_i(x) = \mathbb{E}[Y \mid X_i = x] - \mu$$

The coefficient of determination of this additive model equals the sum of the first-order indices, and so quantifies directly the extent to which the one-at-a-time profiles of the preceding section describe the joint behavior of the pipeline.

Dependence on the swept ranges

Sobol indices are variance ratios with respect to a distribution over the inputs. They therefore describe sensitivity within the examined region and are not invariant to the choice of that region. As such, indices were additionally computed over an intentionally over-wide grid extending to 10^6 bp (Supplementary Table X) in order to compare physical arguments for the previously described parameter boundaries with empirical data.

Pareto front

Because precision and recall span very different ranges across the grid, F1 is close to a monotone function of recall alone and obscures the trade-off between the two. Parameter settings were therefore also summarised by their Pareto front: a setting is dominated if another attains at least equal precision and recall and strictly exceeds it on one, and the front comprises the non-dominated settings.

Implementation

Analyses were performed in Python [3.14.6] with NumPy [2.5.1] and SciPy [1.18.0].

Results

CNV Calling Overview

image placeholder — image7 — Figure 1, overall analysis workflow

To evaluate the performance of CNV detection with BGE-compatible lcWGS relative to SNP microarrays, we benchmarked CNV call sets across thirteen 1000 Genomes Project individuals selected based on the availability of high-coverage WGS data, microarray data, and three available callsets. The samples cover a diverse range of continental superpopulations (Supplemental Table 1000G Populations) and contain seven males and six females.

For CNV calling tool selection, we reviewed several sequencing-based CNV calling tools (Supplemental Table Tools) and selected CNVpytor, GATK-gCNV, and Delly for testing. CNVpytor [Suvakov 2021] is a successor to CNVnator that performs read-depth based CNV detection. In addition to read-depth, CNVpytor allows for the addition of SNPs and small indels for additional evidence in CNV calling; this functionality was purposefully left unused to test the caller’s performance in a scenario closer to that of a study with only BGE-derived lcWGS data available. GATK-gCNV [Babadi 2023] is a pipeline composed of various GATK functions and algorithms to perform germline CNV calling. Many of the functions were originally from the Picard toolkit [Broad Institute 2019], and have since been integrated into the GATK toolkit. This pipeline gathers read-depth based information, clusters samples with similar read-depth profiles via principal component analysis (PCA), and builds a unified probabilistic model to perform read-depth denoising and CNV inference. Delly [Rausch 2012] is a program that uses read-depth information, paired-end mapping, and split-read analysis to perform CNV calling. It combines short-range and long-range information and uses GC and mappability fragment correction to identify CNVs. Compared to CNVpytor and GATK-gCNV which are limited by only using read-depth methodologies, Delly can infer base-level SV breakpoints within bins.

The overall workflow of the analysis is outlined in Figure 1. Briefly, we first subsampled the high-coverage (30x) WGS data of the thirteen samples of interest to 6x, 4x, and 2x to simulate coverages typically retrieved from BGE pipelines. We then used three different tools, CNVpytor [Suvakov 2021], GATK-gCNV [Babadi 2023], and Delly [Rausch 2012], to call CNVs across all coverage types. Next, we generated consensus CNV callsets by combining CNVs that were of the same CNV type (deletion vs. duplications)

and were identified in different numbers of calling tool outputs. We additionally retrieved benchmark sets for the thirteen samples being analyzed from the 1000 Genomes phase 3, HGSVC3, and ONT Vienna SV sets and took a union of those sets to generate our truth benchmark set. Using the 30x data as a reference, we then characterized how the performance responded to the size floor and to the consensus merging parameters. We confirmed that this response held across all four coverages and across every individual consensus call set, then fixed a single parameter set on physical and empirical grounds and applied it to all coverages to improve downstream analysis and interpretability. Finally, we compared the individual tool call sets, the consensus call sets, and the SNP-array control call set against the benchmark set to evaluate the performance of the lcWGS for CNV calling.

Input Call Sets After Parsing

All input call sets were normalised to a common per-sample BED representation and every call set was restricted to the thirteen samples of interest to ensure no statistic reflected differences in cohort composition. Liftover was performed on the calls derived from the SNP Array from hg18 to hg38/GRCh38 to align coordinates with all other call sets. Table 1 summarises the resulting call sets: the three sequence-based callers at each of the four coverages, the SNP array control, and each of the three benchmark sources. Counts are given after removal of calls overlapping poorly mappable regions by at least 1% of their total length. Pre-filter counts and the full liftover accounting are given in Supplementary Table S1, and the complete exclusion accounting – bases removed against bases actually inside the mask, and the split by CNV type – in Supplementary Table S2. The results from different stringencies for overlap with poorly mappable regions were tested and are given in Supplementary Table S3. 1% was determined to be the most reasonable choice for downstream analysis on the physical grounds that increasing overlap percentage would permit more calls with unreliable breakpoints and decreasing overlap requirements would more often cause true calls to be removed; empirical results validated this.

Call Set	Calls	Median / Sample	MAD	% DEL	Median Size (bp)	% Masked
30x – CNVpytor	16,159	1,238	24	76.47	14,000	45.37
30x – Delly	7,025	539	32	71.90	4,112	5.74
30x – GATK-gCNV	8,216	610	80	89.12	3,000	40.44
6x – CNVpytor	8,480	652	22	62.70	40,000	9.08
6x – Delly	4,107	314	8	47.77	4,718	5.02
6x – GATK-gCNV	8,511	666	29	85.94	4,000	0.27
4x – CNVpytor	7,300	562	13	59.21	49,000	10.36
4x – Delly	3,739	287	16	41.96	4,735	2.63
4x – GATK-gCNV	5,035	386	22	62.80	5,000	0.34
2x – CNVpytor	6,454	498	8	52.68	51,000	8.84
2x – Delly	3,040	238	6	31.97	4,588	3.12
2x – GATK-gCNV	10,553	839	11	56.95	6,000	0.08
SNP Array	1,659	111	19	52.56	7,554	0.00
1000G phase 3	39,029	3,536	452	98.98	615	0.00

Call Set	Calls	Median / Sample	MAD	% DEL	Median Size (bp)	% Masked
HGSVC3	172,922	13,441	813	100.00	146	0.61
ONT Vienna	105,089	7,672	152	100.00	118	2.44

Table 1: Parsed input call sets after removal of calls overlapping poorly mappable regions. Every call set covers the same thirteen 1000 Genomes samples. Median per Sample and MAD describe the per-sample call count; MAD is the median absolute deviation about that median. Removed by Mask is the percentage of parsed calls discarded for overlapping a centromere, telomere, short arm, heterochromatin region, or decoy/alternate contig by more than 1% of their length. Pre-filter counts appear in Supplementary Table S1 and the full exclusion accounting in Supplementary Table S2.

The three callers differ markedly in both yield and size regime, and the differences are not stable across coverage. CNVpytor produced the largest call set at 30x (16,159 calls) and its yield fell monotonically with coverage, reaching 6,454 calls at 2x. Delly followed the same direction over a smaller range. GATK-gCNV did not: it produced more calls at 2x (10,553) than at any other coverage including 30x (8,216), which is consistent with a caller that lacks a mechanism for withholding calls when the underlying read-depth evidence becomes too sparse to support them. Median call size moved in the opposite direction to yield for the read-depth callers, with CNVpytor rising from 14 kb at 30x to 51 kb at 2x; Delly, which refines breakpoints from split reads rather than bin boundaries, held a median near 4.6 kb at every coverage. The proportion of deletion calls also fell with coverage for every caller, most sharply for Delly, which went from 71.9% deletions at 30x to 32.0% at 2x.

The fraction of calls removed by the mappability filter separates the 30x arm from the three low-coverage arms. At 30x, 45.4% of CNVpytor calls and 40.4% of GATK-gCNV calls overlapped an excluded region, against 8.8-10.4% and 0.1-0.3% respectively at 2x, 4x, and 6x. This is expected from the order of operations rather than from coverage itself: excluded regions were subtracted from the alignments before subsampling, so the low-coverage inputs contained no reads over those regions and the callers could not emit calls there, whereas the 30x arm was called from the original alignments and the same regions were removed only afterwards, at the level of calls. The call sets that enter the downstream analysis are equivalent in that both have had these regions removed, but the read-depth normalisation performed internally by CNVpytor and GATK-gCNV was not carried out over the same genomic territory in the two cases. Delly, which applies its own mappability map during calling, is the least affected caller at every coverage.

Most of the content of the three benchmark releases is not a copy-number change, and applying the inclusion criteria of the Methods excluded 17,573 records from 1000 Genomes phase 3 (16,787 insertions and 786 inversions), 110,623 from HGSVC3, and 89,257 from ONT Vienna, the latter two consisting entirely of insertions. The retained records yielded 39,029, 172,922, and 105,089 calls respectively across the thirteen samples, making the benchmark sources the largest of the parsed call sets.

The benchmark is dominated by events below the resolution of a 1 kb read-depth bin. Merging the three sources into a single truth set, with the zero-padding settings used on the truth side of every comparison below, yielded 178,838 intervals with a median size of 145 bp, of which 13.9% reach 1 kb and 2.8% reach 10 kb. Composition differs sharply by source: 40.7% of 1000 Genomes phase 3 intervals reach 1 kb, against 12.2% for HGSVC3 and 8.6% for ONT Vienna. The two assembly-based sources therefore supply most of the intervals but little of the mass in the size range the callers operate in, and the sub-1 kb remainder is

beyond the reach of a read-depth call at any reciprocal-overlap threshold. This is the principal reason a size floor is required before recall can be interpreted at all, and it is taken up below.

The composition of the merged truth set by CNV type constrains the rest of the analysis. It is 99.8% deletions: only 343 of its 178,838 intervals are duplications, and all 343 come from the multi-allelic copy-number records of 1000 Genomes phase 3. HGSVC3 and ONT Vienna contribute none. This reflects how those two releases represent variation rather than the populations they describe, since an assembly-based caller encodes a tandem duplication as an insertion at its own locus, which occupies no reference interval. Above a 1 kb floor the imbalance is unchanged, with 343 duplications among 24,820 intervals. Duplication-specific recall therefore cannot be estimated against this benchmark trio. All results below are reported over deletions and duplications combined and are in practice a measurement of deletion performance; duplication calls in the query sets are scored against a truth set that holds almost no duplication content, so the false positives they generate are not evidence that those calls are wrong.

The SNP array control contributed 1,659 calls across the thirteen samples, the smallest of the evaluated call sets, with a median size of 7,554 bp and a near-even split between deletions and duplications (52.6% deletions). No array call overlapped an excluded region, which is expected given that the array's probes are not sited in the regions the mask covers. Sixty-one array calls (3.5%) were lost during liftover from hg18 to hg38, 18 because an endpoint failed to map and 43 because the interval changed length by more than 10% (Supplementary Table S1).

Sequence-based Consensus Call Set Construction

All outputs from the sequence-based consensus call sets were aggregated into a single graph and edges between overlapping and adjacent calls were computed accordingly. Analysis of the consensus construction was required in order to determine the general behavior of each of the callers and if consensus analysis was a suitable approach to retrieve an informative population of calls. We therefore characterised the three callers relative to each other at 30x, where the evidence available to them is greatest, and then followed the same quantities down through the reduced coverages.

Agreement between the callers is significant, but it is not distributed evenly across the multi-caller categories (Figure 2). Of the 24,123 components in the 30x 1/3 consensus call set, 19,287 (79.9%) carry a single caller, and CNVpytor alone accounts for 11,952 of them, just under half of the call set. Of the 4,836 components carrying at least two callers, the three pairwise-only categories hold 939, 868, and 629 components, while agreement between all three callers (3/3) holds 2,400. A component found by more than one caller is therefore about as likely to have been found by all three as by exactly two.

Caller agreement across 24,123 consensus CNV components, 30x, 13 samples




Figure 2: Venn diagram of source distribution for CNV call components. Components were identified from 30x coverage WGS data by the following sequence-based CNV calling tools: CNVpytor, GATK-gCNV, and Delly. The CNV components came from a 1/3 consensus call set generated with a 50% reciprocal overlap requirement between CNVs across tool outputs. The total counts per caller slightly deviate from the original raw counts seen in Table 1; the aggregation of calls with one-to-many overlaps across tool outputs was required to prevent double-counting and is what causes the slight count disparity. The size of each partition in the graph is not to scale, with a prioritization on readability.

The categories differ in what they contain as well as in how large they are (Table 2). Components carried by CNVpytor alone have a median size of 21,000 bp, an order of magnitude above the 2,000 bp of components carried by GATK-gCNV alone and the 2,148 bp of those carried by Delly alone, and well above the 6,186 bp of the components that all three callers share. Their spread differs by as much again, with a median absolute deviation of 17,000 bp for CNVpytor-only components against 1,000 bp for GATK-gCNV-only components. Duplications are the larger population in every category, exceeding deletions in median size by factors of 1.5 to 12.9, so the two directions are reported separately. The duplication share falls as agreement rises, from 28.7% of CNVpytor-only components to 4.8% of those found by all three, and the categories containing Delly carry the largest duplication shares at every level of agreement.

Agreement Category	Components	Median Size (bp)			MAD Size (bp)			Composition	
		All	DEL	DUP	All	DEL	DUP	% DEL	% DUP
All three callers	2,400	6,186	6,028	19,174	2,186	2,028	8,174	95.2	4.8

Agreement Category	Compo- nents	Median Size (bp)			MAD Size (bp)			Composition	
		All	DEL	DUP	All	DEL	DUP	% DEL	% DUP
CNVpytor + GATK-gCNV	939	4,000	4,000	22,500	1,000	1,000	8,000	95.7	4.3
CNVpytor + Delly	868	8,359	4,752	61,138	5,699	2,126	33,614	74.7	25.3
Delly + GATK-gCNV	629	3,104	2,910	6,000	1,150	958	1,867	83.9	16.1
CNVpytor only	11,952	21,000	12,000	33,000	17,000	10,000	13,000	71.3	28.7
GATK-gCNV only	4,208	2,000	2,000	3,000	1,000	1,000	2,000	84.9	15.1
Delly only	3,127	2,148	1,898	3,402	1,050	752	2,304	50.8	49.2

Table 2: Size and composition of the caller-agreement categories in the 30x 1/3 consensus call set. Categories in which at least two callers agree are given above the rule and single-caller categories below it. Median and MAD are taken over component sizes, MAD being the median absolute deviation about the median, and are reported over all components in a category and separately for its deletions and duplications. Deletion and duplication shares are complementary, as no other CNV type is represented in these call sets.

Whether these categories are consistent with the callers detecting one population of events can be tested directly. Fitting the null model of the Methods to the four categories in which at least two callers agree fixes the population at 5,738 events and the per-caller detection rates at 0.79, 0.73, and 0.72 for CNVpytor, GATK-gCNV, and Delly respectively. The three single-caller categories take no part in the fit and are therefore predicted, and the model predicts 813 components across all of them against the 19,287 total that is observed (Table 3). The whole visible output of the fitted model is 5,649 components, against the 24,123 the call set contains. Caller agreement at 30x is therefore better described by two populations than by one: a core of events that every caller reaches at a comparable rate, and a caller-private component an order of magnitude larger whose extent is set by the assumptions of the individual caller. Whether that private component consists of artefacts or of genuine calls beyond the reach of the other callers cannot be settled from agreement alone, and is taken up in the comparison against the benchmark. The 3/3 category, although limited compared to the full aggregate call set, is nonetheless the subset with the highest discoverability across algorithms and may indicate the calls with the highest probability of being genuine CNVs.

Agreement Category	Components	Predicted	Excess
All three callers	2,400	2,400	–
CNVpytor + GATK-gCNV	939	939	–
CNVpytor + Delly	868	868	–
Delly + GATK-gCNV	629	629	–
CNVpytor only	11,952	340	11,612
GATK-gCNV only	4,208	246	3,962
Delly only	3,127	227	2,900
Total	24,123	5,649	18,474

Table 3: Observed caller-agreement categories against the counts predicted by the single-population null model. The model’s four parameters were fixed on the four categories above the rule, which therefore reproduce their observed counts exactly and carry no excess. The three single-caller categories below the rule are predicted rather than fitted, and are where the model is tested. Fitted detection rates were 0.79 for CNVpytor, 0.72 for Delly, and 0.73 for GATK-gCNV, over an implied population of

5,738 events; the predicted total of 5,649 is smaller than that population because a further 89 events are expected to escape all three callers and so never appear as components.

Extending the same construction to 6x, 4x, and 2x, the agreement requirement separates the coverages more sharply than the individual caller yields do. The 1/3 call set inherits the non-linear coverage-to-call count relationship in GATK-gCNV, holding 19,146 components at 2x against 14,646 at 4x, whereas the 2/3 and 3/3 call sets fall monotonically with coverage, from 4,836 to 721 and from 2,400 to 177 components respectively (Supplemental Table Callsets). The fraction of the call set that survives the requirement of higher consensus falls with coverage throughout: requiring two callers removes 80.0% of the 30x call set and 96.2% of the 2x call set, and requiring all three removes a further 50.4% and 75.5% respectively. The 2x 1/3 call set is therefore both the second largest of the four and the one that loses the most to any agreement requirement, which suggests that much of it consists of caller-specific artefacts arising from reduced confidence at low coverage rather than of calls that the remaining callers failed to reach.

Refitting the null model at each coverage shows that the two populations respond to depth in opposite ways (Table 4). For the concordant population, the fitted core's total events (predicted number of calls given the null model holds) falls from 5,738 at 30x to 1,436 at 2x, and the detection rates per caller fall alongside it, from 0.79 to 0.59 for CNVpytor, from 0.72 to 0.45 for Delly, and from 0.73 to 0.46 for GATK-gCNV. The two contribute in similar measure, since holding the rates at their 30x values while shrinking the core to its 2x size would leave 1,210 concordant components against the 721 observed. The caller-private population does not follow. The ratio of private to concordant components consequently rises as coverage decreases, from 4.0 at 30x to 25.6 at 2x. This trend holds despite the total number of private calls not demonstrating a clear trend in depth, with call count being larger at 2x than at 4x. This is evidence to support the proposed mechanism behind the losses to the agreement requirement described above: what additional depth supplies is primarily agreement between callers, while private calls from a caller are produced about as readily at 2x as at 30x. Whether that private population is artefactual cannot be settled from its coverage response alone, although a population whose size is largely independent of the evidence available to produce it is difficult to attribute to the underlying genetic data. The per-category counts behind this fit at each of the reduced coverages are given in Supplemental Table Agreement Categories.

Coverage	Components			Fitted Core		Detection Rate		
	Concordant	Private	Ratio	Events	95% CI	CNVpytor	Delly	GATK-gCNV
30x	4,836	19,287	4.0	5,738	5,571–5,904	0.79	0.72	0.73
6x	1,708	16,993	9.9	2,276	2,150–2,411	0.72	0.61	0.69
4x	1,119	13,527	12.1	1,956	1,775–2,174	0.64	0.57	0.43
2x	721	18,425	25.6	1,436	1,251–1,675	0.59	0.45	0.46

Table 4: The two populations of caller agreement, fit separately at each coverage. Concordant components are those carrying at least two callers and private components those carrying one; Ratio is the second divided by the first. Fitted Core is the population of events implied by the null model, and Detection Rate the probability that each caller recovers one of them. Intervals are the 2.5th and 97.5th percentiles of 2,000 multinomial resamples of the seven category counts, with the model refit on each draw.

Composition moves with the agreement requirement as well as with call count. Within each coverage, raising the requirement lowers the duplication share of the call set, but by an amount that shrinks as coverage falls: at 30x the share falls from 25.2% at 1/3 to 4.8% at 3/3, while at 2x it moves only from 48.3%

to 44.6%. Median component size moves in the opposite direction, rising within the 3/3 call sets from 6,186 bp at 30x to 55,487 bp at 2x. The calls that survive the strictest agreement requirement at low coverage are consequently few, large, and no longer preferentially deletions, and at 177 components the 2x 3/3 call set is too small to support a finer breakdown than that.

Parameterizing the Comparison

Four user-defined parameters govern the comparison: the padding applied to the benchmark records before the three benchmark sets are merged, the size floor below which no event is scored on either side, the reciprocal-overlap threshold at which calls from different callers are merged into a consensus call, and the reciprocal-overlap threshold at which a query call is credited against a benchmark interval. Each was bounded on geometric grounds in the Methods. What follows reports what each one does to the comparison across its range, taking them in the order the pipeline applies them and holding the other three at their adopted values throughout: zero padding, a 1 kb floor, and a reciprocal overlap of 0.5 for both consensus construction and classification.

Benchmark Padding

The merged benchmark is built from three sets produced by different technologies and assemblies, so their breakpoints for the same variant do not coincide exactly, and padding is a standard remedy for that. The merged benchmark has a median interval of 145 bp (IQR [74–342] bp), so padding of even a few hundred base pairs is comparable in size to the intervals it is meant to reconcile. We swept padding from 0 to 100 kb and re-evaluated the comparison at every point (Figure 4).




Figure 4: Effect of benchmark padding on the truth set and on the comparison, swept from 0 to 100 kb. Padding is applied to both ends of every benchmark record before the three benchmark sets are merged, and the 1 kb size floor is applied afterwards. (A) Benchmark intervals: all merged intervals, those reaching 1 kb, the manufactured subset of the latter, and those found by the 30x 2-of-3 consensus call set. An interval is manufactured when the longest benchmark record within it is itself shorter than 1 kb, so that it clears the floor only through fusion. (B) Percentage of benchmark intervals found by the same call set, with native and manufactured intervals scored separately. (C) Departures from one-to-one matching, at a permissive 0.1 classification threshold. The fixed 0.5 threshold was not used for this comparison because a query call cannot reach half of two benchmark intervals that do not themselves overlap. (D) Precision, recall, and F1 for the 30x 2-of-3 consensus at the 0.5 threshold. The dotted vertical line marks the 1 kb cap applied to padding in the joint parameter grid. Panels C and D are drawn for the 2-of-3 consensus; the same profiles for all six 30x call sets, together with the benchmark size distribution across the sweep, are given in Supplemental Figure Benchmark Padding Profiles.

The truth set moves in two directions at once (Figure 4A). Counted over all sizes the merged benchmark shrinks, from 178,838 intervals unpadded to 157,380 at 1 kb of padding and 79,071 at 100 kb, as records are absorbed into their neighbours. Counted at or above the 1 kb floor it grows, from 24,820 intervals to 27,634 and then to 34,012 across the same range. The second movement is the consequential one, since it is the intervals that clear the floor which form the recall denominator, and the growth is not a discovery of additional variants. It is runs of sub-kilobase records fused into single intervals long enough to clear the 1 kb floor.

Those intervals can be counted directly. An interval was labelled manufactured when the longest benchmark record inside it is itself shorter than 1 kb, so that the interval exists in the truth set only because

padding joined the run. Manufactured intervals are 337 of the 24,820 intervals in the unpadded truth set (1.4%), 3,911 of 27,634 at 1 kb of padding (14.2%), and 18,088 of 34,012 at 100 kb (53.2%). They are also almost never recovered. At 1 kb of padding the 30x 2-of-3 consensus finds 17.1% of the native intervals and 0.10% of the manufactured ones, a separation of more than two orders of magnitude that holds across the whole sweep (Figure 4B). Padding therefore adds to the recall denominator a population that is by construction outside the resolution of every caller in this study.

The effect on the metrics follows from that arithmetic alone (Figure 4D). Between zero padding and the 1 kb cap, the number of benchmark intervals the 2-of-3 consensus recovers rises from 4,042 to 4,062, an increase of 0.5%, while the denominator rises from 24,820 to 27,634, an increase of 11.3%. Recall falls from 0.163 to 0.147 and F1 from 0.273 to 0.250 as a result, with no change in detection behind either. Recall and F1 sit at their maxima at the bottom of the range for all six 30x call sets and decline monotonically above roughly 100 bp of padding (Supplemental Figure Benchmark Padding Profiles).

Precision behaves differently, and it is the one place in the sweep where padding does what it is intended to do. It improves slightly over the first kilobase, reaching 0.841 at 1,543 bp of padding against 0.836 unpadded for the 2-of-3 consensus, because fusing benchmark fragments into single intervals converts a small number of boundary near-misses into matches. The maxima for the other five call sets fall between 935 bp and 1,823 bp of padding, so the effect is real and consistently located, but it is worth less than one percentage point of precision. Above a few kilobases precision falls with everything else, reaching 0.448 at 100 kb.

The matching itself is unaffected throughout. At the 0.5 classification threshold used in this study, no query call matched more than one benchmark interval and no benchmark interval was split across more than one query call at any padding in the sweep, as the geometry of the threshold requires. The matching is therefore strictly one-to-one over the entire range, and none of the movement above is an artefact of a single call being credited against several intervals at once. Structure appears only in the permissive regime, and there it reverses direction (Figure 4C). At a 0.1 threshold the number of query calls spanning more than one benchmark interval falls from 50 to 5 as fragments fuse into single partners, while the number of benchmark intervals split across more than one query call rises from 20 to a maximum of 38, both against totals of between 2,873 and 4,268 matched pairs.

Padding was therefore set to zero rather than capped. There is no interior optimum available to select: recall and F1 are maximal at the bottom of the range, and the sub-percentage-point gain in precision available at a kilobase is bought with a 1.6 percentage point loss of recall. Zero padding is not the same as disabling the operation, since it still bridges intervals that touch exactly; that difference amounts to 70 intervals out of 178,908, and it is retained because two benchmark records abutting at a shared coordinate describe one variant rather than two. Padding is nonetheless carried through the joint parameter grid over [0, 1 kb], so that its interaction with the other three parameters is measured rather than assumed.

Size Floor

With padding fixed at zero, the merged benchmark holds 178,838 intervals across the thirteen samples, of which only 13.9% reach 1 kb and 2.8% reach 10 kb. The preceding subsection took the 1 kb floor as given in order to isolate the effect of padding; this one asks whether that value is the right one. The six 30x query call sets are between 7 and 75 times smaller than the benchmark and, because every caller was run at a 1 kb bin size, hold almost nothing below that width (Figure 5). Scoring them against the benchmark without

a size restriction therefore primarily measures the mismatch in resolution between the benchmark and the callers rather than an effect of sequencing depth, which is what this study set out to isolate. We swept the floor symmetrically over both sides and examined how the comparison behaves as it rises (Figure 5).




Figure 5: Effect of a size floor applied symmetrically to 30x WGS-derived query call sets and the merged benchmark call set, swept over [1 bp, 100 kb] at 80 logarithmically spaced points. (A) Number of intervals surviving the floor in each call set, with the merged benchmark as a dashed black line. (B) Recall, with the maximum attainable recall (query calls divided by truth intervals, capped at one) as a dashed line of the same colour. (C) Precision. (D) F1, with each call set's maximum marked. The shaded band marks 1–5 kb, spanning every F1 maximum; the dotted vertical line marks the 1 kb floor adopted for all subsequent analyses. In panels C and D, each curve is drawn only while the call set behind it retains at least 100 intervals, since precision estimated from a few dozen calls is not comparable with precision estimated from thousands. The merged benchmark is 99.8% deletions, so these curves primarily describe deletion detection.

Three features of this sweep together identify the usable domain.

First, the benchmark loses intervals far faster than any query call set. Below roughly 500 bp the truth set outnumbers the largest query set by an order of magnitude, but it falls below the 1-of-3 consensus set above a 1,460 bp floor and below CNVpytor above 2,616 bp (Figure 5A). Above those points the comparison has inverted: the callers report more CNVs than the benchmark contains, and precision is bounded by the size of the truth set rather than by the accuracy of the calls.

Second, recall is constrained by a ceiling that is a property of the two call set sizes rather than of detection (Figure 5B). At an unrestricted floor (size floor = 0 bp) the maximum attainable recall is 0.135 for the 1-

of-3 set and 0.013 for the 3-of-3 set, so even a caller that matched a distinct benchmark interval with every single one of its calls could not exceed those values. Raising the floor lifts the ceiling for every call set, but it does so unevenly: the 1-of-3 and CNVpytor sets saturate at 1.0 above floors of 1,460 bp and 2,616 bp respectively, while Delly, GATK-gCNV, and the 2-of-3 and 3-of-3 consensus sets never approach it, reaching maxima of 0.55, 0.36, 0.31, and 0.18. Recall is therefore interpretable as a detection measurement only below the point at which a given call set saturates.

Third, precision is flat from 1 bp to approximately 1 kb for every call set and declines above it (Figure 5C). The flat region is the direct consequence of the bin size: over that range the floor removes benchmark intervals almost exclusively, because the callers had produced essentially nothing there to remove, so the query sets and their precision are unchanged while the truth set falls from 178,838 intervals to 24,820. Above 1 kb the floor begins to remove query calls as well, and precision falls for every set, steeply for CNVpytor and the 1-of-3 consensus (0.318 to 0.052 and 0.317 to 0.051 between the unrestricted case and a 100 kb floor) and more gradually for GATK-gCNV, which is the most size-stable of the callers (0.566 to 0.448 over the same range, the upper end of which lies beyond the 64.6 kb floor at which its curve is cut for low counts).

Taken together, these place the usable domain immediately above the bin size. We fixed the floor at 1 kb, chosen on the physical grounds that no caller in this study can resolve a CNV narrower than its bin. The sweep supports that choice: F1 reaches its maximum between 1,689 bp and 4,051 bp for all six call sets, with the 2-of-3 consensus highest at 0.348 (Figure 5D). A 1 kb floor therefore sits just below the empirical optimum for every call set simultaneously.

This floor is applied to every call set and to the benchmark for all analyses that follow, at all four coverages, and it is the value at which the floor is held while the two overlap thresholds are profiled below. It was selected using 30x data only, which is the arm with the finest resolution and therefore the most permissive: a floor set there admits calls at 2x that fall below the resolution attainable at that depth, biasing the comparison against the low-coverage hypothesis rather than in its favour.

Consensus reciprocal overlap threshold

A consensus component is a union of all pairwise overlaps that clear the reciprocal overlap threshold. We swept the threshold from 0.05 to 0.95 in steps of 0.05 (Figure 6).




Figure 6: Effect of the query consensus reciprocal-overlap threshold on the three 30x consensus call sets, swept from 0.05 to 0.95. The benchmark is held at zero padding, the size floor at 1 kb on both sides, and the classification threshold at 0.5. (A) Consensus calls surviving the 1 kb floor. (B) Precision. (C) Recall, whose denominator is the same 24,820 benchmark intervals at every point. (D) F1. The dotted vertical line marks the adopted value of 0.5.

The behavior for the number of calls greater than 1kb in length differs across consensus stringencies (Figure 6A). Raising the threshold splits components between callers that fail to meet threshold requirements. Each split adds a call to lower stringency sets while removing the agreement that contributed to the counts in the levels above it. Between 0.05 and 0.95 the 1-of-3 set grows from 21,847 to 28,413 calls above the floor, while the 2-of-3 set falls from 5,623 to 2,369 and the 3-of-3 set from 2,666 to 369.

Taking the ratio of a component's span to the span of the longest single call inside it, the median is 1.00 at every threshold and for every level, the 95th percentile never exceeds 1.16, and the largest ratio anywhere in the sweep is 2.83. Components at the permissive end are therefore sets of calls that agree, not loci collapsed into intervals no caller reported.

What the threshold does instead is trade the two sides of the comparison against each other (Figure 6B, C). For the 2-of-3 consensus, precision rises from 0.749 to 0.907 across the range while recall falls from 0.170 to 0.087. For the 3-of-3 consensus precision is already near its ceiling and barely moves, from 0.912 to a maximum of 0.959 at 0.75, while recall falls from 0.098 to 0.014. The 1-of-3 set is the exception: its recall is roughly flat 0.285 to 0.293 throughout; its precision falls to a minimum of 0.307 at 0.45 before rising to 0.392.

Over the lower half of the range those two movements cancel (Figure 6D). Between 0.05 and 0.50 the F1 of the 2-of-3 consensus varies by 0.006, from 0.2785 at 0.30 to 0.2726 at 0.50, while its precision gains 8.7 percentage points. The F1 maxima themselves are shallow and disagree between levels, falling at 0.30 for the 2-of-3 set, at 0.05 for the 3-of-3 set, and at the top of the range for the 1-of-3 set.

We chose to adopt a threshold of 0.5 for subsequent analyses. It is the conventional reciprocal criterion, it is the smallest threshold at which neither member of a merged pair can be more than twice the size of the other, and it costs the 2-of-3 consensus 2.1% of its attainable F1 while gaining 8.7 of the 15.8 percentage points of precision available across the whole range.

Classification reciprocal overlap threshold

Unlike the other three parameters this one changes neither call set, and instead strictly influences binary classification calculations. We swept the classification reciprocal overlap threshold, which defines the overlap required to register matches between query and truth sets as valid, from 0 to 0.99 in steps of 0.01 (Figure 7).




Figure 7: Effect of the classification reciprocal-overlap threshold, swept from 0 to 0.99. The benchmark is held at zero padding, the size floor at 1 kb on both sides, and the consensus threshold at 0.5. (A) Precision, recall, and F1 for the 30x 2-of-3 consensus. (B) Query calls credited against more than one benchmark interval, and (C) benchmark intervals credited to more than one query call, for all six 30x call sets; both axes are symmetric-log so that zero has a position. (D) F1 for the same six call sets. Panels B–D share the legend in D. The dotted vertical line marks the adopted value of 0.5.

All three metrics decline monotonically and the parameter has no interior optimum (Figure 7A). For the 2-of-3 consensus, precision falls from 0.876 at a threshold of zero to 0.836 at 0.5 and 0.410 at 0.9, and F1 from 0.291 to 0.273 to 0.134. The choice is therefore not between values that perform differently but between definitions of what a match is required to mean, and the informative quantity is the match topology rather than the metrics.

At a threshold of zero a single shared base pair is a match, and one query call is credited against as many as 14 benchmark intervals, depending on the call set. The number of query calls with more than one partner falls to zero between 0.41 and 0.47 depending on the call set, ahead of the 0.5 at which the geometry requires one-to-one matching (Figure 7B). The merged benchmark is internally disjoint within each sample, chromosome, and variant type, so no query call can cover half of two of its intervals; the query sets carry no such guarantee, because components built at a reciprocal overlap of 0.5 may still overlap one another below that threshold. The 1-of-3 consensus is the case in which that matters: it still splits 119 benchmark intervals across two query calls at a threshold of 0.5, and the count reaches zero only at 0.70 (Figure 7C). For the other five call sets the matching is strictly one-to-one at 0.5, and the query-side and truth-side true-positive counts coincide exactly; for the 2-of-3 consensus they are both 4,042 at 0.5.

According to F1 scores, the 1-of-3 consensus is the highest-scoring set at every threshold up to 0.66 and the 2-of-3 consensus at every threshold above it, and the 3-of-3 set is the lowest until 0.90 (Figure 7D). We adopted 0.5, the conventional reciprocal-overlap criterion, which is also the smallest threshold at which no query call can be credited against two benchmark intervals at once.

Variance-based sensitivity analysis

CNV Size Distribution Characteristics




Figure 3: Kernel density estimates for CNV size distributions of call sets derived from 13 30x WGS samples, accompanied by corresponding statistics for the control SNP microarray CNV call set and the benchmark call set. The x-axis is presented with a log-10 scale for better trend visualization. CNV sizes are bounded by the analysis window range of [500 bp, 1 Mb].

Next, we examined the size distributions of the CNV callsets. CNVpytor did not call any CNVs below 2000 bp when using a 1kb window as a consequence of requiring two adjacent bins to have high confidence for the same CNV type to call a CNV. On the other hand, GATK-gCNV called CNVs of sizes equal to the bin size, and Delly called CNVs lower than the bin size with its more sophisticated breakpoint prediction method. Furthermore, compared to all other call sets, CNVpytor had a significantly higher median and

IQR, being nearly 2-fold higher than the next highest in each category (Supplemental Table Size Distribution Statistics).

Although size distributions for the individual callers were strongly dependent on coverage, each caller demonstrated different correlations. At 30x coverage, CNVpytor had a slightly uniform distribution across the interval [2kb, 100kb] (Figure 3). As coverage decreased, far less calls were made between [2kb, 10kb] while a sharp density peak increased dramatically at 50kb (Supplemental Figure Per Caller Size Distribution Graphs A). GATK-gCNV, unlike the other callers, had a clear tri-modal distribution at 30x, with the first two peaks (1kb, 2kb) decreasing in density and the third peak (5-6kb) widening as the coverage decreased (Supplemental Figure x for Per Caller Size Distribution Graphs B). The distribution from Delly was nearly uniform across the interval [1kb, 10kb] across all coverages, with the only notable trend being that the density at the tail end of the [1kb, 10kb] slightly decreased at each lower coverage step (Supplemental Figure Per Caller Size Distribution Graphs C).

For the consensus call sets at 30x coverage, when consensus stringency increased distributions went from relatively uniform across most of the analysis window to having a well defined peak at 6 kb (Figure 3). Moving to lower coverages, the consensus call set distributions become more bell shaped and symmetrical around the 10kb region. Particularly for the 4x and 2x coverages, some of the peak density regions from the single callers start to propagate into the consensus call set resulting in a multimodal distribution (Supplemental Figure Consensus Calling Distribution Graphs).

The SNP Array callset showed a nearly symmetrical distribution centered around 6kb. In contrast to the candidate call sets, the benchmark set was strongly right-skewed, with most benchmark CNVs in the 500 bp–10 kb range and a minor density peak around ~6 kb. There is a significant drop in benchmark calls past ~7kb (Figure 3).

The consensus-based call sets revealed a strong dependence between median CNV size and consensus stringency, with higher stringency generally yielded higher median CNV size. The only exception is the 30x coverage, where the median size stays relatively constant among the consensuses (Supplemental Table Size Distribution Statistics). This trend is consistent with expectations that larger CNVs would have greater confidence in identification and thus greater agreement between callers compared to smaller CNVs, especially at lower coverages.

CNV Calling Performance Statistics

	True Positives	False Positives	False Negatives*	Precision	Recall*	F1 Score*	F1/2 Score*	F2 Score*
30x Coverage	5592	12105	3120	0.316	0.642	0.423	0.352	0.532
– CNVpytor								
30x Coverage	4971	3591	3741	0.581	0.571	0.576	0.579	0.573
– GATK-gCNV								

	True Positives	False Positives	False Negatives*	Precision	Recall*	F1 Score*	F1/2 Score*	F2 Score*
30x Coverage	4398	2792	4314	0.612	0.505	0.553	0.587	0.523
–								
Delly								
30x Coverage	8201	17521	511	0.319	0.941	0.476	0.367	0.677
–								
1/3 Consensus								
30x Coverage	4308	715	4404	0.858	0.494	0.627	0.748	0.540
–								
2/3 Consensus								
30x Coverage	2302	77	6410	0.968	0.264	0.415	0.631	0.309
–								
3/3 Consensus								
SNP Array	541	1068	8171	0.336	0.062	0.105	0.179	0.074

Table 5: Binary classification metrics of CNV call sets against benchmark CNV call, which are derived from the following datasets: 1000G phase 3, HGSVC3, and ONT Vienna. Metrics for each call set were calculated from the CNVs of sizes that fall within the analysis window of [500 bp, 1 Mb]. A true positive indicates that a CNV in the call set had at least a 50% reciprocal overlap with one of the CNVs in the benchmark call set.

*Due to the significant differences in call set size between the benchmark set and the evaluated call sets, the false negative value only considers CNVs that were discovered by at least one of the call sets tested. This ensures that the statistics derived from the false negative count (Recall and F Scores) remain interpretable and highlight the comparisons that are critical to this study.

Next, we compared the callsets with the benchmark set to evaluate their performance. Many distinct patterns emerge when comparing the different call sets that were all derived from 30x coverage WGS data. Among the callers, CNVpytor had higher recall and lower precision compared to the other single caller CNV call sets, and overall had slightly lower performance than the others according to the F1-score.

When compared to the consensus call sets, single caller performance was middling compared to the consensus. Consensus calling for high-coverage resulted in dramatic increases in specific performance metrics, largely corroborating our preliminary discoveries and those found in other studies. The 1/3 consensus call sets had dramatically higher recall and lower precision, consistent with the expectation that permissive strategies across callers increase sensitivity but also propagate caller-specific artifacts and inflate the false discovery rate [Ho 2020] [Liu 2022]. Conversely, the 3/3 consensus call sets had higher precision and low recall, clearly reflecting a stringent agreement strategy that improves confidence at the cost of sensitivity and excludes variants that are detectable but not consistently recovered across algorithms [Ho 2020] [Liu 2022]. The 2/3 consensus calling method demonstrated a promising perfor-

mance balance compared to the other two consensus types. This set had a dramatic improvement in precision compared to the 1/3 set, nearing the performance of the 3/3 set, while still maintaining a decent improvement in recall compared to the 3/3 set. The F1 score highlights the 2/3 consensus set as the set with highest overall performance with the best balance in recall and precision among the consensus call sets and against the single callers.

The SNP array has poor performance when compared to all sequence-based call sets. While the precision slightly exceeds that of CNVpytor and the 1/3 consensus sets, the recall and all F-score metrics are much worse. It is important to note that this could be a result of the benchmark sets containing CNVs that are undetectable with the Omni-2.5 Array kit, resulting in inflation of the False Negative count and a strong bias for the recall and F-scores of the sequence-based call sets.

Overall, the performance of the call sets that we had evaluated demonstrated the improvement in performance from consensus calling over single caller approaches and the performance balance offered by the 2/3 consensus calls. This largely agreed with patterns highlighted by various paradigms established in prior studies, and therefore we evaluated the performance of the 2/3 consensus calls in our downstream analysis.

Size Distribution and Performance Statistics of 2/3 Consensus Call Sets across Coverages

Call Set	Total Call Count	Min. Size	Median Size	Max. Size	IQR
30x Coverage – 2/3 Consensus	5,048	654	5000	669175	6000.00
6x Coverage – 2/3 Consensus	1781	898	10485	868000	24000.00
4x Coverage – 2/3 Consensus	1147	1000	17000	908000	34412.00
2x Coverage – 2/3 Consensus	745	1550	26000	969135	46000.00
SNP Array	1,609	500	8127	776884	17966.00
Benchmark	89,565	500	1441	961615	2824.00

Table 6: CNV call set size statistics of 2/3 consensus call sets derived from 13 WGS samples of coverages across 30x, 6x, 4x, and 2x. This is accompanied by corresponding statistics for the control SNP microarray CNV call set and the benchmark call set. The IQR is color mapped with the higher values in red and the lower values in green. CNV sizes are strictly bounded by the analysis window range of [500 bp, 1 Mb].




Figure 5: Kernel density estimates for CNV size distributions of 2/3 consensus call sets derived from 13 WGS samples of coverages across 30x, 6x, 4x, and 2x. This is accompanied by corresponding statistics for the control SNP microarray CNV call

set and the benchmark call set. The x-axis is presented with a log-10 scale for better trend visualization. CNV sizes are strictly bounded by the analysis window range of [500 bp, 1 Mb].

We established that the consensus calls performed substantially better than any single CNV calling tool, and the 2/3 consensus calls are the best balance between the performance metrics. Therefore, we compared the 2/3 consensus calls across coverages to evaluate the performance of lcWGS-based CNV calls from a BGE sequencing pipeline.

The number of CNV calls decreases as the coverage is lowered. Compared to 5,048 CNVs in the 30x coverage consensus set, 6x coverage set has about one-third CNVs (1,781), while 2x coverage set only has 745 CNVs (Table 6). In addition, there is a strong correlation between coverage and variability. As coverage decreases, IQR increases dramatically (Table 6) and the density of calls spreads out wider across the analysis window (Figure 5). Additionally, both the median and the peak of the size distribution curve shift to the right as coverage decreases, corresponding with expectations that lower coverage will lose more calls in the few-to-several kilobase range due to the lack of genomic evidence. The benchmark call set has a significantly lower IQR, but this is largely attributed to the fact that the benchmark has most of its density in the several hundred base regions, which is nearly undetectable by the sequence-based callers using a 1kb bin size. The SNP array has an IQR and median slightly lower than those of the 6x coverage, while additionally having a similar size distribution to that of the lower coverage sequence-based call sets. This may indicate similarities in the genomic size ranges in which these call sets have their highest confidence CNV calls despite using different sources of genetic evidence.

image placeholder — image11, image12, image13 — Figure 6, three benchmark-recall Venn diagrams

Figure 6: Venn diagrams of the identification of CNVs in the benchmark set by 30x coverage-based 2/3 consensus calls, SNP microarray-based calls, and one of three lower coverage-based consensus calls out of 6x, 4x, and 2x. The bottom shows the total number of CNVs in the benchmark set, the number and percentage of CNVs detected by at least one of the methods, and the number of CNVs not detected by any of the listed methods. Written below each category label is the total count of CNVs identified by said category and the associated percentage of the total detected CNVs. Categories that yielded very low counts (i.e. <10 calls) are not shown in the Venn diagram for clarity, and account for any discrepancies between the numbers in the Venn diagram and the totals that are shown.

Next, we compared each low-coverage 2/3 consensus call set individually against the high-coverage consensus set and the SNP array to quantify how well different coverages capture CNVs that are detectable at high-coverages and by the SNP array. High-coverage sequencing calls accounted for the majority of recalled benchmark CNVs, and contained significant proportions of CNVs recalled by both the SNP Array

and each of the lower coverage call set categories (Figure 6). As the coverage decreased, the overlap between the 30x and low-coverage call sets rapidly decreased, with a near two-fold decrease shown when moving to each low-coverage category (1066 $\rightarrow$ 577 $\rightarrow$ 269 for 6x $\rightarrow$ 4x $\rightarrow$ 2x). The overlap between the low-coverages and the SNP array also exhibited a similar decrease, with a larger proportional drop in overlap observed going from 4x to 2x coverage compared to when going from 6x to 4x coverage. Additionally, while the number of total CNVs uniquely identified by the low-coverage category decreased with the coverage, the percentage of CNVs uniquely identified steadily increased, with the results for 6x, 4x, and 2x being 4.4%, 5.6%, and 7.1% respectively.

Call Set	True Positives	False Positives	False Negatives*	Precision	Recall*	F1 Score*	F1/2 Score*	F2 Score*
30x Coverage	4295	753	4417	0.851	0.493	0.624	0.743	0.538
-								
2/3 Consensus								
6x Coverage	1395	386	7317	0.783	0.160	0.266	0.440	0.190
-								
2/3 Consensus								
4x Coverage	833	314	7879	0.726	0.096	0.169	0.313	0.116
-								
2/3 Consensus								
2x Coverage	420	325	8292	0.564	0.048	0.089	0.180	0.059
-								
2/3 Consensus								
SNP Array	541	1068	8171	0.336	0.062	0.105	0.179	0.074

Table 7: Binary classification metrics of 2/3 consensus CNV call sets across all coverages and the SNP Array CNV call set. Metrics for each call set were calculated from the CNVs of sizes that fall within the analysis window of [500 bp, 1 Mb]. A true positive indicates that a CNV in the call set had at least a 50% reciprocal overlap with one of the CNVs in the merged benchmark call set.

*Due to the significant differences in call set size between the benchmark set and the evaluated call sets, the false negative value only considers CNVs that were discovered by at least one of the call sets tested. This ensures that the statistics derived from the false negative count (Recall and F Scores) remain interpretable and highlight the comparisons that are critical to this study.

image placeholder — image14, image15, image16 — Figure 7, density of precision / recall / F1

Figure 7: Probability density graphs for the precision, recall, and F1-score of CNVs identified from all 2/3 consensus call sets across all coverages. 100 log-spaced interval points between 500bp and 1 Mb were used to estimate the probability distribution shown, and the values of the points are visualized as transparent points scattered throughout the graph with colors corresponding to the respective call set. The curves shown were derived from Gaussian kernel smoothing ($\sigma=5.0$) of these 100 points.

image placeholder — image17, image18, image19 — Figure 8, cumulative precision / recall / F1

Figure 8: Cumulative distribution graphs for the precision, recall, and F1-score of CNVs identified from all 2/3 consensus call sets across all coverages. 100 log-spaced interval points between 500bp and 1 Mb were used to estimate the probability distribution shown, and the values of the points are visualized as transparent points scattered throughout the graph with colors corresponding to the respective call set. The curves shown were derived from Gaussian kernel smoothing ($\sigma=5.0$) of these 100 points.

Finally, we evaluated the performance of each 2/3 consensus call set across size ranges.

The overall classification performance of the 2/3 consensus call sets (Table 7) reveals a clear performance hierarchy across coverage depths. At 2x coverage, performance was near-identical to the SNP array: the 2x call set achieved substantially higher precision (0.564 vs. 0.336), while the SNP array modestly outperformed it in recall (0.062 vs. 0.048). Across all F-scores, the two approaches had marginal differences, with the F_1 and F_2 scores favoring the SNP array and the $F_{1/2}$ score being near identical between 2x and SNP Array (0.180 vs. 0.179). Beyond 2x coverage, sequencing-based call sets consistently and substantially outperformed the SNP array across all metrics. The 4x coverage call set showed meaningful gains in precision (0.726) and $F_{1/2}$ score (0.313) relative to the 2x coverage call set, and the 6x coverage call set

saw further improvements across all performance metrics. The 30x coverage call set demonstrated the strongest overall performance, with precision of 0.851 and a substantially higher recall (0.493) than all lower-coverage and array-based call sets.

Peak precision for all sequencing-based call sets except 2x approached ~90% in the several-kilobase range (Figure 7). Precision trends across coverage levels converged past the size interval where each lower-coverage call set reaches its peak, such that 30x, 6x, and 4x all yielded nearly identical precision past 10 kb, with 2x only slightly lower through the 10–50 kb range before also converging. The SNP array-based call set only exceeded 4x and 2x in precision within small CNV size ranges of [500bp, 1500bp] and [500bp, 5000bp], respectively. The shape of the precision trend for the SNP array additionally demonstrates similarities to that of the 2x coverage call set past 10 kb (Figure 7).

Recall exhibited a pronounced dependence on both coverage and CNV size, with the 30x coverage call set substantially outperforming all others and was the only call set to demonstrate a distinct peak in the several-kilobase range. Decreasing coverage resulted in flatter recall densities and right-shifted distribution, with their highest performance in the 20 kb to 300 kb range (Figure 7). An exception to this trend is with the 6x coverage call set with a unique recall density peak at ~400kb. The SNP array distribution exhibited the lowest recall density across nearly the entire analysis window (Figure 7).

A consistent 1.5- to 2-fold increase in cumulative recall was observed when moving from 2x to 4x coverage and again from 4x to 6x past 10 kb (Figure 8). The SNP array's cumulative recall exceeded that of 2x coverage across the entire analysis window and very slightly exceeded that of 4x coverage below 7 kb.

The F1 score is largely dominated by the trends of the recall of the call sets, with the 30x coverage being the only set to demonstrate significant performance in smaller size regimes around 1 kb. Decreasing coverage results in lower peak performance density, densities further shifted right, and more uniform densities. Considering cumulative performance, the SNP array outperforms 4x coverage until 5-6 kb CNV sizes and outperforms 2x coverage until 50 kb (Figure 7).

Across all methods, deletions yielded higher performance in all metrics compared to duplications. Duplications additionally demonstrated poorer performance at the ends of the 500bp to 1Mb analysis window (Supplemental Figure SV Types F1-Score Graphs).

Discussion

With sequencing becoming increasingly ubiquitous in both research and clinical laboratories, a question has emerged for CNV analysis: can the low-pass, genome-wide data from the BGE workflow substitute SNP genotyping arrays as an approach for CNV detection in the size regimes typically targeted by microarray testing? BGE was developed to pair deep exome variant discovery with economical, low-pass genome-wide coverage in a single sequencing product, offering a potential path to consolidate CNV detection into existing sequencing pipelines rather than maintaining parallel array workflows and cross-platform data harmonization [DeFelice 2024] [Boltz 2026]. In this study, we directly evaluated the “array-replacement” proposition by benchmarking CNV calls from short-read lcWGS against SNP-array derived CNV calls, while using high-coverage WGS as a complementary reference point to clarify which performance differences are primarily coverage-limited versus method-limited.

Aligning with discoveries made by other studies [Li and Olivier 2012], our results demonstrated that high-coverage sequencing-based approaches result in recovery of considerably more CNVs compared to SNP array-based alternatives, with particularly higher call rates in the several kilobase regime. Coverages of 2x – 6x that are typically retrieved in current-day BGE pipelines seem to perform best in a mid-to-large CNV regime, similar to typical results of SNP arrays. Call sets at 4x coverage and above showed consistently higher precision and recall than SNP arrays across all sizes tested, with the performance scales substantially with the coverage. At 2x – the lowest coverage evaluated – overall performance was broadly comparable to the SNP array, with the 2x call set achieving substantially higher precision (0.564 vs. 0.336) while the SNP array modestly exceeded it in recall (0.062 vs. 0.048) and marginally in F_1 and F_2 scores. The results illustrate the high performance scalability of low-coverage sequencing-based CNV calling: recall nearly doubles when moving from 2x to 4x – surpassing SNP array performance across most of the analysis window – with a similar magnitude of increase demonstrated going from 4x to 6x.

BGE incurs roughly 28% of the per-sample cost of deep WGS (~\$99 vs. \$350) while remaining cost-comparable to a GWAS array [Boltz 2026]. Combined with its ease of adaptability and the scalability of sequencing, this narrows the competitive margin of SNP array-based calling over sequencing-based approaches. This is particularly promising compared to the relatively limited scalability of SNP array technology: instead of simply rerunning genomic samples through sequencing pipelines with different parameters, expanding array detection requires the purchasing of new microarray chips and associated infrastructure, as well as potentially modifying existing computational workflows to handle the new data. As a result, lcWGS-based CNV detection has already seen some adaptation as a promising alternative to microarray-based analyses [Boltz 2026] [Wang 2019].

Several other tools were either dismissed as inappropriate for use with the data analyzed in this study or introduced significant complexity for negligible differences in performance compared to the three tools we had chosen (Supplemental Table Tools). Other studies [Gabrielaite 2021] have made it clear that the use of tools designed specifically for WES data are significantly outperformed by tools that use WGS data. ZipCNV [Xue 2025], a tool that uses base level read-depth information along with dynamic sliding windows to smooth depth signals and more accurately identify CNVs, was tested as a promising candidate tool. However, our attempts at using the tool on the high-performance cluster used for this study were unsuccessful due to the program demonstrating major I/O and memory usage issues. LUMPY [Layer 2014] was considered because of its strong reported performance and its probabilistic framework for integrating multiple SV signals. In LUMPY, read-pair, split-read, and read-depth evidence are first modeled separately as breakpoint probability distributions and then clustered into a joint breakpoint prediction. However, because our consensus set already included two read-depth-based callers (CNVpytor and GATK-gCNV), we prioritized inclusion of a caller whose evidence integration was less likely to preserve read-depth-specific artifacts in parallel. DELLY instead uses discordant paired-end clusters to nominate breakpoint-containing intervals and then refines these candidates using split-read support to achieve higher-resolution breakpoint definition. We therefore selected DELLY over LUMPY to increase methodological complementarity across callers and reduce the likelihood that technology- or algorithm-specific artifacts would propagate into the consensus call set.

Duplications are a known hard class to detect in short-read CNV/SV analysis and often show more caller disagreement and metric sensitivity [Ho 2020]. Independent lcWGS benchmarking echoes this: amplification calls diverged most across callers and were prone to over-detection in sparse data, whereas

deletion calls remained comparatively stable [Wang 2025]. This is consistent across all of our obtained results, which demonstrated that duplication-only CNV calls yielded much lower performance, much higher variance, and different performance distribution trends compared to the deletion-only calls. This expected behavior was the primary motivation behind stratifying all results across the two primary types of structural variation.

Consensus components were collapsed by union, so a merged call spans the minimum start and the maximum end position across its member calls. Work from other SV analysis toolkits such as Truvari has demonstrated that slight differences in the implementation details of merging and matching SV calls propagate into substantial differences in results [English 2022], so this policy warrants being stated explicitly rather than treated as an incidental detail. Union merging may aggregate adjacent but distinct CNVs where callers disagree on breakpoint position, or where one caller preferentially reports larger intervals than the others. It also retains whichever member call carries the most permissive breakpoints, which in our data was frequently Delly: CNVs called by Delly that had equivalent calls from another tool often had inferred breakpoints extending past the 1 kb bin boundaries used by CNVpytor and GATK-gCNV (Supplemental Figure Modulus Size Distribution). Union merging therefore preserves more of Delly’s breakpoint-specific information than a policy restricted to the region of agreement between callers would.

A notable limitation of this study is the absence of a verifiably comprehensive benchmark set. The merged benchmark used here aggregates structural variant calls from three datasets [1000G 2015][Logsdon 2025][Schloissnig 2024], — each produced by different calling algorithms and parameterization strategies. As a result, a substantial proportion of benchmark CNVs were expected to be undetectable by the short-read, depth-based methods evaluated in this study, either due to size constraints imposed by 1kb binning, coverage limitations, or fundamental differences in detection methodology between the benchmark sources and our evaluated call sets. To keep recall interpretable, false negatives were therefore restricted to CNVs discovered by at least one call set in this study; As expected, the set of discoverable CNVs represented only a fraction of the total benchmark set (~9.73%). Furthermore, the 50% reciprocal overlap threshold used for matching may have rejected genuine CNV pairs due to breakpoint disagreement between datasets, and some calls flagged as false positives may correspond to real variants absent from the benchmark rather than true errors. Despite these limitations, the relative performance differences between the evaluated call sets remain consistent and interpretable across all metrics reported. Finally, the tested sample size ($n = 13$) was relatively small — constrained by the limited overlap between samples with both benchmark datasets and SNP microarray data.

Beyond discoverability, the benchmark required reference-build harmonization: the 1000G phase 3 call set and the SNP microarray data were lifted over to GRCh38/hg38 (from GRCh37/hg19 and NCBI36/hg18, respectively), whereas the remaining sources were natively aligned to GRCh38. Liftover between human assemblies reconciles the large majority of loci, and only X% of CNVs were lost during conversion in our pipeline; nonetheless, the microarray is the more liftover-susceptible of the two sources, since aggregation with the natively-aligned benchmark sets partially buffers the merged benchmark against coordinate loss.

Collectively, our findings support lcWGS-based CNV calling from BGE pipelines as a pragmatic pathway to replace the ongoing complexity of storing, curating, and harmonizing microarray outputs with sequencing outputs—while still capturing a significant number of CNVs to be viable for cytogenetic detection. This proposed approach is especially practical when sequencing data (or sequencing infrastructure) is already available; conversely, SNP-array testing may remain advantageous for legacy laboratory

pathways or settings where computational capacity is the overriding constraint. Building on this work, our next step is to validate performance on real BGE sequencing data — rather than downsampled high-coverage WGS — and to characterize performance at coverage depths that may reflect higher-yield BGE configurations [Boltz 2026]. An additional future direction to explore includes length-only stratification by benchmarking separately across genomic contexts known to challenge CNV discovery—segmental duplications, tandem repeats/low-complexity sequence, and low-mappability or GC-extreme regions—using established stratification resources and region definitions [Krusche 2019] [Dwarshuis 2024]. Together with expanded sample size and targeted validation of calls, these additions should allow us to state more precisely when lcWGS can fully supplant microarrays for CNV detection and where traditional array-based approaches remain warranted.

In conclusion, to our knowledge we have performed the first performance comparison between high-coverage, low-coverage, and SNP-array based CNV detection using modern CNV calling tools. Our work provides a benchmark evaluation methodology extensible to low-coverage sequencing data using multiple benchmark CNSV collections, rooted in the paradigms of prior studies [Masood 2024] [Wang 2025]. We have created a solid foundation for the aggregation of several popular, mathematically rigorous, and well adapted CNV calling tools to optimize the recovery of true candidate CNVs.

Supplementals

[CNV Benchmark Paper - Supplementals](#)

[CNV Benchmark Paper - Supplementals Spreadsheet](#)

References

- <https://www.nature.com/articles/nrg3871> [Zarrei 2015]
- <https://www.sciencedirect.com/science/article/pii/S0167527319301913> [Glessner 2020]
- <https://www.frontiersin.org/journals/genetics/articles/10.3389/fgene.2013.00092/full> [Valsesia 2013]
- <https://www.sciencedirect.com/science/article/pii/S0888754324001836?via%3Dihub#s0005> [Baardwijk 2024]
- <https://journals.physiology.org/doi/full/10.1152/physiolgenomics.00082.2012#sec-5> [Li and Olivier 2012]
- <https://www.nature.com/articles/s41431-022-01162-2> [Ewans 2022]
- <https://www.biorxiv.org/content/10.1101/2024.04.03.587209v3.abstract> [DeFelice 2024]
- <https://www.nature.com/articles/s41588-026-02669-w> [Boltz 2026]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC11188507/> [Masood 2024]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC12481693/> [Wang 2025]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC7402362/> [Ho 2020]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC7042067/> [Wang 2019]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC8071346/> [Kucharik 2021]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC9793516/> [English 2022]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC6699627/> [Krusche 2019]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC11489684/> [Dwarshuis 2024]
- <https://pmc.ncbi.nlm.nih.gov/articles/PMC8454654/> [Zook 2020]
- <https://www.biorxiv.org/content/10.1101/2021.02.06.430068v1.full> [Byrska-Bishop 2021]

Tool Comparison: <https://pmc.ncbi.nlm.nih.gov/articles/PMC8699073/> [Gabrielaite 2021]

ZIPcnv: <https://academic.oup.com/bioinformatics/article/41/11/btaf592/8301287> [Xue 2025]

LUMPY: <https://pmc.ncbi.nlm.nih.gov/articles/PMC4197822/> [Layer 2014]

PennCNV: Wang K, Li M, Hadley D, Liu R, Glessner J, Grant SF, Hakonarson H, Bucan M. PennCNV: an integrated hidden Markov model designed for high-resolution copy number variation detection in whole-genome SNP genotyping data. *Genome research*. 2007 Nov 1;17(11):1665-74. [Wang 2007]

Consensus Calling Justification: <https://link.springer.com/article/10.1186/s13059-022-02636-8> [Liu 2022]

<https://pubmed.ncbi.nlm.nih.gov/23329113/> [Weischenfeldt 2013]

<https://pubmed.ncbi.nlm.nih.gov/29396143/> [Hu 2018]

<https://pubmed.ncbi.nlm.nih.gov/39643102/> [Kushima 2025]

<https://pubmed.ncbi.nlm.nih.gov/20164920/> [Beroukhim 2010]

<https://pubmed.ncbi.nlm.nih.gov/19566914/> [Shlien 2009]

<https://pubmed.ncbi.nlm.nih.gov/38565148/> [Lemire 2024]

<https://pubmed.ncbi.nlm.nih.gov/28963714/> [Nowakowska 2017]

<https://pubmed.ncbi.nlm.nih.gov/33920867/> [Kucharik 2021]

<https://pubmed.ncbi.nlm.nih.gov/37807935/> [Mazzonetto 2024]

<https://pubmed.ncbi.nlm.nih.gov/38924610/> [Mazzonetto 2024 (2)]

cyvcf2: Pedersen BS, Quinlan AR. cyvcf2: fast, flexible variant analysis with Python. *Bioinformatics*. 2017 Jun 15;33(12):1867-9. <https://academic.oup.com/bioinformatics/article/33/12/1867/2971439> [cyvcf2]

IGSR: Fairley S, Lowy-Gallego E, Perry E, Flicek P. The International Genome Sample Resource (IGSR) collection of open human genomic variation resources. *Nucleic acids research*. 2020 Jan 8;48(D1):D941-7. [Fairley 2020]

1000G: 1000 Genomes Project Consortium. A global reference for human genetic variation. *Nature*. 2015 Sep 30;526(7571):68. [1000G 2015]

HGSVC3: Logsdon GA, Ebert P, Audano PA, Loftus M, Porubsky D, Ebler J, Yilmaz F, Hallast P, Prodanov T, Yoo D, Paisie CA. Complex genetic variation in nearly complete human genomes. *Nature*. 2025 Aug 14;644(8076):430-41. [Logsdon 2025]

ONT Vienna: Schloissnig S, Pani S, Rodriguez-Martin B, Ebler J, Hain C, Tsapalou V, Söylev A, Hüther P, Ashraf H, Prodanov T, Asparuhova M. Long-read sequencing and structural variant characterization in 1,019 samples from the 1000 Genomes Project. *bioRxiv*. 2024 Apr 20:2024-04. [Schloissnig 2024]

CNVpytor: Suvakov M, Panda A, Diesh C, Holmes I, Abyzov A. CNVpytor: a tool for copy number variation detection and analysis from read depth and allele imbalance in whole-genome sequencing. *Gigascience*. 2021 Nov;10(11):giab074. [Suvakov 2021]

GATK: McKenna A, Hanna M, Banks E, Sivachenko A, Cibulskis K, Kernytsky A, Garimella K, Altshuler D, Gabriel S, Daly M, DePristo MA. The Genome Analysis Toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data. *Genome research*. 2010 Sep 1;20(9):1297-303. [McKenna 2010]

GATK-gCNV: Babadi M, Fu JM, Lee SK, Smirnov AN, Gauthier LD, Walker M, Benjamin DI, Zhao X, Karczewski KJ, Wong I, Collins RL. GATK-gCNV enables the discovery of rare copy number variants from exome sequencing data. *Nature genetics*. 2023 Sep;55(9):1589-97. [Babadi 2023]

Delly: Rausch T, Zichner T, Schlattl A, Stütz AM, Benes V, Korbel JO. DELLY: structural variant discovery by integrated paired-end and split-read analysis. *Bioinformatics*. 2012 Sep 15;28(18):i333-9. [Rausch 2012]

Picard: “Picard Toolkit.” 2019. Broad Institute, GitHub Repository. <https://broadinstitute.github.io/picard/> Broad Institute. [Broad Institute 2019]

Hoeffding (1948), *A class of statistics with asymptotically normal distribution*, Ann. Math. Statist. 19(3):293-325 – the original decomposition.

Sobol’ (1993), *Sensitivity estimates for nonlinear mathematical models*, Math. Model. Comput. Exp. 1(4):407-414 – the variance indices.

Saltelli et al. (2008), *Global Sensitivity Analysis: The Primer* – the standard practitioner treatment.

Owen (2013), *Variance components and generalized Sobol’ indices*, SIAM/ASA J. Uncertain. Quantif. 1(1):19-41 – the tidiest modern statement.

Notes

Use <https://www.sciencedirect.com/science/article/pii/S0888754324001836?via%3Dihub#s0110> for Pen-nCNV justification

CNV detection tools from NGS data: <https://pmc.ncbi.nlm.nih.gov/articles/PMC12218993/>

2020 detection tool comparison paper: <https://pmc.ncbi.nlm.nih.gov/articles/PMC7059689/>

WES and WGS paper: <https://www.tandfonline.com/doi/full/10.1586/14737159.2015.1053467>