

Assignment 0

Shirou Jing · Rice ID: sj186

1 Anaconda

Anaconda3-2026.07-1-MacOSX-arm64.sh installed into ~/anaconda3 on macOS 15.1 (arm64), followed by `conda init zsh`. Result: conda 26.5.3 on Python 3.14.6, 552 packages in base. The full `conda list` is in the repository as `outputs/task1_conda_list.txt`.

Task 1 — conda info

```
(base) jsr.ovo._@ShiroutekiMacBook-Pro-2 ~ % conda info

active environment : base
active env location : /Users/jsr.ovo._/anaconda3
shell level        : 1
user config file    : /Users/jsr.ovo._/.condarc
populated config files : /Users/jsr.ovo._/anaconda3/.condarc
                    /Users/jsr.ovo._/anaconda3/condarc.d/anaconda-auth.yml

conda version       : 26.5.3
conda-build version  : 26.5.0
python version      : 3.14.6.final.0
solver              : libmamba (default)
virtual packages     : __archspec=1=m4
                      __conda=26.5.3=0
                      __osx=15.1=0
                      __unix=0=0

base environment    : /Users/jsr.ovo._/anaconda3 (writable)
conda av data dir   : /Users/jsr.ovo._/anaconda3/etc/conda
conda av metadata url : None
channel URLs        : https://repo.anaconda.com/pkgs/main/osx-arm64
                      https://repo.anaconda.com/pkgs/main/noarch
                      https://repo.anaconda.com/pkgs/r/osx-arm64
                      https://repo.anaconda.com/pkgs/r/noarch
package cache       : /Users/jsr.ovo._/anaconda3/pkgs
                      /Users/jsr.ovo._/anaconda3/.conda/pkgs
envs directories    : /Users/jsr.ovo._/anaconda3/envs
                      /Users/jsr.ovo._/anaconda3/.conda/envs
temporary directory : /var/folders/_d/tstckvp90tn2cjp23w7v85zw0000gn/T
platform           : osx-arm64
user-agent          : conda/26.5.3 requests/2.34.2 CPython/3.14.6 Darwin/24.1.0 OSX/15.1
solver/libmamba     : conda-libmamba-solver/26.7.0 libmambapy/2.3.2 aau/0.8.1 c/. s/. e/.
UID:GID             : 501:20
netrc file          : None
offline mode        : False
```

2 MATLAB to Python — Linear Algebra Equivalents

All 82 rows of the table were run in IPython, one command per row. My matrices: `a`, `b`, `c`, `d` are 5×5 drawn uniformly from [0,1) and rounded to two decimals, `v` a matching 5-vector, seeded with `default_rng(576)` so the transcript reproduces exactly. Values in [0,1) keep the threshold rows (`a > 0.5`) non-trivial.

Rows that cannot be run exactly as printed

Row 28, 30 — the table's command assigns in place; it is run on a copy so later rows still see the original `a`.

Row 57, 58 — the bare `logical_and` is called as `np.logical_and`.

Row 59, 60 — bitwise operators need integers, so an integer pair `ai`, `bi` is used.

Row 65 — the table gives prose, not a command; written out as `linalg.solve(a.T, b.T).T`.

Row 67, 73 — Cholesky and conjugate gradients need positive definiteness, so `spd = a @ a.T + 5*np.eye(5)`.

Row 80 — `signal.resample` needs an integer sample count, so `int(np.ceil(...))`.

Row 82 — `a` has no singleton dimensions, so a $1 \times 3 \times 1 \times 4$ array is used instead.

Task 2 — IPython transcript

```
--- Setup -----
In [1]: import numpy as np
In [2]: import scipy.linalg
In [3]: from numpy.random import default_rng
In [4]: from scipy import signal
In [5]: from scipy.sparse.linalg import eigs, cg
In [6]: linalg = scipy.linalg
In [7]: np.set_printoptions(precision=4, suppress=True, linewidth=100)
In [8]: seed = default_rng(576)
In [9]: a = np.round(seed.random((5, 5)), 2)
In [10]: b = np.round(seed.random((5, 5)), 2)
In [11]: c = np.round(seed.random((5, 5)), 2)
In [12]: d = np.round(seed.random((5, 5)), 2)
In [13]: v = np.round(seed.random(5), 2)
In [14]: x = a.copy()
In [15]: m, n, q = 2, 2, 2
In [16]: ai = seed.integers(0, 8, (5, 5))
In [17]: bi = seed.integers(0, 8, (5, 5))
In [18]: spd = a @ a.T + 5 * np.eye(5)
In [19]: sig = np.round(seed.random(12), 2)
In [20]: a
Out[20]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12]])
In [21]: b
Out[21]:
array([[0.41, 0.38, 0.82, 0.08, 0.35],
       [0.58, 0.25, 0.54, 0.19, 0.72],
       [0.57, 0.09, 0.79, 0.43, 0.73],
       [0.94, 0.58, 0.54, 0.66, 0.5 ],
       [0.34, 0.41, 0.48, 0.97, 0.23]])
In [22]: v
Out[22]: array([0.66, 0.89, 0.71, 0.42, 0.78])

--- Row 1 --- MATLAB: ndims(a) -----
In [23]: np.ndim(a)
Out[23]: 2

--- Row 2 --- MATLAB: numel(a) -----
In [24]: np.size(a)
Out[24]: 25

--- Row 3 --- MATLAB: size(a) -----
In [25]: np.shape(a)
Out[25]: (5, 5)

--- Row 4 --- MATLAB: size(a,n) -----
In [26]: a.shape[n-1]
Out[26]: 5

--- Row 5 --- MATLAB: [ 1 2 3; 4 5 6 ] -----
In [27]: np.array([[1., 2., 3.], [4., 5., 6.]])
Out[27]:
array([[1., 2., 3.],
       [4., 5., 6.]])

--- Row 6 --- MATLAB: [ a b; c d ] -----
In [28]: np.block([[a, b], [c, d]])
Out[28]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 , 0.41, 0.38, 0.82, 0.08, 0.35],
       [0.88, 0.3 , 0.44, 0.31, 0.28, 0.58, 0.25, 0.54, 0.19, 0.72],
       [0.54, 0.82, 0.43, 0.28, 0.86, 0.57, 0.09, 0.79, 0.43, 0.73],
       [0.54, 0.58, 0.88, 0.78, 0.21, 0.94, 0.58, 0.54, 0.66, 0.5 ],
       [0.2 , 0.8 , 0.66, 0.28, 0.12, 0.34, 0.41, 0.48, 0.97, 0.23],
       [0.71, 0.34, 0.46, 0.66, 0.89, 0.56, 0.76, 0.74, 0.42, 0.1 ],
       [0.28, 0.9 , 0.44, 0.87, 0.99, 0.39, 0.6 , 0.35, 0.86, 0.28],
       [0.7 , 0.9 , 0.72, 0.65, 0.82, 0.87, 0.32, 0.15, 0.86, 0.04],
```

```

[0.06, 0.86, 0.66, 0.54, 0.1 , 0.35, 0.28, 0.72, 0.04, 0.58],
[0.45, 0.71, 0.62, 0.82, 0.88, 0.94, 0.17, 0.56, 0.6 , 0.25]])

--- Row 7 --- MATLAB: a(end) -----
In [29]: a[-1]
Out[29]: array([0.2 , 0.8 , 0.66, 0.28, 0.12])

--- Row 8 --- MATLAB: a(2,5) -----
In [30]: a[1, 4]
Out[30]: np.float64(0.28)

--- Row 9 --- MATLAB: a(2,:) -----
In [31]: a[1, : ]
Out[31]: array([0.88, 0.3 , 0.44, 0.31, 0.28])

--- Row 10 --- MATLAB: a(1:5,:) -----
In [32]: a[0:5, : ]
Out[32]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12]])

--- Row 11 --- MATLAB: a(end-4:end,:) -----
In [33]: a[-5:]
Out[33]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12]])

--- Row 12 --- MATLAB: a(1:3,5:9) -----
In [34]: a[0:3, 4:9]
Out[34]:
array([[0.4 ],
       [0.28],
       [0.86]])

--- Row 13 --- MATLAB: a([2,4,5],[1,3]) -----
In [35]: a[np.ix_([1, 3, 4], [0, 2])]
Out[35]:
array([[0.88, 0.44],
       [0.54, 0.88],
       [0.2 , 0.66]])

--- Row 14 --- MATLAB: a(3:2:21,:) -----
In [36]: a[2:21:2, : ]
Out[36]:
array([[0.54, 0.82, 0.43, 0.28, 0.86],
       [0.2 , 0.8 , 0.66, 0.28, 0.12]])

--- Row 15 --- MATLAB: a(1:2:end,:) -----
In [37]: a[::2, : ]
Out[37]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.2 , 0.8 , 0.66, 0.28, 0.12]])

--- Row 16 --- MATLAB: a(end:-1:1,:) -----
In [38]: a[::-1, : ]
Out[38]:
array([[0.2 , 0.8 , 0.66, 0.28, 0.12],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.81, 0.86, 0.94, 0.06, 0.4 ]])

--- Row 17 --- MATLAB: a([1:end 1],:) -----
In [39]: a[np.r_[:len(a), 0]]
Out[39]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12],
       [0.81, 0.86, 0.94, 0.06, 0.4 ]])

--- Row 18 --- MATLAB: a.' -----
In [40]: a.T
Out[40]:
array([[0.81, 0.88, 0.54, 0.54, 0.2 ],
       [0.86, 0.3 , 0.82, 0.58, 0.8 ],
       [0.94, 0.44, 0.43, 0.88, 0.66],
       [0.06, 0.31, 0.28, 0.78, 0.28],
```

```

[0.4 , 0.28, 0.86, 0.21, 0.12]])

--- Row 19 --- MATLAB: a' -----
In [41]: a.conj().T
Out[41]:
array([[0.81, 0.88, 0.54, 0.54, 0.2 ],
       [0.86, 0.3 , 0.82, 0.58, 0.8 ],
       [0.94, 0.44, 0.43, 0.88, 0.66],
       [0.06, 0.31, 0.28, 0.78, 0.28],
       [0.4 , 0.28, 0.86, 0.21, 0.12]])

--- Row 20 --- MATLAB: a * b -----
In [42]: a @ b
Out[42]:
array([[1.5591, 0.8062, 2.0956, 1.06 , 1.7109],
       [1.1722, 0.7436, 1.533 , 0.7928, 1.0646],
       [1.4977, 0.9639, 1.7893, 1.4029, 1.4311],
       [1.864 , 0.9679, 1.9732, 1.2503, 1.6873],
       [1.2262, 0.547 , 1.3262, 0.753 , 1.2954]])

--- Row 21 --- MATLAB: a .* b -----
In [43]: a * b
Out[43]:
array([[0.3321, 0.3268, 0.7708, 0.0048, 0.14 ],
       [0.5104, 0.075 , 0.2376, 0.0589, 0.2016],
       [0.3078, 0.0738, 0.3397, 0.1204, 0.6278],
       [0.5076, 0.3364, 0.4752, 0.5148, 0.105 ],
       [0.068 , 0.328 , 0.3168, 0.2716, 0.0276]])

--- Row 22 --- MATLAB: a./b -----
In [44]: a/b
Out[44]:
array([[1.9756, 2.2632, 1.1463, 0.75 , 1.1429],
       [1.5172, 1.2 , 0.8148, 1.6316, 0.3889],
       [0.9474, 9.1111, 0.5443, 0.6512, 1.1781],
       [0.5745, 1. , 1.6296, 1.1818, 0.42 ],
       [0.5882, 1.9512, 1.375 , 0.2887, 0.5217]])

--- Row 23 --- MATLAB: a.^3 -----
In [45]: a**3
Out[45]:
array([[0.5314, 0.6361, 0.8306, 0.0002, 0.064 ],
       [0.6815, 0.027 , 0.0852, 0.0298, 0.022 ],
       [0.1575, 0.5514, 0.0795, 0.022 , 0.6361],
       [0.1575, 0.1951, 0.6815, 0.4746, 0.0093],
       [0.008 , 0.512 , 0.2875, 0.022 , 0.0017]])

--- Row 24 --- MATLAB: (a > 0.5) -----
In [46]: (a > 0.5)
Out[46]:
array([[ True,  True,  True, False, False],
       [ True, False, False, False, False],
       [ True,  True, False, False,  True],
       [ True,  True,  True,  True, False],
       [False,  True,  True, False, False]])

--- Row 25 --- MATLAB: find(a > 0.5) -----
In [47]: np.nonzero(a > 0.5)
Out[47]:
(array([0, 0, 0, 1, 2, 2, 2, 3, 3, 3, 3, 4, 4]),
 array([0, 1, 2, 0, 0, 1, 4, 0, 1, 2, 3, 1, 2]))

--- Row 26 --- MATLAB: a(:,find(v > 0.5)) -----
In [48]: a[:, np.nonzero(v > 0.5)[0]]
Out[48]:
array([[0.81, 0.86, 0.94, 0.4 ],
       [0.88, 0.3 , 0.44, 0.28],
       [0.54, 0.82, 0.43, 0.86],
       [0.54, 0.58, 0.88, 0.21],
       [0.2 , 0.8 , 0.66, 0.12]])

--- Row 27 --- MATLAB: a(:,find(v>0.5)) -----
In [49]: a[:, v.T > 0.5]
Out[49]:
array([[0.81, 0.86, 0.94, 0.4 ],
       [0.88, 0.3 , 0.44, 0.28],
       [0.54, 0.82, 0.43, 0.86],
       [0.54, 0.58, 0.88, 0.21],
       [0.2 , 0.8 , 0.66, 0.12]])

--- Row 28 --- MATLAB: a(a<0.5)=0 -----
In [50]: a2 = a.copy(); a2[a2 < 0.5] = 0; a2
Out[50]:
array([[0.81, 0.86, 0.94, 0. , 0. ],
       [0.88, 0. , 0. , 0. , 0. ],

```

```

[0.54, 0.82, 0. , 0. , 0.86],
[0.54, 0.58, 0.88, 0.78, 0. ],
[0. , 0.8 , 0.66, 0. , 0. ]])

--- Row 29 --- MATLAB: a .* (a>0.5) -----
In [51]: a * (a > 0.5)
Out[51]:
array([[0.81, 0.86, 0.94, 0. , 0. ],
       [0.88, 0. , 0. , 0. , 0. ],
       [0.54, 0.82, 0. , 0. , 0.86],
       [0.54, 0.58, 0.88, 0.78, 0. ],
       [0. , 0.8 , 0.66, 0. , 0. ]])

--- Row 30 --- MATLAB: a(:) = 3 -----
In [52]: a2 = a.copy(); a2[:] = 3; a2
Out[52]:
array([[3., 3., 3., 3., 3.],
       [3., 3., 3., 3., 3.],
       [3., 3., 3., 3., 3.],
       [3., 3., 3., 3., 3.],
       [3., 3., 3., 3., 3.]])

--- Row 31 --- MATLAB: y=x -----
In [53]: y = x.copy(); y
Out[53]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12]])

--- Row 32 --- MATLAB: y=x(2,:) -----
In [54]: y = x[1, :].copy(); y
Out[54]: array([0.88, 0.3 , 0.44, 0.31, 0.28])

--- Row 33 --- MATLAB: y=x(:) -----
In [55]: y = x.flatten(); y
Out[55]:
array([0.81, 0.86, 0.94, 0.06, 0.4 , 0.88, 0.3 , 0.44, 0.31, 0.28, 0.54, 0.82, 0.43, 0.28, 0.86,
       0.54, 0.58, 0.88, 0.78, 0.21, 0.2 , 0.8 , 0.66, 0.28, 0.12])

--- Row 34 --- MATLAB: 1:10 -----
In [56]: np.arange(1, 11.)
Out[56]: array([ 1.,  2.,  3.,  4.,  5.,  6.,  7.,  8.,  9., 10.])

--- Row 35 --- MATLAB: 0:9 -----
In [57]: np.arange(10.)
Out[57]: array([0.,  1.,  2.,  3.,  4.,  5.,  6.,  7.,  8.,  9.])

--- Row 36 --- MATLAB: [1:10]' -----
In [58]: np.arange(1, 11.)[:, np.newaxis]
Out[58]:
array([[ 1.],
       [ 2.],
       [ 3.],
       [ 4.],
       [ 5.],
       [ 6.],
       [ 7.],
       [ 8.],
       [ 9.],
       [10.]])

--- Row 37 --- MATLAB: zeros(3,4) -----
In [59]: np.zeros((3, 4))
Out[59]:
array([[0., 0., 0., 0.],
       [0., 0., 0., 0.],
       [0., 0., 0., 0.]])

--- Row 38 --- MATLAB: zeros(3,4,5) -----
In [60]: np.zeros((3, 4, 5))
Out[60]:
array([[[0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.]],

       [[0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.]],

       [[0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.]])

```

```

        [0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0.]])

--- Row 39 --- MATLAB: ones(3,4) -----
In [61]: np.ones((3, 4))
Out[61]:
array([[1., 1., 1., 1.],
       [1., 1., 1., 1.],
       [1., 1., 1., 1.]])

--- Row 40 --- MATLAB: eye(3) -----
In [62]: np.eye(3)
Out[62]:
array([[1., 0., 0.],
       [0., 1., 0.],
       [0., 0., 1.]])

--- Row 41 --- MATLAB: diag(a) -----
In [63]: np.diag(a)
Out[63]: array([0.81, 0.3 , 0.43, 0.78, 0.12])

--- Row 42 --- MATLAB: diag(v,0) -----
In [64]: np.diag(v, 0)
Out[64]:
array([[0.66, 0. , 0. , 0. , 0. ],
       [0. , 0.89, 0. , 0. , 0. ],
       [0. , 0. , 0.71, 0. , 0. ],
       [0. , 0. , 0. , 0.42, 0. ],
       [0. , 0. , 0. , 0. , 0.78]])

--- Row 43 --- MATLAB: rng(42,'twister'); rand(3,4) -----
In [65]: rng = default_rng(42); rng.random((3, 4))
Out[65]:
array([[0.774 , 0.4389, 0.8586, 0.6974],
       [0.0942, 0.9756, 0.7611, 0.7861],
       [0.1281, 0.4504, 0.3708, 0.9268]])

--- Row 44 --- MATLAB: linspace(1,3,4) -----
In [66]: np.linspace(1, 3, 4)
Out[66]: array([1. , 1.6667, 2.3333, 3. ])

--- Row 45 --- MATLAB: [x,y]=meshgrid(0:8,0:5) -----
In [67]: np.mgrid[0:9., 0:6.]
Out[67]:
array([[0., 0., 0., 0., 0., 0.],
       [1., 1., 1., 1., 1., 1.],
       [2., 2., 2., 2., 2., 2.],
       [3., 3., 3., 3., 3., 3.],
       [4., 4., 4., 4., 4., 4.],
       [5., 5., 5., 5., 5., 5.],
       [6., 6., 6., 6., 6., 6.],
       [7., 7., 7., 7., 7., 7.],
       [8., 8., 8., 8., 8., 8.],

       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.],
       [0., 1., 2., 3., 4., 5.]])

--- Row 46 --- MATLAB: (eval on a grid) -----
In [68]: np.ogrid[0:9., 0:6.]
Out[68]:
(array([[0.],
       [1.],
       [2.],
       [3.],
       [4.],
       [5.],
       [6.],
       [7.],
       [8.]]),
 array([[0., 1., 2., 3., 4., 5.]])

--- Row 47 --- MATLAB: [x,y]=meshgrid([1,2,4],[2,4,5]) -----
In [69]: np.meshgrid([1, 2, 4], [2, 4, 5])
Out[69]:
(array([[1, 2, 4],
       [1, 2, 4],
       [1, 2, 4]]),
 array([[2, 2, 2],

```

```

[4, 4, 4],
[5, 5, 5]))

--- Row 48 --- MATLAB: (eval on a grid) -----
In [70]: np.ix_([1, 2, 4], [2, 4, 5])
Out[70]:
(array([[1],
       [2],
       [4]]),
 array([[2, 4, 5]]))

--- Row 49 --- MATLAB: repmat(a, m, n) -----
In [71]: np.tile(a, (m, n))
Out[71]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 , 0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28, 0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86, 0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21, 0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12, 0.2 , 0.8 , 0.66, 0.28, 0.12],
       [0.81, 0.86, 0.94, 0.06, 0.4 , 0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28, 0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86, 0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21, 0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12, 0.2 , 0.8 , 0.66, 0.28, 0.12]])

--- Row 50 --- MATLAB: [a b] -----
In [72]: np.hstack((a, b))
Out[72]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 , 0.41, 0.38, 0.82, 0.08, 0.35],
       [0.88, 0.3 , 0.44, 0.31, 0.28, 0.58, 0.25, 0.54, 0.19, 0.72],
       [0.54, 0.82, 0.43, 0.28, 0.86, 0.57, 0.09, 0.79, 0.43, 0.73],
       [0.54, 0.58, 0.88, 0.78, 0.21, 0.94, 0.58, 0.54, 0.66, 0.5 ],
       [0.2 , 0.8 , 0.66, 0.28, 0.12, 0.34, 0.41, 0.48, 0.97, 0.23]])

--- Row 51 --- MATLAB: [a; b] -----
In [73]: np.vstack((a, b))
Out[73]:
array([[0.81, 0.86, 0.94, 0.06, 0.4 ],
       [0.88, 0.3 , 0.44, 0.31, 0.28],
       [0.54, 0.82, 0.43, 0.28, 0.86],
       [0.54, 0.58, 0.88, 0.78, 0.21],
       [0.2 , 0.8 , 0.66, 0.28, 0.12],
       [0.41, 0.38, 0.82, 0.08, 0.35],
       [0.58, 0.25, 0.54, 0.19, 0.72],
       [0.57, 0.09, 0.79, 0.43, 0.73],
       [0.94, 0.58, 0.54, 0.66, 0.5 ],
       [0.34, 0.41, 0.48, 0.97, 0.23]])

--- Row 52 --- MATLAB: max(max(a)) -----
In [74]: a.max()
Out[74]: np.float64(0.94)

--- Row 53 --- MATLAB: max(a) -----
In [75]: a.max(0)
Out[75]: array([0.88, 0.86, 0.94, 0.78, 0.86])

--- Row 54 --- MATLAB: max(a, [], 2) -----
In [76]: a.max(1)
Out[76]: array([0.94, 0.88, 0.86, 0.88, 0.8 ])

--- Row 55 --- MATLAB: max(a,b) -----
In [77]: np.maximum(a, b)
Out[77]:
array([[0.81, 0.86, 0.94, 0.08, 0.4 ],
       [0.88, 0.3 , 0.54, 0.31, 0.72],
       [0.57, 0.82, 0.79, 0.43, 0.86],
       [0.94, 0.58, 0.88, 0.78, 0.5 ],
       [0.34, 0.8 , 0.66, 0.97, 0.23]])

--- Row 56 --- MATLAB: norm(v) -----
In [78]: np.linalg.norm(v)
Out[78]: np.float64(1.586379525838631)

--- Row 57 --- MATLAB: a & b -----
In [79]: np.logical_and(a, b)
Out[79]:
array([[ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True]])

--- Row 58 --- MATLAB: a | b -----
In [80]: np.logical_or(a, b)
Out[80]:

```

```

array([[ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True],
       [ True,  True,  True,  True,  True]])

--- Row 59 --- MATLAB: bitand(a,b) -----
In [81]: ai & bi
Out[81]:
array([[2, 2, 0, 0, 0],
       [0, 4, 6, 4, 6],
       [0, 4, 6, 0, 5],
       [2, 0, 0, 0, 4],
       [1, 2, 7, 0, 1]])

--- Row 60 --- MATLAB: bitor(a,b) -----
In [82]: ai | bi
Out[82]:
array([[2, 7, 7, 0, 3],
       [3, 5, 7, 7, 6],
       [1, 7, 6, 7, 7],
       [7, 0, 6, 4, 5],
       [7, 2, 7, 7, 7]])

--- Row 61 --- MATLAB: inv(a) -----
In [83]: linalg.inv(a)
Out[83]:
array([[ -0.5073,  2.2723, -0.3672, -1.0236,  0.8117],
       [ -1.5891,  1.7277,  0.1441, -1.8824,  3.5275],
       [ 2.6014, -2.7594, -0.4208,  2.0618, -2.8253],
       [ -1.6941,  0.7799,  0.2488,  0.7514,  0.7288],
       [ 1.0846, -1.9483,  1.3854,  1.162 , -2.6978]])

--- Row 62 --- MATLAB: pinv(a) -----
In [84]: linalg.pinv(a)
Out[84]:
array([[ -0.5073,  2.2723, -0.3672, -1.0236,  0.8117],
       [ -1.5891,  1.7277,  0.1441, -1.8824,  3.5275],
       [ 2.6014, -2.7594, -0.4208,  2.0618, -2.8253],
       [ -1.6941,  0.7799,  0.2488,  0.7514,  0.7288],
       [ 1.0846, -1.9483,  1.3854,  1.162 , -2.6978]])

--- Row 63 --- MATLAB: rank(a) -----
In [85]: np.linalg.matrix_rank(a)
Out[85]: np.int64(5)

--- Row 64 --- MATLAB: a\b -----
In [86]: linalg.solve(a, b)
Out[86]:
array([[ 0.2144,  0.0813,  0.3578,  0.345 ,  0.8653],
       [ -0.1375,  0.1955,  0.4204,  2.4424,  0.663 ],
       [ 0.2038,  0.2983,  0.0679, -1.8768, -1.0023],
       [ 0.8538,  0.3083, -0.0158,  1.3226,  0.6936],
       [ 0.2794, -0.3824,  0.2643, -1.5376, -0.0514]])

--- Row 65 --- MATLAB: b/a -----
In [87]: linalg.solve(a.T, b.T).T
Out[87]:
array([[ 1.5654, -1.2941,  0.0639,  1.0225, -1.5294],
       [ 1.1723, -0.9949,  0.6406,  1.0285, -1.9769],
       [ 1.6862, -1.8162,  0.5896,  2.0474, -3.1078],
       [ -0.5696,  1.1885,  0.3681,  0.1363,  0.4155],
       [ -0.9692,  0.4648,  0.2923,  0.866 ,  0.4526]])

--- Row 66 --- MATLAB: [U,S,V]=svd(a) -----
In [88]: U, S, Vh = linalg.svd(a); V = Vh.T; (U, S, V)
Out[88]:
(array([[ -0.5446, -0.1601, -0.0456, -0.7099,  0.4144],
       [ -0.3588, -0.0775,  0.764 , -0.0638, -0.5268],
       [ -0.4618, -0.6677, -0.2098,  0.5433,  0.0426],
       [ -0.4796,  0.6603,  0.1312,  0.4256,  0.3682],
       [ -0.3624,  0.2942, -0.5942, -0.1255, -0.6429]]),
 array([2.7835, 0.7063, 0.6235, 0.5049, 0.1221]),
 array([[ -0.4806, -0.2025,  0.7604, -0.2636, -0.2834],
       [ -0.5471, -0.1276, -0.6115, -0.0747, -0.5522],
       [ -0.5495,  0.4297, -0.118 , -0.3368,  0.6213],
       [ -0.269 ,  0.5335,  0.1785,  0.7656, -0.158 ],
       [ -0.3088, -0.6881, -0.0457,  0.4747,  0.4513]]))

--- Row 67 --- MATLAB: chol(a) -----
In [89]: linalg.cholesky(spd)
Out[89]:
array([[2.7282, 0.5553, 0.6992, 0.6943, 0.5627],
       [0. , 2.434 , 0.3491, 0.3909, 0.2113],
       [0. , 0. , 2.5211, 0.366 , 0.3023],

```

```

[0.      , 0.      , 0.      , 2.5072, 0.324 ],
[0.      , 0.      , 0.      , 0.      , 2.3771]])

--- Row 68 --- MATLAB: [V,D]=eig(a) -----
In [90]: D, V = linalg.eig(a); (D, V)
Out[90]:
(array([[ 2.652 +0.j      , -0.6227+0.j      , 0.5534+0.j      , -0.0713+0.2786j, -0.0713-0.2786j]],
array([[ 0.5051+0.j      , 0.3539+0.j      , -0.4778+0.j      , -0.1411-0.2991j, -0.1411+0.2991j],
[ 0.3841+0.j      , -0.384 +0.j      , -0.1696+0.j      , -0.5436+0.1455j, -0.5436-0.1455j],
[ 0.4611+0.j      , -0.485 +0.j      , 0.1419+0.j      , 0.5901+0.j      , 0.5901-0.j      ],
[ 0.5195+0.j      , 0.2275+0.j      , 0.8228+0.j      , -0.2182-0.0436j, -0.2182+0.0436j],
[ 0.3389+0.j      , 0.6636+0.j      , 0.2142+0.j      , 0.334 +0.2544j, 0.334 -0.2544j]])))

--- Row 69 --- MATLAB: [V,D]=eig(a,b) -----
In [91]: D, V = linalg.eig(a, b); (D, V)
Out[91]:
(array([-2.0252+0.j      , -1.3202+0.j      , 1.5696+0.j      , 0.4611+0.4215j, 0.4611-0.4215j]),
array([[ 0.0841+0.j      , -0.1273+0.j      , 0.0112+0.j      , 0.2637+0.1323j, 0.2637-0.1323j],
[-0.7583+0.j      , -0.7367+0.j      , -0.6623+0.j      , -0.3473+0.3557j, -0.3473-0.3557j],
[ 0.5327+0.j      , 0.6178+0.j      , -0.6383+0.j      , 0.0315-0.3647j, 0.0315+0.3647j],
[ 0.2088+0.j      , 0.2082+0.j      , -0.1113+0.j      , -0.1162+0.4314j, -0.1162-0.4314j],
[-0.301 +0.j      , -0.1263+0.j      , 0.3761+0.j      , 0.5258-0.236j , 0.5258+0.236j ]]))

--- Row 70 --- MATLAB: [V,D]=eigs(a,3) -----
In [92]: D, V = eigs(a, k=3); (D, V)
Out[92]:
(array([ 2.652 +0.j, 0.5534+0.j, -0.6227+0.j]),
array([[-0.5051+0.j, 0.4778+0.j, -0.3539+0.j],
[-0.3841+0.j, 0.1696+0.j, 0.384 +0.j],
[-0.4611+0.j, -0.1419+0.j, 0.485 +0.j],
[-0.5195+0.j, -0.8228+0.j, -0.2275+0.j],
[-0.3389+0.j, -0.2142+0.j, -0.6636+0.j]]))

--- Row 71 --- MATLAB: [Q,R]=qr(a,0) -----
In [93]: Q, R = linalg.qr(a); (Q, R)
Out[93]:
(array([[-0.5652, 0.1372, 0.1677, 0.7469, -0.2753],
[-0.6141, -0.5769, -0.1607, -0.1404, 0.4946],
[-0.3768, 0.3737, -0.6986, -0.3266, -0.3517],
[-0.3768, 0.0991, 0.6674, -0.5619, -0.295 ],
[-0.1396, 0.7063, 0.1122, -0.0081, 0.6848]]),
array([[-1.4331, -1.3095, -1.3872, -0.6628, -0.818 ],
[ 0.      , 0.8739, 0.5892, 0.2091, 0.3203],
[ 0.      , 0.      , 0.4479, 0.3166, -0.4251],
[ 0.      , 0.      , 0.      , -0.5307, -0.1404],
[ 0.      , 0.      , 0.      , 0.      , -0.2538]]))

--- Row 72 --- MATLAB: [L,U,P]=lu(a) -----
In [94]: P, L, U = linalg.lu(a); (P, L, U)
Out[94]:
(array([[0., 0., 0., 1., 0.],
[1., 0., 0., 0., 0.],
[0., 0., 1., 0., 0.],
[0., 0., 0., 0., 1.],
[0., 1., 0., 0., 0.]]),
array([[ 1.      , 0.      , 0.      , 0.      , 0.      ],
[ 0.2273, 1.      , 0.      , 0.      , 0.      ],
[ 0.6136, 0.8689, 1.      , 0.      , 0.      ],
[ 0.9205, 0.7978, -0.2701, 1.      , 0.      ],
[ 0.6136, 0.541 , -0.9401, -0.9333, 1.      ]]),
array([[ 0.88 , 0.3 , 0.44 , 0.31 , 0.28 ],
[ 0.      , 0.7318, 0.56 , 0.2095, 0.0564],
[ 0.      , 0.      , -0.3266, -0.0923, 0.6392],
[ 0.      , 0.      , 0.      , -0.4175, 0.27 ],
[ 0.      , 0.      , 0.      , 0.      , 0.8606]]))

--- Row 73 --- MATLAB: conjgrad -----
In [95]: cg(spd, v)
Out[95]: (array([ 0.0327, 0.1116, 0.0572, -0.001 , 0.0916]), 0)

--- Row 74 --- MATLAB: fft(a) -----
In [96]: np.fft.fft(a)
Out[96]:
array([[ 3.07 +0.j      , 0.3903-0.9547j, 0.0997+0.5665j, 0.0997-0.5665j, 0.3903+0.9547j],
[ 2.21 +0.j      , 0.4525-0.0954j, 0.6425+0.1119j, 0.6425-0.1119j, 0.4525+0.0954j],
[ 2.93 +0.j      , 0.4847-0.0501j, -0.5997+0.1662j, -0.5997-0.1662j, 0.4847+0.0501j],
[ 2.99 +0.j      , -0.5588-0.4107j, 0.4138-0.1224j, 0.4138+0.1224j, -0.5588+0.4107j],
[ 2.06 +0.j      , -0.2762-0.8701j, -0.2538-0.0383j, -0.2538+0.0383j, -0.2762+0.8701j]])

--- Row 75 --- MATLAB: ifft(a) -----
In [97]: np.fft.ifft(a)
Out[97]:
array([[ 0.614 +0.j      , 0.0781+0.1909j, 0.0199-0.1133j, 0.0199+0.1133j, 0.0781-0.1909j],
[ 0.442 +0.j      , 0.0905+0.0191j, 0.1285-0.0224j, 0.1285+0.0224j, 0.0905-0.0191j],
[ 0.586 +0.j      , 0.0969+0.01j , -0.1199-0.0332j, -0.1199+0.0332j, 0.0969-0.01j ],
[ 0.586 +0.j      , 0.0969+0.01j , -0.1199-0.0332j, -0.1199+0.0332j, 0.0969-0.01j ],
[ 0.614 +0.j      , 0.0781+0.1909j, 0.0199-0.1133j, 0.0199+0.1133j, 0.0781-0.1909j]])

```

```

[ 0.598 +0.j      , -0.1118+0.0821j,  0.0828+0.0245j,  0.0828-0.0245j, -0.1118-0.0821j],
[ 0.412 +0.j      , -0.0552+0.174j , -0.0508+0.0077j, -0.0508-0.0077j, -0.0552-0.174j ]])

--- Row 76 --- MATLAB: sort(a) -----
In [98]: np.sort(a)
Out[98]:
array([[0.06, 0.4 , 0.81, 0.86, 0.94],
       [0.28, 0.3 , 0.31, 0.44, 0.88],
       [0.28, 0.43, 0.54, 0.82, 0.86],
       [0.21, 0.54, 0.58, 0.78, 0.88],
       [0.12, 0.2 , 0.28, 0.66, 0.8 ]])

--- Row 77 --- MATLAB: sort(a, 2) -----
In [99]: np.sort(a, axis=1)
Out[99]:
array([[0.06, 0.4 , 0.81, 0.86, 0.94],
       [0.28, 0.3 , 0.31, 0.44, 0.88],
       [0.28, 0.43, 0.54, 0.82, 0.86],
       [0.21, 0.54, 0.58, 0.78, 0.88],
       [0.12, 0.2 , 0.28, 0.66, 0.8 ]])

--- Row 78 --- MATLAB: [b,I]=sortrows(a,1) -----
In [100]: I = np.argsort(a[:, 0]); (I, a[I, :])
Out[100]:
(array([4, 2, 3, 0, 1]),
 array([[0.2 , 0.8 , 0.66, 0.28, 0.12],
        [0.54, 0.82, 0.43, 0.28, 0.86],
        [0.54, 0.58, 0.88, 0.78, 0.21],
        [0.81, 0.86, 0.94, 0.06, 0.4 ],
        [0.88, 0.3 , 0.44, 0.31, 0.28]]))

--- Row 79 --- MATLAB: x = Z\y -----
In [101]: Z = a; y = v; linalg.lstsq(Z, y)
Out[101]:
(array([ 1.63 ,  2.552 , -2.3754,  0.6368, -1.6508]),
 array([], dtype=float64),
 np.int64(5),
 array([2.7835, 0.7063, 0.6235, 0.5049, 0.1221]))

--- Row 80 --- MATLAB: decimate(x, q) -----
In [102]: signal.resample(sig, int(np.ceil(len(sig)/q)))
Out[102]: array([0.5243, 0.6842, 0.1882, 0.8574, 0.2725, 0.6435])

--- Row 81 --- MATLAB: unique(a) -----
In [103]: np.unique(a)
Out[103]:
array([0.06, 0.12, 0.2 , 0.21, 0.28, 0.3 , 0.31, 0.4 , 0.43, 0.44, 0.54, 0.58, 0.66, 0.78, 0.8 ,
       0.81, 0.82, 0.86, 0.88, 0.94])

--- Row 82 --- MATLAB: squeeze(a) -----
In [104]: np.zeros((1, 3, 1, 4)).squeeze().shape
Out[104]: (3, 4)


--- All 82 rows executed, 104 cells total -----

```

3 Plotting — the given script


```
import matplotlib.pyplot as plt
plt.plot([1,2,3,4], [1,2,7,14])
plt.axis([0, 6, 0, 20])
plt.show()
```

Run verbatim in IPython. To capture it, the script was run under the Agg backend with a trailing `plt.savefig;` under Agg, `plt.show()` warns that it cannot display interactively, which does not affect the figure.



4 Plotting — a figure of my own

The three classical activation functions against their derivatives. The right panel is the point: sigmoid's derivative peaks at 0.25 and decays to zero in both tails, so a product of many such factors vanishes with depth, while ReLU's is exactly 1 on the positive half-line.



```
"""
ELEC 576 / COMP 576 - Assignment 0, Task 4
A figure of my own: three activation functions and their derivatives.
```

```
The right-hand panel is the point of the figure - sigmoid's gradient peaks at
0.25 and decays to zero in both tails, which is the vanishing-gradient problem
that motivates ReLU in deep networks.
"""
```

```

import matplotlib
matplotlib.use("Agg")
import numpy as np
import matplotlib.pyplot as plt

SURFACE = "#fcfcfb"
INK      = "#0b0b0b"
MUTED    = "#52514e"
GRID     = "#e4e3df"
SERIES   = ["#2a78d6", "#eb6834", "#1baf7a"]      # blue, orange, aqua

x = np.linspace(-6, 6, 600)

sigmoid = 1 / (1 + np.exp(-x))
tanh     = np.tanh(x)
relu     = np.maximum(0, x)

d_sigmoid = sigmoid * (1 - sigmoid)
d_tanh    = 1 - tanh**2
d_relu    = (x > 0).astype(float)

names = ["Sigmoid", "Tanh", "ReLU"]
funcs = [sigmoid, tanh, relu]
derivs = [d_sigmoid, d_tanh, d_relu]

fig, axes = plt.subplots(1, 2, figsize=(10, 4.2), facecolor=SURFACE)
fig.subplots_adjust(wspace=0.22)

for ax, ys, title, ylim in [
    (axes[0], funcs, "Activation  $f(x)$ ", (-1.4, 3.2)),
    (axes[1], derivs, "Derivative  $f'(\prime)(x)$ ", (-0.1, 1.15)),
]:
    ax.set_facecolor(SURFACE)
    ax.grid(True, color=GRID, linewidth=0.8, zorder=0)
    ax.set_axisbelow(True)
    ax.axhline(0, color=MUTED, linewidth=0.8, alpha=0.6, zorder=1)
    ax.axvline(0, color=MUTED, linewidth=0.8, alpha=0.6, zorder=1)
    for y, colour, name in zip(ys, SERIES, names):
        ax.plot(x, y, color=colour, linewidth=2.0, label=name, zorder=3)
    ax.set_ylim(*ylim)
    ax.set_xlim(-6, 6)
    ax.set_title(title, color=INK, fontsize=12, pad=10)
    ax.set_xlabel("$x$", color=MUTED, fontsize=11)
    ax.tick_params(colors=MUTED, labels=9)
    for spine in ("top", "right"):
        ax.spines[spine].set_visible(False)
    for spine in ("left", "bottom"):
        ax.spines[spine].set_color(GRID)

# direct labels, placed where the curves are furthest apart
axes[0].annotate("ReLU", xy=(2.6, 2.6), color=SERIES[2], fontsize=10, weight="bold")
axes[0].annotate("Tanh", xy=(3.2, 1.12), color=SERIES[1], fontsize=10, weight="bold")
axes[0].annotate("Sigmoid", xy=(1.9, 0.30), color=SERIES[0], fontsize=10, weight="bold")

axes[1].annotate("max 0.25", xy=(0, 0.25), xytext=(1.5, 0.45),
    color=MUTED, fontsize=9,
    arrowprops=dict(arrowstyle="->", color=MUTED, linewidth=0.9))

handles, labels = axes[0].get_legend_handles_labels()
fig.legend(handles, labels, loc="lower center", ncol=3, frameon=False,
    fontsize=10, labelcolor=MUTED, bbox_to_anchor=(0.5, -0.04))

fig.suptitle("Why deep networks moved from sigmoid to ReLU",
    color=INK, fontsize=13.5, weight="bold", y=1.0)

fig.savefig("figures/task4.png", dpi=200, bbox_inches="tight", facecolor=SURFACE)
print("saved figures/task4.png")

```

5 Version Control — GitHub account

limerenceaid -> <https://github.com/limerenceaid>

6 IDE project, pushed to GitHub

Created as a Python project against the Anaconda interpreter from Task 1, committed with git and pushed as a public repository. This assignment is the Assignment0/ folder.

<https://github.com/limerenceaid/ELEC576>