


Presentation Title

Gang Li
Deakin University

2018-12-28





Overview

[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

First section

Itemize Pause

Overlay

Codings

Citations

Two Columns

Misc



First section

Some slide
Content

Itemize Pause

Overlay

Codings

Citations

Two Columns

Misc

First section



Overview of the first section

First section
Some slide
Content
Itemize Pause
Overlay
Codings
Citations
Two Columns
Misc

First section

Some slide

Content

Itemize Pause

Pause longer

Multiple pauses

Type 1 itemize

Type 1 enumerate

Nested lists

Overlay

Active itemize

Simple onslide

Simple onslide+

Simple onslide*

Lists

Relative overlays

Slide 2

Slide 3

Codings

Slide 2

Slide 3

Hello World in C

Citations

One

References





Some slide

- First section
- Some slide**
- Content
- Itemize Pause
- Overlay
- Codings
- Citations
- Two Columns
- Misc



First section
Some slide
Content
Itemize Pause
Overlay
Codings
Citations
Two Columns
Misc

■ Introduction



Content

First section
Some slide
Content
Itemize Pause
Overlay
Codings
Citations
Two Columns
Misc

- Introduction
- Background
- Method



Content

First section
Some slide
Content
Itemize Pause
Overlay
Codings
Citations
Two Columns
Misc

- Introduction
- Background
- Method
 - ◆ Algorithm
 - ◆ Proof
- Experiment
- Conclusions



- First section
- Itemize Pause**
- Pause longer
- Multiple pauses
- Type 1 itemize
- Type 1 enumerate
- Nested lists
- Overlay
- Codings
- Citations
- Two Columns
- Misc

Itemize Pause



Pause longer

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

■ A



Pause longer

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- A
- B





Pause longer

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- A
- B





Pause longer

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- A
- B
- C





Multiple pauses

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

power



Multiple pauses

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)**
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

powerdot





Multiple pauses

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

powerdot

- Let me pause...



Multiple pauses

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

powerdot

- Let me pause...
- ... while I talk



Multiple pauses

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

powerdot

- Let me pause...
- ... while I talk and chew bubble gum.



Multiple pauses

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

powerdot

- Let me pause...
- ... while I talk and chew bubble gum.
- Perhaps you'll be persuaded.
- Perhaps not.



Type 1 itemize

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

- A
- B
- C



Type 1 itemize

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

- A
- B
- C



Type 1 itemize

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

- A
- B
- C



Type 1 enumerate

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

1. A
2. B
3. C



Type 1 enumerate

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)**
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

1. A
2. B
3. C



Type 1 enumerate

- [First section](#)
- [Itemize Pause](#)
- [Pause longer](#)
- [Multiple pauses](#)
- [Type 1 itemize](#)
- [Type 1 enumerate](#)
- [Nested lists](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

1. A
2. B
3. C



Nested lists

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

- A
 - ◆ B



Nested lists

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

- A
 - ◆ B



Nested lists

First section
Itemize Pause
Pause longer
Multiple pauses
Type 1 itemize
Type 1 enumerate
Nested lists
Overlay
Codings
Citations
Two Columns
Misc

- A
 - ◆ B
- C



[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

Overlay



Active itemize

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

- A
- B
- C



Active itemize

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

- A
- B
- C





Active itemize

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

- A
- B
- C



Simple onslide

power

- First section
- Itemize Pause
- Overlay
- Active itemize
- Simple onslide
- Simple onslide+
- Simple onslide*
- Lists
- Relative overlays
- Slide 2
- Slide 3
- Codings
- Citations
- Two Columns
- Misc



Simple onslide

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

powerdot



Simple onslide+

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

onslide : power
onslide+: powerdot



Simple onslide+

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

onslide : dot
onslide+: powerdot



Simple onslide*

[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

onslide : power
onslide+: powerdot
onslide*: power



Simple onslide*

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

onslide : dot
onslide+: powerdot
onslide*: dot



[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

on every overlay before and including overlay 5

on every overlay except overlays 4 and 8



Lists

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

on every overlay before and including overlay 5

on overlays 2 through 5, inclusive
on every overlay except overlays 4 and 8



Lists

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

on every overlay before and including overlay 5

on overlays 2 through 5, inclusive
on every overlay except overlays 4 and 8



Lists

[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

on every overlay before and including overlay 5

on overlays 2 through 5, inclusive



Lists

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
 - [Active itemize](#)
 - [Simple onslide](#)
 - [Simple onslide+](#)
 - [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

on every overlay before and including overlay 5
on every overlay after and including overlay 5
on overlays 2 through 5, inclusive
on every overlay except overlays 4 and 8



[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

on every overlay after and including overlay 5

on every overlay except overlays 4 and 8



[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

on every overlay after and including overlay 5

on every overlay except overlays 4 and 8



- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)**
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

on every overlay after and including overlay 5



- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)**
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

on every overlay after and including overlay 5

on every overlay except overlays 4 and 8



Lists

[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

on overlay 10 only

on every overlay after and including overlay 5

on every overlay except overlays 4 and 8



Relative overlays

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)


■ A



Relative overlays

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- A
- B





Relative overlays

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- A
- B (visible 1 overlay after B)
- C



Relative overlays

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- A
- B
- C
- D



Relative overlays

- First section
- Itemize Pause
- Overlay
 - Active itemize
 - Simple onslide
 - Simple onslide+
 - Simple onslide*
 - Lists
 - Relative overlays
 - Slide 2
 - Slide 3
- Codings
- Citations
- Two Columns
- Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D (appears 1 overlay after D, visible until overlay 6)
- E



Relative overlays

- First section
- Itemize Pause
- Overlay
 - Active itemize
 - Simple onslide
 - Simple onslide+
 - Simple onslide*
 - Lists
 - Relative overlays
 - Slide 2
 - Slide 3
- Codings
- Citations
- Two Columns
- Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D (appears 1 overlay after D, visible until overlay 6)
- E
- F



Relative overlays

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D
- E
- F
- G



Relative overlays

- First section
- Itemize Pause
- Overlay
 - Active itemize
 - Simple onslide
 - Simple onslide+
 - Simple onslide*
 - Lists
 - Relative overlays
 - Slide 2
 - Slide 3
- Codings
- Citations
- Two Columns
- Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D
- E
- F
- G (appears 1 overlay after G for 3 overlays)
- H



Relative overlays

- First section
- Itemize Pause
- Overlay
 - Active itemize
 - Simple onslide
 - Simple onslide+
 - Simple onslide*
 - Lists
 - Relative overlays
 - Slide 2
 - Slide 3
- Codings
- Citations
- Two Columns
- Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D
- E
- F
- G (appears 1 overlay after G for 3 overlays)
- H
- I



Relative overlays

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D
- E
- F
- G (appears 1 overlay after G for 3 overlays)
- H
- I
- J



Relative overlays

First section
Itemize Pause
Overlay
Active itemize
Simple onslide
Simple onslide+
Simple onslide*
Lists
Relative overlays
Slide 2
Slide 3
Codings
Citations
Two Columns
Misc

- A
- B
- C (appears 2 overlays after C, visible until the end)
- D
- E
- F
- G
- H
- I
- J
- K



Slide 2

[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Active itemize](#)

[Simple onslide](#)

[Simple onslide+](#)

[Simple onslide*](#)

[Lists](#)

[Relative overlays](#)

[Slide 2](#)

[Slide 3](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)

■ Here



Slide 2

First section

Itemize Pause

Overlay

Active itemize

Simple onslide

Simple onslide+

Simple onslide*

Lists

Relative overlays

Slide 2

Slide 3

Codings

Citations

Two Columns

Misc

■ Here

◆ we





Slide 2

First section

Itemize Pause

Overlay

Active itemize

Simple onslide

Simple onslide+

Simple onslide*

Lists

Relative overlays

Slide 2

Slide 3

Codings

Citations

Two Columns

Misc

- Here
 - ◆ we
 - demonstrate



Slide 2

First section

Itemize Pause

Overlay

Active itemize

Simple onslide

Simple onslide+

Simple onslide*

Lists

Relative overlays

Slide 2

Slide 3

Codings

Citations

Two Columns

Misc

- Here
 - ◆ we
 - demonstrate
 - ◆ the itemize environment



Slide 3

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- 1. Here
 - (a) we
 - i. demonstrate
 - A. the enumerate environment



Slide 3

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- 1. Here
 - (a) we
 - i. demonstrate
 - A. the enumerate environment



Slide 3

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- 1. Here
 - (a) we
 - i. demonstrate
 - A. the enumerate environment



Slide 3

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Active itemize](#)
- [Simple onslide](#)
- [Simple onslide+](#)
- [Simple onslide*](#)
- [Lists](#)
- [Relative overlays](#)
- [Slide 2](#)
- [Slide 3](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

- 1. Here
 - (a) we
 - i. demonstrate
 - A. the enumerate environment



- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)**
- [Slide 2](#)
- [Slide 3](#)
- [Hello World in C](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

Codings



Slide 2

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Slide 2](#)**
- [Slide 3](#)
- [Hello World in C](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

Steps 1 and 2:

```
compute a;  
compute b;
```



Slide 3

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Slide 2](#)
- [Slide 3](#)**
- [Hello World in C](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

Steps 1 and 2:

```
compute a;
```



Slide 3

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Slide 2](#)
- [Slide 3](#)**
- [Hello World in C](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

Steps 1 and 2:

```
compute a;  
compute b;
```




Hello World in C

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Slide 2](#)
- [Slide 3](#)
- [Hello World in C](#)**
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

```
#include <stdio.h>

int main(int c, char **v) {
    fprintf(stdout, "Hello, \uworld!\n");
    return 0;
}
```



- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Cite](#)
- [References](#)
- [Two Columns](#)
- [Misc](#)

Citations



First section
Itemize Pause
Overlay
Codings
Citations
Cite
References
Two Columns
Misc

[1]



References

First section
Itemize Pause
Overlay
Codings
Citations
Cite
References
Two Columns
Misc

[1] Article of someone.



- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)**
- [Two columns](#)
- [Two Columns](#)
- [Misc](#)

Two Columns



Two columns

- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Two columns](#)
- [Two Columns](#)
- [Misc](#)

Here are two columns.

left

right

Another two columns:

left

right

Those were two columns.



Two Columns


- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Two columns](#)
- [Two Columns](#)
- [Misc](#)

```
#include <stdio.h>

int main(int c, char **v) {
    fprintf(stdout, "Hello, \uworld!\n");
    return 0;
}
```

Another two columns:


- A
- B
- C





- [First section](#)
- [Itemize Pause](#)
- [Overlay](#)
- [Codings](#)
- [Citations](#)
- [Two Columns](#)
- [Misc](#)

Misc





$\text{\LaTeX}, i^2 = -1$

[First section](#)

[Itemize Pause](#)

[Overlay](#)

[Codings](#)

[Citations](#)

[Two Columns](#)

[Misc](#)



My slide contents.



Contact Information

Associate Professor *Gang Li*
School of Information Technology
Deakin University, Geelong, Australia

Email GANGLI@ACM.ORG

Lab TEAM FOR UNIVERSAL LEARNING AND INTELLIGENT PROCESSING

