

logos/tulip-logo.eps

pdfmark=/PUT,Raw={ThisPage} // Trans (N/Se/Replacement) Example Presentation Title

Gang Li Deakin University

(None)

adfinark=/PUffaRawateThisRage)@Tragnsne)@JatendeneneOwerview

adfinark=/PUIIARawareThisPage)@Theamsne/Appropriested Ection

adfinark=/PUILRawn (This Page) (Maranson) (Stoff and construction of the first section logos/tulip.eps

adfinark=/PUILarametThisPage)@Theamsne)&Jacoman Some slide

adfinark=/PUIIARawarfThisRage)«Marans»«Suffades»«Marans» (Suffades»» (Suffades»» (Suffades»» (Suffades»» (Suffades»» (Suffades») (Suffades»» (Suffades») (Suffades

logos/tulip.eps

Background

Method

◆ Algorithm

◆ Proof

Experiment

Conclusions

adfinark=/PUILanderfThisPage)@Transne/SofEnderment Introduction

logos/tulip.eps

BackgroundMethod

◆ Algorithm

◆ Proof

Experiment

Conclusions

adfinark=/PUILanderfThisPage)@Transne/SofEnderment Introduction

logos/tulip.eps

BackgroundMethod

- ◆ Algorithm
- Proof
- Experiment
- Conclusions

adfinark=/PUILarum (This Page) (Marans 16) In Endize Pause

adfinark=/PUffRawage)@frage)@frages@f

adfinark=/PUffarawateThisRoge)@Traction®/&Fades: Pause longer

logos/tulip.eps

C

adfinark=/PUffarawateThisRoge)@Traction®/&Fades: Pause longer

logos/tulip.eps

C

adfinark=/PUffarameteThisRorge)@Transne)&deades:::: Pause longer

logos/tulip.eps

■ B

 $\blacksquare$  C

logos/tulip.eps

Let me pause...

... while I talk and chew bubble gum.

Perhaps you'll be persuaded.

logos/tulip.eps

Let me pause...

... while I talk and chew bubble gum.

Perhaps you'll be persuaded.

logos/tulip.eps

Let me pause...... while I talk and chew bubble gum.

Perhaps you'll be persuaded.

logos/tulip.eps

Let me pause...

... while I talk and chew bubble gum.

Perhaps you'll be persuaded.

logos/tulip.eps

Let me pause...

... while I talk and chew bubble gum.

Perhaps you'll be persuaded.

logos/tulip.eps

Let me pause...

... while I talk and chew bubble gum.

Perhaps you'll be persuaded.

adfinark=/PUT-Rawge (This Bage) wherense ( (Sof Fadeo wir Type 1 itemize

logos/tulip.eps

C

adfinark=/PUTARawg (This Bage) (As A Fredres & A I itemize

logos/tulip.eps

C

logos/tulip.eps

■ B
■ C

adfinark=/PULKRaws (This Bage) wherense (Shade was Type 1 enumerate

logos/tulip.eps

B
 C

logos/tulip.eps

| Chistege | Chi

logos/tulip.eps

| ChisPage| |

adfinark=/PUIsRawge(ThisBage)w/Iranse (S./Fædæmm Nested lists

logos/tulip.eps

**♦** B

 $\blacksquare$  C

adfinark=/PUIsRawge(ThisBage)w/IFranse\*(/S/Fader-war Nested lists

logos/tulip.eps

**♦** B

 $\blacksquare$  C

adfinark=/PUIsRawge(ThisBage)w/IFranse\*(/S/Fader-war Nested lists

logos/tulip.eps

**♦** B

**■** C

adfinark=/PUIstRawgetThistBagetwoTerensex(Suffree Play

adfinark=/PUTARawge(ThisBage) of Transe (Soft) and the Active itemize

logos/tulip.eps

B
C

adfinark=/PUIstRaws (This Bage) wherense (Shis adam Active itemize

logos/tulip.eps

■ B
■ C

adfinark=/PUI-Rawe (This Bage) Wherense (Shi Bade wa Active itemize

logos/tulip.eps

adfinark=/PUTsRawgetThisBagetwateransexusalesansexussimple onslide powerdot

adfinark=/PUT-Rawge (This Bage) wherense (Shi Fades was Simple onslide powerdot

adfinark=/PUT-Raws-(This Bage) (Soft admin Simple onslide+ onslide: powerdot logos/tulip.eps adfinark=/PUT-Raws-(This Bage) (Soft admin Simple onslide+ onslide: powerdot logos/tulip.eps adfinark=/PUT-Rawg (This Bage) (As A rease) (As A red was Simple onslide\* onslide : powerdot onslide+: powerdot

onslide\*: power

adfinark=/PUIsRawge(ThisBage)w/Igranse\*(/Sulfader: \*\*Simple onslide\* onslide : powerdot logos/tulip.eps

onslide+: powerdot onslide\*: dot

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

logos/tulip.eps

## Ingos/tulip.eps B (visible 1 overlay after B) C (appears 2 overlays after C, visible until the end) D (appears 1 overlay after D, visible until overlay 6) E F G (appears 1 overlay after G for 3 overlays) H I J K

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)

■ D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)

■ D (appears 1 overlay after D, visible until overlay 6)

E

 $\mathbf{F}$ 

■ G (appears 1 overlay after G for 3 overlays)

H

I

 $\blacksquare$  K

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)
 D (appears 1 overlay after D, visible until overlay 6)

■ G (appears 1 overlay after G for 3 overlays)

logos/tulip.eps

■ B (visible 1 overlay after B)

C (appears 2 overlays after C, visible until the end)

■ D (appears 1 overlay after D, visible until overlay 6)

 $\blacksquare$ 

lacksquare

■ G (appears 1 overlay after G for 3 overlays)

H

• I

■ K

adfmark=/PUIstRawge(ThistBage)wolfranse»((Sulfadamar Slide 2 Here

logos/tulip.eps

• we

- demonstrate
- the itemize environment

adfinark=/PUIstRawgefishistBagetwolfransex(Suffradaman Slige 2
Here

logos/tulip.eps

• we

- demonstrate
  - the itemize environment

adfmark=/PUIstRaws (This Bage water ansex (Sal Fred and Saligle 2)

- we
  - demonstrate
  - the itemize environment

adfmark=/PUIstRaws (This Bage water ansex (Sal Fred and Saligle 2)

- we
  - demonstrate
  - the itemize environment

adfmark=/PUIstRaws (This Bage) (Istranse) (Istranse) (Istranse) (Istranse)

logos/tulip.eps

(a) we

i. demonstrate

adfmark=/PUIstRawge(ThistBage)w/Teranse\*(/SdFædæm: Slide 3

logos/tulip.eps

(a) we

i. demonstrate

adfinark=/PUIstRawge(ThisiBage)volerense»((Sulfadamin Slide 3

logos/tulip.eps

(a) we

i. demonstrate

adfmark=/PUIstRawetthisBagetwheranse\*(AShFædæn: Slide 3

logos/tulip.eps

(a) we

i. demonstrate

adfinark=/PUIstRawgetEhistBagetw/Teransex(Sulf Contings

adfmark=/PUIstRawge(ThistBage)w/Teranse/(15/15/16)adaman Stigle 2
Steps 1 and 2:

logos/tulip.eps

compute a;
compute b;

adfmark=/PUIstRawge(ThistBage)w/Teranse/(15/15/16)adaman Stigle 3
Steps 1 and 2:

logos/tulip.eps

compute a;
compute b;

adfmark=/PUIstRawge(ThistBage)w/Teranse/(15/15/16)adaman Stigle 3
Steps 1 and 2:

logos/tulip.eps

compute a;
compute b;

## 

```
#include <stdio.h>
int main(int c, char **v) {
  fprintf(stdout, "Hello, world!\n");
  return 0;
}
```

adfinark=/PUIstRawgetChistBagetwheransex(Sulfaterations)

adfmark=/PUIstRawgetThisBagetwlTeranse\*(/SdFædærææ Exitoe

adfmark=/PUIstRaws (This Bage) (Istanse) (Ista

adfinark=/PUIsRawge(ThisBage)w/Ieranse»(III-Wada Cottunns

ndfmark=/PUIstRawgetChistBagetwateranse\*(ASaBedanase Tawo columns Here are two columns.

logos/tulip.eps

hight

Another two columns:

Those were two columns.

adfinark=/PUT:Rawe (This Bage) war ansex (Salbadan Reference Columns

logos/tulip.eps

```
#include <stdio.h>
int main(int c, char **v) {
 fprintf(stdout, "Hello, \sqcup world! \backslash n");
 return 0;
```

Another two columns: logos/tulip-logo-eps-converted-to.pdf

- $\blacksquare$  C

adfinark=/PUTstRawgetThisBagetwoTeransex(Sufraday) Econple



adfinark=/PUIsRawgetThisBagetwherense\*(kShiradawa: kIng.  $i^2 = -1$  My slide contents.

logos/tulip-logo.eps

adfinark=/PUI:Rawe-(ThisBage) wiTeranse (S. I. Bades we Constact Information

logos/tulip.eps

Associate Professor *Gang Li*School of Information Technology
Deakin University, Geelong, Australia

Email GANGLI@ACM.ORG

Lab Team for Universal Learning and Intelligent Processing