

Title

Size	Number	Revision
A1		

Date: 2019/12/25
Sheet of
File: D:\AD16\..\GKC2A_fy_sch.SchDoc
Drawn By:


P_GND
7V-12V DC Input
+5V DC Output
P1
U1
u↑ 选择香蕉插头作为电源输入
d↓ 选择MiniUSB作为电源输入
J1
C2
C4
C8
P2
S1
F1
C6
C7
C1
R3 R2 R1
U2
+5V DC Input
TM4C1294
排针组一
排针组二
排针组三
排针组四
VDD VCC
PE4 GND
PC4 PE0
PC5 PE1
PC6 PE2
PE5 PE3
PD3 PD7
PC7 PA6
PB2 PM4
PB3 PM5
PF1 GND
PF2 PM3
PF3 PH2
PG0 PH3
PL4 RST
PL5 PD1
PL0 PD0
PL1 PN2
PL2 PN3
PL3 PP2
VDD VCC
PD2 GND
PP0 PB4
PP1 PB5
JP4 PK0
JP5 PK1
PQ0 PK2
PP4 PK3
PN5 PA4
PN4 PA5
PG1 GND
PK4 PM7
PK5 PP5
PM0 PA7
PM1 RST
PM2 PA3
PH0 PA2
PH1 PP3
PK6 PQ1
PK7 PM6
1 2
19 20
C15
L1
C11
C9
U3
C10
LED8 LED7 LED6 LED5 LED4 LED3 LED2 LED1
D12 D11 D10
SW1 SW2 SW3
SW4 SW5 SW6
SW7 SW8 SW9
+5V
-5V
GND
扩展板A
扩展板B
P_GND1
Buzzer_passive
Buzzer_active
P_GND

SHANGHAI JIAO TONG UNIVERSITY
1896

Comment	Description	Designator	Footprint	LibRef	Quantity
	4 Pin Header	A, B	SYB	4 HEADER	2
Buzzer_active	Buzzer	B1	Buzzer	Buzzer	1
Buzzer_passive	Buzzer	B2	Buzzer	Buzzer	1
Cap Pol3	Polarized Capacitor (Surface Mount)	C1, C4, C5, C7, C8, C9, C10, C11, C12, C13, C14, C15	C0805	Cap Pol3	12
Cap Pol3	Polarized Capacitor (Surface Mount)	C2, C3, C6	1812	Cap Pol3	3
	Schottky Diode	D1	1812	DIODE SCHOTTKY	1
Diode	Default Diode	D10, D11, D12	1206	Diode	3
fuse	fuse	F1	1812	fuse	1
Mini USB 2.0 Type B Receptacle	Mini USB 2.0 Type B, Receptacle, Horizontal, SMT	J1	65100516121	65100516121	1
4LED_ANODE	4LED_ANODE	L1, L2	4LED_ANODE	4LED_ANODE	2
LED2	Typical RED, GREEN, YELLOW, AMBER GaAs LED	LED1, LED2, LED3, LED4, LED5, LED6, LED7, LED8	1206	LED2	8
USB		P1	USB	USB	1
AMS1117-5V		P2	SOT223	AMS1117-3.3	1
BANANA	BANANA	P_5V, P_GND, P_GND1	BANANA	BANANA	3
Header 5	Header, 5-Pin	P_GND	HDR1X5	Header 5	1
Res3	Resistor	R1, R2, R3, R4, R5	C0805	Res3	5
Switch3x1	Switch3x1	S1	Swicth3x1	Switch3x1	1
		SW1, SW2, SW3, SW4, SW5, SW6, SW7, SW8, SW9	SW-PB	SW-PB	9
TM4C1294	TM4C1294	U1	TM4C1294_pcb	TM4C1294	1
TM1638	TM1638	U2	SOL-28_N	TM1638	1
TPS60400_DBV_5	Imported	U3	DBV5	TPS60400_DBV_5	1