

Essentials of Inventory Management, Second Edition

by Max Muller

AMACOM. (c) 2011. Copying Prohibited.

Reprinted for YI LIN, CVS Caremark

yi.lin@cvscaremark.com

Reprinted with permission as a subscription benefit of **Books24x7**,
http://www.books24x7.com/

All rights reserved. Reproduction and/or distribution in whole or in part in electronic,paper or other forms without written permission is prohibited.

Index

A

A-B-C analysis cycle counting method, 197—208
and determining count frequency, 205—206
and determining how many items to count, 206
and Pareto's Law, 198, 199, 201—202
problems with using single criterion in, 198—199
and responsibility for counting, 208
step-by-step implementation of, 199—205
and timing of counts, 206—208
value in, 198
A-B-C categorization (of SKUs), 70—76
accessibility, space utilization vs., 52
accuracy, measuring, 157—158, 178
acquisition (ordering) costs, 2, 4
active RFID tags, 114
allocation, 211*n*.3
alphabetic identification systems, 85
alpha-numeric identification systems, 85
American Production and Inventory Control Society (APICS), 145
animal tracking, using RFID for, 117
annual inventories, 158, 186—187
anticipation stock, 6
anticollision protocol (RFID systems), 121
APICS (American Production and Inventory Control Society), 145
ASCII characters, 102—103
assets, 19, 22, 25
on balance sheet, 24
current, 22, 26
asset tracking, using RFID for, 116
Auto-ID Center, 118
automatic identification (Auto ID), 93—122
alternative methods of, 94, 95
definition of, 93
via bar coding, 94—113
via RFID, 113—121
automotive industry, 103—104
average cost method, 19, 24

Index

B

Backflushing, 112—113, 141, 174, 175, 211*n*.1
balance sheet, inventory on, 19, 22, 24, 38—39
bar code menu cards, 109, 110
bar code scan boards, 109, 110
bar code scanners, 89, 97, 104—105, 115

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

bar coding (bar code systems), 94—113
advantages of using, 94
alternatives to, 94, 95
applications of, 106—113
components of, 94
elements of, 94, 96—98
includable information in, 106—109
linear, 93, 96
printing of, 105, 108
RFID vs., 116, 117, 119
symbologies for, 98—104
batch systems, 166—167, 169, 174
behavioral obstacles to supply-chain coordination, 235
bill of materials (BOM), 141, 179
bin systems, 132—135
book value, 38
breakeven point, 34
buffer (safety) inventory, 6, 7
bulk storage, location addressing systems for, 85—88
bullwhip effect, 222—224, 231
buyback contracts, 236—237
buying vs. making, 225

Index

C

Card file tracking systems, 88
carrying costs, 42—43, 125
cash flow, 26, 39
charge coupled device (CCD), 107
charts, 182—184
flow, 184
logic, 184
run, 183
CLASS 0 RFID tags, 114
CLASS 1 RFID tags, 115
CLASS 2 RFID tags, 115
CLASS 3 RFID tags, 115
CLASS 4 RFID tags, 115
Code 39 symbology, 102—103
Code 128 symbology, 103
COGS, *see* cost of goods sold
combination locator systems, 67—69
communications disruptions, 224
complexity, product, 220
conflicting interests, 218—219
consultants, 165
consumables, 5

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

continuous symbologies, 98—100
contracts (with suppliers), 236—238
contributing margin, 34
control group cycle counting method, 189—190
cost of goods sold (COGS), 19, 21—23, 31
cost(s)
  carrying, 42—43, 125
  holding, 2
  of inventory, 2
  labor, 41, 81, 217
  opportunity, 16*n*.1
  ordering, 2, 4
  replenishment, 46, 125—130
  of RFID systems, 120
  and selling price, 35—36
  variable vs. fixed, 30
counting, test, 176—177
credits, issuing, 173
criticality, 179
cross-training, 149
current assets, 22, 26
current liabilities, 26
current ratio, 25—27
cycle counting, 185—208
  A-B-C analysis, 197—208
  annual inventory vs., 186—187
  control group, 189—190
  definition of, 185
  diminishing population, 194, 195, 197
  location audit, 190—193
  methodologies for, 187—189
  objectives of, 186
  product categories, 194—197
  random selection, 193

Index

D

Data characters (bar codes), 97
dead inventory, *see* obsolete stock
“decoupling,” 6, 7
defects, 147, 149
delivery, 225
demand, 130—132
  dependent, 131—132, 139—150
  fluctuations in, 3
  independent, 131—136
dependent demand inventory, 131—132, 139—150
  definition of, 131
  and JIT systems, 145—150
  manufacturing orientation of, 139
  and materials requirements planning, 139—145

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

Descartes, René, 87
diminishing population cycle counting method, 194, 195, 197
direct thermal printing, 108
discounts, quantity, 4
discrepancies, 158
discrete symbologies, 98—100
distribution, 127, 130
documentation, 167—168, 171—172
dot matrix impact printing, 108
Drucker, Peter
  on anaylzing problems, 159
  on importance of measuring, 176

Index

E

EAN (European Article Numbering System), 100—101
EAN International, 118
Economic Order Quantity (EOQ) formula, 136—139
EDI (electronic data interchange), 13—14
80-20 Rule, 70, 198
Einstein, Albert, on stating problems, 159
electronic data interchange (EDI), 13—14
Electronic Product Code (EPC), 118
emergencies, manmade, 228
employees
  unauthorized, 167
  use of bar code systems by, 109, 111—113
enterprise resource planning (ERP), 150—154
  benefits of, 153
  challenges of using, 153—154
  definition of, 151
  software for, 151—153
  and supply chain management, 213—214
EOQ (Economic Order Quantity) formula, 136—139
EPC (Electronic Product Code), 118
equity, 22, 24
European Article Numbering System (EAN), 100—101
execution (exercise) price, 238
expenses, variable vs. fixed, 30

Index

F

Failure, inventory system, 157—209
  case example of, 159—175
  using charts/reports to prevent, 182—185
  using cycle counting to prevent, 185—208
  using metrics to prevent, 176—182

Reprinted for TJGH4\1151844, CVS Caremark
AMACOM, Max Muller (c) 2011, Copying Prohibited

family grouping, 76—79
FIFO, *see* first-in, first-out
fill rates, 176, 180, 182
finished goods (finished goods inventory), 4, 18
first-in, first-out (FIFO), 18, 20—21, 24, 60
fixed commitment contracts, 237
fixed costs, variable vs., 30
fixed expenses, variable vs., 30
fixed location systems, 55—61
  basic concept of, 55
  cons of, 61
  honeycombing in, 56—60
  impact of, on physical space, 55—60
  planning a storage area for, 65
  pros of, 60—61
flow charts, 184
Ford Motor Company, 216—217
free on board (FOB), 221

Index

G

General Electric, 136
globalization, 216—218
gross profit, 23, 30—32
gross profit margin, 31—32

Index

H

Harris, F. W., 136
holding costs, 2
honeycombing, 56—60
  ratio method with, 58, 60
  square footage method with, 59

Index

I

IBM, 215
incentive obstacles to supply-chain coordination, 232
income statement, inventory on, 22—24
independent demand inventory, 132—136
  customer orientation of, 139
  definition of, 131
  min-max system with, 132—136
  order-point formulae for use with, 132
Industrial Revolution, 214, 215
inflation, 3
information, current, 170

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

information hubs, 226
information processing obstacles to supply-chain coordination, 233
information technology (IT) capabilities, 224—227
ink jet printing, 108
insurance coverage, 220
inventory
  on balance sheet, 19, 22, 24
  costs of, 2
  on income statement, 22—24
  purpose of, 2—4
  types of, 4—6, 17—18
  unnecessary, 150
  valuation of, 18—22
inventory analysis report, dead stock on, 44
inventory management system(s), 127, 130—150
  and demand, 130—132
  and dependent demand, 139—150
  and distribution, 127, 130
  and Economic Order Quantity, 136—139
  and independent demand, 132—136
  and inventory objectives, 150
  just-in-time as, 145—150
inventory record accuracy (IRA), 176—181
  and cycle count, 187
  test counting to ensure, 176—177
  tolerances in, 177—181
inventory stratification, 70—78
  A-B-C categorization of SKUs in, 70—76
  and utilizing SKU's unloading/loading ratio, 76, 77
inventory systems, major contributing factors to success of, 80—81
inventory turnover ratio, 28—29
IRA, *see* inventory record accuracy
IT (information technology) capabilities, 224—227
item placement, 67, 69—79
  by family grouping, 76—79
  by inventory stratification, 70—78
  special considerations in, 79

Index

J

"Job shop" manufacturers, 198
job tracking, using bar codes for, 112—113
just-in-time (JIT) inventory systems, 145—150
  basic tenets of, 146—147
  benefits of, 146
  data dependence of, 145
  definition of, 145
  development of, 145
  implementation of, 148—150
  and supply chain management, 213—217
  waste elimination in, 147
just-in-time manufacturing environment, 2

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

Index

K

Kanban systems, 150
Kettering, Charles F., on stating problems, 227
K Factor, 42—43, 45, 125, 127

Index

L

Labels, bar code, 109
labor costs
  and globalization, 217
  for moving dead inventory, 41
  and search times, 81
laser (xerographic) printing, 108
lasers, 107
last-in, first-out (LIFO), 18—21, 24, 29
lead times
  reduction of, 149
  and tolerance, 178
lean manufacturing, 215—216
liabilities, 22, 24, 25, 26
LIFO, *see* last-in, first-out
light pen, 107
locatability, space utilization vs., 52—53
location addresses, linking SKUs and, 80—90
location audit cycle counting method, 190—193
locator systems, 50—69
  combination, 67—69
  considerations in choosing, 50—53
  fixed, 55—61, 65
  memory, 51, 53—55
  random, 64—66
  scenarios involving, 68—69
  types of, 50
  zoning, 61—64
logic charts, 184
loss leader pricing, 33
lot sizes, reduction of, 148—149

Index

M

Machine vision, 95
magnetic stripe, 95
maintenance
  preventive, 149
  using bar codes for, 113

Reprinted for TJGH4\1151844, CVS Caremark
AMACOM, Max Muller (c) 2011, Copying Prohibited

making vs. buying, 225
manmade emergencies, 228
manufacturer(s)
“job shop,” 198
SKU marking applied by, 83
manufacturing
conflicting interests in, 218
lean, 215—216
manufacturing companies
A-B-C categorization of SKUs for, 74
current ratios for, 26
manufacturing settings
JIT implementation in, 148—150
materials requirements planning in, 139
using bar codes in, 111—113
using RFID in, 116
markdowns, 34, 36—37
market penetration pricing, 33
markups, 34—36
mass production, 214, 215
materials requirements planning (MRP), 139—145, 215
and bill of materials, 141
as closed loop, 144
data dependence of, 145
order point vs., 139—142
orientation of, 139
and production schedule, 140—141
time phasing chart for use in, 143
medical settings, using RFID in, 117
memory locator systems, 51, 53—55
basic concept of, 53
conditions required for success of, 54
cons of, 54—55
impact of, on physical space, 53
pros of, 53, 54
menu cards, bar code, 109, 110
metrics, 176—182
and fill rates, 180, 182
and inventory record accuracy, 176—181
Microsoft Excel, seeing up an EOQ worksheet in, 138—139
min-max inventory system, 132—136
misidentification, 158
motions (in JIT systems), 147
MRP, *see* materials requirements planning
multiple locations, organizations with, 164—165
multisourcing, 222, 223

Index

N

Natural disasters, 228

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

net operating profit, determining the, 37
numeric identification systems, 84

Index

O

Obsolete stock, 37—45
  disposing of, 40—45
  write-offs of, 38—39
OCR (optical character reading), 95
Ohno, Taiichi, 145
operational obstacles to supply-chain coordination, 234
opportunity costs, 16*n*.1
optical character reading (OCR), 95
option contracts, 237—238
order batching, 224
ordering (acquisition) costs, 2, 4
order-point formulae, 132
Orlicky, Joseph, 139, 215
overproduction, 147

Index

P

Paper life, real life vs., 8—13
Pareto, Vilfredo, 70
Pareto's Law, 70, 71, 75, 79, 198, 199, 201—202
passive RFID tags, 114
payroll, using bar codes for, 112
people tracking, using RFID for, 117
"phantom" items, 169
physical events, 228
planning, 225
plus/minus notation systems, 16*n*.2
point-of-sale (POS) data, 233
portfolio contracts, 237—238
POs, *see* purchase orders
POS (point-of-sale) data, 233
predictability, inventory and, 3
premiums, 238
preventive maintenance, 149
price building, 33
price lining, 33
price protection, inventory as, 3—4
price(s)
  execution/exercise, 238
  raising, 32

Reprinted for TJGH4\1151844, CVS Caremark
AMACOM, Max Muller (c) 2011, Copying Prohibited

reservation, 238
selling, 34—37
pricing, and breakeven point, 34
pricing strategies, 33
printers, bar code, 105, 108
processing, 147
product categories cycle counting method, 194—197
defining criteria for, 196
using diminishing population technique with, 197
product complexity, 220
production schedule, stabilization/leveling of, 148
product misidentification, 158
product moves, updating of, 89
profit
gross, 23, 30—32
net operating, 37
profit margin
determining the, 36
and selling price, 34—35
profit margins, 29—33
purchase orders (POs)
cost per line item per, 127
as documentation, 171—172

Index

Q

Quality assurance, 149
quantity discounts, 4
quick ratio (acid test), 27—28
quiet zone (bar codes), 97

Index

R

Radio-frequency identification (RFID), 113—121
advantages of, 118—119
bar coding vs., 116, 117, 119
definition of, 113—114
drawbacks of, 119—121
item identification with, 118
microchip in, 114
use of tags for, 114, 116, 117
radio-frequency tag, 95
random locator systems, 64—66
basic concept of, 64
cons of, 66
impact of, on physical space, 64, 66
planning a storage area for, 65
pros of, 66
random selection cycle counting method, 193

Reprinted for TJGH4\1151844, CVS Caremark
AMACOM, Max Muller (c) 2011, Copying Prohibited

ratio method (honeycombing), 58, 60
ratio(s), 23, 25—29
  current, 25—27
  inventory turnover, 28—29
  quick, 27—28
raw materials (raw materials inventory), 4, 17, 218
Read-Only RFID tags, 114
Read Write RFID tags, 116
real life, paper life vs., 8—13
real-time systems, 166, 168
receiving, using bar codes in, 109, 111
rehabilitation (of suppliers), 3
relationships, supplier, 219
reorder point (ROP), 132—136, 139—142
replenishment costs, 46, 125—130
reports, variance, 185
reservation price, 238
retail settings, using RFID in, 117
returns, 225
revenue sharing contracts, 237
R Factor, 46, 126, 127, 156*n*.1
RF-capable bar coding, 89
RFID, *see* radio-frequency identification
RFID tags, 114, 116
  classes of, 114, 116
  collision of, 121
  passive vs. active, 114
  selection of, 117
Risk and Business Disruption Assessment Chart, 228—230
ROP (reorder point), 132—136, 139—142
run charts, 183

Index

S

Safety stock, 238
sales volume, 32
SAW (surface acoustic wave), 95
scan boards, bar code, 109, 110
scanners, bar code, *see* bar code scanners
SCM, *see* supply chain management
SCRM, *see* supply chain risk management
seasonality, 197
selling price, 34—37
September 11, 2001 terrorist attacks, 217
service, repair, replacement, and spare items (S&R items), 5—6
setup times, reduction/elimination of, 148

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

shipping, using bar codes in, 109, 111
single points of failure, 217—218
single sourcing, 222, 223
singulation protocol (RFID systems), 121
skimming, 33
SKUs, *see* stock keeping units
Slater, Samuel, 214
software (software systems)
  batch, 166—167, 169, 174
  ERP, 151—153
  for multiple locations, 165—166
  real-time, 166, 168
  and supply-chain risk, 224—227
sourcing, 222, 223, 225
space, recapturing, 40
space utilization
  accessibility vs., 52
  in fixed location systems, 55—60
  locatability vs., 52—53
  in memory systems, 53
  in random locator systems, 64, 66
  in zoning locator systems, 63
specific cost method (actual cost method), 19
square footage method (honeycombing), 59
S&R items (service, repair, replacement, and spare items), 5—6
stacked symbologies, 93
standard cost method, 19
start character (bar codes), 97
status quo pricing, 33
stock keeping units (SKUs), 4
  A-B-C categorization of, 70—76
  in batch systems, 174
  and cycle counting, 189, 192—199, 205
  in fixed locator systems, 57, 60, 61
  identifiers indicating, 82—83
  and location addresses, 80—90
  in memory systems, 52—55, 57
  in random locator systems, 64, 66
  unloading/loading ratio for, 76, 77
  in zoning locator systems, 62, 63
stop character (bar codes), 97
storage areas, for fixed or random locator systems, 65
stratification, inventory, *see* inventory stratification
subassembly suppliers, 218
suppliers
  assessment of, 230—231
  contracts with, 236—238
  reducing the number of, 220, 222
  relationships with, 219
  unreliable, 3
supply chain management (SCM), 213—216

Reprinted for TJGH4\1151844, CVS Caremark AMACOM, Max Muller (c) 2011, Copying Prohibited

behavioral obstacles to, 235
historical origins of, 214, 215
incentive obstacles to, 232
information processing obstacles to, 233
and JIT/ERP, 213—217
operational obstacles to, 234
supply chain risk management (SCRM), 213
and adequacy of insurance coverage, 220, 221
and bullwhip effect, 222—224, 231
and changing relationships, 219
and communication disruptions, 224
and conflicting interests, 218—219
and contracts, 236—238
and globalization, 216—218
and inventory levels, 238
and product complexity, 220
risk analysis as part of, 228—230
and software, 224—227
and supplier risk, 220, 222, 223, 230—231
and system fluctuations over time, 219
surface acoustic wave (SAW), 95
symbologies, 98—104
choosing, 103—104
Code 39, 102—103
Code 128, 103
discrete vs. continuous, 98—100
rules for, 99
stacked, 93
2D, 93
UPC/EAN, 100—102

Index

T

Technological events, 228
terrorism, 217, 222, 228
test counting, 176—177
thermal transfer printing, 108
three-bin systems, 133—135
tiering, 222
time phasing chart (MRP systems), 143
time tracking, using RFID for, 112, 117
tolerances, 177—181
Toyota Motor Corporation, 217
transit inventory (transit stock), 6, 8
transport, 147
two-bin systems, 132—133
2D symbologies, 93
unauthorized personnel, 167

Index

U

Reprinted for TJGH4\1151844, CVS Caremark
AMACOM, Max Muller (c) 2011, Copying Prohibited

Uniform Code Council (UCC), 101
Uniform Commercial Code (UCC), 8
units of measure, misidentification of, 158
Universal Product Code (UPC), 100—102, 121
unloading/loading ratio (SKUs), 76, 77
unnecessary inventory, 150
unreliable suppliers, 3
UPC, *see* Universal Product Code
usage rate, 178

Index

V

Valuation, inventory, 18—22
variable costs, fixed vs., 30
variable expenses, fixed vs., 30
variance reports, 185
variances, 177—180
vendors
  EDI with, 14
  SKU marking applied by, 83
vertical integration, 216

Index

W

Waiting time, 147
wand scanner, 107
waste, in JIT systems, 147
Whitney, Eli, 214
wholesale contracts, 236
work-in-process (work-in-process inventory, WIP), 4—5, 17, 211*n*.2
write-offs, 38—39
Write Once Read Only (WORM) tags, 116

Index

X

“X” dimension (bar codes), 97—98
xerographic (laser) printing, 108
zero-tolerance inventory policy, 150
zoning locator systems, 61—64
  basic concept of, 61—62
  cons of, 63—64
  impact of, on physical space, 63
  layout examples for, 62
  pros of, 63

Reprinted for TJGH4\1151844, CVS Caremark
AMACOM, Max Muller (c) 2011, Copying Prohibited