


Chapters *To Go*



Innovative Approaches of Data Visualization and Visual Analytics

by Mao Lin Huang and Weidong Huang (eds)
IGI Global. (c) 2014. Copying Prohibited.

Reprinted for YI LIN, CVS Caremark

yi.lin@cvscaremark.com

Reprinted with permission as a subscription benefit of **Books24x7**,
<http://www.books24x7.com/>

All rights reserved. Reproduction and/or distribution in whole or in part in electronic, paper or other forms without written permission is prohibited.



Compilation of References

23 andMe. (2012) Retrieved from <https://www.23andme.com/>.

Abela, A. (1981). *Advanced presentations by design: Creating communication that drives action*. San Francisco, CA: Pfeiffer.

Abigail, S., & Whittaker, S. (2010). Beyond total capture: A constructive critique of lifelogging. *Communications of the ACM*, 53(5), 70–77. doi:10.1145/1735223.1735243

Adachi, Y., Kumano, T., & Ogino, K. (1995). Intermediate representation for stiff virtual objects. In *Proceedings of IEEE Virtual Reality Conference*, 203-210). New Brunswick, NJ: IEEE Press.

Adidas service Micoach. (2012). Retrieved from <http://www.adidas.com/us/micoach/>.

Adler, M. (1991). Bamboozling the public. *New Law Journal*. Retrieved from <http://www.clarity-international.net/downloads/Bam.pdf>.

Adobe. (n.d.). ActionScript technology center. *Adobe Developer Connection*. Retrieved from <http://www.adobe.com/devnet/actionscript.html>.

Advanced Distributed Learning–ADL. (2009). SCORM® 2004 4th edition-content aggregation model (CAM), version 1.1. *Department of Defense, United States of America*. Retrieved from <http://www.adlnet.gov/capabilities/scorm/scorm-2004-4th>.

Aftandilian, E., Kelley, S., Gramazio, C., Ricci, N., Su, S., & Guyer, S. (2010). Heapviz: Interactive heap visualization for program understanding and debugging. In *Proceedings of ACM SoftVis 2010*. Salt Lake City, UT: ACM Press.

Ahlberg, C., & Shneiderman, B. (1994). Visual information seeking: Tight coupling of dynamic query filters with starfield displays. In *Proceedings of ACM Conference on Human Factors in Computing Systems*, 313-317. New York: ACM Press.

Ahlberg, C., Williamson, C., & Shneiderman, B. (1992). Dynamic queries for information exploration. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 619–626. New York: ACM Press. doi:10.1145/142750.143054.

Ahmed, A., Fu, X., Hong, S., Nguyen, Q., & Xu, K. (2009). Visual analysis of history of world cup: A dynamic network with dynamic hierarchy and geographic clustering. *Visual Information Communication*, 25-39. Berlin: Springer. doi:10.1007/978-1-4419-0312-9_2

AICC. (2004). CMI guidelines for interoperability, revision 4.0. *AICC CMI Subcommittee*. Retrieved from http://www.aicc.org/joomla/dev/index.php?option=com_content&view=article&id=64&Itemid=28.

Alavi, M., & Leidner, D. (2001). Review: Knowledge management and knowledge management systems: Conceptual foundations and research issues. *Management Information Systems Quarterly*, 25(1), 107–136. doi:10.2307/3250961

Allen, A. L. (2008). Dredging-up the past: Lifelogging, memory, and surveillance. *The University of Chicago Law Review. University of Chicago. Law School*, 75(1), 47–74.

Alli, K., Ramirez, G. G., & Yung, K. K. (2001). Withdrawn spin-offs: An empirical analysis. *Journal of Financial Research*, 24(4), 603–616.

Amar, R., Eagan, J., & Stasko, J. (2005). Low-level components of analytic activity in information visualization. In *Proceedings of IEEE Symposium on Information Visualization*, 111-117. New Brunswick, NJ: IEEE Press.

Amavizca, M., Sánchez, J., & Abascal, R. (1999). 3DTree: Visualization of large and complex information spaces in the floristic digital library. In *Proceedings of the Workshop on Computer Mediated Interaction, 2nd Mexican International Conference on Computer Science*. Pachuca, México: ACM Press.

Anderson, C. (2006). *The long tail: Why the future of business is selling less of more*. New York: Hyperion.

Andersson, P., Rosenqvist, C., & Sahrawi, O. (2007). Mobile innovations in healthcare: customer involvement and the co-creation of value. *International Journal of Mobile Communications*, 5(4), 371–388. doi:10.1504/IJMC.2007.012786

Andrade, J., & Meudell, P. (1993). Is spatial information encoded automatically in memory? *The Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology*, 46(2), 365–375. doi:10.1080/14640749308401051

Andrew, K., & Heidegger, H. (1998). Information slices: Visualizing and exploring large hierarchies using cascading, semi-circular discs. In *Proceedings of IEEE Symposium on Information Visualization*, 9-12. New Brunswick, NJ: IEEE Press.

Andrews, A. E., Ratwani, R. M., & Trafton, J. G. (2009). The effect of alert type to an interruption on primary task resumptions. In *Proceedings of HFES*. Boulder, CO: Westview Press.

- Andrews, K. (2006). Evaluating information visualisations. In *Proceedings of the 2006 AVI Workshop On Beyond Time And Errors: Novel Evaluation Methods For Information Visualization*, 1–5. New York: ACM Press.
- Andrienko, G., & Andrienko, N. (2007). Coordinated multiple views: A critical view. In *Proceedings of the Fifth International Conference on Coordinated and Multiple Views in Exploratory Visualization*, (72-74). Zurich, Switzerland: Institute of Electrical and Electronics Engineers (IEEE).
- Andrienko, N., Andrienko, G., & Gatalsky, P. (2005). Impact of data and task characteristics on design of spatio-temporal data visualization tools. In A. MacEachren, M.-J. Kraak, & J. Dykes (Eds.), *Exploring Geovisualization* (201-222). New York: Elsevier, Ltd. doi:10.1016/B978-008044531-1/50428-0doi:10.1016/B978-008044531-1/50428-0
- AOL. (2012). AOL, Inc. Retrieved from <http://www.aol.com/>.
- Archambault, D., Purchase, H., & Pinaud, B. (2010). Animation, small multiples, and the effect of mental map preservation in dynamic graphs. *IEEE Transactions on Visualization and Computer Graphics*, 17(4), 539–552. doi:10.1109/TVCG.2010.78
- Arend, A., Muthig, K., & Wandmacher, J. (1987). Evidence for global feature superiority in menu selection by icons. *Behaviour & Information Technology*, 6(4), 411–426. doi:10.1080/01449298708901853
- Artero, A. O., de Oliverira, M. C. F., & Levkowitz, H. (2004). Uncovering clusters in crowded parallel coordinates visualization. In *IEEE Symposium on Information Visualization*, 81-88. New Brunswick, NJ: IEEE Press.
- Ask.com. (2012). Retrieved from <http://www.ask.com/>.
- Asthmapolis. (2012). Retrieved from <http://asthmapolis.com/>.
- Avila, R., & Sobierajski, L. (1996). A haptic interaction method for volume visualization. In *Proceedings of IEEE Symposium on Information Visualization '96*, 197-204. New Brunswick, NJ: IEEE Press.
- Aviles, W., & Ranta, J. (1999). Haptic interaction with geoscientific data. In *Proceedings of the Fourth PHANTOM Users Group Workshop*, 78-81. Cambridge, MA: MIT Press.
- Axelsson, S. (2005). *Understanding Intrusion Detection Through Visualization*. (Ph.D. thesis). Goteborg, Sweden: Chalmers University of Technology.
- Bacon, J. (2009). *The art of community: Building the new age of participation (Theory in practice)*. Sebastopol, CA: O'Reilly Media.
- Baddeley, A. (2007). *Working memory, thought, and action*. New York: Oxford University Press. doi:10.1093/acprof:oso/9780198528012.001.0001
- Baer, M., & Ellis, J. B. (1998). Designing audio aura. In *Proceedings of CHI*. New York: ACM Press.
- Bailey, J. E., Whitmeyer, S. J., & De Paor, D. G. (2012). Geological Society of America Special Papers: Vol. 492. *Introduction: The application of google geo tools to geoscience education and research* (pp. vii–xix). doi:10.1130/2012.2492(00)
- Bajaj, C. L., Pascucci, V., & Schikore, D. R. (1997). The contour spectrum . In *Proceedings of Visualization '97*. New Brunswick, NJ: IEEE Press.
- Baldonado, M. Q., Woodruff, A., & Kuchinsky, A. (2000). Guidelines for using multiple views in information visualization. *Proceedings of the Working Conference on Advanced Visual Interfaces*, (110-119). New York: ACM.
- Ball-Rokeach, S. J., Kim, Y. C., & Matei, S. (2001). Storytelling neighborhood: Paths to belonging in diverse urban environments. *Communication Research*, 28(4), 392–428. doi:10.1177/009365001028004003
- Balsamiq Studios. (2013). *Rapid wireframing tool*. Retrieved from <http://www.balsamiq.com/>.
- BAM Labs. (2012). Retrieved from <http://bamlabs.com/product/>.
- Bandura, A. (1986). *Social foundations of thought and action*. Englewood Cliffs, NJ: Prentice-Hall.
- Barabasi, A.-L. (2010). *Bursts: The hidden pattern behind everything we do*. Retrieved from <http://dl.acm.org/citation.cfm?id=1941887>.
- Baranovsky, D. (n.d.). *GRaphael-Javascript library*. Retrieved from <http://g.raphaeljs.com/>.
- Barbaro, M. (2010). Active devices based on organic semiconductors for wearable applications. *IEEE Transactions on Information*

Technology in Biomedicine, 14(3), 758–766. doi:10.1109/TITB.2010.2044798

Barnett, A. P., & Okoruwa, A. A. (1993). Application of geographic information systems in site selection and location analysis. *The Appraisal Journal*, 61, 245–245.

Bartram, L., & Ware, C. (2002). Filtering and brushing with motion. *Information Visualization*, 1(1), 66–79.

Bartram, L., Ware, C., & Calvert, T. (2003). Moticons: Detection, distraction, and task. *International Journal of Human-Computer Studies*, 58(5), 515–545. doi:10.1016/S1071-5819(03)00021-1

Basdogan, C., Ho, C., Slater, M., & Srinivasa, M. (1998). The role of haptic communication in shared virtual environments. In *Proceedings of the Fourth PHANTOM Users Group Workshop*. Cambridge, MA: MIT Press.

Battista, D. G., Eades, P., Tamassia, R., & Tollis, I. G. (1999). *Graph Drawing: Algorithms for the Visualization of Graphs*. Upper Saddle River, NJ: Prentice-Hall.

Beaudouin-Lafon, M. (2004). Designing interaction, not interfaces. In: *Proceedings of AVI '04 The Working Conference on Advanced Visual Interfaces*, 15-22. New York: ACM Press.

Beaumont, J. R. (1991). GIS and market analysis . In Maguire, D. J., Goodchild, M. F., & Rhind, D. W. (Eds.), *Geographical Information Systems: Principles and Applications* (139–51). New York: Wiley.

Becker, R., & Cleveland, W. (1987). Brushing scatterplots. *Technometrics*, 29(2), 127–142. doi:10.1080/00401706.1987.10488204

Beder, D. M., Otsuka, J. L., Silva, C. G., Silva, A. C., Talarico, N., et al., & Silva, J. C. A. (2005) The TIDIA-Ae portfolio tool: A case study of its development following a component-based layered architecture. In *Proceedings of 2nd Workshop TIDIA FAPESP*. São Paulo, Brazil: FAPESP Press.

Bederson, B. (1999). Does animation help users build mental maps of spatial information? In *Proceedings of the 1999 IEEE Symposium on Information Visualization*, 11, 28. Washington, DC: IEEE Press.

Bederson, B. (2000). *Fisheye menus*. New York: ACM.

Bell, G., & Gemmell, J. (18 February 2007). A digital life. *Scientific American Magazine*. Retrieved from <http://www.scientificamerican.com/article.cfm?id=a-digital-life>.

Belsky, E., Can, A., & Megbolugbe, I. (1998). A primer on geographic information systems in mortgage finance. *Journal of Housing Research*, 9(1), 5–31.

Benedek, J., & Miner, T. (2002). Measuring desirability: New methods for evaluating desirability in a usability lab setting . In *Proceedings of Usability Professionals*. New York: ACM Press.

Bentley, F. (2012). Personal health mashups: Mining significant observation from wellbeing data and context. In *Proceedings of CHI2012 Workshop on Personal Informatics in Practice: Improving Quality of Life Through Data*. New York: ACM Press.

Benyon, D., & Höök, K. (1997). Navigation in information spaces: supporting the individual. Nordby (ed.) *Proceedings of the IFIP TC13 International Conference on Human-Computer Interaction*, (39-46). London: Chapman and Hall.

Berman, D. (2000). Toward a new format for Canadian legislation—Using graphic design principles and methods to improve public access to the law. *Human Resources Development Canada and Justice Canada*. Retrieved from <http://www.davidberman.com/NewFormatForCanadianLegislation.pdf>.

Bernsen, N. O. (1993). Modality theory: Supporting multimodal interface design. In *Proceedings of ERCIM Workshop on Multimodal Human-Computer Interaction*. Cambridge, MA: MIT Press.

Bertin, J. (1983). *Semiology of graphics: Diagrams, networks, maps*. Milwaukee, WI: ESRI Press.

Bertin, J. (1983a). *The retinal variables*. *Semiology of Graphics: Diagrams, Networks, Maps* (65). Madison, WI: The University of Wisconsin Press.

Bertin, J. (1983b). *Colour Variation*. *Semiology of Graphics: Diagrams, Networks, Maps* (91). Madison, WI: The University of Wisconsin Press.

Bertin, J. (1983c). *Diagrams involving two components*. *Semiology of Graphics: Diagrams, Networks, Maps* (195). Madison, WI: The University of Wisconsin Press.

- Bideau, B., Multon, F., Kulpa, R., Fradet, L., Arnaldi, B., & Delamarche, P. (2004). Virtual reality, a new tool to investigate anticipation skills: Application to goalkeeper and handball thrower duel. *Neuroscience Letters*, 372(1-2).
- Blajenkova, O., Kozhevnikov, M., & Motes, M. A. (2006). Object-spatial imagery: A new self-report imagery questionnaire. *Applied Cognitive Psychology*, 20(2), 239–263. doi:10.1002/acp.1182
- Blazhenkova, O., Becker, M., & Kozhevnikov, M. (2011). Object–spatial imagery and verbal cognitive styles in children and adolescents: Developmental trajectories in relation to ability. *Learning and Individual Differences*, 21(3), 281–287. doi:10.1016/j.lindif.2010.11.012
- Blazhenkova, O., & Kozhevnikov, M. (2009). The new object-spatial-verbal cognitive style model: Theory and measurement. *Applied Cognitive Psychology*, 23(5), 638–663. doi:10.1002/acp.1473
- Blazhenkova, O., & Kozhevnikov, M. (2010). Visual-object ability: A new dimension of non-verbal intelligence. *Cognition*, 117(3), 276–301. doi:10.1016/j.cognition.2010.08.021
- Blekko. (2012). *Blekko, Inc.* Retrieved from <http://blekko.com/>.
- Bodnar, A., Corbett, R., & Nekrasovski, D. (2004). AROMA: Ambient awareness through olfaction in messaging application. In *Proceedings of ICMI*. New York: ACM Press.
- BodyBugg. (2012). Retrieved from <http://www.bodybugg.com/>.
- BodyMonitor. (2012). Retrieved from <http://bodymonitor.de>.
- Boggs. (2012). Grotto creek, front ranges, canadian cordillera: An example of google earth models. *Geoscience Canada*, 39(2).
- Bomberger, N., Rhodes, B., Seibert, M., & Waxman, A. (2006). Associative learning of vessel motion patterns for maritime situation awareness. In *Proceedings of 9th International Conference on Information Fusion*. New Brunswick, NJ: IEEE Press.
- Bonato, P. (2012). A review of wearable sensors and systems with application in rehabilitation. *Journal of Neuroengineering and Rehabilitation*, 9(21).
- Bonsignore, E. M., Dunne, C., Rotman, D., Smith, M., Capone, T., Hansen, D. L., & Shneiderman, B. (2009). First steps to netviz nirvana: Evaluating social network analysis with NodeXL. In *Proceedings of International Conference on Computational Science and Engineering*, 332–339. New York: ACM Press.
- Borst, W. (1997). *Construction of Engineering Ontologies for Knowledge Sharing and Reuse*. (Dissertation). Enschede, The Netherlands, University of Twente.
- Bostock, M. (2012). *Data-driven documents*. Retrieved from <http://d3js.org/>.
- Bostock, M., Ogievetsky, V., & Heer, J. (2011). D³ data-driven documents. *IEEE Transactions on Visualization and Computer Graphics*, 17(12), 2301–2309. doi:10.1109/TVCG.2011.185
- Bouthors, V., & Dedieu, O. (1999). Pharos, A collaborative infrastructure for web knowledge sharing . In Abiteboul, & Vercoustre, (Eds.), *Research and Advanced Technology for Digital Libraries. Lecture Notes in Computer Science* (215-233). Berlin: Springer-Verlag, Inc. doi:10.1007/3-540-48155-9_15
- Bowman, D., Kruijff, E., LaViola, J., & Poupyrev, I. (2004). *3D user interfaces: Theory and practice*. Upper Saddle River, NJ: Addison-Wesley.
- Boyandin, I., Bertini, E., & Lalanne, D. (2012). A qualitative study on the exploration of temporal changes in flow maps with animation and small multiples . *Computer Graphics Forum*, 31(3.2), 1005–1014.
- Boyd, D., Ramage, D., & Donath, J. (2002). Developing legible visualizations for online social spaces. In *Proceedings of the 35th Annual Hawaii International Conference on System Sciences*, 1060–1069. Washington, DC: IEEE Press.
- Bresciani, S. (2011). *Visualizing Knowledge for Organizational Communication within and Across Cultures*. (PhD thesis). Lugano, Switzerland, Università della Svizzera italiana.
- Bresciani, S., Eppler, M., & Tan, M. (2011). Communicating strategy across cultures with visualization: An experimental evaluation. In *Proceedings of Academy of Management 2011 Annual Meeting*. San Antonio, TX: AOM Press.
- Brewster, S. A. (1995). The development of a sonically-enhanced widget set. In *Proceedings of EWHCI'95 International Centre for Scientific and Technical Information*, 126-129. Moscow: MIT Press.

- Brodie, K., Osorio, R. A., & Lopes, A. (2012). A review of uncertainty in data visualization . In Dill, J, Earnshaw, R, Kasik, D, Vince, J, & Wong, P. C. (Eds.), *Expanding the Frontiers of Visual Analytics and Visualization* (81-109). Berlin: Springer. doi:10.1007/978-1-4471-2804-5_6
- Brown, J. S., & Duguid, P. (1991). Organizational learning and communities-of-practice: Toward a unified view of working, learning, and innovation. *Organizational Learning*, 2(1), 40–57.
- Bruls, M., Huizing, K., & Wijk, J. (1999) Squarified treemaps, In *Proceedings of the Joint Eurographics and IEEE TCVG Symposium on Visualization*. New Brunswick, NJ: IEEE Press.
- Brunschwig, C. R. (2001). *Visualisierung von rechtsnormen—Legal design*. (Doctoral thesis). Zurich, Switzerland, Universität Zürich.
- Brunschwig, C. R. (2011). Multisensory law and legal informatics—A comparison of how these legal disciplines relate to visual law. *Jusletter IT*. Retrieved from http://jusletter-eu.weblaw.ch/issues/2011/104/article_324.html.
- Bruzzese, D., & Davino, C. (2008). Visual mining of association rules . In *Visual Data Mining* (103–122). Berlin: Springer-Verlag. doi:10.1007/978-3-540-71080-6_8
- Bryson, S. (1996). Virtual reality in scientific visualization. *Communications of the ACM*, 39(5), 62–71. doi:10.1145/229459.229467
- Buchanan, G., & Owen, T. (2008). Improving skim reading for document triage. In *Proceedings of the Second International Symposium on Information Interaction in Context*, 83-88. New York: ACM.
- Buchel, O. (2011). Designing map-based visualizations for collection understanding. In *Proceeding of the 11th Annual International ACM/IEEE Joint Conference on Digital Libraries*. New York: ACM Press. doi:10.1145/1998076.1998169.
- Burdea, G., & Coiffet, P. (1994). *Virtual reality technology*. New York: John Wiley & Sons, Inc.
- Burigat, S., & Chittaro, L. (2007). Geographic data visualization on mobile devices for user's navigation and decision support activities . In Belussi, (ed.), *Spatial Data on the Web-Modeling and Management*. Berlin: Springer. doi:10.1007/978-3-540-69878-4_12
- Burkhard, R. A. (2005a). *Knowledge Visualization: The Use of Complementary Visual Representations for the Transfer of Knowledge. A model, a Framework, and Four New Approaches*. (PhD thesis). Zurich, Switzerland, Eidgenössische Technische Hochschule ETH.
- Burkhard, R. A. (2005b). Towards a framework and a model for knowledge visualization: Synergies between information and knowledge visualization. In S.-O. Tergan, & T. Keller (Eds.), *Lecture Notes in Computer Science, Vol. 3426: Knowledge and Information Visualization: Searching for Synergies*. (238–255). Heidelberg, Germany: Springer. doi:doi:10.1007/11510154_13.
- Burnett, S. A., & Lane, D. M. (1980). Effects of academic instruction on spatial visualization. *Intelligence*, 4(3), 233–242. doi:10.1016/0160-2896(80)90021-5
- Bush, V. (1945). As we may think. *Atlantic Monthly*, 176(1), 101–108.
- Butcher, K. R., & Sumner, T. (2011). Self-directed learning and the sensemaking paradox. *Human-Computer Interaction*, 26, 123–159. doi:10.1080/07370024.2011.556552
- Butler, B., Sproull, L., Kiesler, S., & Kraut, R. (2007). Community effort in online groups: Who does the work and why . In S. P. Weisband, (Ed.), *Leadership at a Distance* (171–195). Florence, KY: Psychology Press.
- Cai, Y. & de M. Franco, R. (2009). Interactive visualization of network anomalous events. In: *Computational Science*, 5544, 450–459. Berlin: Springer.
- Can, A. (1992). Specification and estimation of hedonic housing price models. *Regional Science and Urban Economics*, 22(3), 453–474. doi:10.1016/0166-0462(92)90039-4
- Can, A., & Megbolugbe, I. (1997). Spatial dependence and house price index construction. *The Journal of Real Estate Finance and Economics*, 14, 203–222. doi:10.1023/A:1007744706720
- Canada, C. (2006). La cueva grande: A 43-megapixel immersive system. In *Proceedings of Virtual Reality Conference 2006*. New Brunswick, NJ: IEEE Press.
- Capzels. (2012). Retrieved from <http://www.capzles.com/>.
- Card, S. K., & Mackinlay, J. (1997). The structure of the information visualization design space. In *Proceedings of VIZ '97: Visualization Conference, Information Visualization Symposium and Parallel Rendering Symposium*, 92–99. Washington, DC: IEEE Press.

- Card, S. K. (Ed.). (1999). *Readings in information visualization: Using vision to think*. San Francisco: Morgan Kaufmann.
- Card, S. K., Mackinlay, J. D., & Shneiderman, B. (1999). *Readings in information visualization: Using vision to think*. San Francisco: Morgan Kaufman Publishers.
- Card, S. K., Moran, T. P., & Newell, A. (1983). *The psychology of human-computer interaction*. Hillsdale, NJ: Lawrence Erlbaum.
- Card, S., Mackinlay, J. D., & Shneiderman, B. (1999). *Readings in information visualization: Using vision to think*. San Francisco: Morgan Kaufmann Publishers.
- Carpenter, S., Fortune, J. L., Delugach, H. S., Etzkorn, L. H., Utley, D. R., Farrington, P. A., & Virani, S. (2008). Studying team shared mental models. In P. J. Ågerfalk, H. Delugach, & M. Lind (Eds.), *Proceedings of the 3rd International Conference on the Pragmatic Web: Innovating the Interactive Society, Uppsala, Sweden* (41-48). New York: ACM.
- Carr, H. (2004). *Topological Manipulation of Isosurfaces*. (PhD Thesis). Vancouver, BC, Canada, University of British Columbia.
- Carr, H., & Snoeyink, J. (2003). *Path seeds and flexible isosurfaces using topology for exploratory visualization*. In *Proceedings of the Symposium on Data Visualisation*. New Brunswick, NJ: IEEE Press.
- Carr, H., Snoeyink, J., & Axen, U. (2003). Computing contour trees in all dimensions. *Computational. Geometry. Theory & Applications*, 24(2), 75–94.
- Carr, H., Snoeyink, J., & Panne, M. V. D. (2004). Simplifying flexible isosurfaces using local geometric measures . In *Proceedings of Visualization '04*. New Brunswick, NJ: IEEE Press. doi:10.1109/VISUAL.2004.96
- Cartwright, W. (2009). Applying the theatre metaphor to integrated media for depicting geography. *The Cartographic Journal*, 46(1), 24–35. doi:10.1179/000870409X415561
- Cartwright, W. E., & Hunter, G. J. (1999). Enhancing the map metaphor with multimedia cartography . In Cartwright, Peterson, & Gartner, (Eds.), *Multimedia Cartography* (257-270). Heidelberg, Germany: Springer-Verlag. doi:10.1007/978-3-662-03784-3_24
- Casey, M. B., Winner, E., Brabeck, M., & Sullivan, K. (1990). Visual-spatial abilities in art, maths, and science majors: Effects of sex, family handedness, and spatial experience . In Gilhooly, K. J., Keane, M. T. G., Logie, R. H., & Erdos, G. (Eds.), *Lines of Thinking: On the Psychology of Thought* (Vol. 2, pp. 275–294). West Sussex, UK: John Wiley & Sons Ltd.
- Casner, S. (1991). A task-analytic approach to the automated design of graphic presentations. *ACM Transactions on Graphics*, 10, 111–151. doi:10.1145/108360.108361
- Cedilnik, A., & Rheingans, P. (2000). Procedural annotation of uncertain information . In *Proceedings of Visualization '04*. New Brunswick, NJ: IEEE.
- Chan, J., & Hayes, C. (2010). Decomposing discussion forums using user roles. In *Proceedings of the Second Web Science Conference*. Raleigh, NC: ACM Press.
- Chan, A., MacLean, K., & McGrenere, J. (2008). Designing haptic icons to support collaborative turn-taking. *International Journal of Human-Computer Studies*, 66, 333–355. doi:10.1016/j.ijhcs.2007.11.002
- Chang, C. (n.d.). Street vendor guide. *Accessible City Regulations*. Retrieved from <http://candychang.com/street-vendor-guide>
- Chang, M., Leggett, J. J., Furuta, R., Kerne, A., Williams, J. P., Burns, S. A., & Bias, R. G. (2004). Collection understanding. In *Proceedings of the 4th ACM/IEEE-CS Joint Conference on Digital Libraries*, 334–342. New York: ACM. doi:10.1145/996350.996426.
- Chen, K. W., Heng, P. A., & H., S. (2000). Direct haptic rendering of isosurface by intermediate representation. In *Proceedings of ACM Symposium on Virtual Reality Software and Technology VRST*, 188-194. New York: ACM Press.
- Cheng, W. C. (2004). Total recall: Are privacy changes inevitable? In *Proceedings of CARPE 2004 First ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*. New York: ACM
- Chittaro, L. (2006). Visualizing information on mobile devices. *IEEE Computer*, 39(3), 34–39. doi:10.1109/MC.2006.109
- Clegg, T., Gardner, C., Williams, O., & Kolodner, J. (2006). Promoting learning in informal learning environments. In *Proceedings of the 7th International Conference on Learning Sciences*, 92-98. Bloomington, IN: International Society of the Learning Sciences.
- Cockburn, A., & Brewster, S. A. (2005). Multimodal feedback for the acquisition of small targets. *Ergonomics*, 48(9), 1129–1150. doi:10.1080/00140130500197260

- Colin, W. (2008). *Visual thinking: For design*. San Francisco: Morgan Kaufmann.
- Consolvo, S. (2008). Flowers or a robot army? Encouraging awareness & activity with personal, mobile displays. In *Proceedings of the 10th International Conference on Ubiquitous Computing: UbiComp 08*, 54-63. New York: ACM Press.
- Corbishley, P., & Rodriguez-Villegas, E. (2008). Breathing detection: Towards a miniaturized, wearable, battery-operated monitoring system. *IEEE Transactions on Bio-Medical Engineering*, 55(1), 196–204. doi:10.1109/TBME.2007.910679
- Coulson, T., Shayo, C., Olfman, L., & Rohm, C. E. T. (2003). ERP training strategies: Conceptual training and the formation of accurate mental models. In *Proceedings of the 2003 SIGMIS Conference on Computer Personnel Research*, 87-97. Philadelphia, PA: ACM.
- Court of Appeal for Western Sweden. (2009). *Judgement in case number B 1534-08*. Hovrätten för Västra Sverige, Göteborg. Retrieved from <http://www.domstol.se/Domstolar/vastrahovratten/Kristalldom.pdf>.
- Creative Commons. (n.d.). *About the licenses—Creative commons*. Retrieved from <http://creativecommons.org/licenses>.
- Cross, N. (2011). *Design thinking: Understanding how designers think and work*. Oxford, UK: Berg Publishers.
- Crowston, K., & Howison, J. (2005). The social structure of free and open source software development. *First Monday*, 10(2). doi:10.5210/fm.v10i2.1207
- Cruz-Neira, C. (1993). Surround-screen projection-based virtual reality: The design and implementation of the cave. In *Proceedings of ACM SIGGRAPH*. New York: ACM Press.
- CSTA. (2013). The spatial history project. *Stanford University*. Retrieved from <http://www.stanford.edu/group/spatialhistory/cgi-bin/site/index.php>.
- Cunliffe, D., Taylor, C., & Tudhope, D. (1997). Query-based navigation in semantically indexed hypermedia. *Proceedings of the Eighth ACM Conference on Hypertext*, 87-95. Southampton, UK: ACM Press.
- Cunningham, S. J., & Bennett, E. (2008). Understanding collection understanding with collage. In *Proceedings of the 11th International Conference on Asian Digital Libraries: Universal and Ubiquitous Access to Information*, 367–370. Berlin: Springer-Verlag. doi:10.1007/978-3-540-89533-6_46.
- CureTogether. (2012). Retrieved from <http://curetogether.com/>.
- Czerwinski, M., Cutrell, E., & Horvitz, E. (2000). *Instant messaging and interruption: Influence of task type on performance*. In *Proceedings of OZCHI*. New York: ACM Press.
- Dahlbom, A., & Niklasson, L. (2007). Trajectory clustering for coastal surveillance. In *Proceedings of the 10th International Conference on Information Fusion*. QC, Canada: IEEE Press.
- Damasio, A. R. (1999). *The feeling of what happens: Body and emotion in the making of consciousness*. London: Harcourt Inc.
- Dantzich, M. V., Robbins, D., Horvitz, E., & Czerwinski, M. (2002). *Scope: Providing awareness of multiple notifications at a glance*. In *Proceedings of AVI*. New York: ACM Press.
- D'Argembeau, A., & Van der Linden, M. (2004). *Influence of affective meaning on memory for contextual information*. Washington, DC: American Psychological Association. doi:10.1037/1528-3542.4.2.173
- Date, C. J. (1986). *An introduction to database systems*, 1 (4th ed.). Boston: Addison-Wesley.
- Dattu, F. (1998). Illustrated jury instructions: A proposal. *Law and Psychology Review*, 22, 67–102.
- Davis, S., & Bostrom, R. (1992). An experimental investigation of the roles of the computer interface and individual characteristics in the learning of computer systems. *International Journal of Human-Computer Interaction*, 4(2), 143–172. doi:10.1080/10447319209526033
- Davis, T. J., & Keller, C. P. (1997). Modeling and visualizing multiple spatial uncertainties. *Computers & Geosciences*, 23(4), 397–408. doi:10.1016/S0098-3004(97)00012-5
- Daytum. (2012). Retrieved from <http://www.daytum.com/>.
- De Pauw, W., & Sevitsky, G. (1999). Visualizing reference patterns for solving memory leaks in java. In *Proceedings of the ECOOP 1999 Conference*. Berlin: Springer.
- deCODEme. (2012). Retrieved from <http://www.decodeme.com/>.

Definition of Self. (2012a). Retrieved from <http://www.yourdictionary.com/self-definition>.

Definition of Self. (2012b). Retrieved from <http://en.academic.ru/dic.nsf/cide/156773/Self>.

Dehnadi, S., Bornat, R., & Adams, R. (2009). *Meta-analysis of the effect of consistency on success in early learning of programming*. Paper presented at Psychology Programming Interested Group (PPIG) Annual Workshop. Retrieved from <http://www.ppig.org/papers/21st-dehnadi.pdf>.

Demšar, U. 2006. *Data Mining of Geospatial Data: Combining Visual and Automatic Methods*. (Ph.D. thesis). Stockholm, Royal Institute of Technology (KTH).

Denham, P. (1993). Nine- to fourteen-year-old children's conception of computers using drawings. *Behaviour & Information Technology*, 12(6), 346–358. doi:10.1080/01449299308924399

Dennerlein, J., & Yang, M. C. (1999). Perceived musculoskeletal loading during use of a force-feedback computer mouse. In *Proceedings of Human Factors and Ergonomics Conference*. Thousand Oaks, CA: Sage Publishers.

Dennerlein, J., & Yang, M. C. (2001). Haptic force feedback devices for the office computer: Performance and musculoskeletal loading issues. *Human Factors*, 43(2), 278–286. doi:10.1518/001872001775900850

Dennett, D. (1991). *Consciousness explained*. New York: Little, Brown, and Company.

DIALOG. (2012). Retrieved from <http://4thmainhealth.com/>.

DiaMedics. (2012). Retrieved from <http://www.martoon.com/Diamedic/Diamedic/Overview.html>.

Dieberger, A. (1994). *On Navigation in Textual Virtual Environments and Hypertext*. (Unpublished doctoral dissertation). Vienna, Austria, Vienna University of Technology.

Diggle, P., Heagerty, P., Liang, K.-Y., & Zeger, S. (2002). *Analysis of longitudinal data*. New York: Oxford University Press.

Dix, A. (2002). The ultimate interface and the sums of life? *Interfaces*, 50(16).

DIY Genomics. (2012). Retrieved from <http://diygenomics.org/>.

Djurcilova, S., Kima, K., Lermusiauxb, P., & Pang, A. (2002). Visualizing scalar volumetric data with uncertainty. *Computers & Graphics*, 26(2), 239–248. doi:10.1016/S0097-8493(02)00055-9

Dodge, M., & Kitchin, R. (2007). Outlines of a world coming into existence: pervasive computing and the ethics of forgetting. *Environment and Planning. B, Planning & Design*, 24, 431–445. doi:10.1068/b32041t

Doherty, A. R., & Smeaton, A. F. (2008). Automatically segmenting lifelog data into events. In *Proceedings of WIAMIS*. New Brunswick, NJ: IEEE Press.

Donath, J., Karahalios, K., & Viégas, F. (1999). Visualizing conversation. In *Proceedings of the 32nd Annual Hawaii International Conference on Systems Sciences*, 32, 9. Hawaii: IEEE Press.

Donath, J. (2007). Signals in social supernets. *Journal of Computer Mediated Communication*, 13(1).

Dou, X. W. W., Butkiewicz, T., Bier, E. A., & Ribarsky, W. (2011). A two-stage framework for designing visual analytics system in organizational environments. In *Proceedings of 2011 IEEE Conference on Visual Analytics, Science, and Technology*, 251–260. Providence, RI: IEEE Press.

Downs, R., & DeSouza, A. (Eds.). (2006). *Learning to think spatially: GIS as a support system in the K-12 curriculum*. Washington, D.C.: National Academies Press.

DreamBoard. (2012). Retrieved from <http://www.dreamborad.com>.

Dubin, R. A. (1992). Spatial autocorrelation and neighborhood quality. *Regional Science and Urban Economics*, 22(3), 433–452. doi:10.1016/0166-0462(92)90038-3

Durbeck, L. J., Macias, N. J., Weinstein, D. M., Johnson, C. R., & Hollerbach, J. M. (1998). Scirun haptic display for scientific visualization. In *Proceedings of Third Phantom Users Group Workshop*. Cambridge, MA: MIT Press.

Eades, P. (1984). A heuristic for graph drawing. *Congressus Numerantium*, 42, 149–160.

- Eades, P., Lai, W., Misue, K., & Sugiyama, K. (1991). Preserving the mental map of a diagram. [Sesimbra, Portugal: Academic Press.]. *Proceedings of COMPUGRAPHICS*, 91, 34–43.
- Eades, P., Lai, W., Misue, K., & Sugiyama, K. (1995). Layout adjustment and the mental map. *Journal of Visual Languages and Computing*, (6): 183–210.
- Ebert, D., Gaither, K., & Gilpin, C. (2008). Enabling science discoveries through visual exploration. *NSF Workshop Report*. Washington, D.C.: National Science Foundation.
- eBiz/MBA. (2012). *Top 15 most popular search engines*. Retrieved from <http://www.ebizmba.com/articles/search-engines>.
- Ecamm. (2013). Supercharge your mail dock icon. *DockStar*. Retrieved from www.ecamm.com/mac/dockstar.
- Eccles, R. (2007). Stories in geotime. In *Proceedings of IEEE Symposium on Visual Analytics Science and Technology*, 2007. New Brunswick, NJ: IEEE Press.
- Edlund, J., Gronkvist, M., Lingvall, A., & Sviestins, E. (2006). Rule-based situation assessment for sea surveillance. In *Proceedings of SPIE Conference on Multisensor, Multisource Information Fusion: Architectures, Algorithms and Applications*, 624, 1–11. Bellingham, WA: SPIE Press.
- Edsall, R. M. (2001). *Interacting with Space and Time: Designing Dynamic Geovisualization Environments*. (Unpublished doctoral dissertation). Philadelphia, The Pennsylvania State University.
- Eickhoff, S. B., Laird, A. R., Grefkes, C., Wang, L. E., Zilles, K., & Fox, P. T. (2009). Coordinate-based activation likelihood estimation meta-analysis of neuroimaging data: A random-effects approach based on empirical estimates of spatial uncertainty. *Human Brain Mapping*, 30(9), 2907–2926. doi:10.1002/hbm.20718
- Ekbja, H. R. (2008). *Artificial dreams: The quest for non-biological intelligence*. New York: Cambridge University Press. doi:10.1017/CBO9780511802126
- Elias, M., Elson, J., Fisher, D., & Howe, J. (2008). Do I live in a flood basin? Synthesizing ten thousand maps. In *Proceedings of the 2008 Conference on Human Factors in Computing Systems*, 255-264. New York: ACM Press.
- Ellis, G., & Dix, A. (2006). An explorative analysis of user evaluation studies in information visualisation. In *Proceedings of the 2006 AVI Workshop on Beyond Time and Errors: Novel Evaluation Methods for Information Visualization*, 109–116. Venice, Italy: AVI Press.
- Elmasri, R., & Navathe, S. (2000). *Fundamentals of database systems* (3rd ed.). Boston: Addison Wesley.
- Elmqvist, N., Do, T.-N., Goodell, H., Henry, N., & Fekete, J.-D. (2008). ZAME: Interactive Large-Scale Graph Visualization. In *Proceedings of IEEE Pacific Visualization Symposium*, 215–222. Kyoto: IEEE Press.
- Eppler, M. J. (2004). *Knowledge communication problems between experts and managers. An analysis of knowledge transfer in decision processes*. Retrieved from http://doc.rero.ch/lm.php?url=1000,42,6,20051020101029-UL/1_wpca0401.pdf.
- Eppler, M. J., & Platts, K. (2009). Visual strategizing: The systematic use of visualization in the strategic-planning process. *Long Range Planning*, 42(1), 42–74. doi:10.1016/j.lrp.2008.11.005
- Erickson, T. (2003). Designing visualizations of social activity: Six claims. In *Proceedings of CHI EA '03 CHI '03 Extended Abstracts on Human Factors in Computing Systems*, 846–847. Ft. Lauderdale, FL: ACM Press.
- Ertel, D. (2004). Getting past yes: Negotiating as if implementation mattered. *Harvard Business Review*, 82(11), 60–68.
- Evans, C., & Cools, E. (2011). Applying styles research to educational practice. *Learning and Individual Differences*, 21(3), 249–254. doi:10.1016/j.lindif.2010.11.009
- EyeTap. (2012). Retrieved from <http://eyetap.org/>.
- Fabrikant, S. I., Montello, D. R., Ruocco, M., & Middleton, R. S. (2004). The distance-similarity metaphor in network-display spatializations. *Cartography and Geographic Information Science*, 31(4), 237–252. doi:10.1559/1523040042742402
- Fauvet, N., Ammi, M., & Bourdot, P. (2007). Experiments of haptic perception techniques for computational fluid dynamics. In *Proceedings of International Conference on Cyberworlds CW '07*, 322-329. New Brunswick, NJ: IEEE Press.
- Fayyad, U., Grinstein, G., & Wierse, A. (Eds.). (2002). *Information visualization in data mining and knowledge discovery*. San Francisco: Morgan Kaufmann Publishers Inc.

- Feigenson, N., & Spiesel, C. (2009). *Law on display. The digital transformation of legal persuasion and judgment*. New York: New York University Press.
- Feiner, S. (1985). APEX: An experiment in the automated creation of pictorial explanations. *IEEE Computer Graphics and Applications*, 5 (11), 29–37. doi:10.1109/MCG.1985.276329
- Fein, R. M., Olson, G. M., & Olson, J. S. (1993). A mental model can help with learning to operate a complex device . InAshlund, S, Mullet, K, Henderson, A, Hollnagel, E, & White, T (Eds.), *INTERACT '93 and CHI '93 Conference Companion on Human Factors in Computing Systems* (157-158). Amsterdam: ACM Press. doi:10.1145/259964.260170
- Ferey, N., Bouyer, G., Martin, C., Bourdot, P., Nelson, J., & Burkhardt, J. M. (2008). User needs analysis to design a 3d multimodal protein-docking interface. In *Proceedings of IEEE Symposium on 3D User Interfaces 3DUI*, 125-132. New Brunswick, NJ: IEEE Press.
- Few, S. (2010). Data visualization for human perception. In: Mads& Friis (Eds.), *Encyclopedia of Human-Computer Interaction*. Aarhus, Denmark: The Interaction Design Foundation. Retrieved from http://www.interaction-design.org/encyclopedia/data_visualization_for_human_perception.html.
- Few, S. (2009). *Data visualization past, present and future*. *Innovation in Action Series*. Armonk, NY: IBM.
- Fikkert, W., D'Ambros, M., Bierz, T., & Jankun-Kelly, T. (2007). Interacting with visualizations. *Human-Centered Visualization Environments* (77-162). Berlin: Springer. doi:doi:10.1007/978-3-540-71949-6_3doi:10.1007/978-3-540-71949-6_3
- FindingOptimism*. (2012). Retrieved from <http://www.findingoptimism.com/>.
- Fisher, D., Smith, M., & Welser, H. T. (2006). You are who you talk to: Detecting roles in usenet newsgroups. In *Proceedings of the 39th Annual Hawaii International Conference on System Sciences*. Washington, DC: IEEE Press.
- Fisher, D. (2005). Using egocentric networks to understand communication. *IEEE Internet Computing*, 9(5), 20–28. doi:10.1109/MIC.2005.114
- Fitbit. (2012). Retrieved from <http://www.fitbit.com/>.
- FitzGerald, G., Jelinek, G. A., Scott, D., & Gerdzt, M. F. (2010). Emergency department triage revisited. *Emergency Medicine Journal*, 27, 86–92. doi:10.1136/emj.2009.077081
- Fitzpatrick, P. J. (1997). Understanding and forecasting tropical cyclone intensity change with the Typhoon Intensity Prediction Scheme (TIPS). *Weather and Forecasting*, 12(4), 826–846. doi:10.1175/1520-0434(1997)012<0826:UAFTCI>2.0.CO;2
- Fitzpatrick, P. J. (1999). *Natural disasters, hurricanes: A reference handbook*. Santa Barbara, CA: ABC-CLIO.
- Fleming, D. (2001). Narrative leadership: Using the power of stories. *Strategy and Leadership*, 29(4), 34.
- Flipboard. (2012). *Flipboard, Inc*. Retrieved from <http://flipboard.com/>.
- Foroughi, R., & Taponecco, F. (2005). A visualization tool for student assessment and evaluation in online learning. In *Proceedings of IADIS International Conference on Applied Computing*, 68-73. IADIS Press.
- Forster, F. (1966). Use of a demographic base map for the presentation of areal data in epidemiology. *British Journal of Preventive & Social Medicine*, 20, 165–171.
- Fosshage, J. L. (1997). The organizing functions of dream mentation. *Contemporary Psychoanalysis*, 33(3), 429–458.
- France, L., Heraud, J.-M., Marty, J.-C., & Carron, T. (2005). Help through visualization to compare learners' activities to recommended learning scenarios. In *Proceedings of the Fifth IEEE International Conference on Advanced Learning Technologies*, 476-480. Washington, DC: IEEE Press.
- France, L., Heraud, J.-M., Marty, J.-C., Carron, T., & Heili, J. (2006). Monitoring virtual classroom: visualization techniques to observe student activities in an e-learning system. In *Proceedings of the Sixth International Conference on Advanced Learning Technologies*, 716-720. Washington, DC: IEEE Press.
- Francica, J. R. (1993). *Profiting from a geographic information system*. *GIS World*. Hoboken, NJ: Wiley.
- Friedes, D. (1974). Human information processing and sensory modality: Cross-modal functions, information complexity, memory, and deficit. *Psychological Bulletin*, 81(5), 284–310. doi:10.1037/h0036331
- Fua, Y.-H., Ward, M. O., & Rundensteiner, E. A. (1999). Hierarchical parallel coordinates for exploration of large datasets. In *Proceedings*

of *IEEE Visualization*, 43-50. New Brunswick, NJ: IEEE Press.

Fung, B. C. M., Wang, K., & Ester, M. (2003). *Hierarchical document clustering*. *Encyclopedia of Data Warehousing and Mining*. Hershey, PA: IGI Global.

Galyean, T. A., & Hughes, J. F. (1991). Sculpting: An interactive volumetric modeling technique. In *Proceedings of the 18th Annual Conference on Computer Graphics and Interactive Techniques*, 267-274. New York: ACM Press.

Gansner, E., & North, S. C. (1999). An open graph visualization system and its applications to software engineering. *Software, Practice & Experience*, 30(11), 1203–1233. doi:10.1002/1097-024X(200009)30:11<1203::AID-SPE338>3.0.CO;2-N

Garth, C., & Tricoche, X. (2005). Topology-and feature-based flow visualization: Methods and applications. In *Proceedings of the SIAM Conference on Geometric Design and Computing*. New York: ACM Press.

Gasper, K., & Clore, G. L. (2002). Attending to the big picture: Mood and global versus local processing of visual information. *Psychological Science*, 13(1), 34–40. doi:10.1111/1467-9280.00406

Gazan, R. (2009). When online communities become self-aware. In *Proceedings of Conference on Hawaii International System Sciences*. Washington, DC: IEEE Press.

Gemignani, Z. (2012). *Juice analytics*. Retrieved from <http://www.juiceanalytics.com/writing/data-visualization-as-storytelling-a-stretched-analogy/>.

Gemmell, J. (2006). MyLifeBits: A personal database for everything. *Communications of the ACM*, 49(1), 88–95. doi:10.1145/1107458.1107460

Geng, Z., Laramée, R. S., Loizides, F., & Buchanan, G. (2011). Visual analysis of document triage data. In *Proceedings of International Conference on Information Visualization Theory and Applications*. Vilamoura, Algarve, Portugal: INSTICC Press.

Gershon, N. D., & Page, W. (2001). What storytelling can do for information visualization. *Communications of the ACM*, 44(8), 31–37. doi:10.1145/381641.381653

Gershon, N., Eick, S. G., & Card, S. (1998). Design: Information visualization. *Interactions (New York, N.Y.)*, 5, 9–15. doi:10.1145/274430.274432

Gibler, K. M., Black, R. T., & Moon, K. P. (2002). Time, place, space, technology, and corporate real-estate strategy. *Journal of Real Estate Research*, 24(3), 235–262.

Gilbert, E. & Karahalios, K. (2009). Using social visualization to motivate social production. *IEEE Transactions on Multimedia-Special section on communities and media*, 11(3), 413–421.

Gilbert, E., & Karahalios, K. (2007). CodeSaw: A social visualization of distributed software development. In *Proceedings of the 11th IFIP TC 13 International Conference on Human-Computer Interaction-Volume Part II*, 303–316. New York: HCIR Press.

Gilson, O., Silva, N., Grant, P. W., & Chen, M. (2008). From web data to visualization via ontology mapping. *Computer Graphics Forum*, 27(3), 959–966. doi:10.1111/j.1467-8659.2008.01230.x

Girgensohn, A., Shipman, F., Turner, T., & Wilcox, L. (2010). Flexible access to photo libraries via time, place, tags, and visual features. In *Proceedings of the 10th Annual Joint Conference on Digital Libraries*, 187–196. New York: ACM. doi:10.1145/1816123.1816151.

Giunchiglia, F., Marchese, M., & Zaihrayeu, I. (2007). Encoding classifications into lightweight ontologies. *Journal on Data Semantics VIII*, 4380(4380), 57–81. Retrieved from http://dx.doi.org/10.1007/978-3-540-70664-9_3.

Glasswing. (2012). Retrieved from <http://www.orsense.com/product.php?ID=38>.

GLPi & Schmolka, V. (2000). *Results of usability testing research on plain language draft sections of the employment insurance act*. Justice Canada and Human Resources Development Canada. Retrieved from <http://www.davidberman.com/wp-content/uploads/glpj-english.pdf>.

GNU DDD. (2009). *Data display debugger*. Retrieved from <http://www.gnu.org/software/ddd/>.

Golder, S. A., & Donath, J. (2004). Social roles in electronic communities. *Internet Research*, 5, 19–22.

Gómez-Aguilar, D. A., Conde-González, M. Á., Therón, R., & García-Peñalvo, F. J. (2011). Revealing the evolution of semantic content through visual analysis. In *Proceedings of the 11th IEEE International Conference on Advanced Learning Technologies*, 450-454. Washington, DC: IEEE Press.

- Gómez-Aguilar, D. A., Guerrero, C. S., Sanchez, R. T., Therón, R., & García-Peñalvo, F. J. (2010). Visual analytics to support e-learning. In Rosson (Ed.), *Advances in Learning Processes* (207-228). Rijeka, Croatia: InTech. doi:doi:10.5772/7932doi:10.5772/7932
- Gómez-Aguilar, D. A., Therón, R., & García-Peñalvo, F. (2008). Understanding educational relationships in Moodle with ViMoodle. In *Proceedings of the Eighth IEEE International Conference on Advanced Learning Technologies*, 954-956. Washington, DC: IEEE Press.
- Gómez-Aguilar, D. A., Therón, R., & García-Peñalvo, F. (2009). Semantic spiral timelines used as support for e-learning. *Journal of Universal Computer Science*, 15(7), 1526–1545.
- Goodman, E., Stolterman, E., & Wakkary, R. (2011). Understanding interaction design practice. In *Proceedings of Conference on Human Factors in Computing Systems*, 1061-1070. New York: ACM Press.
- Google Developers. (2012a). Demographics layer. *Google Maps API for Business*. Retrieved from <https://developers.google.com/maps/documentation/business/demographics>.
- Google Developers. (2012b). Styled maps. *Google Maps JavaScript API v3*. Retrieved from <https://developers.google.com/maps/documentation/javascript/styling>.
- Google. (2012). Retrieved on from <https://www.google.com/>.
- Götschi, T., Sanders, I., & Galpin, V. (2003). Mental models of recursion. In *Proceedings of the 34th SIGCSE Technical Symposium on Computer Science Education* (346-350). Reno, NV: ACM Press.
- Gotta Feeling. (2012). Retrieved from <http://gottafeeling.com/>.
- Gammel, L., Tory, M., & Storey, M.-A. (2010). How information visualization novices construct visualizations. *IEEE Transactions on Visualization and Computer Graphics*, 16(6), 943–952. doi:10.1109/TVCG.2010.164
- Grasso, M. A., Ebert, D. S., & Finin, T. W. (1998). The Integrality of speech in multimodal interfaces. *ACM Transactions on Computer-Human Interaction*, 5(4), 303–325. doi:10.1145/300520.300521
- Greene, J. A., & Azevedo, R. (2007). Adolescents' use of self-regulatory processes and their relation to qualitative mental model shifts while using hypermedia. *Journal of Educational Computing Research*, 36(2), 125–148. doi:10.2190/G7M1-2734-3JRR-8033
- Greimas, A.-J. (1987). *On meaning: Selected writings in semiotic theory*. Minneapolis, MN: University of Minnesota Press.
- Griffith, E. J., Post, F. H., Koutek, M., Heus, T., & Jonker, H. J. J. (2005). Feature tracking in VR for cumulus cloud life-cycle studies. In Kjems & Blach (Eds.), *Virtual Environments 2005* (121–128). Natick, MA: A K Peters.
- Grigoryan, G., & Rheingans, P. (2004). Point-based probabilistic surfaces to show surface uncertainty. *IEEE Transactions on Visualization and Computer Graphics*, 10(5), 564–573. doi:10.1109/TVCG.2004.30
- Gruber, T. R. (1993). A translation approach to portable ontology specifications. In H. Burkhardt & B. Smith (Eds.) *Knowledge Creation Diffusion Utilization*, 5, 199–220. doi:doi:10.1006/knac.1993.1008doi:10.1006/knac.1993.1008
- Gruber, T. R. (1995). Toward principles for the design of ontologies used for knowledge sharing? *International Journal of Human-Computer Studies*, 43(5-6), 907–928. doi:10.1006/ijhc.1995.1081
- Gruzd, A., & Haythornthwaite, C. (2008). The analysis of online communities using interactive content-based social networks. In *Proceedings of the American Society for Information Science and Technology Conference*, 523–527. Paris: ICSU Press.
- Guardian. (2010). Retrieved from <http://www.guardian.co.uk/science/2011/dec/02/psychology-human-biology?newsfeed=true>.
- Guarino, N. (1998). Formal ontology in information systems. In *Proceedings of FOIS '98*. Amsterdam, IOS Press.
- Guidano, V. F. (1987). *Complexity of the self*. New York: Guilford.
- Guidano, V. F. (1991). *The self in process*. New York: Guilford.
- Guidano, V. F., & Liotti, G. (1986). *Cognitive processes and emotional disorders*. New York: Guilford.
- Guo, D., & Mennis, J. (2009). Spatial data mining and geographic knowledge discovery: An introduction. *Computers, Environment and Urban Systems*, 33(6), 403–408. doi:10.1016/j.compenvurbsys.2009.11.001
- Gyorbíro, N. (2010). Collaborative capturing of significant life memories? In *Proceedings of CHI 2010 Worksho-Know Thyself: Monitoring*

and Reflecting on Facets of One's Life. New York: ACM Press.

Hagedorn, J., & Heslen, G. G. (2009). Contractual complexity and the cognitive load of R&D alliance contracts. *Journal of Empirical Legal Studies*, 6(4), 818–847. doi:10.1111/j.1740-1461.2009.01161.x

Hägerstrand, T. (1982). Diorama, path, and project. *Tijdschrift voor Economische en Sociale Geografie*, 73(6), 323–339. doi:10.1111/j.1467-9663.1982.tb01647.x

Hall, P. R. (1993). The role of GIS in targeted and database marketing for packaged goods. *GIS in Business Conference Proceedings*, 65–76. Boston: GIS World.

Hallett, C. (2008). Multi-modal presentation of medical histories. In *Proceedings of the 13th International Conference on Intelligent User Interfaces*, 80–89. New York: ACM Press.

Hand, D. J., Mannila, H., & Smyth, P. (2001). *Principles of data mining. Adaptive computation and machine learning*. Cambridge, MA: The MIT Press.

Hanks, P. (2010). How people use words to make meanings. In *Proceedings of the 7th International Workshop on Natural Language Processing and Cognitive Science*, 3(13).

Happy Factor. (2012). Retrieved from <http://howhappy.dreamhosters.com/>.

Hardless, C., & Nulden, U. (1999). Visualizing learning activities to support tutors. In *Proceedings of Conference on Human Factors in Computing Systems (CHI)*. Pittsburgh, Pennsylvania: ACM Press.

Harrison-John, G. (1997). *Enhancements to the Data Mining Process*. (Ph.D. thesis). Stanford, CA, Stanford University.

Hasser, C., & Goldenberg, A. (1998). User performance in a GUI pointing task with a low-cost force-feedback computer mouse. In *Proceedings of Seventh Annual Symposium on Haptic Interfaces, International Mechanical Engineering Congress, and Exposition*. Anaheim, CA: IEEE Press.

Hauser, H., Ledermann, F., & Doleisch, H. (2002). Angular brushing of extended parallel coordinates. In *Proceedings of IEEE Symposium on Information Visualization*, 127–130. New Brunswick, NJ: IEEE Press.

Healey, C. G., Tateosian, L., Enns, J. T., & Remple, M. (2004). Perceptually-based brush strokes for non-photorealistic visualization. *ACM Transactions on Graphics*, 23(1), 64–96. doi:10.1145/966131.966135

Health Tracking. (2012). Retrieved from Network <http://www.healthtracking.net/>.

HealthEngage. (2012). Retrieved from <http://www.healthengage.com/>.

HealthMonth. (2012). Retrieved from <http://healthmonth.com>.

HealthVault. (2012). Retrieved from <http://www.microsoft.com/en-gb/healthvault/default.aspx>.

Heer, J., & Boyd, D. (2005). Vizster: Visualizing online social networks. In *Proceedings of IEEE Symposium on Information Visualization*, 32–39. Minneapolis, MN: IEEE Press.

Heer, J., & Hellerstein, J. (2009). Data Visualization and social data analysis. In *Proceedings of the VLDB Endowment*, 1656–1657.

Heer, J., & Perer, A. (2011). Orion: A system for modeling, transformation and visualization of multidimensional heterogeneous networks. In *Proceedings of 2011 IEEE Conference on Visual Analytics Science and Technology*, 51–60. Providence, RI: IEEE Press.

Heer, J., Card, S., & Landay, J. (2005). Prefuse: A toolkit for interactive information visualization. In *Proceedings of the CHI 2005 Conference on Human Factors in Computing Systems*. Portland, OR: ACM Press.

Heer, J. (2008). Graphical histories for visualization: Supporting analysis, communication, and evaluation. *IEEE Transactions on Visualization and Computer Graphics*, 14(6), 1189–1196. doi:10.1109/TVCG.2008.137

Heer, J., Bostock, M., & Ogievetsky, V. (2010). Visualisation: A Tour through the visualization zoo: A survey of powerful visualization techniques, from the obvious to the obscure. *ACM Queue; Tomorrow's Computing Today*, 8(5), 20.

Heer, J., Viégas, F., & Wattenberg, M. (2009). Voyagers and voyeurs: Supporting asynchronous collaborative visualization. *Communications of the ACM-Rural Engineering Development*, 52(1), 87–97. doi:10.1145/1435417.1435439

Heine, C., Schneider, D., Carr, H., & Scheuermann, G. (2011). Drawing Contour trees in the plane. *IEEE Transactions on Visualization*

and *Computer Graphics*, 17(11), 1599–1611. doi:10.1109/TVCG.2010.270

Helldin, T., & Riveiro, M. (2009). Explanation methods for bayesian networks: review and application to a maritime scenario. In: *3rd Annual Skövde Workshop on Information Fusion Topic*, 11–16. New Brunswick, NJ: IEEE Press.

Helman, J., & Hesselink, L. (1989). Representation and display of vector field topology in fluid flow data sets. *IEEE Computer Graphics and Applications*, 22(8), 27–36.

Hendrix, D., Cross, J., & Barowski, L. (2004). An extensible framework for providing dynamic data structure visualizations in a lightweight IDE. In *Proceedings of SIGCSE'04 35th Technical Symposium on Computer Science Education*. New York: ACM Press.

Hengl, T., & Toomanian, N. (2006). Maps are not what they seem: Representing uncertainty in soil-property maps. In *Proceedings of 7th International Symposium on Spatial Accuracy Assessment in Natural Resources and Environmental Sciences*. Edgbaston, UK: World Academic Press.

Henry, N., & Fekete, J.-D. (2006). MatrixExplorer: A dual-representation system to explore social networks. *IEEE Transactions on Visualization and Computer Graphics*, 12(5), 677–684. doi:10.1109/TVCG.2006.160

Herman, I., Melancon, G., & Marshall, M. S. (2000). Graph visualization and navigation in information visualization: A survey. *IEEE Transactions on Visualization and Computer Graphics*, 6(1), 24–43. doi:10.1109/2945.841119

Hernández-Bolaños, F. (2010). *UltraVCN: Uso de filtros y características gráficas para la visualización de redes de colaboración*. (Unpublished B.Sc. Thesis). Puebla, Mexico, Universidad de las Américas.

Herraiz Soto & Co. (2010). *Ommwriter*. Retrieved from <http://ommwriter.com>.

Hess, S. M., Detweiler, M. C., & Ellis, R. D. (1999). The utility of display space in keeping track of rapidly changing information. *Human Factors*, 41(2), 257–281. doi:10.1518/001872099779591187

Hijón-Neira, R., Velázquez-Iturbide, J. Á., Barn, B., & Oussena, S. (2008). A comparative study on the analysis of students interactions in e-learning. In *Proceedings of Eighth IEEE International Conference on Advanced Learning Technologies*, 20–22. Washington, DC: IEEE Press.

Hijón-Neira, R., & Velázquez-Iturbide, J. Á. (2008). How to improve assessment of learning and performance through interactive visualization. In *Proceedings of Eighth IEEE International Conference on Advanced Learning Technologies*, 472–476. Washington, DC: IEEE Press.

Hill, L. (2006). *Georeferencing: The geographic associations of information*. Cambridge, MA: MIT Press.

Hill, T., Noble, J., & Potter, J. (2002). Scalable visualizations of object-oriented systems with ownership trees. *Journal of Visual Languages and Computing*, 13, 319–339. doi:10.1006/jvlc.2002.0238

Historypin Team. (n.d.). What are tours? *Historypin*. Retrieved from <http://www.historypin.com/tours/>.

Historypin. (n.d.). A global community collaborating around history. *Historypin*. Retrieved from <http://www.historypin.com/>.

Hodges, S. (2006). L. SenseCam: A Retrospective Memory Aid. [Berlin: Springer.]. *Proceedings of UBICOMP, 2006*, 81–90.

Hoffman, R., Baudisch, P., & Weld, D. S. (2008). Evaluating visual cues for window switching on large screens. In *Proceedings of CHI*. New York: ACM Press.

Holten, D. (2006). Hierarchical edge bundles: Visualization of adjacency relations in hierarchical data. *IEEE Transactions on Visualization and Computer Graphics*, 12(5), 741–748. doi:10.1109/TVCG.2006.147

Hou, X., & Sourina, O. (2011). Six degree-of-freedom haptic rendering for biomolecular docking . In Gavrilova, M., Tan, C., Sourin, A., & Sourina, O. (Eds.), *Transactions on Computational Science XII (Vol. 6670*, pp. 98–117). Lecture Notes in Computer Science Berlin: Springer. doi:10.1007/978-3-642-22336-5_6

Howard, R. W. (1995). *Learning and memory: Major ideas, principles, issues, and applications*. Westport, CT: Praeger.

Huang, M. L., & Liang, J. (2010). Highlighting in information visualization: A survey. In *Proceedings of IEEE Information Visualization Conference*, 79–85. New Brunswick, NJ: IEEE Press.

Huang, M. L., Liang, F. L., Chen, Y. W., Liang, J., & Nguyen, Q. V. (2012). Clutter reduction in multi-dimensional visualization of incomplete data using sugiyama algorithm. In *Proceedings of IEEE Information Visualization Conference*, 93–99. New Brunswick, NJ: IEEE Press.

- Huang, M. L., Liang, J., & Nguyen, Q. (2009). A visualization approach for frauds detection in financial market. *IEEE Information Visualization Conference*, 197-202. New Brunswick, NJ: IEEE Press.
- Huang, M. L., Nguyen, Q. V., & Hintz, T. (2005). Attributed graph visualization of collaborative workspaces. In *Proceedings of the Computer Graphics, Imaging and Vision: New Trends (CGIV)*, 155-161. Washington, DC: IEEE Press.
- Huang, W., & Huang, M. L. (2010). Exploring the relative importance of crossing number and crossing angle. In *Proceedings of the 3rd International Symposium on Visual Information Communication*. New York: ACM Press.
- Huang, W., Eades, P., & Hong, S.-H. (2009). A graph reading behavior: Geodesic-path tendency. In *Proceedings of the IEEE Pacific Visualization Symposium*, 137-144. Beijing: IEEE Press.
- Huang, D., Rau, P. P., Su, H., Tu, N., & Zhao, C. (2007). Effects of time orientation on design of notification systems. *Human-Computer Interaction*, 4550, 835–843.
- Huang, W. (2013). Establishing aesthetics based on human graph reading behavior: Two eye tracking studies. *Personal and Ubiquitous Computing*, 17(1), 93–105. doi:10.1007/s00779-011-0473-2
- Huang, W., Eades, P., & Hong, S.-H. (2009). Measuring effectiveness of graph visualizations: A cognitive load perspective. *Information Visualization*, 8(3), 139–152. doi:10.1057/ivs.2009.10
- Huang, X., & Lai, W. (2006). Clustering graphs for visualization through node similarities. *Journal of Visual Languages and Computing*, (17): 225–253. doi:10.1016/j.jvlc.2005.10.003
- Huisman, O., Feliciano Santiago, I. T., Kraak, M. J., & Retsios, V. (2009). Developing a geovisual analytics environment for investigating archaeological events: Extending the space time cube. *Cartography and Geographic Information Science*, 36(3), 225–236. doi:10.1559/152304009788988297
- Husson, F., Le, S., & Pages, J. (2010). *Exploratory multivariate analysis by example using r*. New York: CRC Press. doi:10.1201/b10345
- Hutchins, E. (2002). *Cognition in the wild*. Cambridge, MA: MIT Press.
- Hwang, F., Keates, S., Langdon, P., & Clarkson, P. J. (2003). Multiple haptic targets for motion-impaired computer users. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 41-48. New York: ACM Press.
- IBM. (n.d.). Many eyes. *Software Analytics*. Retrieved from <http://www-958.ibm.com/>.
- Ikits, M., Brederson, J., Hansen, C., & Johnson, C. (2003). A constraint-based technique for haptic volume exploration. [New Brunswick, NJ: IEEE Press.]. *Proceedings of IEEE Visualization VIS, 2003*, 263–269.
- Information Display: Display Week. (2012). *Review Issue*, 28.
- Infospace, Inc. (2012). *Dogpile*. Retrieved from <http://www.dogpile.com/info.dogpl/search/home>.
- Inselberg, A. (1985). The plane with parallel coordinates. *The Visual Computer*, 1(4), 69–91. doi:10.1007/BF01898350
- Inselberg, A. (2009). Parallel coordinates: Interactive visualization for high dimensions . InZudilova- Seinstra, E., Adriaansen, T., & Liere, R. (Ed.), *Trends in Interactive Visualization* (49-78). London: Springer-Verlag. doi:10.1007/978-1-84800-269-2_3
- Internet Multimedia Lab at the University of Southern California. (2004). *Total recall: A personal information management system*. Retrieved from <http://bourbon.usc.edu/iml/recall/>.
- Irwin, T. (2002). *Information design: What is it and who does it?* Retrieved from http://www.aiga.org/resources/content/1/8/9/3/documents/AIGA_Clear_InformationDesign.pdf.
- Isaac, A. R., & Marks, D. F. (1994). Individual differences in mental imagery experience: Developmental changes and specialization. *The British Journal of Psychology*, 85(4), 479–500. doi:10.1111/j.2044-8295.1994.tb02536.x
- Isbister, K., & Doyle, P. (1999). Touring machines: Guide agents for sharing stories about digital places. In *Proceedings of Workshop on Narrative Intelligence*. Cape Cod, MA: AAAI Press.
- Isenberg, P., Zuk, T., & Collins, C. (2008). Grounded evaluation of information visualizations. In *Proceedings of the 2008 Workshop on Beyond time and errors: Novel Evaluation Methods for Information Visualization*, 1–8. Florence, Italy: ACM Press.
- ISO 9241-11. (1998). Ergonomic requirements for office work with visual display terminals (VDTs). *Part 11: Guidance on Usability*. Retrieved from http://www.iso.org/iso/catalogue_detail.htm?csnumber=16883.

ITC's Michigan Control Room. (2012). Retrieved from http://pro.sony.com/bbsccms/assets/files/micro/sxrd/articles/ITC_IGI_SXRD_CASE_STUDY.pdf.

Itten, J. (1970). *The elements of color*. Ravensburg, Germany: Van Nostrand Reinhold Publishing.

Iwata, H., & Noma, H. (1993). Volume haptization. In *Proceedings of IEEE Symposium on Research Frontiers in Virtual Reality*, 16-23. New Brunswick, NJ: IEEE Press.

Iwata, T., & Saito, K. (2004). Visualization of anomaly using mixture model . In *Knowledge-Based Intelligent Information and Engineering System*, 624–631. Berlin: Springer. doi:10.1007/978-3-540-30133-2_82

Jawbone UP System. (2012). Retrieved from <http://jawbone.com/up>.

Jenkinson, M., & Smith, S. (2001). A global optimisation method for robust affine registration of brain images. *Medical Image Analysis*, 5 (2), 143–156. doi:10.1016/S1361-8415(01)00036-6

Jensen, F., Aldenryd, S., & Jensen, K. (1995). Sensitivity analysis in bayesian networks . In *Symbolic and Quantitative Approaches to Reasoning and Uncertainty*, 243–250. Berlin: Springer. doi:10.1007/3-540-60112-0_28

Johansson, F., & Falkman, G. (2007). Detection of vessel anomalies—A bayesian network approach. In *Proceedings of the 3rd International Conference on Intelligent Sensors, Sensor Networks, and Information Processing*. New Brunswick, NJ: IEEE Press.

Johansson, J., Ljung, P., Jern, M., & Cooper, M. (2005). Revealing structure within clustered parallel coordinates displays. In *IEEE Symposium on Information Visualization*, 125-132. New Brunswick, NJ: IEEE Press.

Johnson-Laird, P. N. (1983). *Mental models: Towards a cognitive science of language, inference, and consciousness*. Cambridge, MA: Harvard University Press.

Jones, H. W. (2009). Envisioning visual contracting: Why non-textual tools will improve your contracting. *Contracting Excellence*, 2(6), 27–31. Retrieved from http://www.iacm.com/userfiles/file/CE_2_6_press_new.pdf.

Jones, H. W., & Oswald, M. (2001). Doing deals with flowcharts. *ACCA Docket*, 19(9), 94–108.

Kahney, H. (1983). What do novice programmers know about recursion. In A. Janda (Ed.), *CHI '83: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (235-239). Boston: ACM.

Kahol, K., Tripathi, P., Mcdaniel, T., Bratton, L., & Panchanathan, S. (2006). Modeling context in haptic perception, rendering, and visualization. *ACM Transactions on Multimedia Computing, Communications, and Applications*, 2(3), 219–240. doi:10.1145/1152149.1152153

Kalnikaite, V., & Whittaker, S. (2012). Recollection: How to design lifelogging tools that help locate the right information. *Human-Computer Interaction: The Agency Perspective Studies in Computational Intelligence*, 329-348. Berlin: Springer. doi:10.1007/978-3-642-25691-2_14

Kanai, H., Tsuruma, G., Nakada, T., & Kunifuji, S. (2008). Notification of dangerous situation for elderly people using visual cues. In *Proceedings of IUI*. New York: ACM Press.

Kaptelinin, V., & Nardi, B. A. (2009). *Acting with technology: Activity theory and interaction design*. Cambridge, MA: MIT Press.

Katifori, A., Halatsis, C., Lepouras, G., Vassilakis, C., & Giannopoulou, E. (2007). Ontology visualization methods-A survey. *ACM Computing Surveys*, 39(4), 10. doi:10.1145/1287620.1287621

Kaufmann, E., & Bernstein, A. (2007). How useful are natural language interface to the semantic web for casual end-users? In *Proceedings of the 6th International Semantic Web Conference*, 281–294. Berlin: Springer.

Kay, M. (2011). Lulaby: Environmental sensing for sleep self-improvement. In *Proceedings of CHI2011 Workshop on Personal Informatics*. New York: ACM Press.

Kay, M., & Terry, M. (2010). Textured agreements: Re-envisioning electronic consent. In L. F. Cranor (Ed.), *Proceedings of the Sixth Symposium on Usable Privacy and Security*. Redmond, WA: ACM. doi:10.1145/1837110.1837127

Kay, A. (1990). User interface: A personal view . In Laurel, (ed.), *The Art of Human-Computer Interface Design*. Cambridge, MA: Addison-Wesley.

Keim, D. A., Mansmann, F., Schneidewind, J., & Ziegler, H. (2006). Challenges in visual data analysis. *Information Visualization*, 9-16.

- Keim, D. (2002). Information visualization and visual data mining. *IEEE Transactions on Visualization and Computer Graphics*, 7(1), 1–8. doi:10.1109/2945.981847
- Keim, D. A., Mansmann, F., & Thomas, J. (2009). Visual analytics: How much visualization and how much analytics. *SIGKDD Explorations*, 11(2).
- Keller, T., & Grimm, M. (2005). The impact of dimensionality and color coding of information visualizations. In S.-O. Tergan & T. Keller (Eds.), *Lecture Notes in Computer Science, Vol. 3426: Knowledge and information visualization: searching for synergies*. (167–182). Heidelberg, Germany: Springer. doi:10.1007/11510154_9.
- Kelly, J. W., Fisher, D., & Smith, M. (2006). Friends, foes, and fringe: Norms and structure in political discussion networks. In *Proceedings of the 2006 International Conference on Digital Government Research*, 412–417. San Diego, CA: ACM Press.
- Keqin, W., Zhanping, L., Song, Z., & Moorhead, R. J. (2010). Topology-aware evenly spaced streamline placement. *IEEE Transactions on Visualization and Computer Graphics*, 16(5), 791–801. doi:10.1109/TVCG.2009.206
- Kerpedjiev, S., & Roth, S. F. (2001). Mapping communicative goals into conceptual tasks to generate graphics in discourse. *Knowledge-Based Systems*, 14(1), 93–102. doi:10.1016/S0950-7051(00)00100-3
- Kerr, B. (2003). Thread arcs: An email thread visualization. *Citeseer*. Retrieved from <http://citeseer.uark.edu:8080/citeseerx/showciting;jsessionid=0BA75E333 AE2127F3F70223E43A73075?cid=818372>.
- Kerren, A., Stasko, J., Fekete, J.-D., & North, C. (2007). Workshop report: Information visualization—human-centered issues in visual representation, interaction, and evaluation. *Information Visualization*, 6, 189–196.
- Kerr, S. T. (1990). Wayfinding in an electronic database: The relative importance of navigational cues vs. mental models. *Information Processing & Management*, 26(4), 511–523. doi:10.1016/0306-4573(90)90071-9
- Kersey, C., Di Eugenio, B., Jordan, P. W., & Katz, S. (2009). Knowledge co-construction and initiative in peer learning interactions. In *Proceedings of the 14th International Conference on Artificial Intelligence in Education*. Brighton, UK: IOS Press.
- Keuning, H. (2003). *Augmented Force Feedback to Facilitate Target Acquisition in Human-Computer Interaction*. (Ph.D. thesis). Eindhoven, The Netherlands, University of Eindhoven.
- Khan, A., Matejka, J., Fitzmaurice, G., & Kurtenbach, G. (2005). *Spotlight: Directing users' attention on large displays*. In *Proceedings of CHI*. New York: ACM Press.
- Kharchenko, V., & Vasylyev, V. (2002). Application of the intellectual decision making system for vessel traffic control. In *Proceedings of 14th International Conference on Microwaves, Radar, and Wireless Communications*, 2, 639–642. New Brunswick, NJ: IEEE Press.
- Kim, S. C., & Kwon, D. S. (2007). Haptic and sound grid for enhanced positioning in a 3D virtual environment. In *Proceedings of Second International Workshop of Haptic and Audio Interaction Design*, 98-109. Seoul, South Korea: HAID Press.
- Kimble, J. (2006). *Lifting the fog of legalese*. Durham, NC: Carolina Academic Press.
- Kimmerle, J., Moskaliuk, J., Harrer, A., & Cress, U. (2010). Visualizing co-evolution of individual and collective knowledge. *Information Communication and Society*, 13(8). doi:10.1080/13691180903521547
- Kirsch, I. S., & Jungeblut, A. (1986). *Literacy: Profiles of america's young adults*. Princeton, NJ: Educational Testing Service.
- Kirsh, D. (2010). Thinking with external representations. *AI & Society*, 25(4), 441–454. doi:10.1007/s00146-010-0272-8
- Kittur, A., & Kraut, R. E. (2010). Beyond wikipedia: Coordination and conflict in online production groups. In *Proceedings of the 2010 ACM Conference on Computer Supported Cooperative Work*, 215–224. Savannah, GA: ACM Press.
- Klatzky, R., & Lederman, S. (1995). Identifying objects from a haptic glance. *Perception & Psychophysics*, 57, 1111–1123. doi:10.3758/BF03208368
- Klein, D., & Manning, C. D. (2003). Accurate unlexicalized parsing. In *Proceedings of the 41st Meeting of the Association for Computational Linguistics*, 423-430. Cambridge, MA: MIT Press.
- Klerkx, J., Duval, E., & Meire, M. (2004). Using information visualization for accessing learning object repositories. In *Proceedings of the Eighth IEEE International Conference on Information Visualisation (IV)*, 465-470. Washington, DC: IEEE Press.
- Knome. (2012). Retrieved from <http://www.knome.com/>.

- Kochera, A. (1994). Home characteristics and property insurance. *Housing Economics*, 42(12), 9–12.
- Kohonen, T. (1990). The self-organizing map. *Proceedings of the IEEE*, 78(9), 1464–1480. doi:10.1109/5.58325
- Korner, O., Schill, M., Wagner, C., Bender, H. J., & Mnner, R. (1999). Haptic volume rendering with an intermediate local representation. In *Proceedings of the 1st International Workshop on the Haptic Devices in Medical Applications*, 79-84. Cambridge, MA: MIT Press.
- Kosara, R. & Miksch. (2001). Semantic depth of field, *Citeseer*. Retrieved from <http://citeseer.uark.edu:8080/citeseerx/viewdoc/summary;jsessionid=298F7F0386E377889ECF1B4887C50C5B?doi=10.1.1.24.174>.
- Kosara, R., Miksch, S., Hauser, H., Schrammel, J., Giller, V., & Tscheligi, M. (2002). *Useful Properties of Semantic Depth of Field for Better F+C Visualization*. In *Proceedings of the Symposium on Data Visualisation*. New Brunswick, NJ: IEEE Press.
- Kozhevnikov, M., Blazhenkova, O., & Becker, M. (2010). Trade-off in object versus spatial visualization abilities: Restriction in the development of visual-processing resources. *Psychonomic Bulletin & Review*, 17(1), 29–35. doi:10.3758/PBR.17.1.29
- Kozhevnikov, M., Hegarty, M., & Mayer, R. E. (2002). Revising the visualizer-verbalizer dimension: Evidence for two types of visualizers. *Cognition and Instruction*, 20(1), 47–77. doi:10.1207/S1532690XCI2001_3
- Kozhevnikov, M., Kosslyn, S., & Shephard, J. (2005). Spatial versus object visualizers: A new characterization of visual cognitive style. *Memory & Cognition*, 33(4), 710–726. doi:10.3758/BF03195337
- Kraak, M. J. (2003). The space-time cube revisited from a geovisualization perspective. In *Proceedings of the 21st International Cartographic Conference: Cartographic Renaissance*. Durban, South Africa. International Cartographic Association (ICA).
- Kraak, M.-J., Edsall, R., & MacEachren, A. (1997). Cartographic animation and legends for temporal maps: Exploration and or interaction. In *Proceedings of the 18th International Cartographic Conference*, 253-261. Stockholm: International Cartographic Association.
- Kraiman, J. B., Arouh, S. L., & Webb, M. L. (2002). Automated anomaly detection processor. In Sisti & Trevisani (Eds.), *Proceedings of SPIE: Enabling Technologies for Simulation Science VI* (128–137). Bellingham, WA: SPIE Press.
- Kranzlmuller, D., Grabner, S., & Volkert, J. (1996). Event graph visualization for debugging large applications. In *Proceedings of ACM SPDT'96*. Philadelphia: ACM Press.
- Lai, W., & Eades, P. (1992). Algorithms for disjoint node images. *Australian Computer Science Communications*, 14(1), 253–265.
- Lai, W., & Eades, P. (2002). Removing edge-node intersections in drawings of graphs. *Information Processing Letters*, 81, 105–110. doi:10.1016/S0020-0190(01)00194-6
- Lai-Yuen, S. K., & Lee, Y. S. (2005). Computer-aided molecular design (CAMD) with force-torque feedback. In *Proceedings of the Ninth International Conference on Computer Aided Design and Computer Graphics*, 199-204. New Brunswick, NJ: IEEE Press.
- Lam, H., Bertini, E., Isenberg, P., Plaisant, C., & Carpendale, S. (2012). Empirical studies in information visualization: Seven scenarios. *IEEE Transactions on Visualization and Computer Graphics*, 18(9), 1520–1536. doi:10.1109/TVCG.2011.279
- Lange, D. B., & Nakamura, Y. (1997). Object-oriented program tracing and visualization. *IEEE Computer*, 30(5), 63–70. doi:10.1109/2.589912
- Laramée, R. S., & Kosara, R. (2007). Human-centered visualization environments: Future challenges and unsolved problems. In A. Kerren, A. Ebert, & J. Meyer (Eds.), *Human-Centered Visualization, Lecture Notes in Computer Science, Tutorial Volume 4417* (231–254). Berlin: Springer Verlag.
- Lassila, O., & McGuinness, D. (2001). The role of frame-based representation on the semantic web. *Linköping Electronic Articles in Computer and Information Science*, 6(5), 2001. Retrieved from http://www.ksl.stanford.edu/KSL_Abstracts/KSL-01-02.html.
- LaViola, J. J. Prabhat, Forsberg, A. S., Laidlaw, D. H., & van Dam, A. (2009). Trends in interactive visualization. In E. Zudilova-Seinstra (Ed.), *Virtual Reality-Based Interactive Scientific Visualization Environments* (317-328). London: Springer-Verlag.
- Lawrence, D., Lee, C., Pao, L., & Novoselov, R. (2000). Shock and vortex visualization using a combined visual/haptic interface. [New Brunswick, NJ: IEEE Press.]. *Proceedings of Visualization, 2000*, 131–137.
- Laxhammar, R. (2008). Anomaly detection for sea surveillance. In *Proceedings of the 11th International Conference on Information Fusion*, 47–54. Cologne, Germany: IEEE Press.
- Laxhammar, R., Falkman, G., & Sviestins, E. (2009). Anomaly detection in sea traffic-A comparison of the gaussian mixture model and the

- kernel density estimator. In *Proceedings of the 12th International Conference on Information Fusion*, 756–763. New Brunswick, NJ: IEEE Press.
- Lecuyer, A., Coquillart, S., Kheddar, A., Richard, P., & Coiffet, P. (2000). Pseudo-haptic feedback: Can isometric input devices simulate force feedback? In *Proceedings of the IEEE Virtual Reality 2000 Conference*, 83-90. New Brunswick, NJ: IEEE Press.
- Lederman, S. J., & Klatzky, R. L. (1987). Hand movements: A window into haptic object recognition. *Cognitive Psychology*, 19(3), 342–368. doi:10.1016/0010-0285(87)90008-9
- Leigh, J., Johnson, A., Renambot, L., Peterka, T., Jeong, B., et al., & Sun, Y. (2012). Scalable resolution display walls. *Proceedings of the IEEE*, (99).
- Lewin, K. (1951). *Field theory in social science; Selected theoretical papers*. New York: Harper & Row.
- Liang, J., Nguyen, Q. V., Simoff, S., & Huang, M. L. (2012). Angular treemaps—A new technique for visualizing and emphasizing hierarchical structures. In *Proceedings of IEEE Information Visualization Conference*, 74-80. New Brunswick, NJ: IEEE Press.
- Liang, J., Nguyen, Q. V., Simoff, S., & Huang, M. L. (2013). Angular Treemaps . In Banissi, E. (Ed.), *Information Visualization-Techniques, Usability, & Evaluation*. Cambride, UK: Cambridge Scholar Publishing.
- Library of Congress. (2010). Fire insurance map, sheet 5. *American Treasures of the Library of Congress: Reason*. Retrieved from <http://www.loc.gov/exhibits/treasures/trr016.html>.
- LifeLapse. (2012). Retrieved from <http://www.lifelapse.com/>.
- Light, L. L., & Berger, D. E. (1974). Memory for modality: Within-modality discrimination is not automatic. *Journal of Experimental Psychology*, 103(5), 854–860. doi:10.1037/h0037404
- Linn, M. C., & Petersen, A. C. (1985). Emergence and characterization of sex differences in spatial ability: A meta-analysis. *Child Development*, 56(6), 1479–1498. doi:10.2307/1130467
- Liu, Z., & Stasko, J. T. (2010). Mental models, visual reasoning and interaction in Information Visualization: A top-down perspective. *IEEE Transactions on Visualization and Computer Graphics*, 16(6), 999–1008. doi:10.1109/TVCG.2010.177
- Livnat, Y., Agutter, J., Moon, S., Erbacher, R. F., & Foresti, S. (2005). A visual paradigm for network intrusion detection. In *Proceedings of the 2005 IEEE Workshop on Information Assurance and Security*, 92–99. New Brunswick, NJ: IEEE Press.
- Loftin, R. B., Chen, J., & Rosenblum, L. (2004). Visualization using virtual reality .InHansen, C, & Johnson, C (Eds.), *Visualization Handbook* (479-489). Amsterdam: Elsevier.
- Lohman, D. F., & Nichols, P. D. (1990). Training spatial abilities: Effects of practice on rotation and synthesis tasks. *Learning and Individual Differences*, 2(1), 67–93. doi:10.1016/1041-6080(90)90017-B
- Lohr, S. (2012). The age of big data. *The New York Times*. New York.
- Lorensen, W. E., & Cline, H. E. (1987). Marching cubes: A high resolution 3d surface construction algorithm. In *Proceedings of the 14th Annual Conference on Computer Graphics and Interactive Techniques*,163-169. New York: ACM Press.
- Loseit. (2012) Retrieved from <http://www.loseit.com/>.
- Löwgren, J., & Stolterman, E. (2004). *Thoughtful Interaction Design: A Design Perspective on Information Technology*. Cambridge, MA: MIT Press.
- Lundin, K., Ynnerman, A., & Gudmundsson, B. (2002). Proxybased haptic feedback from volumetric density data. In *Proceedings of the Eurohaptic Conference*, 104-109. Edinburgh, UK: University of Edinburgh Press.
- Lunenfeld, P. (2011). *The secret war between downloading and uploading: Tales of the computer as culture machine*. Cambridge, MA: MIT Press.
- Lycos. (2012). Lycos, Inc. Retrieved from <http://www.lycos.com/>.
- Ma, L., Ferguson, J., Roper, M., & Wood, M. (2007). Investigating the viability of mental models held by novice programmers. In *Proceedings of the 38th SIGCSE Technical Symposium on Computer Science Education* (499-503). Covington, KY: ACM.
- MacEachren, A. M., Jaiswal, A. R., Robinson, A. C., Pezanowski, S., Savelyev, A., et al., & Blanford, J. (2011). Senseplace2: Geotwitter analytics support for situational awareness. In *Proceedings of IEEE Conference on Visual Analytics Science and Technology*, 181–190.

New Brunswick, NJ: IEEE Press.

MacEachren, A. M. (1992). Visualizing uncertain information. *Cartographic Perspective*, 13(3), 10–19.

MacEachren, A., & Hardisty, . (2003). Supporting visual analysis of federal geospatial statistics. *Communications of the ACM*, 46(1), 60. doi:10.1145/602421.602452

MacEachren, A., Wachowicz, M., Edsall, R., & Haug, D. (1999). Constructing knowledge from multivariate spatiotemporal data: Integrating geographic visualization (GVis) with knowledge discovery in database (KDD) methods. *International Journal of Geographical Information Science*, 13(4), 311–334. doi:10.1080/136588199241229

Mackinlay, J. D. (1986). Automating the design of graphical presentations of relational information. *ACM Transactions on Graphics*, 5(2), 110–141. doi:10.1145/22949.22950

Mackinlay, J. D., Hanrahan, P., & Stolte, C. (2007). Show me: Automatic presentation for visual analysis. *IEEE Transactions on Visualization and Computer Graphics*, 13(6). doi:10.1109/TVCG.2007.70594

MacLean, K. E. (2000). Designing with haptic feedback. In *Proceedings of IEEE International Conference on Robotics and Automation*, 783–788. New Brunswick, NJ: IEEE Press.

Maglio, P. P., & Campbell, C. S. (2000). Tradeoffs in displaying peripheral information. In *Proceedings of CHI*. New York: ACM Press.

Mahler, T. (2010). *Legal Risk Management—Developing and Evaluating Elements of a Method for Proactive Legal Analyses, with a Particular Focus on Contracts*. (Doctoral thesis). Oslo, Norway: University of Oslo.

Malouf, R., & Mullen, T. (2008). Taking sides: User classification for informal online political discourse. *Internet Research*, 18(2), 177–190. doi:10.1108/10662240810862239

Mann, S. (2004) Continuous lifelong capture of personal experiences with eyetap. In *Proceedings of 1st ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*. New York: ACM Press.

Manning, C., Rodriguez, M., & Ghosh, C. (1999). Devising a Corporate facility location strategy to maximize shareholder wealth. *Journal of Real-Estate Research. American Real-Estate Society*, 17(3), 321–340.

Manovich, L. (2008). *Introduction to info-aesthetics*. Retrieved from <http://goo.gl/NFLvy>.

Manovich, L. (2010). *What is visualization?* Retrieved from <http://www.datavisualisation.org/2010/11/levmanovichwhat-is-visualization/>.

Mansmann, F. (2008). *Visual Analysis of Network Traffic: Interactive Monitoring, Detection, and Interpretation of Security Threats*. (Ph.D. thesis). Konstanz, Germany, Universität Konstanz.

Mantovani, G. (1996). Social context in HCI: A new framework for mental models, cooperation, and communication. *Cognitive Science*, 20(2), 237–269. doi:10.1207/s15516709cog2002_3

Marin, A., & Wellman, B. (2010). Social network analysis: An introduction . In Carrington, P., & Scott, J. (Eds.), *Handbook of Social Network Analysis*. London: Sage.

Mark, W., Randolph, S., Finch, M., Verth, J. V., & Taylor, R. M. (1996). Adding force feedback to graphics systems: Issues and solutions . In *Proceedings of Computer Graphics*, 447–452. Amsterdam: IOS Press. doi:10.1145/237170.237284

Martin, A., & Ward, M. (1995). High dimensional brushing for interactive exploration of multivariate data. In *Proceedings of the 6th Annual Conference on Visualization*. New Brunswick, NJ: IEEE Computer Society.

Martin, M., Álvarez, A., Fernández-Castro, I., Reina, D., & Urretavizcaya, M. (2011) Experiences in visualizing the analysis of blended-learning interactions to support teachers. In *Proceedings of 11th IEEE International Conference on Advanced Learning Technologies*, 265–266. Washington, DC: IEEE Press.

Masli, M., Priedhorsky, R., & Terveen, L. (2011). Task specialization in social production communities: The case of geographic volunteer work. In *Proceedings of ICWSM*, 217–224. Palo Alto, CA: AAAI Press.

Mayer, R. E., & Moreno, R. (1998). *A cognitive theory of multimedia learning: Implications for design principles*. Paper presented at the CHI-98 Workshop on Hyped-Media to Hyper-Media, Los Angeles, CA.

Mayer, R. E. (2002). Multimedia learning. *Psychology of Learning and Motivation*, 41, 85–139. doi:10.1016/S0079-7421(02)80005-6

Mayer, R. E. (2011a). Does styles research have useful implications for educational practice? *Learning and Individual Differences*, 21(3),

319–320. doi:10.1016/j.lindif.2010.11.016

Mayer, R. E. (2011b). Applying the science of learning to multimedia instruction . In Mestre, J. P., & Ross, B. H. (Eds.), *The Psychology of Learning and Motivation* (Vol. 55, pp. 77–108). Amsterdam: Elsevier. doi:10.1016/B978-0-12-387691-1.00003-X

Mayer, R. E., Heiser, J., & Lonn, S. (2001). Cognitive constraints on multimedia learning: When presenting more material results in less understanding. *Journal of Educational Psychology*, 93(1), 187–198. doi:10.1037/0022-0663.93.1.187

Mayer, R. E., & Moreno, R. (2003). Nine ways to reduce cognitive load in multimedia learning. *Educational Psychologist*, 38(1), 43–52. doi:10.1207/S15326985EP3801_6

Mayer-Schönberger, V. (2009). *Delete: The virtue of forgetting in the digital age*. Princeton, NJ: Princeton University Press.

Mazza, R. (2006). A graphical tool for monitoring the usage of modules in course management systems. In *Proceedings of Visual Information Expert Workshop*. Paris, VIEW Press.

Mazza, R., & Dimitrova, V. (2005). Generation of graphical representations of student tracking data in course management systems. In *Proceedings of the 9th IEEE International Conference on Information Visualisation*. London: IEEE Press.

Mazza, R., & Milani, C. (2005). Exploring usage analysis in learning systems: gaining insights from visualisations. In *Proceedings of the 12th International Conference on Artificial Intelligence in Education (AIED)*, 65–72. Amsterdam: IOS Press.

McAuley, J., O'Connor, A., & Lewis, D. (2012). Exploring reflection in online communities. In *Proceedings of the 2nd International Conference on Learning Analytics and Knowledge*, 102–110. Vancouver, BC: ACM Press.

McCormick, E. J., & Sanders, M. S. (1982). *Human factors in engineering and design*. New York: McGraw-Hill.

McCrickard, D. S., Catrambone, R., Chewar, C. M., & Stasko, J. T. (2003). Establishing tradeoffs that leverage attention for utility: empirically evaluating information display in notification systems. *International Journal of Human-Computer Studies*, 58, 547–582. doi:10.1016/S1071-5819(03)00022-3

McCrickard, D. S., & Chewar, C. M. (2003). Attuning notification design to user goals and attention costs. *Communications of the ACM*, 46(3), 67–72. doi:10.1145/636772.636800

McCrickard, D. S., Czerwinski, M., & Bartram, L. (2003). Introduction: Design and evaluation of notification user interfaces. *International Journal of Human-Computer Studies*, 58, 509–514. doi:10.1016/S1071-5819(03)00025-9

McFarlane, D. C. (2002). Comparison of four primary methods for coordinating the interruption of people in human-computer interaction. *Human-Computer Interaction*, 17, 63–139. doi:10.1207/S15327051HCI1701_2

Mechdyne. (n.d.). Retrieved from <http://www.mechdyne.com/cave.aspx>.

Menelas, B., Ammi, M., & Bourdot, P. (2008). A flexible method for haptic rendering of isosurface from volumetric data. In *Proceedings of the 6th International EuroHaptics Conference on Haptics*. Berlin Springer-Verlag.

Menelas, B., Ammi, M., Pastur, L., & Bourdot, P. (2009). Haptical exploration of an unsteady flow. In *Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems EuroHaptics Conference World Haptics*, 232–237. Berlin: Springer.

Menelas, B., Fauvet, N., Ammi, M., & Bourdot, P. (2008). Direct haptic rendering for large datasets with high gradients. In *Proceedings of the 2008 Ambi-Sys Workshop on Haptic User Interfaces in Ambient Media Systems*, 1–9. New Brunswick, NJ: IEEE Press.

Menelas, B., Picinali, L., Katz, B. F. G., & Bourdot, P. (2010). Audio haptic feedbacks for an acquisition task in a multitarget context. In *Proceedings of IEEE Symposium on 3D User Interface*, 51–54. New Brunswick, NJ: IEEE Press.

Menelas, B., Picinali, L., Katz, B. F. G., Bourdot, P., & Ammi, M. (2009). Haptic audio guidance for target selection in a virtual environment. In *Proceedings of 4th International Haptic and Auditory Interaction Design Workshop*, 1–2. HAID.

Menelas, B.-A. J. & Otis, J.-D., M. (2012) Design of a serious game for learning vibrotactile messages. In *Proceedings of International Workshop on Haptic Audio Visual Environments and Games*, 124–129. New Brunswick, NJ: IEEE Press.

Menelas, B.-A. J. (2012). Interactive analysis of cavity-flows in a virtual environment. In *ACM 28th Spring Conference on Computer Graphics*, 1–6). New York, ACM Press.

Meneses, C. J., & Grinstein, G. G. (2001). Visualization for enhancing the data mining process. [Bellingham, WA: SPIE Press.]. *Proceedings of the Society for Photo-Instrumentation Engineers*, 4384, 126–137. doi:10.1117/12.421066

- Merriam-Webster. (2012). Triage. *Online Dictionary*. Retrieved from <http://www.merriam-webster.com/dictionary/triage>.
- Microsoft. (2012). *Bing*. Retrieved from <http://www.bing.com/>.
- Miller, G. A. (1960). *Plans and the structure of behavior*. New York: Holt, Rhinehart, & Winston. doi:10.1037/10039-000
- Miller, G. A. (1995). WordNet: A Lexical Database for English. *Communications of the ACM*, 38(11), 39–41. doi:10.1145/219717.219748
- Miller, N. E. (1948). Theory and experiment relating psychoanalytic displacement to stimulus-response generalization. *Journal of Abnormal and Social Psychology*, 43, 155–178. doi:10.1037/h0056728
- Ministry of Finance. (2009). *General Terms of Public Procurement in service contracts JYSE 2009 Service*. Helsinki, Finland. Retrieved from http://www.vm.fi/vm/en/04_publications_and_documents/01_publications/08_other_publications/20100217General/JYSE_2009_services.pdf.
- Molitor, S., Ballstaedt, S.-P., & Mandl, H. (1989). Problems in knowledge acquisition from text and pictures . In Mandl, H, J. R, & Levin, (Eds.), *Advances in Psychology, volume 58: Knowledge Acquisition from Text and Pictures* (3-35). Amsterdam: North-Holland. doi:10.1016/S0166-4115(08)62145-7
- Monk, C. A. (2004). The effect of frequent and infrequent interruptions on primary task resumption. *Human Factors*, 48(3), 295–299. doi:10.1177/154193120404800304
- Monmonier, M. (1989). Graphic scripts for the sequenced visualization of geographic data. In *Proceedings of GIS/LIS 189*, 381-389. Orlando, FL: CUPR Press.
- MoodPanda. (2012). Retrieved from <http://MoodPanda.com/>.
- Moodscope. (2012). Retrieved from <http://www.moodscope.com/login>.
- MoodTracker. (2012). Retrieved from <https://www.moodtracker.com/>.
- Moore, B. (2010). Assisted self reflection: Combining lifetracking, sensemaking, & personal information management. In *Proceedings of CHI 2010 Workshop-Know Thyself: Monitoring and Reflecting on Facets of One's Life*. New York: ACM Press.
- Moreno, R., & Mayer, R. E. (1999). Cognitive principles of multimedia learning: The role of modality and contiguity. *Journal of Educational Psychology*, 91(2), 358–368. doi:10.1037/0022-0663.91.2.358
- Morin, E. (2003). *La méthode: L'humanité de l'humanité-L'identité humaine*. Paris: Le Seuil, Nouvelle Édition, coll. Points.
- Morzy, M. (2009). On mining and social role discovery in internet forums. In *Proceedings of 2009 International Workshop on Social Informatics*, 74–79. Warsaw, Poland: IEEE Press.
- Muelder, C., Ma, K.-L., & Bartoletti, T. (2005). Interactive visualization for network and port scan detection . In *Proceedings of 2005 Recent Advances in Intrusion Detection*, 1–20. New Brunswick, NJ: IEEE Press.
- Muller, T. (2000). Practical investigation of constraints with graph views. In *Proceedings of the International Workshop on the Implementation of Declarative Languages*. Paris: Springer.
- Munzner, T. (2000). *Interactive Visualization of Large Graphs and Networks*. (Unpublished doctoral thesis). Stanford, CA, Stanford University.
- Munzner, T. (2009). A nested model for visualization design and validation. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 921–928. doi:10.1109/TVCG.2009.111
- My Calorie Counter. (2012). Retrieved from http://my-calorie-counter.com/calorie_counter.asp.
- MyFitnessPal. (2012). Retrieved from <http://www.myfitnesspal.com/>.
- MyMedLab. (2012). Retrieved from <https://www.mymedlab.com/>.
- MyWebSearch. (2012). *Mindspark interactive network, inc*. Retrieved from <http://home.mywebsearch.com/>.
- Nack, F. (2005). You must remember this. *IEEE MultiMedia*, 12(1), 4–7. doi:10.1109/MMUL.2005.17
- Nardi, B. A., & Zarmmer, C. L. (1990). *Beyond models and metaphors: Visual formalisms in user interface design*. Palo Alto, CA: Hewlett-Packard Laboratories.

Navigenics. (2012). Retrieved from <http://www.navigenics.com/>.

NComVA. (n.d.). National and regional statistical visualization. NCOMVA. Retrieved from <http://www.ncomva.com/solutions/national-and-regional-statistical-visualization/>.

NEC. (n.d.). *What is the NEC? Promoting best practice procurement. Achieving excellence in the procurement of works, services and supply*. Retrieved from <http://www.neccontract.com/documents/WhatistheNEC.pdf>.

Neisser, U. (1967). *Cognitive psychology*. New York: Appleton-Century-Crofts.

Nesbitt, K. (2003). *Designing Multi-Sensory Displays for Abstract Data*. (Ph.D. thesis). Sydney, Australia, University of Sydney.

Newcombe, N. S., & Stieff, M. (2012). Six myths about spatial thinking. *International Journal of Science Education*, 34(6), 955–971. doi:10.1080/09500693.2011.588728

Newcombe, N. S., Uttal, D. H., & Sauter, M. (in press). Spatial development . In Zelazo, P. (Ed.), *Oxford Handbook of Developmental Psychology*. New York: Oxford University Press. doi:10.1037/e537272012-075

Nguyen, Q. V., & Huang, M. L. (2004). A focus+context visualization technique using semi-transparency. In *Proceedings of the Fourth International Conference on Computer and information Technology*, 101-108. New Brunswick, NJ: IEEE Press.

Nguyen, Q. V., & Huang, M. L. (2005). EncCon: An approach to constructing interactive visualization of large hierarchical data. *Information Visualization*, 4(1), 1–21. doi:10.1057/palgrave.ivs.9500087

Ni, T. (2006). A survey of large high-resolution display technologies, techniques, and applications. In *Proceedings of the IEEE Conference on Virtual Reality*. New Brunswick, NJ: IEEE Press.

Nichols, D., Pemberton, D., Dalhoumi, S., Larouk, O., Belisle, C., & Twidale, M. (2000). DEBORA: Developing an interface to support collaboration in a digital library. In *Proceedings of European Conference on Digital Libraries*, 239-248. Lisbon, Portugal: ECDL Press.

Nielson, G. M., & Franke, R. (1997). Computing the separating surface for segmented data. In *Proceedings of the 8th Conference on Visualization*, 229-233. Los Alamitos, CA: IEEE Press.

Nike + iPod Sport Kit. (2012) Retrieved from <http://www.apple.com/ipod/nike/>.

Nivala, A.-M., Brewster, S., & Sarjakoski, L. T. (2008). Usability evaluation of web mapping sites. *The Cartographic Journal*, 45(2), 129–138. doi:10.1179/174327708X305120

Nokia Research Center. (2012). *Nokia mobile data challenge*. Retrieved from <http://research.nokia.com/page/12000>.

Norman, D. A. (1983). Some observations on mental models . In Gentner, D., & Stevens, A. L. (Eds.), *Mental Models* (7-14). Hillsdale, NJ: Lawrence Erlbaum Associates.

North, C. (2000). Snap-together visualization: Can users construct and operate coordinated visualizations? *International Journal of Human-Computer Studies*, 53(5), 715–739. doi:10.1006/ijhc.2000.0418

North, C. (2006). Toward measuring visualization insight. *IEEE Computer Graphics and Applications*, 26(3), 6–9. doi:10.1109/MCG.2006.70

Northcraft, G. B., & Neale, M. A. (1987). Experts, amateurs, and real-estate: An anchoring-and-adjustment perspective on property pricing decisions. *Organizational Behavior and Human Decision Processes*, 39(1), 84–97. doi:10.1016/0749-5978(87)90046-X

Novotný, M., & Hauser, H. (2006). Outlier-preserving focus+context visualization in parallel coordinates. *IEEE Transactions on Visualization and Computer Graphics*, 12(5), 893–900. doi:10.1109/TVCG.2006.170

Ntuen, C. A., Park, E. H., & Gwang-Myung, K. (2010). Designing an information visualization tool for sensemaking. *International Journal of Human-Computer Interaction*, 26(2-3), 189–205. doi:10.1080/10447310903498825

Nunn, J. A., & Bentley, L. (2012). Visualization of spatial and temporal trends in Louisiana water usage using google fusion tables. *Geological Society of America*, 492.

Nuutinen, M., Seppänen, M., Mäkinen, S. J., & Keinonen, T. (2011). User experience in complex systems: Crafting a conceptual framework. In *Proceedings of the 1st Cambridge Academic Design Management Conference*. Cambridge, UK: Cambridge University Press.

- O'Connor, E. S. (2002). Storied business: Typology, intertextuality, and traffic in entrepreneurial narrative. *Journal of Business Communication*, 39(1), 36–54. doi:10.1177/002194360203900103
- O'Hara, K. (2006). Memories for life: A review of the science and technology. *Journal of the Royal Society, Interface*, 3, 351–365. doi:10.1098/rsif.2006.0125
- O'Keffe, P. (2008). *Managing online forums: Everything You need to know to create and run successful community discussion boards*, 320. Saranac, NY: AMACOM.
- O'Meara, M., Porter, K., & Greaves, I. (2007). Triage. *Trauma*, 9, 111. doi:10.1177/1460408607084180
- Oakley, I., Adams, A., Brewster, S., & Gray, P. (2002). Guidelines for the design of haptic widgets. In *Proceedings of British Computer Society Conference on Human-Computer Interaction*, 195-212. HCIRN Press.
- Oakley, I., McGee, M. R., Brewster, S., & Gray, P. (2000). Putting the feel in 'look and feel'. In *Proceedings of SIGCHI Conference on Human Factors in Computing Systems*, 415-422. New York: ACM Press.
- Okamura, A. M., & Cutkosky, M. R. (2001). Feature detection for haptic exploration with robotic fingers. *The International Journal of Robotics Research*, 20(12), 925–938. doi:10.1177/02783640122068191
- Ong, Y., & Kurth, W. (2012). A graph model and grammar for multi-scale modelling using XL. In *Proceedings of 2012 IEEE International Conference on Bioinformatics and Biomedicine Workshops* 1-8. Washington, DC: IEEE Press.
- Onut, I. V., Zhu, B., & Ghorbani, A. A. (2004). A novel visualization technique for network anomaly detection. In *Proceedings of the 2nd Annual Conference on Privacy, Security, and Trust*, 167–174. New York: ACM Press.
- Otsuka, J. L. (2006). *Multi-Agent Model to Formative Assessment Support at Learning*. (Doctoral thesis). Campinas, Brazil, University of Campinas.
- Otsuka, J. L., & Rocha, H. V. (2007). A multi-agent formative assessment support model for learning management systems. In *Proceedings of the 7th IEEE International Conference on Advanced Learning Technologies*. Niigata, Japan: IEEE Press.
- Otto, M., Germer, T., Hege, H.-C., & Theisel, H. (2010). Uncertain 2D vector field topology. *Computer Graphics Forum*, 2(29), 347–356. doi:10.1111/j.1467-8659.2009.01604.x
- Oviatt, S. L., & Cohen, P. R. (2000). Multimodal interfaces that process what comes naturally. *Communications of the ACM*, 43(3), 45–50. doi:10.1145/330534.330538
- Palmerius, K. L. (2007). *Direct Volume Haptics for Visualization*. (Ph.D. Thesis). Linköping, Sweden, Linköping University.
- Panciera, K., & Halfaker, A. (2009). Wikipedians are born, not made: A study of power editors on Wikipedia. In *Proceedings of the ACM 2009 International Conference on Supporting Group Work*, 51–60. Sanibel Island, FL: ACM Press.
- Paneels, S., & Roberts, J. C. (2009). Review of designs for haptic data visualization. *IEEE Transactions on Haptics*, 3(2), 119–137. doi:10.1109/TOH.2009.44
- Pang, A., Wittenbrink, C., & Lodha, S. (1997). Approaches to uncertainty visualization. *The Visual Computer*, 13(8), 370–390. doi:10.1007/s003710050111
- Pao, L. Y., & Lawrence, D. A. (1998). Synergistic visual/haptic computer interfaces. In *Proceedings of Japan/USA/Vietnam Workshop on Research and Education in Systems, Computation, and Control Engineering*, 155-162. New York: CRC Press.
- Pascucci, V., Cole-McLaughlin, K., & Scorzelli, G. (2004). Multi-resolution computation and presentation of contour tree. In *Proceedings of the IASTED Conference on Visualization, Imaging, and Image*. Calgary, AB: ACTA Press.
- Passera, S., & Haapio, H. (2011a). User-centered contract design: New directions in the quest for simpler contracting. In R. F. Henschel (Ed.), *Proceedings of the 2011 IACCM Academic Symposium for Contract and Commercial Management* (80–97). Ridgefield, CT: The International Association for Contract and Commercial Management. Retrieved from http://www.iaccm.com/admin/docs/docs/HH_Paper.pdf.
- Passera, S., & Haapio, H. (2011b). Facilitating collaboration through contract visualization and modularization. In A. Dittmar & P. Forbrig (Eds.), *Designing Collaborative Activities. ECCE 2011, European Conference on Cognitive Ergonomics*, 57-60. Rostock, Germany: Universitätsdruckerei. doi: 10.1145/2074712.2074724.
- Pastore, R. S. (2009). The effects of diagrams and time-compressed instruction on learning and learners' perceptions of cognitive load. *Educational Technology Research and Development*, 58(5), 485–505. doi:10.1007/s11423-009-9145-6

- Patcha, A., & Park, J.-M. (2007). An overview of anomaly detection techniques: Existing solutions and latest technological trends. *Computer Networks*, 51(12), 3448–3470. doi:10.1016/j.comnet.2007.02.001
- Pathway. (2012). Retrieved from <https://www.pathway.com/>.
- PatientsLikeMe. (2012). Retrieved from <http://www.patientslikeme.com/>.
- Pauly, M., Mitra, N. J., & Guibas, L. (2004). Uncertainty and variability in point cloud surface data. In *Proceedings of Eurographics Symposium on Point-Based Graphics*. New Brunswick, NJ: IEEE Press.
- Payne, S. J. (2003). Users' mental models: The very ideas . In Carroll, J. M. (Ed.), *HCI models, theories, and frameworks: Toward a multidisciplinary science* (135-156). San Francisco: Morgan Kaufmann Publishers. doi:10.1016/B978-155860808-5/50006-X
- Perer, A., & Shneiderman, B. (2008). Integrating statistics and visualization: Case studies of gaining clarity during exploratory data analysis. In M. Burnett, M. F. Costabile, T. Catarci, B. DeRuyter, D. Tan, M. Czerwinski, & A. Lund (Eds.), *Human-Computer Interaction* (265–274). Florence, Italy: ACM Press. doi:10.1145/1357054.1357101
- Perry, E., & Donath, J. (2004). Anthropomorphic visualization: A new approach for depicting participants in online spaces. In *Proceedings of CHI EA '04 CHI '04 Extended Abstracts on Human Factors in Computing*, 1115–1118. Vienna, Austria: ACM Press.
- Personal Genome Project. (2012). Retrieved from <http://www.personalgenomes.org>.
- Persson, P., Cooper, M., Tibell, L., Ainsworth, S., Ynnerman, A., & Jonsson, B. H. (2007). Designing and evaluating a haptic system for biomolecular education. In *Proceedings of IEEE Virtual Reality Conference*, 171-178. New Brunswick, NJ: IEEE Press.
- Peterson, K. (1998). Development of spatial decision support systems for residential real-estate. *Journal of Housing Research*, 9(1), 135–156.
- Peuquet, D. J. (2002). *Representations of space and time*. New York: The Guildford Press.
- Pfaffelmoser, T., Reitinger, M., & Westermann, R. (2011). Visualizing the positional and geometrical variability of isosurfaces in uncertain scalar fields. In *Proceedings of Eurographics/IEEE Symposium on Visualization*. New Brunswick, NJ: IEEE Press.
- Picinali, L., Menelas, B., Katz, B. F. G., & Bourdot, P. (2010). Evaluation of a haptic/audio system for 3D targeting tasks. In *Proceedings of 128th Convention of the Audio Engineering Society*. New York: AES Press.
- Pina, L. R. (2012). Fitbit+: A behavior-based intervention system to reduce sedentary behavior. In Popper & Eccles (Eds.), *The Self and the Brain*. London: Springer International.
- Piringer, H., Berger, W., & Hauser, H. (2008). Quantifying and comparing features in high-dimensional datasets. In *Proceedings of the International Conference on Information Visualization*, 240-245. New Brunswick, NJ: IEEE Press.
- Pirolli, P., & Card, S. K. (1999). Information foraging. *Psychological Review*, 106(4), 643–675. doi:10.1037/0033-295X.106.4.643
- Pirolli, P., & Russell, D. M. (2011). Introduction to this special issue on sensemaking. *Human-Computer Interaction*, 26, 1–8. doi:10.1080/07370024.2011.556557
- Plain Language Institute of British Columbia. (1993). *Critical opinions: The public's view of lawyers' documents*. Vancouver: Plain Language Institute.
- Plaisant, C. (2005). Information visualization and the challenge of universal usability . In A. MMacEachren, M.-J. Kraak, & JDykes, (Eds.), *Exploring geovisualization* (53-82). New York: Elsevier Ltd. doi:10.1016/B978-008044531-1/50421-8
- Plaisant, C., Shneiderman, B., Doan, K., & Bruns, T. (1999). Interface and data architecture for query preview in networked information systems. *ACM Transactions on Information Systems*, 17(3), 320–341. doi:10.1145/314516.314522
- Platts, K., & Tan, K. H. (2004). Strategy visualisation: Knowing, understanding, and formulating. *Management Decision*, 42(5/6), 667–676. doi:10.1108/00251740410538505
- Plumlee, M., & Ware, C. (2006). Zooming versus multiple window interfaces: Cognitive costs of visual comparisons. *ACM Transactions on Computer-Human Interaction*, 13(2), 209. doi:10.1145/1165734.1165736
- Pohjonen, S., & Koskelainen, K. (2012). Visualization in triologic public procurement contracting. In E. Banissi, S. Bertschi, C. Forsell, J. Johansson, S. Kenderdine, F. T. Marchese, ... & G. Venturini (Eds.), *Proceedings of 16th International Conference on Information Visualisation* (383–388). Montpellier, France: IEEE Press. doi: 10.1109/IV.2012.70.

- Pohjonen, S., & Visuri, K. (2008). Proactive approach in project management and contracting . InHaapio, H (Ed.), *A Proactive Approach to Contracting and Law* (75–95). Turku, Finland: International Association for Contract and Commercial Management & Turku University of Applied Sciences.
- Posner, R. (2011). Opinion in the united states court of appeals for the seventh circuit no. 11-1665. *Gonzalez-Servin v. Ford Motor Co.* Retrieved from <http://www.abajournal.com/files/DG0R2WE8.pdf>.
- Posner, E. A. (2010). ProCD vs. Zeidenberg and Cognitive Overload in Contractual Bargaining. *The University of Chicago Law Review. University of Chicago. Law School*, 77(4), 1181–1194. Retrieved from <http://ssrn.com/abstract=1499414>
- Pöthkow, K., & Hege, H.-C. (2011). Positional uncertainty of isocontours: Condition analysis and probabilistic measures. *IEEE Transactions on Visualization and Computer Graphics*, 17(10), 1393–1406. doi:10.1109/TVCG.2010.247
- Pousman, Z., & Stasko, J. (2006). A taxonomy of ambient information systems: Four patterns of design. In *Proceedings of AVI*. New York: ACM Press.
- Pousman, Z., & Stasko, J. T. (2007). Data in everyday life. *IEEE Transactions on Visualization and Computer Graphics*, 13(6), 1145–1152. doi:10.1109/TVCG.2007.70541
- Preece, D. J. (2000). *Online communities: Designing usability and supporting sociability*. Hoboken, NJ: Wiley.
- Preece, J., & Shneiderman, B. (2009). The reader-to-leader framework: Motivating technology-mediated social participation. *AIS Transactions on Human-Computer Interaction*, 1(1), 13–32.
- Private MD Lab Services. (2012). Retrieved from <https://www.mymedlab.com/>.
- Proal, C., Sánchez, J. A., & Fernández, L. (2000). UVA: 3D representations for visualizing digital collections. In *Proceedings of the Third International Conference on Visual Computing*, 185–192. Mexico City: IEEE Press. Retrieved from <http://ict.udlap.mx/pubs/UVA2000.pdf>.
- Processing 2. (n.d.). *Processing.org*. Retrieved from <http://processing.org/>.
- Propp, V. (1927). *Morphology of the folktale. Transactions of Laurence Scott* (2nd ed.). Austin, TX: University of Texas Press.
- Qian, X., Yang, Y., & Gong, Y. (2011). The art of metaphor: A method for interface design based on mental models. In *Proceedings of the 10th International Conference on Virtual Reality Continuum and Its Applications in Industry* (171-178). Hong Kong: ACM.
- Qu, H., Chan, W., Xu, A., Chung, K., Lau, K., & Guo, P. (2007). Visual analysis of the air pollution problem in Hong Kong. *IEEE Transactions on Visualization and Computer Graphics*, 13(6), 1408–1415. doi:10.1109/TVCG.2007.70523
- Rabianski, J., DeLisle, J., & Carn, N. (2001). Corporate real-estate site selection: A community specific information framework. *Journal of Real Estate Research*, 22(1), 165–197.
- Ramirez, E. R., & Hekler, E. (2012). Digital histories for future health. In *Proceedings of CHI2012 Workshop on Personal Informatics in Practice: Improving Quality of Life Through Data*. New York: ACM Press.
- Ramos, A., Sánchez, J. A., & Hernández-Bolaños, F. (2010). OntoStarFish: Visualization of collaboration networks using starfields, ontologies, and fisheye views. In *Proceedings of the 3rd Mexican Workshop on Human Computer Interaction*, 44–53. San Luis Potosí, México: Universidad Politécnica de San Luis Potosí. Retrieved from <http://dl.acm.org/citation.cfm?id=1978702.1978713>.
- Raskin, A. (n.d.). *Privacy icons: Alpha release*. Retrieved from <http://www.azarask.in/blog/post/privacy-icons>.
- Rationalizer. (2012). Retrieved from <http://www.mirrorofemotions.com/>.
- Ratwani, R. M., & Trafton, J. G. (2008). Spatial memory guides task resumption. *Visual Cognition*, 16(8), 1001–1010. doi:10.1080/13506280802025791
- Rauterberg, M. (1992). An empirical comparison of menu-selection (CUI) and desktop (GUI) computer programs carried out by beginners and experts. *Behaviour & Information Technology*, 11, 227–236. doi:10.1080/01449299208924341
- Rawassizadeh, R. (2012). *UbiqLog: A generic mobile phone based life-log framework. Personal and Ubiquitous Computing*, 2012. London, UK: Springer.
- Reiss, S. (2009). Visualizing the java heap to detect memory problems. In *Proceedings of VISSOFT '09 5th IEEE International Workshop on Visualizing Software for Understanding and Analysis*, 73–80. Washington, DC: IEEE Press.
- Rekers, J., & Schurr, A. (1995). A graph grammar approach to graphical parsing. In *Proceedings of IEEE Symposium on Visual*

Languages (VL '95). Darmstadt, Germany: IEEE Press.

ReliefInsite. (2012). Retrieved from <http://www.reliefinsite.com/>.

Renambot, L. (2012). *Lambdavisition: Building a 100 megapixel display*. Retrieved from www.evl.uic.edu/cavern/sage/pubs/LambdaVision-light.pdf.

Reno, Nevada. (1899). *Sheet #5*. New York: Sanborn Map and Publishing Company. Retrieved from: <http://www.loc.gov/exhibits/treasures/trr016.html>.

Rensink, R. A. (2002). Internal vs. external information in visual perception. In *Proceedings of the Second International Symposium on Smart Graphics. Smart Graphics, 2*, 63-70

Rensink, R. A. (2002). Change detection. *Annual Review of Psychology*, 53, 245–577. doi:10.1146/annurev.psych.53.100901.135125

Rheingans, P., & desJardins, M. (2000). Visualizing high-dimensional predictive model quality. [New Brunswick, NJ: IEEE Press.]. *Proceedings of IEEE Visualization, 2000*, 493–496.

Rhodes, B. J., Bomberger, N. A., Zandipour, M., Waxman, A. M., & Seibert, M. (2007b). Cognitively-inspired motion pattern learning & analysis algorithms for higher-level fusion and automated scene understanding. In *Military Communications Conference (MILCOM 2007)*, 1–6. New Brunswick, NJ: IEEE Press.

Rhodes, B., Bomberger, N., & Zandipour, M. (2007a). Probabilistic associative learning of vessel motion patterns at multiple spatial scales for maritime situation awareness. In: *10th International Conference on Information Fusion*, 1–8.

Rhodes, B., Bomberger, N., Seibert, M., & Waxman, A. (2005). Maritime situation monitoring and awareness using learning mechanisms. *Military Communications Conference, 1*, 646–652. New Brunswick, NJ: IEEE Press.

Rhodes, P. J., Laramée, R. S., Bergeron, R. D., & Sparr, T. M. (2003). Uncertainty visualization methods in isosurface rendering . In *Proceedings of Eurographics*. New Brunswick, NJ: IEEE Press.

Ricoeur, P. (1992). *Oneself as another*. Chicago: University of Chicago Press.

Rieh, S. Y., Yang, J. Y., Yakel, E., & Markey, K. (2010). Conceptualizing institutional repositories: Using co-discovery to uncover mental models. In *Proceedings of the Third Symposium on Information Interaction in Context*, 165-174. New York: ACM.

RINA Systems, Inc. (n.d.). Retrieved from <http://www.rinafinancial.com/>.

Rips, L. J. (1986). Mental muddles . In Brand, M., & Harnish, R. M. (Eds.), *The Representation of Knowledge and Belief* (258-286). Tucson, AZ: The University of Arizona Press.

Risko, E. F., Anderson, N. C., Lanthier, S., & Kingstone, A. (2012). Curious eyes: Individual differences in personality predict eye movement behavior in scene-viewing. *Cognition*, 122(1), 86–90. doi:10.1016/j.cognition.2011.08.014

Ristic, B., Scala, B. L., Morelande, M., & Gordon, N. (2008). Statistical analysis of motion patterns in AIS data: Anomaly detection and motion prediction. In *Proceedings of 11th International Conference of Information Fusion*. New Brunswick, NJ: IEEE Press.

Riveiro, M., Falkman, G., & Ziemke, T. (2008). Improving maritime anomaly detection and situation awareness through interactive visualization. In *Proceedings of 11th International Conference on Information Fusion*, 47–54. New Brunswick, NJ: IEEE Press.

Riveiro, M., Falkman, G., Ziemke, T., & Kronhamn, T. (2009). Reasoning about anomalies: A study of the analytical process of detecting and identifying anomalous behavior in maritime traffic data . In Tolone, & Ribarsky, (Eds.), *SPIE Defense, Security, and Sensing. Visual Analytics for Homeland Defense and Security. Volume 7346*. Orlando, FL: SPIE Press.

Rizzo, A., & Bacigalupo, M. (2004) Scenarios: heuristics for actions. In *Proceedings of XII European Conference on Cognitive Ergonomics*. York, UK: EACE.

Roambi. (2012). Retrieved from <http://www.roambi.com>.

Robbins, M. L. (1996). *Spatial decision support systems for automated residential property valuation: A discussion of an actual installed system. Research and Business Uses of Geographic Information Systems in Housing and Mortgage Finance*. Washington, DC: Fannie Mae Research Roundtable Series.

Robertson, G., Fernandez, R., Fisher, D., Lee, B., & Stasko, J. (2008). Effectiveness of animation in trend visualization. *IEEE Transactions on Visualization and Computer Graphics*, 14(6), 1325–1332. doi:10.1109/TVCG.2008.125

- Robinson, A. (2009). Visual highlighting methods for geovisualization. *Citeseer*. Retrieved from <http://citeseerx.ist.psu.edu/index>
- Robinson, A., & Center, G. (2006). Highlighting techniques to support geovisualization. *Citeseer*. Retrieved from <http://citeseer.uark.edu:8080/citeseerx/viewdoc/summary;jsessionid=C7399B91D98763433F13B57449C2AC90?doi=10.1.1.79.757>.
- Robinson, A. H., Morrison, J. L., Muehrcke, P. C., Kimerling, A. J., & Guptill, S. C. (1995). *Elements of cartography*. New York: John Wiley and Sons.
- Rocha, H. V., Kropiwek, D. D., Fukaya, S. M., Neto, J. C., Gayard, L. A., et al., & Ferreira, T. B. (2002). TelEduc project: Technology research and development for distance learning. In *Proceedings of IX Brazilian Association of Distance Education International Congress of Distance Learning*. Available at http://www.teleduc.org.br/artigos/premio_abed2002.pdf.
- Rodriguez, M., Sirmans, C. F., & Marks, A. (1995). Using geographic information systems to improve real-estate analysis. *Journal of Real Estate Research*, 10(2), 163–172.
- Rogers, Y., & Ellis, J. (1994). Distributed cognition: An alternative framework for analyzing and explaining collaborative working. *Journal of Information Technology*, 9(2), 119–128. doi:10.1057/jit.1994.12
- Romani, L. A. S. (2000). *InterMap: Tool for Visualizing Interaction in Distance Learning Environments on Web*. (Master thesis). Campinas, Brazil, University of Campinas.
- Roos, J., Bart, V., & Statler, M. (2004). Playing seriously with strategy. *Long Range Planning*, 37(6), 549–568. doi:10.1016/j.lrp.2004.09.005
- Roth, S. F., Kolojechick, J., Mattis, J., & Goldstein, J. (1994). Interactive graphic design using automatic presentation knowledge. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 112-117. New York: ACM Press.
- Roto, V., Law, E., Vermeeren, A., & Hoonhout, J. (Eds.). (2011). User experience white paper: Bringing clarity to the concept of user experience. *Result from Dagstuhl Seminar on Demarcating User Experience*. Retrieved from <http://www.allaboutux.org/files/UX-WhitePaper.pdf>.
- Roy, J. (2008). Anomaly detection in the maritime domain. In *Proceedings of SPIE, Volume 6945*, 69450W 1–14. Bellingham, WA: SPIE Press.
- Rumelhart, D. E. (1984). Schemata and the Cognitive System . In Wyer, R. S. Jr, & Srull, T. K. (Eds.), *Handbook of Social Cognition* (Vol. 1, pp. 161–188). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Runkeeper. (2012). Retrieved from <http://runkeeper.com/>.
- Ruspini, D. C., Kolarov, K., & Khatib, O. (1997). The haptic display of complex graphical environments. In *Proceedings of the 24th Annual Conference on Computer Graphics and Interactive Techniques*, 345-352. New York: ACM Press.
- Sadarjoen, I. A., & Post, F. H. (2000). Detection, quantification, and tracking of vortices using streamline geometry. *Computers & Graphics*, 24(3), 333–341. doi:10.1016/S0097-8493(00)00029-7
- Saffer, D. (2010). *Designing for interaction* (2nd ed.). Berkeley, CA: New Riders Press.
- Sahner, J., Weinkauff, T., & Hege, H.-C. (2005). Galilean invariant extraction and iconic representation of vortex core lines . In *Proceedings of EuroVis*. New Brunswick, NJ: IEEE Press.
- Salimun, C., Purchase, H. C., Simmons, D. R., & Brewster, S. (2010). The effect of aesthetically pleasing composition on visual search performance. In *Proceedings of the 6th Nordic Conference on Human-Computer Interaction: Extending Boundaries*, 422–431. New York: ACM Press.
- Saltz, J. S., Hiltz, S. R., & Turoff, M. (2004). Student social graphs: Visualizing a student's online social network. In *Proceedings of ACM Conference on Computer Supported Collaborative Work (CSCW)*. Chicago: ACM Press.
- Sánchez, J. A., Medina, M., Starostenko, O., Benitez, A., & Domínguez, E. (2012). Organizing open archives via lightweight ontologies to facilitate the use of heterogeneous collections. In *Proceedings of ASLIB*, 64, 46–66. New York: Emerald Press. doi:10.1108/00012531211196701
- Sánchez, J. A., Quintana, M., & Razo, A. (2007). Star-fish: Starfields+ fisheye visualization and its application to federated digital libraries. In *Proceedings of the 3rd Latin American Conference on Human-Computer Interaction*. Rio de Janeiro, Brazil: HCIR Press. Retrieved from http://clihc.org/2007/papers/StarFish_ID38_longpaper.pdf.
- Sánchez, J. A., Twidale, M. B., Nichols, D. M., & Silva, N. N. (2005). Experiences with starfield visualizations for analysis of library

- collections. In *Proceedings of the Conference on Visualization and Data Analysis*, 5669, 215–225. San Jose, CA: SPIE Press.
- Sanders, E. B.-N. (2002). *Scaffolds for experiencing in the new design space*. In Institute for Information Design Japan IIDJ (Eds.), *Information Design*. Retrieved from http://www.maketools.com/articles-papers/ScaffoldsforExperiencing_Sanders_03.pdf.
- Sandstrom, T. (2003). The hyperwall. In *Proceedings of the Conference on Coordinated and Multiple Views in Exploratory Visualizations*. New Brunswick, NJ: IEEE Press.
- Santos, E., Lins, L., Ahrens, J., Freire, J., & Silva, C. (2009). VisMashup: Streamlining the creation of custom visualization applications. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 1539–1546. doi:10.1109/TVCG.2009.195
- Sanyal, J., Zhang, S., Bhattacharya, G., Amburn, P., & Moorhead, R. (2009). A user study to compare four uncertainty visualization methods for 1D and 2D datasets. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 1209–1218. doi:10.1109/TVCG.2009.114
- Sanyal, J., Zhang, S., Dyer, J., Mercer, A., Amburn, P., & Moorhead, R. J. (2010). Noodles: A tool for visualization of numerical weather model ensemble uncertainty. *IEEE Transactions on Visualization and Computer Graphics*, 16(6), 1421–1430. doi:10.1109/TVCG.2010.181
- Saraiya, P., North, C., & Duca, K. (2005). An insight-based methodology for evaluating bioinformatics visualizations. *IEEE Transactions on Visualization and Computer Graphics*, 11(4), 443–456. doi:10.1109/TVCG.2005.53
- Savidis, A. (2010). *Delta programming language*. Retrieved from <http://www.ics.forth.gr/hci/files/plang/Delta/Delta.html>.
- Savidis, A., & Lilis, Y. (2009). Support for language independent browsing of aggregate values by debugger backends. *Journal of Object Technology*, 8(6), 159–180. Retrieved from http://www.jot.fm/issues/issue_2009_09/article4.pdfdoi: 10.5381/jot.2009.8.6.a4
- Scaife, M., & Rogers, Y. (1996). External cognition: how do graphical representations work? *International Journal of Human-Computer Studies*, 45(2), 185–213. doi:10.1006/ijhc.1996.0048
- Schell, J. (2008). *The art of game design: A book of lenses*. Burlington, MA: Elsevier.
- Schmenner, R. (1982). *Making business location decisions*. Englewood Cliffs, NJ: Prentice Hall.
- Schmidt, G. S., Chen, S.-L., Bryden, A. N., Livingston, M. A., Osborn, B. R., & Rosenblum, L. J. (2004). Multidimensional visual representations for underwater environmental uncertainty. *IEEE Computer Graphics and Applications*, 24(5), 56–65. doi:10.1109/MCG.2004.35
- Schneider, D., Wiebel, A., Carr, H., Hlawitschka, M., & Scheuermann, G. (2008). Interactive comparison of scalar fields based on largest contours with applications to flow visualization. *IEEE Transactions on Visualization and Computer Graphics*, 14(6), 1475–1482. doi:10.1109/TVCG.2008.143
- Schroeder, W., Martin, K., & Lorensen, B. (2006). *The visualization toolkit: An object-oriented approach to 3D graphics* (4th ed.). Clifton Park, NY: Kitware, Inc. Publishers.
- Schulman, D., & Bickmore, T. (2009). Persuading users through counseling dialogue with a conversational agent. In *Proceedings of the 4th International Conference on Persuasive Technology*, 1-8. New York: ACM Press.
- Schwartz, A., & Scott, R. E. (2010). Contract interpretation redux. *The Yale Law Journal*, 119(5), 926–965. Retrieved from <http://ssrn.com/abstract=1504223>
- Sedig, K., & Parsons, P. (2013). (in press). Interaction design for complex cognitive activities with visual representations: A pattern-based approach. *AIS Transactions on Human-Computer Interaction*.
- Sedig, K., & Sumner, M. (2006). Characterizing interaction with visual mathematical representations. *International Journal of Computers for Mathematical Learning*, 11(1), 1–55. doi:10.1007/s10758-006-0001-z
- Segel, E., & Heer, J. (2010). Narrative visualization: telling stories with data. *IEEE Transactions on Visualization and Computer Graphics*, 16(6), 1139–1148. doi:10.1109/TVCG.2010.179
- Seibert, M., Rhodes, B. J., Bomberger, N. A., Beane, P. O., Sroka, J. J., et al., & Tillson, R. (2006). SeeCoast port surveillance. In *Proceedings of SPIE, Volume 6204: Photonics for Port and Harbor Security II*. Orlando, FL: SPIE Press.
- Sellen, A. J., & Whittaker, S. (2010). Beyond total capture: A constructive critique of lifelogging. *Communications of the ACM*, 53(5), 70–77. doi:10.1145/1735223.1735243
- Semmler, C., & Brewer, N. (2002). Using a flow-chart to improve comprehension of jury instructions. *Psychiatry, Psychology and Law*, 9

(2), 262–270. doi:10.1375/pplt.2002.9.2.262

Seneff, S., & Polifroni, J. (2000). Dialogue management in the mercury flight reservation system. In *Proceedings of ANLP/NAACL 2000 Workshop on Conversational Systems*, 11-16. Seattle, WA: Academic Press.

SenseWear. (2012). Retrieved from <http://sensewear.bodymedia.com/>.

Seo, J., & Shneiderman, B. (2005). A rank-by-feature framework for interactive exploration of multidimensional data. *Information Visualization*, 4(2), 96–113. doi:10.1057/palgrave.ivs.9500091

Shaltis, P. A. (2006). Wearable, cuff-less PPG-based blood pressure monitor with novel height sensor . In *Proceedings of IEEE Engineering in Medicine and Biology Society*. New Brunswick, NJ: IEEE Press. doi:10.1109/IEMBS.2006.260027

Shandler, J. (2012). United states holocaust memorial museum. *The Journal of American History*, 1228–1230. doi:10.1093/jahist/jar642

Shearer, C. (2000). The CRISP-DM model: The new blueprint for data mining. *Journal of Data Warehousing*, 5(4), 13–22.

Sherwani, J., Ali, N., Tongia, R., Rosenfeld, R., Memon, Y., Karim, M., & Pappas, G. (2007). HealthLine: Towards speech-based access to health information by semi-literate users . In *Proceedings of Speech in Mobile and Pervasive Environments*. New York: ACM Press.

Shi, K., Irani, P., & Li, B. (2005). An evaluation of content browsing techniques for hierarchical space-filling visualizations. In *Proceedings of IEEE Symposium on Information Visualization*, 81-88. New Brunswick, NJ: IEEE Press.

Shirky, C. (2008). It's not information overload. It's filter failure. *Web 2.0 Expo New York*. Retrieved from <http://web2expo.blip.tv/file/1277460>.

Shneiderman, B. (1996). The eyes have it: A task by data type taxonomy for information visualizations. In *Proceedings of 1996 IEEE Symposium on Visual Languages*, 336–343. Washington, DC: IEEE Press.

Shneiderman, B., & Plaisant, C. (2006). Strategies for evaluating information visualization tools: Multi-dimensional in-depth long-term case studies. In *Proceedings of the 2006 AVI Workshop on Beyond Time and Errors: Novel Evaluation Methods for Information Visualization*, 1–7. Philadelphia: ACM.

Shneiderman, B. (1994). Dynamic queries for visual information seeking. *IEEE Software*, 11(6), 70–77. doi:10.1109/52.329404

Shneiderman, B. (2000). The limits of speech recognition. *Communications of the ACM*, 43(9), 63–65. doi:10.1145/348941.348990

Shneiderman, B. (2002). Inventing discovery tools: Combining information visualization with data mining. *Information Visualization*, 1(1), 5–12.

Shneiderman, B., & Aris, A. (2006). Network visualization by semantic substrates. *IEEE Transactions on Visualization and Computer Graphics*, 12(5), 733–740. doi:10.1109/TVCG.2006.166

Shostack, G. L. (1977). Breaking free from product marketing. *Journal of Marketing*, 41(2), 73–80. doi:10.2307/1250637

Siedel, G. J. (1992). Interdisciplinary approaches to alternative dispute resolution. *Journal of Legal Studies Education*, 10(2), 141–169. doi:10.1111/j.1744-1722.1992.tb00226.x

Siedel, G., & Haapio, H. (2011). *Proactive law for managers: A hidden source of competitive advantage*. Farnham, UK: Gower.

Siirtola, H. (2000). Direct manipulation of parallel coordinates. In *Proceedings of the International Conference on Information Visualisation*, 373-378. New Brunswick, NJ: IEEE.

Siirtola, H. & K. J. R. (2006). Interacting with parallel coordinates. *Interacting with Computers*, 18(6), 1278–1309. doi:10.1016/j.intcom.2006.03.006

Silva, C. G. (2006). *Learning Management Systems' Database Exploration by Means of Information Visualization-Based Query Tools*. (Doctoral thesis). Campinas, Brazil, University of Campinas.

Silva, C. G., & Rocha, H. V. (2004). Contributions of information visualization for distance learning area. In *Proceedings of VI Brazilian Symposium on Human Factors in Computing Systems (IHC)*. Curitiba, Brazil: IHC Press.

Silva, C. G., & Rocha, H. V. (2007). Learning management systems' database exploration by means of information visualization-based query tools. In *Proceedings of Seventh International Conference on Advanced Learning Technologies (ICALT)*, 543-545. Washington, DC: IEEE Press.

- Silva, N. N., Sanchez, J. A., Proal, C., & Rebollar, C. (2003). Visual exploration of large collections in digital libraries. In *Proceedings of the Latin American Conference on Human-Computer Interaction*, 147–157. New York: ACM Press. Retrieved from <http://portal.acm.org/citation.cfm?id=944519.944535>.
- Skiba, D. (2007). Nursing Education 2.0: are mashups useful for nursing education? *Nursing Education Perspectives*, 5, 286–288.
- Skinner, B. F. (1938). *The behavior of organisms: An experimental analysis*. New York: Appleton-Century.
- Skinner, B. F. (1953). *Science and human behavior*. New York: Macmillan.
- Slocum, T. A., McMaster, R. B., Kessler, F. C., & Howard, H. H. (2009). *Thematic cartography and geovisualization*. Upper Saddle River, NJ: Prentice Hall.
- Smale, S. (1961). On gradient dynamical systems. *The Annals of Mathematics*, 71(1), 199–206. doi:10.2307/1970311
- Smith, M. A., Shneiderman, B., Milic-Frayling, N., Mendes Rodrigues, E., Barash, V., Dunne, C., & Capone, T. (2009). Analyzing (social media) networks with NodeXL. In D. Hansen, B. Shneiderman, M. Smith, & R. Ackland (Eds.), *Proceedings of the Fourth International Conference on Communities and Technologies-CT 09* (255–264). New York: ACM Press. doi:10.1145/1556460.1556497.
- SNPEdia. (2012). Retrieved from <http://www.snpedia.com/index.php/SNPedia>.
- Sohn, B. S., & Chandrajit, B. (2006). Time-varying contour topology. *IEEE Transactions on Visualization and Computer Graphics*, 12(1), 14–25. doi:10.1109/TVCG.2006.16
- Sole, D., & Wilson, D. G. (2002). Storytelling in organizations: The power and traps of using stories to share knowledge in organizations. *LILA, Harvard, Graduate School of Education*. Retrieved from http://www.providersedge.com/docs/km_articles/Storytelling_in_Organizations.pdf.
- Solomon, S. H. (2006). *Visuals and visualisation: Penetrating the heart and soul of persuasion*. DOAR Litigation Consulting. Retrieved from <http://tillers.net/solomon.pdf>.
- South Coast Regional Stakeholder Group. (n.d.). *MarineMAP decision support tool*. Retrieved from <http://southcoast.marinemap.org/marinemap/>.
- Spence, R. (2001). *Information Visualization* (1st ed.). Boston: Addison-Wesley.
- Spot The Difference. (2013). Retrieved from Spotthedifference.com.
- Språkrådet. (2010). Press release: Plain crystal 2010. *CSN and the Court Of Appeal For Western Sweden*. <http://www.sprakradet.se/7121>.
- Staggers, N., & Kobus, D. (2000). Comparing response time, errors, and satisfaction between tex-based and graphical user interfaces during nursing order tasks. *Journal of the American Medical Informatics Association*, 7, 164–176. doi:10.1136/jamia.2000.0070164
- Stanford Visual Group. (2010). Protovis-A graphical approach to visualization. *Protovis*. Retrieved from <http://mbostock.github.com/protovis/>.
- Star, S. L., & Griesemer, J. R. (1989). Institutional ecology, 'translations,' and boundary objects: Amateurs and professionals in Berkeley's Museum of Vertebrate Zoology. *Social Studies of Science*, 19(3), 387–420. doi:10.1177/030631289019003001
- Stasko, J., & Zhang, E. (2000). Focus + contest display and navigation techniques for enhancing radial, space-filling hierarchy visualizations. In *Proceedings of IEEE Symposium on Information Visualization*, 57. New Brunswick, NJ: IEEE.
- Steed, C. A., Swan, J. E. II, Jankun-Kelly, T. J., & Fitzpatrick, P. J. (2009). Guided analysis of hurricane trends using statistical processes integrated with interactive parallel coordinates. In *Proceedings of IEEE Symposium on Visual Analytics Science and Technology*, 19-26. New Brunswick, NJ: IEEE Press.
- Steed, C. A., Fitzpatrick, P. J., Jankun-Kelly, T. J., Yancey, A. N., & Swan, J. E. II. (2009). An interactive parallel coordinates technique applied to a tropical cyclone climate analysis. *Computers & Geosciences*, 35(7), 1529–1539. doi:10.1016/j.cageo.2008.11.004
- Steed, C. A., Fitzpatrick, P. J., Swan, J. E. II, & Jankun-Kelly, T. J. (2009). Tropical cyclone trend analysis using enhanced parallel coordinates and statistical analytics. *Cartography and Geographic Information Science*, 36(3), 251–265. doi:10.1559/152304009788988314
- Steinberger, M., Waldner, M., Streit, M., Lex, A., & Schmalstieg, D. (2011). Context-Preserving visual links. *IEEE Transactions on Visualization and Computer Graphics*, 17(12), 2249–2258. doi:10.1109/TVCG.2011.183

- Storrie, H. (2012). On the impact of layout quality to understanding UML diagrams: Diagram type and expertise. In *Proceedings of IEEE Symposium on Visual Languages and Human-Centric Computing*, 49-56. Innsbruck, Austria: IEEE Press.
- StressEraser. (2012). Retrieved from <http://www.stresseraser.com>.
- Studio, G. E. O. V. I. S. T. A. (2007). Health geojunction. *GEOVISTA*. Retrieved from <http://www.apps.geovista.psu.edu/hgj/#>.
- SugarStats. (2012). Retrieved Sfrom <https://sugarstats.com/>.
- Suh, B., Chi, E. H., Kittur, A., & Pendleton, B. A. (2008). Lifting the veil: Improving accountability and social transparency in wikipedia with wikidashboard. In *Proceeding of the Twenty-Sixth Annual SIGCHI Conference on Human Factors in Computing Systems*, 1037–1040. Florence, Italy: ACM Press.
- Suh, B., Chi, E. H., Pendleton, B. A., & Kittur, A. (2007). Us vs. them: Understanding social dynamics in wikipedia with revert graph visualizations. In *Proceedings of 2007 IEEE Symposium on Visual Analytics Science and Technology*, 163–170. Washington, DC: IEEE Press.
- Sun, Y. (2012). *Articulate: Creating Meaningful Visualizations from Natural Language*. (Doctoral dissertation). Chicago, University of Illinois.
- Sun, Y., Leigh, J., Johnson, A., & Lee, S. (2010). Articulate: A semi-automated model for translating natural language queries into meaningful visualizations. In *Proceedings of 10th International Symposium on Smart Graphic*, 184-195. New York: ACM Press.
- Sundararaman, J., & Back, G. (2008). HDPV: Interactive, faithful, in-vivo runtime state visualization for C/C++ and Java. In *Proceedings of SoftVis'08 4th Symposium on Software Visualization*, 47–56. New York: ACM Press.
- Swan, M. (2011). *Genomic self-hacking*. Retrieved from <http://quantifiedself.com/2011/11/melanie-swan-on-genomic-self-hacking/>.
- Swan, M. (2009). Emerging patient-driven health care models: An examination of health social networks, consumer personalized medicine, and quantified self-tracking. *International Journal of Environmental Research and Public Health*, 6(2), 492–525. doi:10.3390/ijerph6020492
- Sweller, J., van Merriënboer, J. J. G., & Paas, F. G. W. C. (1998). Cognitive architecture and instructional design. *Educational Psychology Review*, 10(3), 251–296. doi:10.1023/A:1022193728205
- Zsulanski, G. (2000). The process of knowledge transfer: A diachronic analysis of stickiness. *Organizational Behavior and Human Decision Processes*, 82(1), 9–27. doi:10.1006/obhd.2000.2884
- Tableau. (2013). Free data visualization software. *Tableau Public*. Retrieved from <http://www.tableausoftware.com/public>.
- Takahashi, S., Takeshima, Y., & Fujishiro, I. (2004). Topological volume skeletonization and its application to transfer function design. *Graphical Models*, 66(1), 24–49. doi:10.1016/j.gmod.2003.08.002
- Teoh, S. T., Zhang, K., Tseng, S., Ma, K., & Wu, S. F. (2004). Combining visual and automated data mining for near-realtime anomaly detection and analysis in BGP. In *Proceedings of the 2004 ACM Workshop on Visualization and Data Mining for Computer Security*, 35–44. New York: ACM Press.
- Tergan, S.-O., Keller, T., & Burkhard, R. A. (2006). Integrating knowledge and information: Digital concept maps as a bridging technology. *Information Visualization*, 5(3), 167–174. doi:10.1057/palgrave.ivs.9500132
- Teutsch, P., & Bourdet, J.-F. (2010). How to see training paths in learning management systems? In *Proceedings of 10th IEEE International Conference on Advanced Learning Technologies*, 349-351. Washington, DC: IEEE Press.
- Theisel, H., Rössl, C., & Seidel, H.-P. (2003a). Combining topological simplification and topology preserving compression for 2D vector fields . In *Proceedings of Pacific Graphics*. New Brunswick, NJ: IEEE Press. doi:10.1109/PCCGA.2003.1238287
- Theisel, H., Rössl, C., & Seidel, H.-P. (2003b). Using feature flow fields for topological comparison of vector fields . In *Proceedings of Vision, Modeling, and Visualization*. New Brunswick, NJ: IEEE Press.
- Theisel, H., & Seidel, H.-P. (2003). Feature flow fields . In *Proceedings of Data Visualization*. New Brunswick, NJ: IEEE Press.
- Theisel, H., Weinkauff, T., Hege, H.-C., & Seidel, H.-P. (2005). Topological methods for 2D time-dependent vector fields based on stream lines and path lines. *IEEE Transactions on Visualization and Computer Graphics*, 11(4), 383–394. doi:10.1109/TVCG.2005.68
- Thelen, S. (2010). Advanced visualization and interaction techniques for large high-resolution displays . In Middel, Ariane (eds.), *Visualization of Large and Unstructured Data Sets-Applications in Geospatial Planning, Modeling, and Engineering*, 19 (73-81). Berlin:

DFG.

ThinkMap Visual Thesaurus. (n.d.). Retrieved from <http://www.visualthesaurus.com/>.

Thomas, J. J., & Cook, K. A. (Eds.). (2005). *Illuminating the path: The research and development agenda for visual analytics*. Los Alamitos, CA: IEEE Press.

Thomas, J., & Cook, K. (Eds.). (2005). *Illuminating the Path: The Research and Development Agenda for Visual Analytics*. Los Alamitos, CA: IEEE Computer Society.

Thrall, G. I., & Amos, P. (1996). *GIS within real-estate and related industries. Research and Business Uses of Geographic Information Systems in Housing and Mortgage Finance*. Washington, DC: Fannie Mae Research Roundtable Series.

Thrall, G. I., Fandrich, J., & Thrall, S. (1995). The location quotient: Descriptive geography for the community reinvestment act. *Geographical Information Systems*, 5(6), 18–22.

Tierny, J., Gyulassy, A., Simon, E., & Pascucci, V. (2009). Loop surgery for volumetric meshes: Reeb graphs reduced to contour trees. *IEEE Transactions on Visualization and Computer Graphics*, 15(6), 1177–1184. doi:10.1109/TVCG.2009.163

Tiersma, P. M. (2006). Some myths about legal language. *Law, Culture, and the Humanities*, 2(1), 29–50. doi:10.1191/1743872106lw035oa.

Tomaszewski, B., Blandford, J., Ross, K., Pezanowski, S., & MacEachren, A. M. (2011). Supporting geographically-aware web document foraging and sensemaking. *Computers, Environment and Urban Systems*, 35, 192–207. doi:10.1016/j.compenvurbsys.2011.01.003

Tory, M., & Moller, T. (2004). Rethinking visualization: A high-level taxonomy. In *Proceedings of IEEE Symposium on Information Visualization*, 151–158. Washington, DC: IEEE Press.

Track Your Happiness. (2012). Retrieved from <http://www.trackyourhappiness.org/>.

Trafton, J. G., Altmann, E. M., Brock, D. P., & Mintz, F. E. (2003). Preparing to resume an interrupted task: Effects of prospecting goal encoding and retrospective rehearsal. *International Journal of Human-Computer Studies*, 58, 583–603. doi:10.1016/S1071-5819(03)00023-5

Tricoche, X. (2002). *Vector and Tensor Field Topology Simplification, Tracking and Visualization*. (Dissertation). Kaiserslautern, Germany, University of Kaiserslautern.

Tufte, E. (1983). *The visual display of quantitative information*. Cheshire, CT: Graphics Press.

Tufte, E. (1990). *Envisioning information*. Cheshire, CT: Graphics Press.

Tufte, E. (1997). *Visual explanations: Images and quantities, evidence and narrative*. Cheshire, CT: Graphics Press.

Tufte, E. (2006). *Beautiful evidence*. Cheshire, CT: Graphics Press.

Tufte, E. R. (1983). *The visual display of quantitative information*. Cheshire, CT: Graphics Press.

Tufte, E. R. (1990). *Envisioning information*. Cheshire, CT: Graphics Press.

Tufte, E. R. (2001). *Data density and small multiples*. *The Visual Display of Quantitative Information* (42). Cheshire, CT: Graphics Press.

Tufte, E. R. (2001). *The visual display of quantitative information*. *Visual Explanations*, 194–95. Cockeysville, MD: PR Graphics.

Tukey, J. W. (1977). *Exploratory data analysis*. Boston: Addison-Wesley.

Tukey, J. W. (1977). *Exploratory data analysis*. Reading, MA: Addison-Wesley.

Tullio, J., Dey, A. K., Chalecki, J., & Fogarty, J. (2007). How it works: A field study of non-technical users interacting with an intelligent system. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 31–40. San Jose, CA: ACM.

Turner, A. (2006). *Introduction to neogeography. Short Cuts*. Sebastopol, CA: O'Reilly Media.

Turner, T. C., Smith, M. A., Fisher, D., & Welser, H. T. (2005). Picturing usenet: Mapping computer-mediated collective action. *Journal of Computer Mediated Communication*, 10(4).

Tversky, B. (2004). Narratives of space, time, and life. *Mind & Language*, 19(4), 380–392. doi:10.1111/j.0268-1064.2004.00264.x

- Tversky, B., Bauer, J., Betrancourt, M., De Europe, A., & St-Martin, M. (2002). Animation: Can it facilitate? *International Journal of Human-Computer Studies*, 57(4), 247–262. doi:10.1006/ijhc.2002.1017
- Tzoumakas, V., & Theodoulidis, B. (2005). Force based visualizations for instructor support. In *Proceedings of the Fifth IEEE International Conference on Advanced Learning Technologies (ICALT)*, 452-456. Washington, DC: IEEE Press.
- UCLA. (2011). Retrieved from <http://www.cens.ucla.edu/pub/ParticipatoryOpenMhealth-Apple-DE080711.pdf>.
- Ullman, J. D. (1982). *Principles of database systems* (2nd ed.). Washington, DC: Computer Science Press.
- United Nations. (2000). *Handbook on geographic information systems and digital mapping*. New York, Series F No. 79. Retrieved http://unstats.un.org/unsd/publication/SeriesF/SeriesF_79E.pdf.
- Usability Professionals' Association UPA. (n.d.). Glossary. *Usability Body of Knowledge*. Retrieved from <http://www.usabilitybok.org/glossary>.
- USDA. (2011). Welcome to the USDA national nutrient database for standard reference. *National Agriculture Library*. Retrieved from <http://ndb.nal.usda.gov/>.
- USGS. (2002). Using maps in genealogy: Fact sheet 099-02. *USGS Science for a Changing World*. Retrieved from <http://egsc.usgs.gov/isb/pubs/factsheets/fs09902.html>.
- Van Ham, F., Schulz, H., & Dimicco, J. M. (2009). Honeycomb: Visual analysis of large scale social networks. In *Proceedings of the 12th IFIP TC 13 International Conference on Human-Computer Interaction: Part II*, 429–442. Uppsala, Sweden: Springer.
- van Reimersdahl, T., Bley, F., Kuhlen, T., & Bischof, C. H. (2003). Haptic rendering techniques for the interactive exploration of CFD datasets in virtual environments. In *Proceedings of the Workshop on Virtual Environments*, 39, 241-246. New Brunswick, NJ: IEEE Press.
- Vanacken, L., Raymaekers, C., & Coninx, K. (2006). Evaluating the influence of multimodal feedback on egocentric selection metaphors in virtual environments. In *Proceedings of First International Workshop on Haptic and Audio Interaction Design*, 12-23. HAID Press.
- Vanacken, L., Grossman, T., & Coninx, K. (2009). Multimodal selection techniques for dense and occluded 3D virtual environments. *International Journal of Human-Computer Studies*, 67(3), 237–255. doi:10.1016/j.ijhcs.2008.09.001
- Vande Moere, A., & Purchase, H. (2011). On the role of design in information visualization. *Information Visualization*, 10(4), 356–371. doi:10.1177/1473871611415996
- Vandenberg, S. G., & Kuse, A. R. (1978). Mental rotations, A group test of three-dimensional spatial visualizations. *Perceptual and Motor Skills*, 47(2), 599–604. doi:10.2466/pms.1978.47.2.599
- Vasiliev, I. R. (1997). Mapping time: Discussion of historical attempts to define time, and integration of time information into diagrams of geographic data. *Cartographica*, 34(2), 1–44. doi:10.3138/D357-234G-2M62-4373
- Vassileva, J., & Sun, L. (2007). Using community visualization to stimulate participation in online communities. *E-Service Journal*, 6(1), 3–39. doi:10.2979/ESJ.2007.6.1.3
- Vézien, J.-M., Ménélas, B., Nelson, J., Picinali, L., Bourdot, P., & Lusseyran, F. (2009). Multisensory VR exploration for computer fluid dynamics in the CoRSAIRé project. *Virtual Reality (Waltham Cross)*, 13(4), 257–271. doi:10.1007/s10055-009-0134-1
- Viégas, F. B., & Donath, J. (2004). Social network visualization: Can we go beyond the graph. In *Proceedings of Workshop on Social Networks*, 4, 6–10. Chicago: ACM Press.
- Viégas, F. B., & Smith, M. (2004). Newsgroup crowds and authorlines: Visualizing the activity of individuals in conversational cyberspaces. In *Proceedings of the 37th Hawaii International Conference on System Sciences*. Washington, DC: IEEE Press.
- Viégas, F. B., Boyd, D., Nguyen, D. H., Potter, J., & Donath, J. (2004). Digital artifacts for remembering and storytelling: Posthistory and social network fragments. In *Proceedings of the 37th Annual Hawaii International Conference on System Sciences*, 109–118. Washington, DC: IEEE Press.
- Viégas, F. B., Wattenberg, M., & Dave, K. (2004). Studying cooperation and conflict between authors with history flow visualizations. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 575–582. Vienna, Austria: ACM Press.
- Viégas, F. B., Wattenberg, M., Kriss, J., & Ham, F. V. (2007). Talk before you type: Coordination in wikipedia. In *Proceedings of the 40th Annual Hawaii International Conference on System Sciences* (78). Hawaii: IEEE Press.
- Viewzi. (2010). *Viewzi, inc.* Retrieved from <http://www.viewzi.com/>.

- Villarroel, M. (2006). Visualizing shared highlighting annotations. *HCI Related Papers of Interaction*, (195).
- VisblockTM. (2012). Retrieved from <http://www.visbox.com/visblock.html>.
- von der Heyde, M., & Hager-Ross, C. (1998). Psychophysical experiments in a complex virtual environment. In *Proceedings of the Third PHANTOM Users Group Workshop*. Cambridge, MA: MIT.
- Von Hippel, E. (1994). Sticky information and the locus of problem solving: Implications for innovation. *Management Science*, 40(4), 429–439. doi:10.1287/mnsc.40.4.429
- Waern, Y. (1990). *Cognitive aspects of computer supported tasks*. New York, NY: John Wiley & Sons, Inc.
- Wagner, C., Rowe, M., Strohmaier, M., & Alani, H. (2012). Ignorance isn't bliss: An empirical analysis of attention patterns in online communities. In *Proceedings of IEEE International Conference on Social Computing*. Amsterdam: IEEE Press.
- Wall, S. A., Paynter, K., Shillito, A. M., Wright, M., & Scali, S. (2002). The effect of haptic feedback and stereo graphics in a 3D target acquisition . In *Proceedings of Eurohaptics*,23-29. Edinburgh, UK: IEEE Press.
- Walpole, R. E., & Myers, R. H. (1993). *Probability and statistics for engineers and scientists* (5th ed.). Englewood Cliffs, NJ: Prentice Hall.
- Walsum, T. V., Post, F. H., Silver, D., & Post, F. J. (1996). Feature extraction and iconic visualization. *IEEE Transactions on Visualization and Computer Graphics*, 2(2), 111–119. doi:10.1109/2945.506223
- Wang, W., Wang, H., Dai, G., & Wang, H. (2006). Visualization of large hierarchical data by circle packing. In *Proceedings of the SIGCHI Conference on Human Factors in computing Systems-CHI '06*, 517–520. New York: ACM Press.
- Ware, C. (2000). *Information visualization: Perception for design (interactive technologies)*. New York: Morgan Kaufmann.
- Ware, C. (2000). *Information visualization: Perception for design*. San Francisco: Morgan Kaufmann Publishers Inc.
- Ware, C. (2004). *Information visualization: Perception for design* (2nd ed.). New York: Morgan Kaufmann.
- Ware, C., & Bobrow, R. (2004). Motion to support rapid interactive queries on node-link diagrams. *ACM Transactions on Applied Perception*, 1(1), 3–18. doi:10.1145/1008722.1008724
- Ware, C., & Bobrow, R. (2005). Supporting visual queries on medium-sized node-link diagrams . *Information Visualization*, 4(1), 49–58. doi:10.1057/palgrave.ivs.9500090
- Ware, C., & Gilman, A. (2008). *Visual thinking with an interactive diagram*. Berlin: Springer.
- Washington D.C. Interactive Map. (n.d.). Retrieved from <http://www.cs.umd.edu/class/fall2002/cmsc838s/tichi/fisheye.html>.
- Wattenberg, M., Viégas, F., & Hollenbach, K. (2007). Visualizing activity on wikipedia with chromograms. In *Proceedings of the 11th IFIP TC 13 International Conference on Human-Computer Interaction-Volume Part II*, 272–287. Rio de Janeiro: Springer.
- Wattenberg, M., & Kriss, J. (2006). Designing for social data analysis. *IEEE Transactions on Visualization and Computer Graphics*, 12 (4), 549–557. doi:10.1109/TVCG.2006.65
- Weather Underground. (2007). *An example URL of daily weather data of london heathrow airport in 2007*. Retrieved from <http://www.wunderground.com/history/airport/EGLL/2007/1/1/CustomHistory.html?dayend=31&monthend=12&yearend=2007&format=1>.
- Weather Underground. (2013). Welcome to weather underground! *Weather Forecasts & Reports*. Retrieved from <http://www.wunderground.com>.
- WebCrawler. (2012). *Infospace, inc*. Retrieved from <http://www.webcrawler.com/>.
- Wegman, E. J. (1990). Hyperdimensional data analysis using parallel coordinates. *Journal of the American Statistical Association*, 85 (411), 664–675. doi:10.1080/01621459.1990.10474926
- Welch, R. B., & Warren, D. H. (1980). Immediate perceptual response to intersensory discrepancy. *Psychological Bulletin*, 88(3), 638–667. doi:10.1037/0033-2909.88.3.638
- Welser, H., Cosley, D., Kossinets, G., & Lin, A. (2011). Finding social roles in wikipedia. In *Proceedings of the 2011 iConference*, 122–129. Seattle, WA: JALT.

- Welser, H. T., Gleave, E., Fisher, D., & Smith, M. (2008). Visualizing the signatures of social roles in online discussion groups. *Journal of Social Structure*, 8.
- Whittaker, S. (2012). Socio-technical lifelogging: Deriving design principles for a future proof digital past. *Human-Computer Interaction*, 27, 37–62.
- Whorf, B. L. (1940). Science and linguistics. *Technology Review*, 42(6), 229–231, 247–248.
- Wilkinson, L. (2005). *The grammar of graphics* (2nd ed.). Berlin: Springer.
- Wilkinson, L., Anand, A., & Grossman, R. (2006). High-dimensional visual analytics: Interactive exploration guided by pairwise views of point distributions. *IEEE Transactions on Visualization and Computer Graphics*, 12(6), 1366–1372. doi:10.1109/TVCG.2006.94
- Willems, N., Wetering, H. V. D., & Wijk, J. J. V. (2009). Visualization of vessel movements. *Computer Graphics Forum*, 28(3), 959–966. doi:10.1111/j.1467-8659.2009.01440.x
- Willett, W., Heer, J., & Agrawala, M. (2007). Scented widgets: Improving navigation cues with embedded visualizations. *IEEE Transactions on Visualization and Computer Graphics*, 13(6), 1129–1136. doi:10.1109/TVCG.2007.70589
- Williamson, C., & Shneiderman, B. (1992). The dynamic homefinder: Evaluating dynamic queries in a real-estate information exploration system. In *Proceedings of ACM SIGIR'92 Conference*, 338–346. Copenhagen, Denmark: ACM Press.
- Withings scales. (2012). Retrieved from <http://www.withings.com/>.
- Wittenbrink, C., Pang, A., & Lodha, S. (1996). Glyphs for visualizing uncertainty in vector fields. *IEEE Transactions on Visualization and Computer Graphics*, 2(3), 266–279. doi:10.1109/2945.537309
- Wojtkowski, W., & Wojtkowski, W. G. (2002). Storytelling: Its role in information visualization. In *Proceedings of European Systems Science Congress*. New Brunswick, NJ: IEEE Press.
- Wolf, G. (2008). *Genomic openness*. Retrieved from <http://quantifiedself.com/2008/01/genomic-openness/>.
- Wolf, G. (2010). *Ted talk*. Retrieved from http://www.ted.com/talks/gary_wolf_the_quantified_self.html.
- Wolfram Demonstrations Project. (n.d.). Retrieved from <http://demonstrations.wolfram.com>.
- Wong, P. C., & Bergeron, R. D. (1997). 30 years of multidimensional multivariate visualization. In Nielson, Müller, & Hagen, (Eds.) *Scientific Visualization-Overviews, Methodologies, and Techniques*, (3-33). New Brunswick, NJ: IEEE Computer Society Press.
- Wright, A. (2007). *Glut: Mastering information through the ages*. Washington, DC: Joseph Henry P.
- Wu, K., & Zhang, S. (2013). A contour tree based visualization for exploring data with uncertainty. *International Journal for Uncertainty Quantification*, 3(3), 203–223. doi:10.1615/Int.J.UncertaintyQuantification.2012003956
- Xie, B., & Pearson, G. (2010). Usability testing by older americans of a prototype google map web site to select nursing homes. In *Proceedings of the 43rd Hawaii International Conference on System Sciences*. Hawaii: IEEE Press.
- Xiong, R., & Donath, J. (1999). PeopleGarden: Creating data portraits for users. In *Proceedings of the 12th Annual ACM Symposium on User Interface Software and Technology*, 37–44. Asheville, NC: ACM Press.
- Xu, J. J., & Chen, H. (2005). CrimeNet explorer: A framework for criminal network knowledge discovery. *ACM Transactions on Information Systems*, 23(2), 201–226. doi:10.1145/1059981.1059984
- Yahoo. (2012). *Yahoo! inc*. Retrieved from <http://www.yahoo.com/>.
- Yakowenko, J., & Matange, S. (2004). Computer-implemented system and method for handling node-link representations. *U. S. Patent No. 7587409*. Retrieved from <http://www.patents.com/us-7587409.html>.
- Yang, X., Asur, S., Parthasarathy, S., & Mehta, S. (2008). A visual-analytic toolkit for dynamic interaction graphs. In *Proceeding of the 14th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. Las Vegas, NV: ACM Press. doi:10.1145/1401890.1402011.
- Yannier, N., Basdogan, C., Tasiran, S., & Sen, O. (2008). Using haptics to convey cause-and-effect relations in climate visualization. *IEEE Transaction on Haptics*, 1(2), 130–141. doi:10.1109/TOH.2008.16
- Yates, I. A. (1966). *The Art of memory*. Chicago: University of Chicago Press.

- Yau, N., & Hansen, M. (2010). your.flowingdata: Personal data collection via twitter. In *Proceedings of CHI 2010 Workshop-Know Thyself: Monitoring and Reflecting on Facets of One's Life*. New York: ACM Press.
- Yi, J. S., Kang, Y., Stasko, J., & Jacko, J. (2008). Understanding and characterizing insights: How do people gain insights using information visualization? In *Proceedings of ACM BELIV '08*. Florence, Italy: ACM Press.
- Yi, J. S., ah Kang, Y, Stasko, J, & Jacko, J. (2007). Toward a deeper understanding of the role of interaction in information visualization. *IEEE Transactions on Visualization and Computer Graphics*, 13(6), 1224–1231. doi:10.1109/TVCG.2007.70515
- Yin, R. K. (2009). Applied social research methods series: Vol. 5. *Case study research: Design and methods* (4th ed.). Thousand Oaks, CA: SAGE.
- Young, R. M. (1981). The machine inside the machine: Users' models of pocket calculators. *International Journal of Man-Machine Studies*, 15(1), 51–85. doi:10.1016/S0020-7373(81)80023-5
- Your.flowingdata. (2012). Retrieved from <http://your.flowingdata.com/>.
- Yu, Y., & Liu, Z. (2010). *Improving the performance and usability for visual menu interface on mobile computers*. In *Proceedings of AVI*. New York: ACM Press.
- Zeller, A. (2005). *Why programs fail: A guide to systematic debugging*. Boston: Morgan Kaufmann.
- Zeng, T. Q., & Zhou, Q. (2001). Optimal spatial decision-making using GIS: A prototype of a real-estate geographical information system (REGIS). *International Journal of Geographical Information Science*, 15(4), 307–321. doi:10.1080/136588101300304034
- Zeo. (2012). Retrieved from <http://www.myzeo.com/sleep/>.
- Zhang, J. (2009). UWB systems for wireless sensor networks. *Proceedings of the IEEE*, 97(2), 313–331. doi:10.1109/JPROC.2008.2008786
- Zhang, Y. (2008). The influence of mental models on undergraduate students' searching behavior on the web. *Information Processing & Management*, 44(3), 1330–1345. doi:10.1016/j.ipm.2007.09.002
- Zhou, M., & Feiner, S. (1998). IMPROVISE: Automated generation of animated graphics for coordinated multimedia presentations. In *Proceedings of Second International Conference on Cooperative Multimodal Communication*, 43-63. New York: ACM Press.
- Zhu, B., & Chen, H. (2008). Communication-garden system: Visualizing a computer-mediated communication process. *Decision Support Systems*, 45(4), 778–794. doi:10.1016/j.dss.2008.02.004
- Zhu, B., & Chen, H. (2008). *Information visualization for decision making. Handbook on Decision Support Systems*. Heidelber, Germany: Springer-Verlag.
- Ziemkiewicz, C., & Kosara, R. (2008). The shaping of information by visual metaphors. *IEEE Transactions on Visualization and Computer Graphics*, 14(6), 1269–1276. doi:10.1109/TVCG.2008.171
- ZigBee Alliance. (2012). Retrieved from <http://www.zigbee.org>.
- Zimmermann, T., & Zeller, A. (2002) Visualizing memory graphs . InDiehl, S (Ed), *Software Visualization* (191-204). New York: Springer. doi:10.1007/3-540-45875-1_15
- Zudilova-Seinstra, E., Adriaansen, T., & Liere, R. v. (2008). *Trends in Interactive visualization: State-of-the-art survey*. New York: Springer Publishing Inc.
- Zue, V., & Glass, J. R. (2000a). Conversational interfaces: Advances and challenges. In *Proceedings of the IEEE*, 1166-1180. New Brunswick, NJ: IEEE Press.
- Zue, V., Seneff, S., Glass, J. R., Polifroni, J., Pao, C., Hazen, T. J., & Hetherington, L. (2000b). JUPITER: A telephone-based conversational interface for weather information. *IEEE Transactions on Speech and Audio Processing*, 8(1), 85–96. doi:10.1109/89.817460