TP DOCUMENTS 1,2,3 et 4

```
lina@lina: ~
Traitement des actions différées (« triggers ») pour libc-bin (2
.39-0ubuntu8.5) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on
 this host.
lina@lina:~$ sudo systemctl status docker
● docker.service - Docker Application Container Engine
     Loaded: loaded (/usr/lib/systemd/system/docker.service; en>
     Active: active (running) since Mon 2025-12-15 13:36:33 UTC>
TriggeredBy: ● docker.socket
       Docs: https://docs.docker.com
   Main PID: 1985 (dockerd)
      Tasks: 7
     Memory: 25.1M (peak: 25.3M)
        CPU: 779ms
     CGroup: /system.slice/docker.service
             └─1985 /usr/bin/dockerd -H fd:// --containerd=/run>

déc. 15 13:36:32 lina dockerd[1985]: time="2025-12-15T13:36:32.>
déc. 15 13:36:32 lina dockerd[1985]: time="2025-12-15T13:36:32.>
déc. 15 13:36:32 lina dockerd[1985]: time="2025-12-15T13:36:32.>
déc. 15 13:36:33 lina dockerd[1985]: time="2025-12-15T13:36:33.>
déc. 15 13:36:33 lina dockerd[1985]: time="2025-12-15T13:36:33.>
déc. 15 13:36:33 lina dockerd[1985]: time="2025-12-15T13:36:33.>
déc. 15 13:36:33 lina dockerd[1985]: time="2025-12-15T13:36:33.>
déc. 15 13:36:33 lina dockerd[1985]: time="2025-12-15T13:36:33.>
déc. 15 13:36:33 lina dockerd[1985]: time="2025-12-15T13:36:33.>
déc. 15 13:36:33 lina systemd[1]: Started docker.service - Dock>
lines 1-22/22 (END)
```

```
lina@lina: ~

Activez ESM Apps pour recevoir des futures mises à jour de sécur
ité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo pro status


Last login: Mon Dec 15 13:30:43 2025 from 10.0.2.2
lina@lina:~$ docker run hello-world

Hello from Docker!
This message shows that your installation appears to be working
correctly.

To generate this message, Docker took the following steps:
 1. The Docker client contacted the Docker daemon.
 2. The Docker daemon pulled the "hello-world" image from the Do
cker Hub.
    (amd64)
 3. The Docker daemon created a new container from that image wh
ich runs the
    executable that produces the output you are currently readin
g.
 4. The Docker daemon streamed that output to the Docker client,
 which sent it
    to your terminal.

To try something more ambitious, you can run an Ubuntu container
 with:
 $ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID
:
 https://hub.docker.com/

For more examples and ideas, visit:
 https://docs.docker.com/get-started/

lina@lina:~$
```




```
lina@lina:~$ mkdir premierConteneur
cd premierConteneur
lina@lina:~/premierConteneur$ pwd
/home/lina/premierConteneur
lina@lina:~/premierConteneur$ nano Dockerfile
lina@lina:~/premierConteneur$
```



```
lina@lina: ~
)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of lun. 15 déc. 2025 13:30:42 UTC

  System load:             0.12
  Usage of /:              23.5% of 19.52GB
  Memory usage:            8%
  Swap usage:              0%
  Processes:               101
  Users logged in:         1
  IPv4 address for enp0s3: 10.0.2.15
  IPv6 address for enp0s3: fd00::a00:27ff:fe93:d99e

 * Strictly confined Kubernetes makes edge and IoT secure. Learn
 how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluste
r deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

La maintenance de sécurité étendue pour Applications n'est pas a
ctivée.

0 mise à jour peut être appliquée immédiatement.

Activez ESM Apps pour recevoir des futures mises à jour de sécur
ité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo pro status


To run a command as administrator (user "root"), use "sudo <comm
and>".
See "man sudo_root" for details.

lina@lina:~$
```

```
lina@lina:~$ sudo apt update
[sudo] password for lina:
Atteint :1 http://archive.ubuntu.com/ubuntu noble InRelease
Réception de :2 http://archive.ubuntu.com/ubuntu noble-updates I
nRelease [126 kB]
Réception de :3 http://security.ubuntu.com/ubuntu noble-security
 InRelease [126 kB]
Réception de :4 http://archive.ubuntu.com/ubuntu noble-backports
 InRelease [126 kB]
Réception de :5 http://archive.ubuntu.com/ubuntu noble/main Tran
slation-fr [491 kB]
Réception de :6 http://archive.ubuntu.com/ubuntu noble/main amd6
4 c-n-f Metadata [30,5 kB]
Réception de :7 http://archive.ubuntu.com/ubuntu noble/restricte
d Translation-fr [3 292 B]
Réception de :8 http://archive.ubuntu.com/ubuntu noble/restricte
d amd64 c-n-f Metadata [416 B]
Réception de :9 http://archive.ubuntu.com/ubuntu noble/universe
Translation-fr [3 898 kB]
```

```
lina@lina:~$ sudo apt install -y ca-certificates curl
Lecture des listes de paquets... Fait
Construction de l'arbre des dépendances... Fait
Lecture des informations d'état... Fait
ca-certificates est déjà la version la plus récente (20240203).
ca-certificates passé en « installé manuellement ».
curl est déjà la version la plus récente (8.5.0-2ubuntu10.6).
curl passé en « installé manuellement ».
0 mis à jour, 0 nouvellement installés, 0 à enlever et 96 non mi
s à jour.
```

```
lina@lina:~$ sudo install -m 0755 -d /etc/apt/keyrings
sudo curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o
/etc/apt/keyrings/docker.asc
sudo chmod a+r /etc/apt/keyrings/docker.asc
lina@lina:~$ sudo tee /etc/apt/sources.list.d/docker.sources <<E
OF
Types: deb
URIs: https://download.docker.com/linux/ubuntu
Suites: $(. /etc/os-release && echo "${UBUNTU_CODENAME:-$VERSION
_CODENAME}")
Components: stable
Signed-By: /etc/apt/keyrings/docker.asc
EOF
Types: deb
URIs: https://download.docker.com/linux/ubuntu
Suites: noble
Components: stable
Signed-By: /etc/apt/keyrings/docker.asc
lina@lina:~$ sudo apt update
Atteint :1 http://security.ubuntu.com/ubuntu noble-security InRe
lease
Atteint :2 http://archive.ubuntu.com/ubuntu noble InRelease
Réception de :3 https://download.docker.com/linux/ubuntu noble I
nRelease [48,5 kB]
Atteint :4 http://archive.ubuntu.com/ubuntu noble-updates InRele
ase
Atteint :5 http://archive.ubuntu.com/ubuntu noble-backports InRe
lease
Réception de :6 https://download.docker.com/linux/ubuntu noble/s
table amd64 Packages [40,8 kB]
89,2 ko réceptionnés en 2s (38,3 ko/s)
Lecture des listes de paquets... Fait
```

```
lina@lina: ~
96 paquets peuvent être mis à jour. Exécutez « apt list --upgrad
able » pour les voir.
lina@lina:~$ sudo apt install -y docker-ce docker-ce-cli contain
erd.io docker-buildx-plugin docker-compose-plugin
Lecture des listes de paquets... Fait
Construction de l'arbre des dépendances... Fait
Lecture des informations d'état... Fait
Les paquets supplémentaires suivants seront installés :
  docker-ce-rootless-extras libslirp0 pigz slirp4netns
Paquets suggérés :
  cgroupfs-mount | cgroup-lite docker-model-plugin
Les NOUVEAUX paquets suivants seront installés :
  containerd.io docker-buildx-plugin docker-ce docker-ce-cli
  docker-ce-rootless-extras docker-compose-plugin libslirp0
  pigz slirp4netns
0 mis à jour, 9 nouvellement installés, 0 à enlever et 96 non mi
s à jour.
Il est nécessaire de prendre 91,2 Mo dans les archives.
Après cette opération, 363 Mo d'espace disque supplémentaires se
ront utilisés.
Réception de :1 https://download.docker.com/linux/ubuntu noble/s
table amd64 containerd.io amd64 2.2.0-2~ubuntu.24.04~noble [23,3
 MB]
Réception de :2 https://download.docker.com/linux/ubuntu noble/s
table amd64 docker-ce-cli amd64 5:29.1.3-1~ubuntu.24.04~noble [1
6,3 MB]
Réception de :3 https://download.docker.com/linux/ubuntu noble/s
table amd64 docker-ce amd64 5:29.1.3-1~ubuntu.24.04~noble [21,0
MB]
Réception de :4 https://download.docker.com/linux/ubuntu noble/s
table amd64 docker-buildx-plugin amd64 0.30.1-1~ubuntu.24.04~nob
le [16,4 MB]
Réception de :5 https://download.docker.com/linux/ubuntu noble/s
table amd64 docker-ce-rootless-extras amd64 5:29.1.3-1~ubuntu.24
.04~noble [6 383 kB]
Réception de :6 https://download.docker.com/linux/ubuntu noble/s
table amd64 docker-compose-plugin amd64 5.0.0-1~ubuntu.24.04~nob
le [7 709 kB]
```

```
  Users logged in:          1
  IPv4 address for enp0s3: 10.0.2.15
  IPv6 address for enp0s3: fd00::a00:27ff:fe93:d99e

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

La maintenance de sécurité étendue pour Applications n'est pas activée.

103 mises à jour peuvent être appliquées immédiatement.
55 de ces mises à jour sont des mises à jour de sécurité.
Pour afficher ces mises à jour supplémentaires, exécuter : apt list --upgradable

Activez ESM Apps pour recevoir des futures mises à jour de sécurité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo pro status


lina@lina:~$ groups
lina adm cdrom sudo dip plugdev lxd docker
lina@lina:~$ docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED         STATUS         PORTS
3e2a5d92155f   monnginx   "nginx -g 'daemon of…"   6 minutes ago   Up 6 minutes   0.0.0.0:8000->80/tcp, [::]:8000->80/tc
lina@lina:~$ curl localhost:8000
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
lina@lina:~$
lina@lina:~$
```

Règles de redirection de ports

Protocole	IP hôte	Port hôte	IP invité	**Port invité**
TCP		2222		22
TCP		8000		8000

OK Annuler

```
lina@lina: ~
srvwebnginx
lina@lina:~$ docker run -d -p 8000:80 --name srvweb
nginx monnginx
3d5bcc27b3b632a3cadf886337d5770a901a67491b66c4c32bd
f9433886551af
lina@lina:~$ docker ps
curl localhost:8000
CONTAINER ID   IMAGE      COMMAND
CREATED         STATUS         PORTS
                      NAMES
3d5bcc27b3b6   monnginx   "nginx -g 'daemon of…"
6 seconds ago   Up 6 seconds   0.0.0.0:8000->80/tcp
, [::]:8000->80/tcp   srvwebnginx
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is su
ccessfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refe
r to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
lina@lina:~$
```

```
lina@lina:~$ docker stop srvwebnginx
docker rm srvwebnginx
srvwebnginx
srvwebnginx
```

```
lina@lina: ~/premierConteneu
  GNU nano 7.2          index.html *
<!DOCTYPE html>
<html lang="fr">
<head>
  <meta charset="UTF-8">
  <title>Docker - Nginx</title>
</head>
<body>
  <h1>Mon serveur Nginx avec Docker</h1>
  <p>Page personnalisée montée avec un volume</p>
</body>
</html>

^G Help      ^O Write Out ^W Where Is  ^K Cut
^X Exit      ^R Read File ^\ Replace   ^U Paste
```

```
lina@lina:~$ cd ~/premierConteneur
lina@lina:~/premierConteneur$ nano index.html
lina@lina:~/premierConteneur$
```


NordVPN
Browser extension
Warning: This website may not be secure
Connect to the VPN to secure your browsing and increase your privacy online.
Connect to VPN
Mark website as safe

10°

Mon serveur Nginx avec Docker

Page personnalisée montée avec un volume



```
  GNU nano 7.2                                                    Dockerfile *
FROM debian:12
RUN apt update && apt install -y apache2 tzdata locales \
&& rm -rf /var/lib/apt/lists/*

# Timezone Europe/Paris (non-interactif)
ENV TZ=Europe/Paris

# Locale FR (simple)
RUN sed -i 's/# fr_FR.UTF-8 UTF-8/fr_FR.UTF-8/' /etc/locale.gen \
&& locale-gen
ENV LANG=fr_FR.UTF-8

COPY index.html /var/www/html/index.html

EXPOSE 80

CMD ["apachectl","-D","FOREGROUND"]
^G Help      ^O Write Out   ^W Where Is    ^K Cut       ^T Execute   ^C Location  M-U Undo      M-A Set Mark
```

```
lina@lina:~/debian12-apache2$
lina@lina:~/debian12-apache2$ docker build -t debian12-apache2:1.0
ERROR: docker: 'docker buildx build' requires 1 argument

Usage:  docker buildx build [OPTIONS] PATH | URL | -

Run 'docker buildx build --help' for more information
lina@lina:~/debian12-apache2$ docker build -t debian12-apache2:1.0 .
[+] Building 8.2s (4/8)
 => [internal] load build definition from Dockerfile
 => => transferring dockerfile: 419B
 => [internal] load metadata for docker.io/library/debian:12
 => [internal] load .dockerignore
 => => transferring context: 2B
 => [1/4] FROM docker.io/library/debian:12@sha256:7e5bc0e499a8d50cb1e32287944a90b9ec8fd7d500673e75daff3f52882f5798
 => => resolve docker.io/library/debian:12@sha256:7e5bc0e499a8d50cb1e32287944a90b9ec8fd7d500673e75daff3f52882f5798
 => => sha256:c8443a297fa42e27cb10653777dd5a53f82a65fbc8b2d33f82b8722199f941d3
 => => extracting sha256:c8443a297fa42e27cb10653777dd5a53f82a65fbc8b2d33f82b8722199f941d3
 => [internal] load build context
 => => transferring context: 247B
```

```
lina@lina: ~/premierConteneu

<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is su
ccessfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refe
r to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
lina@lina:~$ docker stop srvwebnginx
docker rm srvwebnginx
srvwebnginx
srvwebnginx
lina@lina:~$ cd ~/premierConteneur
lina@lina:~/premierConteneur$ nano index.html
lina@lina:~/premierConteneur$ docker run -d -p 8000
:80 \
 -v $PWD/index.html:/var/www/html/index.html \
 --name srvwebnginx monnginx
f4df65b632652f9aae7a9cff88f4ac27c1a034db14f677125ff
227ddb0e41e1c
lina@lina:~/premierConteneur$ curl localhost:8008
<!DOCTYPE html>
<html lang="fr">
<head>
        <meta charset="UTF-8">
        <title>Debian 12 - Apache(Docker)</title>
</head>
<body>
        <h1>Debian 12 + Apache2</h1>
        <p>Conteneur Docker opérationnel </p>
</body>
</html>
lina@lina:~/premierConteneur$
```

```
lina@lina: ~

Activez ESM Apps pour recevoir des futures mises à
jour de sécurité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo p
ro status


Last login: Mon Dec 15 14:02:14 2025 from 10.0.2.2
lina@lina:~$ curl localhost:8000
curl: (7) Failed to connect to localhost port 8000
after 0 ms: Couldn't connect to server
lina@lina:~$ curl localhost:8008
curl: (7) Failed to connect to localhost port 8008
after 0 ms: Couldn't connect to server
lina@lina:~$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS
    PORTS     NAMES
lina@lina:~$ docker ps -a
CONTAINER ID   IMAGE                  COMMAND
            CREATED             STATUS
            PORTS
   NAMES
d6f4c5e082ef   debian12-apache2:1.0   "apachectl -D
 FOREGR…"   6 minutes ago       Exited (255) 4 minu
tes ago     0.0.0.0:8008->80/tcp, [::]:8008->80/tcp
   webapache
f4df65b63265   monnginx               "nginx -g 'da
emon of…"   35 minutes ago      Exited (255) 4 minu
tes ago     0.0.0.0:8000->80/tcp, [::]:8000->80/tcp
   srvwebnginx
f88d69ab3f38   hello-world            "/hello"
            About an hour ago   Exited (0) About an
 hour ago
   vigilant_shirley
bda466e14e78   hello-world            "/hello"
            About an hour ago   Exited (0) About an
 hour ago
   beautiful_hamilton
lina@lina:~$
```

```
lina@lina:~$ curl localhost:8008
<!DOCTYPE html>
<html lang="fr">
<head>
        <meta charset="UTF-8">
        <title>Debian 12 - Apache(Docker)</title>
</head>
<body>
        <h1>Debian 12 + Apache2</h1>
        <p>Conteneur Docker opérationnel </p>
</body>
</html>
lina@lina:~$
```

```
Ubuntu 24.04.3 LTS lina tty1

lina login: lina
Password:
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-71-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of lun. 15 déc. 2025 13:53:20 UTC

  System load:             0.0
  Usage of /:              27.0% of 19.52GB
  Memory usage:            14%
  Swap usage:              0%
  Processes:               110
  Users logged in:         1
  IPv4 address for enp0s3: 10.0.2.15
  IPv6 address for enp0s3: fd00::a00:27ff:fe93:d99e

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

La maintenance de sécurité étendue pour Applications n'est pas activée.

103 mises à jour peuvent être appliquées immédiatement.
55 de ces mises à jour sont des mises à jour de sécurité.
Pour afficher ces mises à jour supplémentaires, exécuter : apt list --upgradable

Activez ESM Apps pour recevoir des futures mises à jour de sécurité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo pro status


lina@lina:~$ groups
lina adm cdrom sudo dip plugdev lxd docker
lina@lina:~$ docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED         STATUS         PORTS
3e2a5d92155f   monnginx   "nginx -g 'daemon of…"   6 minutes ago   Up 6 minutes   0.0.0.0:8000->80/tcp, [::]:8000->80/tc
lina@lina:~$ _
```

```
lina@lina: ~
0 UTC

  System load:             0.0
  Usage of /:              27.0% of 19.52GB
  Memory usage:            14%
  Swap usage:              0%
  Processes:               110
  Users logged in:         1
  IPv4 address for enp0s3: 10.0.2.15
  IPv6 address for enp0s3: fd00::a00:27ff:fe93:d99e

 * Strictly confined Kubernetes makes edge and IoT
secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secu
re K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-t
he-edge

La maintenance de sécurité étendue pour Application
s n'est pas activée.

103 mises à jour peuvent être appliquées immédiatem
ent.
55 de ces mises à jour sont des mises à jour de séc
urité.
Pour afficher ces mises à jour supplémentaires, exé
cuter : apt list --upgradable

Activez ESM Apps pour recevoir des futures mises à
jour de sécurité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo p
ro status


Last login: Mon Dec 15 13:40:19 2025 from 10.0.2.2
lina@lina:~$ groups
lina adm cdrom sudo dip plugdev lxd docker
lina@lina:~$
```

```
  GNU nano 7.2                                                    Dockerfile *
FROM debian:12
RUN apt update && apt install -y apache2 tzdata locales \
&& rm -rf /var/lib/apt/lists/*

# Timezone Europe/Paris (non-interactif)
ENV TZ=Europe/Paris

# Locale FR (simple)
RUN sed -i 's/# fr_FR.UTF-8 UTF-8/fr_FR.UTF-8/' /etc/locale.gen \
&& locale-gen
ENV LANG=fr_FR.UTF-8

COPY index.html /var/www/html/index.html

EXPOSE 80

CMD ["apachectl","-D","FOREGROUND"]
```

```
^G Help        ^O Write Out   ^W Where Is    ^K Cut         ^T Execute     ^C Location    M-U Undo       M-A Set Mark
```

```
lina@lina:~/debian12-apache2$
lina@lina:~/debian12-apache2$ docker build -t debian12-apache2:1.0
ERROR: docker: 'docker buildx build' requires 1 argument

Usage:  docker buildx build [OPTIONS] PATH | URL | -

Run 'docker buildx build --help' for more information
lina@lina:~/debian12-apache2$ docker build -t debian12-apache2:1.0 .
[+] Building 8.2s (4/6)
 => [internal] load build definition from Dockerfile
 => => transferring dockerfile: 419B
 => [internal] load metadata for docker.io/library/debian:12
 => [internal] load .dockerignore
 => => transferring context: 2B
 => [1/4] FROM docker.io/library/debian:12@sha256:7e5bc0e499a8d50cb1e32287944a90b9ec8fd7d500673e75daff3f52882f5798
 => => resolve docker.io/library/debian:12@sha256:7e5bc0e499a8d50cb1e32287944a90b9ec8fd7d500673e75daff3f52882f5798
 => => sha256:c8443a297fa42e27cb10653777dd5a53f82a65fbc8b2d33f82b8722199f941d3 48.48MB / 48.48MB
 => => extracting sha256:c8443a297fa42e27cb10653777dd5a53f82a65fbc8b2d33f82b8722199f941d3
 => [internal] load build context
 => => transferring context: 247B
```

lina@lina: ~/premierConteneı

```
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is su
ccessfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refe
r to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
lina@lina:~$ docker stop srvwebnginx
docker rm srvwebnginx
srvwebnginx
srvwebnginx
lina@lina:~$ cd ~/premierConteneur
lina@lina:~/premierConteneur$ nano index.html
lina@lina:~/premierConteneur$ docker run -d -p 8000
:80 \
 -v $PWD/index.html:/var/www/html/index.html \
 --name srvwebnginx monnginx
f4df65b632652f9aae7a9cff88f4ac27c1a034db14f677125ff
227ddb0e41e1c
lina@lina:~/premierConteneur$ curl localhost:8008
<!DOCTYPE html>
<html lang="fr">
<head>
        <meta charset="UTF-8">
        <title>Debian 12 - Apache(Docker)</title>
</head>
<body>
        <h1>Debian 12 + Apache2</h1>
        <p>Conteneur Docker opérationnel </p>
</body>
</html>
lina@lina:~/premierConteneur$
```

```
lina@lina: ~

Activez ESM Apps pour recevoir des futures mises à
jour de sécurité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo p
ro status


Last login: Mon Dec 15 14:02:14 2025 from 10.0.2.2
lina@lina:~$ curl localhost:8000
curl: (7) Failed to connect to localhost port 8000
after 0 ms: Couldn't connect to server
lina@lina:~$ curl localhost:8008
curl: (7) Failed to connect to localhost port 8008
after 0 ms: Couldn't connect to server
lina@lina:~$ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS
    PORTS     NAMES
lina@lina:~$ docker ps -a
CONTAINER ID   IMAGE                  COMMAND
            CREATED             STATUS
            PORTS
   NAMES
d6f4c5e082ef   debian12-apache2:1.0   "apachectl -D
 FOREGR…"   6 minutes ago       Exited (255) 4 minu
tes ago     0.0.0.0:8008->80/tcp, [::]:8008->80/tcp
   webapache
f4df65b63265   monnginx               "nginx -g 'da
emon of…"   35 minutes ago      Exited (255) 4 minu
tes ago     0.0.0.0:8000->80/tcp, [::]:8000->80/tcp
   srvwebnginx
f88d69ab3f38   hello-world            "/hello"
            About an hour ago   Exited (0) About an
 hour ago
   vigilant_shirley
bda466e14e78   hello-world            "/hello"
            About an hour ago   Exited (0) About an
 hour ago
   beautiful_hamilton
lina@lina:~$
```

```
lina@lina:~$ curl localhost:8008
<!DOCTYPE html>
<html lang="fr">
<head>
        <meta charset="UTF-8">
        <title>Debian 12 - Apache(Docker)</title>
</head>
<body>
        <h1>Debian 12 + Apache2</h1>
        <p>Conteneur Docker opérationnel </p>
</body>
</html>
lina@lina:~$
```

```
Password:
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-71-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of lun. 15 déc. 2025 13:53:20 UTC

  System load:             0.0
  Usage of /:              27.0% of 19.52GB
  Memory usage:            14%
  Swap usage:              0%
  Processes:               110
  Users logged in:         1
  IPv4 address for enp0s3: 10.0.2.15
  IPv6 address for enp0s3: fd00::a00:27ff:fe93:d99e

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

La maintenance de sécurité étendue pour Applications n'est pas activée.

103 mises à jour peuvent être appliquées immédiatement.
55 de ces mises à jour sont des mises à jour de sécurité.
Pour afficher ces mises à jour supplémentaires, exécuter : apt list --upgradable

Activez ESM Apps pour recevoir des futures mises à jour de sécurité supplémentaires.
Visitez https://ubuntu.com/esm ou executez : sudo pro status


lina@lina:~$ ssh lina@127.0.0.1 -p 2222
ssh: connect to host 127.0.0.1 port 2222: Connection refused
lina@lina:~$ ssh lina@127.0.0.1 -p 8000
ssh: connect to host 127.0.0.1 port 8000: Connection refused
lina@lina:~$ curl localhost:8000
<!DOCTYPE html>
<html lang="fr">
<head>
  <meta charset="UTF-8">
  <title>Docker - Nginx</title>
</head>
<body>
  <h1>Mon serveur Nginx avec Docker</h1>
  <p>Page personnalisée montée avec un volume</p>
</body>
```


NordVPN
Browser extension
Warning: This website may not be secure
Connect to the VPN to secure your browsing and increase your privacy online.
Connect to VPN
Mark website as safe

10°

Mon serveur Nginx avec Docker

Page personnalisée montée avec un volume

```
lina@lina:~$ mkdir -p ~/debian12-apache2
lina@lina:~$ cd ~/debian12-apache2
lina@lina:~/debian12-apache2$ _
```

```
  GNU nano 7.2                                   index.html *                                   M
<!DOCTYPE html>
<html lang="fr">
<head>
        <meta charset="UTF-8">
        <title>Debian 12 - Apache(Docker)</title>
</head>
<body>
        <h1>Debian 12 + Apache2</h1>
        <p>Conteneur Docker opérationnel </p>
</body>
</html>_

^G Help        ^O Write Out   ^W Where Is    ^K Cut         ^T Execute     ^C Location    M-U Undo       M-A Set Mark   M-] To Bracket M-Q Previous
^X Exit        ^R Read File   ^\ Replace     ^U Paste       ^J Justify     ^_ Go To Line  M-E Redo       M-6 Copy       ^Q Where Was   M-W Next
```

Debian 12 + Apache2

Conteneur Docker opérationnel