

.....
.....
E-II111232/1

Rev. 00 (09/2020) - en
.....

.....
Spare parts catalog

BRAKE CONTAINER



Contact address

KNORR-BREMSE Systeme für Schienenfahrzeuge GmbH
Moosacher Straße 80
80809 München, Germany
Tel.: +49 (89) 3547-0
Fax.: +49 (89) 3547-2767
<http://www.knorr-bremse.com>

Technical changes

KNORRBREMSE SfS reserves the right to change products or this document at any time without giving special notice.

In the case of changes to products, this spare parts catalogue is no longer valid.

Ordering spare parts

It is necessary to use the latest spare parts catalogue when ordering spare parts.

If you discover that parts need to be renewed, only **KNORR-BREMSE original parts** are to be used.

The installation of spares other than approved may impair the safety and reliability of the given unit and overall system and invalidates any warranty on the part of KB.

When ordering, please note that the quantities refer only to the individual parts that are considered in the relevant chapter of the spare parts catalogue. The total amount required for the overhaul of the product is computed by multiplying these figures by the quantities of the individual parts in the higher-level assembly.

Wearing parts category:

Meanings of the letters in the WEC (wearing code) column of the following tables:

| WEC | Definition |
|-----|---|
| A | These parts must always be replaced upon removal. |
| B | These parts must be replaced at every overhaul. |
| C | These parts must then be replaced or reconditioned if they have worn so severely that the unit cannot be guaranteed to function reliably with them until the next overhaul. If necessary, further information on testing these parts can be found in the overhaul instructions. |
| D | These parts must be replaced at every service and every overhaul. |
| | Parts that do not have a WEC code must be visually inspected. If damage is found on the parts, they must be replaced. |



Table of contents


| | | |
|-----------|------------------------|----------|
| T0 | BRAKE CONTAINER | 5 |
| T1 | CONTAINER | 7 |
| T2 | EP COMPACT | 12 |
| T3 | EP COMPACT | 14 |
| T4 | BRAKE CTRL MODUL | 16 |
| T5 | BRAKE CTRL MODUL | 18 |
| T6 | PLUSMODULE | 20 |
| T7 | BALLCOCK | 22 |
| T8 | BALLCOCK | 24 |
| T9 | MAGNET VALVE | 26 |
| T10 | TEST FITTING | 29 |
| T11 | PRESSURE SENSOR | 31 |
| T12 | TEST FITTING | 33 |
| T13 | BRAKE CONTROL | 35 |

**Original parts kits (OPK) belonging to the unit**

| KIT-No. | Type | Additional text | Item number | Name |
|--------------|--------------|-------------------|---------------|--------------|
| OPK04542/024 | Overhaul kit | | II95751/024 | MAGNET VALVE |
| OPK00242 | Overhaul kit | | II74554/2A1RE | BALLCOCK |
| OPK01074 | Overhaul kit | ENTL.BOHRUNG DIA2 | II74554/2A1RE | BALLCOCK |
| OPK00243 | Overhaul kit | | II74572/2A1RE | BALLCOCK |
| OPK01075 | Overhaul kit | ENTL.BOHRUNG DIA4 | II74572/2A1RE | BALLCOCK |



T0: BRAKE CONTAINER




ET-II111232/1

**T0 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-------------------|----------|------|------------------------|---------|-----|------|
| | II111232/1 | | | BRAKE CONTAINER | | | |
| 1 | KP0396663-1 | 1 | Pce | CONTAINER | | | 7 |
| 21 | KP0597874-02 | 6 | Pce | BLIND RIVET SEAL | | A | |
| 40 | C123232/0 | 4 | Pce | PLATE | | | |




T1: CONTAINER



ET-KP0396663-1




T1: CONTAINER



ET-KP0396663-1



T1: CONTAINER



ET-KP0396663-1

**T1 – Ordering information:**


| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|--------------------|----------|------|----------------------------|---------|-----|------|
| | KP0396663-1 | | | CONTAINER | | | |
| 1 | KP0458300-L015 | 1 | Pce | BRACKET | | | |
| 2 | II108355/1 | 1 | Pce | EP COMPACT EPC-CP | | | 12 |
| 3 | II111097/1 | 1 | Pce | PLUSMODULE PM-X043 | | | 20 |
| 4 | STN45605 | 1 | Pce | ELECTROMECHANIC ET, EDC | | | |
| 5 | STN45605/ERDUNG | 1 | Pce | ELECTROMECHANIC | | | |
| 6 | STN45709 | 1 | Pce | BRAKE CONTROL EBCU2 | | | 35 |
| 7 | KP0375285 | 1 | Pce | GASKET | | B | |
| 8 | KP0457940-L015 | 1 | Pce | HOOD | | | |
| 9 | KP0457947-L015 | 1 | Pce | COVER | | | |
| 10 | KP0458026-L015 | 3 | Pce | HINGE | | | |
| 11 | C120139/6 | 6 | Pce | ROTARY LOCK | | | |
| 12 | N72744/01 | 3 | m | SEALING STRIP | | B | |
| 13 | C128034 | 1.85 | m | SEALING TAPE | | B | |
| 15 | C174661/1 | 2 | Pce | GASKET | | B | |
| 16 | C174661/2 | 2 | Pce | GASKET | | B | |
| 17 | C175615/1 | 2 | Pce | GASKET | | B | |
| 18 | C175615/2 | 2 | Pce | GASKET | | B | |
| 20 | KP0443920-L015 | 1 | Pce | COVER | | | |
| 21 | KP0443935 | 1 | Pce | RING | | | |
| 22 | C118025/1 | 1 | Pce | FLAT DIAPHRAGM | | B | |
| 23 | C119365/2 | 1 | Pce | WASHER | | | |
| 30 | KP0450569 | 1 | Pce | SHEET METAL | | | |
| 32 | KP0378075 | 2 | Pce | NUT PLATE | | | |
| 33 | N68028/01 | 1 | Pce | GROUNDING CONTACT | | | |
| 40 | 474815 | 4 | Pce | WASHER | 4 | | |
| 41 | 457017 | 22 | Pce | WASHER | 6 | | |
| 42 | 462327 | 10 | Pce | WASHER | 6 | | |
| 45 | 470090 | 7 | Pce | SPRING WASHER | S06 | B | |
| 46 | 470488 | 13 | Pce | SPRING WASHER | M06 | B | |
| 48 | 478159 | 20 | Pce | LOCKING DEVICE | NL6 | | |
| 49 | 477476 | 10 | Pce | LOCKING DEVICE | NL8SP | | |
| 50 | 465160 | 13 | Pce | HEXAGON NUT | M6 | | |
| 60 | 468885 | 4 | Pce | HEXAGON HEAD SCREW | M4X16 | | |

**T1 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-------------|----------|------|--------------------|---------|-----|------|
| 61 | 467568 | 1 | Pce | HEXAGON HEAD SCREW | M6X10 | | |
| 62 | 465628 | 2 | Pce | HEXAGON HEAD SCREW | M6X12 | | |
| 63 | 469401 | 6 | Pce | HEXAGON HEAD SCREW | M6X18 | | |
| 64 | 477132 | 42 | Pce | HEXAGON HEAD SCREW | M6X22 | | |
| 66 | 468951 | 8 | Pce | HEXAGON HEAD SCREW | M6X15 | | |
| 68 | 467811 | 10 | Pce | HEXAGON HEAD SCREW | M8X25 | | |
| 70 | 77728359 | 4 | Pce | SPACER | | | |
| 72 | N62882/008 | 7 | Pce | FLAT GASKET | | B | |
| 73 | N58977/1 | 15 | Pce | CABLE HOLDER | | A | |
| 74 | N60251/1 | 4 | Pce | CABLE TIE | | A | |
| 80 | N53570 | 6 | Pce | PLATE | | | |



T2: EP COMPACT




ET-III108355/1

**T2 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-------------------|----------|------|---------------------------|---------|-----|------|
| | II108355/1 | | | EP COMPACT | | | |
| 1 | KP0479893 | 1 | Pce | BASE PLATE | | | |
| 2 | II65070/ADM001 | 1 | Pce | EP COMPACT EPC-CP | | | 14 |
| 3 | II80874/05046 | 1 | Pce | PRESSURE GOVERNOR DW10 | | | |
| 11 | 453016 | 2 | Pce | GROOVED DRIVE STUD | 3X4 | A | |
| 12 | 470090 | 1 | Pce | SPRING WASHER | S06 | B | |
| 13 | 465628 | 1 | Pce | HEXAGON HEAD SCREW | M6X12 | | |
| 15 | 470875 | 2 | Pce | STUD | M12X230 | | |
| 16 | 450674 | 2 | Pce | WASHER | 12 | | |
| 17 | 468825 | 2 | Pce | HEXAGON NUT | M12 | | |
| 50 | 467145 | 1 | Pce | SCREW PLUG | M14X1,5 | | |
| 51 | 8109030234 | 2 | Pce | SCREW PLUG | M22X1,5 | | |



T3: EP COMPACT




ET-1165070/ADM001

**T3 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-----------------------|----------|------|--------------------------|---------|-----|------|
| | II65070/ADM001 | | | EP COMPACT | | | |
| 10 | II70334/APG001 | 1 | Pce | BRAKE CTRL MODUL PU-C | | | 16 |
| 80 | II70829/211055 | 1 | Pce | BRAKE CTRL MODUL PU-P | | | 18 |
| 82 | A48855 | 3 | Pce | WIRE STRAINER | | D | |
| 83 | C68263/30 | 1 | Pce | NOZZLE | | | |
| 84 | 462327 | 2 | Pce | WASHER | 6 | | |



T4: BRAKE CTRL MODUL




ET-1170334/APG001


T4 – Ordering information:

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-----------------------|----------|------|---------------------------|------------|-----|------|
| | II70334/APG001 | | | BRAKE CTRL MODUL | | | |
| 8 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | |
| 9 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | |
| 10 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | |
| 11 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | |
| 12 | II48013 | 1 | Pce | TEST FITTING K1-ES | | B | |
| 13 | II51150/A | 1 | Pce | TEST FITTING T2-TS | | B | |
| 14 | II48013 | 1 | Pce | TEST FITTING K1-ES | | B | |
| 15 | II48013 | 1 | Pce | TEST FITTING K1-ES | | B | |
| 16 | II48013 | 1 | Pce | TEST FITTING K1-ES | | B | |
| 25 | II48013 | 1 | Pce | TEST FITTING K1-ES | | B | |
| 26 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | |
| 34 | C59022/2 | 1 | Pce | SCREW PLUG | | B | |
| 35 | 468954 | 2 | Pce | MACHINE SCREW | M6X18 | | |
| 36 | WB307192A | 2 | Pce | NYLON FILTER | | D | |
| 37 | 475037 | 5 | Pce | O-RING | 22,22X2,62 | B | |
| 38 | C20240/14020 | 3 | Pce | O-RING | | B | |
| 39 | B43723/3 | 4 | Pce | O-RING | | B | |
| 40 | C119815 | 2 | Pce | STRAINER | | D | |
| 50.4 | II74154/024 | 1 | Pce | VALVE MAGNET N-R2-2 | | B | |
| 50.5 | II74152/024 | 1 | Pce | VALVE MAGNET N-R2 | | B | |
| 50.7 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | |
| 70 | II65067/4 | 1 | Pce | VENT | | | |



T5: BRAKE CTRL MODUL




ET-1170829/211055

**T5 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-----------------------|----------|------|-------------------------|---------|-----|------|
| | II70829/211055 | | | BRAKE CTRL MODUL | | | |
| 4 | II67700/110 | 2 | Pce | VALVE MAGNET N-S2 | | B | |
| 12 | C20240/14020 | 4 | Pce | O-RING | | B | |
| 13 | 469260 | 2 | Pce | MACHINE SCREW | M8X90 | | |



T6: PLUSMODULE




ET-11111097/1


T6 – Ordering information:

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-------------------|----------|------|---------------------------|---------|-----|------|
| | II111097/1 | | | PLUSMODULE | | | |
| 1 | KP0353710 | 1 | Pce | BASE PLATE | | | |
| 2 | II74572/2A1RE | 1 | Pce | BALLCOCK SK-T-DN19E-SM | | | 22 |
| 3 | II74554/2A1RE | 1 | Pce | BALLCOCK SK-T-DN7E-SM | | | 24 |
| 4 | II95751/024 | 1 | Pce | MAGNET VALVE WMV1-1-A2 | | | 26 |
| 5 | II46182 | 1 | Pce | TEST FITTING K1-ES | | B | 29 |
| 6 | II80874/04329 | 1 | Pce | PRESSURE GOVERNOR DW10 | | | |
| 7 | II80874/07060 | 1 | Pce | PRESSURE GOVERNOR DW10 | | | |
| 8 | II80874/03228 | 1 | Pce | PRESSURE GOVERNOR DW10 | | | |
| 9 | STN29890 | 1 | Pce | PRESSURE SENSOR DG10-S | | | 31 |
| 10 | II51150/A | 3 | Pce | TEST FITTING T2-TS | | B | 33 |
| 12 | 453016 | 2 | Pce | GROOVED DRIVE STUD | 3X4 | A | |
| 20 | 462968 | 2 | Pce | WASHER | 6 | | |
| 21 | 465628 | 1 | Pce | HEXAGON HEAD SCREW | M6X12 | | |
| 22 | 466370 | 2 | Pce | MACHINE SCREW | M8X45 | | |
| 23 | 467999 | 2 | Pce | MACHINE SCREW | M6X65 | | |
| 24 | 468185 | 6 | Pce | MACHINE SCREW | M6X16 | | |
| 25 | 468954 | 2 | Pce | MACHINE SCREW | M6X18 | | |
| 26 | 470090 | 1 | Pce | SPRING WASHER | S06 | B | |
| 27 | 470506 | 2 | Pce | SPRING WASHER | Z06 | B | |



T7: BALLCOCK




ET-1174572/2A1RE


T7 – Ordering information:

| Pos. OEM/OPK | Part is contained in | Item number | Quantity OEM/OPK | Unit | Name | WEC | Page |
|-----------------|----------------------|---------------|---------------------|------|-----------------|------------------------------|------|
| | | II74572/2A1RE | | | BALLCOCK | | |
| 2 | 002 | OPK00243 | 2 | 2 | Pce | GASKET d28x4.5 | B |
| | 002 | OPK01075 | | 2 | | | |
| 3 | 003 | OPK01075 | 1 | 1 | Pce | BALL d34 | C |
| 7 | 007 | OPK00243 | 1 | 1 | Pce | THRUST RING 16x12x1 | B |
| | 007 | OPK01075 | | 1 | | | |
| 8 | - | C138629/A | 1 | | Pce | T-HANDLE | |
| 9 | 009 | OPK00243 | 2 | 2 | Pce | O-RING d9x1.5 | B |
| | 009 | OPK01075 | | 2 | | | |
| 12 | 012 | OPK00243 | 1 | 1 | Pce | O-RING d31x1.8 | A |
| | 012 | OPK01075 | | 1 | | | |
| 13 | 013 | OPK00243 | 1 | 1 | Pce | O-RING d30x2.6 | B |
| | 013 | OPK01075 | | 1 | | | |
| 16 | 016 | OPK00243 | 2 | 2 | Pce | RETAINING RING d36x1.5 | A |
| | 016 | OPK01075 | | 2 | | | |
| 18 | 018 | OPK00243 | 3 | 3 | Pce | O-RING d20x2.6 | B |
| | 018 | OPK01075 | | 3 | | | |
| 21 | 021 | OPK00243 | 1 | 1 | Pce | SPACING DISC 18x12x1 | B |
| | 021 | OPK01075 | | 1 | | | |
| 22 | 022 | OPK00243 | 2 | 2 | Pce | O-RING d25x1.5 | B |
| | 022 | OPK01075 | | 2 | | | |
| 33 | - | II62859/F | 1 | | Pce | SWITCH MODULE SM-0-10 | B |



T8: BALLCOCK




ET-1174554/2.1RE


T8 – Ordering information:

| Pos. OEM/OPK | Part is contained in | Item number | Quantity OEM/OPK | Unit | Name | WEC | Page |
|-----------------|----------------------|---------------|---------------------|------|-----------------|----------------------------|------|
| | | II74554/2A1RE | | | BALLCOCK | | |
| 2 | 002 | OPK00242 | 2 | 2 | Pce | GASKET d17x5.3 | B |
| | 002 | OPK01074 | | 2 | | | |
| 3 | 003 | OPK01074 | 1 | 1 | Pce | BALL d18 | C |
| 7 | 007 | OPK00242 | 1 | 1 | Pce | THRUST RING 16x12x1 | B |
| | 007 | OPK01074 | | 1 | | | |
| 8 | - | C148561/A | 1 | | Pce | T-HANDLE | |
| 9 | 009 | OPK00242 | 2 | 2 | Pce | O-RING d9x1.5 | B |
| | 009 | OPK01074 | | 2 | | | |
| 12 | 012 | OPK00242 | 1 | 1 | Pce | O-RING d16x1.8 | A |
| | 012 | OPK01074 | | 1 | | | |
| 13 | 013 | OPK00242 | 1 | 1 | Pce | O-RING d16x2.6 | B |
| | 013 | OPK01074 | | 1 | | | |
| 16 | 016 | OPK00242 | 2 | 2 | Pce | RETAINING RING d21x1 | A |
| | 016 | OPK01074 | | 2 | | | |
| 17 | 017 | OPK00242 | 2 | 2 | Pce | O-RING d15x3 | B |
| | 017 | OPK01074 | | 2 | | | |
| 18 | 018 | OPK00242 | 1 | 1 | Pce | O-RING d24x3 | B |
| | 018 | OPK01074 | | 1 | | | |
| 21 | 021 | OPK00242 | 1 | 1 | Pce | SPACING DISC 18x12x1 | B |
| | 021 | OPK01074 | | 1 | | | |
| 33 | - | II51803/F | 1 | | Pce | SWITCH MODULE SM-0 | B |



T9: MAGNET VALVE



ET-II195751/...


T9 – Ordering information:


| Pos. OEM/OPK | Part is contained in | Item number | Quantity OEM/OPK | Unit | Name | WEC | Page |
|-----------------|-------------------------|--------------|---------------------|------|------------------------------|-------------------------------------|------|
| | | II95751/024 | | | MAGNET VALVE | | |
| 1 | - | II86419/2 | 1 | Pce | HOUSING | C | |
| 2 | 002 | OPK04542/024 | 1 | 1 | Pce | VALVE MAGNET N-S2 36x30x40 | B |
| 4 | - | C189917 | 1 | Pce | PISTON | C | |
| 5 | 005 | OPK04542/024 | 1 | 1 | Pce | VALVE HEAD d19x25 | B |
| 8 | - | C204634 | 1 | Pce | COVER | | |
| 9 | 009 | OPK04542/024 | 1 | 1 | Pce | O-RING d35x1.5 | B |
| 10 | 010 | OPK04542/024 | 1 | 1 | Pce | O-RING d28x2 | B |
| 11 | 011 | OPK04542/024 | 1 | 1 | Pce | O-RING d18x2 | B |
| 12 | 012 | OPK04542/024 | 3 | 3 | Pce | O-RING d10x2.6 | B |
| 14 | 014 | OPK04542/024 | 1 | 1 | Pce | KNORR-K-RING d13x2 | B |
| 17 | - | K3485 | 1 | Pce | COMPRESSION SPRING | C | |
| 18 | 018 | OPK04542/024 | 1 | 1 | Pce | RETAINING RING d30x1.2 | A |
| 19 | 019 | OPK04542/024 | 1 | 1 | Pce | RETAINING RING d35x1.5 | A |
| 23 | 023 | OPK04542/024 | 1 | 1 | Pce | KNORR-K-RING d30x2 | B |
| 24 | 024 | OPK04542/024 | 1 | 1 | Pce | O-RING d13x2 | B |
| 30 | - | C189918 | 1 | Pce | WASHER | C | |
| 32 | - | 462384 | 2 | Pce | GROOVED DOWEL PIN 4X10 | | |
| 33 | - | C175344 | 1 | Pce | COVER | C | |
| 34 | 034 | OPK04542/024 | 1 | 1 | Pce | O-RING d25x1.5 | B |
| 35 | 035 | OPK04542/024 | 1 | 1 | Pce | RETAINING | A |

**T9 – Ordering information:**

| Pos. OEM/OPK | Part is contained in | Item number | Quantity OEM/OPK | Unit | Name | WEC | Page |
|-----------------|-------------------------|-------------|---------------------|------|--|-----|------|
| 36 | - | C191275 | 1 | Pce | RING d28x1.2 COMPRESSION SPRING | C | |



T10: TEST FITTING




ET-1146182

**T10 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|----------------|----------|------|---------------------|---------|-----|------|
| | II46182 | | | TEST FITTING | | | |
| 1 | C207916 | 1 | Pce | PROTECTIVE RING | | A | |
| 2 | C207917 | 1 | Pce | O-RING | | A | |



T11: PRESSURE SENSOR




ET-STN29890

**T11 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-----------------|----------|------|------------------------|-------------|-----|------|
| | STN29890 | | | PRESSURE SENSOR | | | |
| 1 | 8970449604 | 1 | Pce | SEALING RING | 13,3X18X1,5 | A | |



T12: TEST FITTING



ET-II151150/A


**T12 – Ordering information:**

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-------------|----------|------|------|---------|-----|------|
|------|-------------|----------|------|------|---------|-----|------|

| | | | | | | | |
|---|------------------|---|-----|---------------------|--|---|--|
| | II51150/A | | | TEST FITTING | | | |
| 1 | C207915 | 2 | Pce | O-RING | | A | |



T13: BRAKE CONTROL



ET-STN45709


T13 – Ordering information:

| Pos. | Item number | Quantity | Unit | Name | Measure | WEC | Page |
|------|-----------------|----------|------|------------------------------|---------|-----|------|
| | STN45709 | | | BRAKE CONTROL | | | |
| 1 | STN28046 | 1 | Pce | ASSEMBLY RACK HS02A-BP51A | | | |
| 2 | N51263 | 1 | Pce | PLATE | | C | |
| 3 | STN25089 | 1 | Pce | POWER SUPPLY PB03A | | | |
| 4 | STN25089 | 1 | Pce | POWER SUPPLY PB03A | | | |
| 7 | STN39578/201 | 1 | Pce | CIRCUIT BOARD LAD02B | | | |
| 8 | STN39577/201 | 1 | Pce | CIRCUIT BOARD LAD01B | | | |
| 9 | STN39580/102 | 1 | Pce | CIRCUIT BOARD LAD05A | | | |
| 10 | STN39580/103 | 1 | Pce | CIRCUIT BOARD LAD06A | | | |
| 12 | STN38950 | 1 | Pce | CIRCUIT BOARD KSN01A | | | |
| 49 | N51263 | 1 | Pce | PLATE | | C | |
| 50 | N68935 | 1 | Pce | PLATE | | C | |