

附录E 按主题分类的Lingo

除了按字母顺序列出全部 Lingo关键字外,按主题对这些关键字分类也是很有用的。当我们想不起某个命令或属性的名称时,使用这个清单会感到非常方便。浏览这个清单也是你认识某些你未曾使用过的 Lingo的好方法。本附录就提供了这个清单。

动画GIF

directToStage

fixedRate

linked

pause

playBackMode

resume sprite

rewind sprite

行为

beginSprite

endSprite

enterFrame

exitFrame

getBehaviorDescription

getBehaviorTooltip

getPropertyDescriptionList

idle

me

mouseDown

mouseEnter

mouseLeave

mouseUp

mouseUpOutSide

mouseWithin

prepareFrame

property

right Mouse Down

right Mouse Up

runPropertyDialog

scriptInstanceList

scriptList

sendAllSprites

sendSprite

spriteNum

stopEvent

位图

alphaThreshold

centerRegPoint

crop

depth

dither

getPixel



palette

paletteRef

picture

regPoint

setPixel

useAlpha

按钮

buttonType

checkBoxAccess

checkBoxType

font

fontSize

fontStyle

hilite

text

演员表

castLib

castLibs

erase

fileName

findEmpty

name

new

number

save castLib

selection

光标

autoMask

castMemberList

cursor

cursorSize

hotSpot

interval

日期和时间

abbr, abbrev, abbreviated

date

day

hour

milliSeconds

minutes

month

startTimer

systemDate

ticks

timer

调试工具

alertHook

trace

traceLoad

traceLogFile



数字视频文件

center

controller

crop

cuePointNames

cuePointTimes

currentTime

digitalVideoTimeScale

digitalVideoType

directToStage

duration

frameRate

invertMask

isVRMovie

loop

loopBounds

mask

mostRecentCuePoint

movieRate

movieTime

pausedAtStart

preLoad

preloadRam

qtRegisterAccessKey

qtUnRegisterAccessKey

quickTimeVersion

scale

setTrackEnabled

sound

startTime

stopTime

timeScale

trackCount

trackEnabled

trackNextKeyTime

trackNextSampleTime

trackPreviousKeyTime

trackPreviousSampleTime

trackStartTime

trackStopTime

trackText

trackType

translation

video

videoForWindowsPresent

volume

域

alignment

autoTab

backcolor

bgColor

border

boxDropShadow

boxType



charPosToLoc

color

dropShadow

editable

field

font

fontSize

fontStyle

forecolor

hilite

lineCount

lineHeight

IinePosToLocV

IocToCharPos

locVToLinePos

margin

mouseChar

mouseItem

mouseLine

mouseWord

pageHeight

scrollByLine

scrollByPage

scrollTop

selection

selEnd

selStart

text

ισχι

textAlign

textFont

textHeight

textSize

textStyle

wordWrap

文件

getNthFileNameInFolder

Flash演员

ActionsEnabled

antiAlias

broadcastProps

buttonsEnabled

centerRegPoint

clearError

clickMode

defaultRect

delauliNeci

default Rect Mode

directToStage

findLabel

fixedRate

flashRect

flashToStage

frame

frameCount

frameRate

frameReady

getError

goToFrame

hitTest

hold

imageEnabled

linked

loop

mouseOverButton

obeyScoreRotation

originH

originMode

originPoint

originV

pausedAtStart

percentStreamed

playBackMode

playing

posterFrame

preLoad

quality

regPoint

rewind sprite

scale

scaleMode

showProps

sound

stageToFlash

state

static

stop

stream

streamMode

streamSize

viewH

viewPoint

viewScale

viewV

键盘

commandDown

controlDown

key

keyCode

keyDown

keyDownScript

keyPressed

keyUp

keyUpScript

optionDown

shiftDown



链接的影片

scriptsEnabled

sound

列表

[]

add

addAt

addProp

append

count

deleteAll

deleteAt

deleteOne

deleteProp

duplicate

findPos

findPosNear

getaProp

getAt

getLast

getOne

getPos

getProp

getPropAt

list

listP

setaProp

setAt

setProp

sort

逻辑

()

<

<=

<>

= >

>=

and

FALSE

not

objectP

or

TRUE

算术

*

+

/

abs

atan

bitAnd



bitNot

bitOr

bitXor

cos

exp

float

floatP

floatPrecision

inflate

inside

integer

integerP

intersect

log

map

mapMemberToStage

mapStageToMember

max

maxInteger

min

mod

offset

Ы

power

random

randomSeed

sin

sqrt

tan

union

演员

castLibNum

copyToClipBoard

duplicate

fileName

height

importFileInto

media

member

modified

move

name

new

number

pasteClipBoardInto

purgePriority

rect

size

thumbnail

type

width

内存

cancelldleLoad



finishIdleLoad

idleLoadDone

idleLoadMode

idleLoadPeriod

idleLoadTag

idleReadChunkSize

loaded

mediaReady

preLoad

preLoadEventAbort

preLoadMember

preLoadMode

preLoadMovie

ramNeeded

unLoad

unloadMember

unloadMovie

菜单

checkMark

enabled

installMenu

menultem

name

script

MIAW

activateWindow

activeWindow

close

closeWindow

deactivateWindow

drawRect

fileName

forget

frontWindow

modal

moveToBack

moveToFront

moveWindow

name

number

open

openWindow

picture

rect

resizeWindow

sourceRect

tell

title

titleVisible

visible

window

windowList

windowPresent

windowType



zoomWindow

杂类Lingo

alert

beep

beepOn

bottom

color

colorType

count

framesToHMS

HMStoFrames

left

mci

number

open

paletteIndex

picture

pictureP

point

printFrom

put

recordFont

rect

rgb

right

top value

zoomBox

鼠标

clickLoc

clickOn

mouseLoc

mouseH

mouseV

mouseDown

mouseUp

stillDown

影片

centerStage

fixStageSize

frame

frameLabel

framePalette

frameScript

frameSound1

frameSound2

frameTempo

frameTransition

label

labelList



lastChannel

lastFrame

marker

mouseDownScript

mouseUpScript

movieAboutInfo

movieCopyrightInfo

movieFileFreeSize

movieFileSize

movieName

moviePath

paletteMapping

prepareMovie

puppetPalette

puppetTempo

puppetTransition

savedLocal

saveMovie

score

showGlobals

showLocals

stage

stageBottom

stageColor

stageLeft

stageRight

stageTop

startMovie

stopMovie

updateMovieEnabled

updateStage

浏览

continue

delay

exitLock

go

go loop

go next

go previous

halt

play

play done

网络

browserName

clearCache

download Net Thing

getNetErrorString

getNetText

getStreamStatus

gotoNetMovie

gotoNetPage

mediaReady

netAbort



netDone

netError

netLastModDate

netMIME

netPresent

netTextResult

netThrottleTicks

postNetText

proxyServer

streamStatus

tellStreamStatus

面向对象的编程

actor

actorList

ancestor

birth

call

callAncestor

me

new

property

stepFrame

播放

allowCustomCaching

allowGraphicMenu

allowSaveLocal

allowTransportControl

allowVolumeControl

allowZooming

编程

abort

case

do

dontPassEvent

end

exit

exit repeat

global

if

ilk

next repeat

nothing

otherwise

param

paramCount

pass

repeat

result

return

set to



VOID voidP

QTVR

enable Hot Spot

fieldOfView

getHotSpotRect

hot Spot Enter Callback

hotSpotExitCallback

motionQuality

mouseLevel

node

nodeEnterCallback

nodeExitCallback

nodeType

pan

ptToHotSpot

staticQuality

swing

tilt

triggerCallback

warpMode

剪辑室录制

activeCastLib

beginRecording

clearFrame

deleteFrame

duplicateFrame

endRecording

frameLabel

framePalette

frameScript

frameSound1

frameSound2

frameTempo

frame Transition

insertFrame

scoreColor

scoreSelection

scriptNum

tweened

type

updateFrame

updateLock

剧本

scriptText

scriptType

图形

filled

lineDirection

lineSize

pattern



shapeType

Shockwave

EvalScript

externalEvent

externalParamCount

externalParamName

externalParamValue

frameReady

getPref

gotoNetMovie

gotoNetPage

netStatus

preLoadNetThing

safePlayer

setPref

Shockwave音频

bitRate

bitsPerSample

copyrightInfo

duration

getError

getErrorString

numChannels

pause member

percentPlayed

percentStreamed

play member

preLoadBuffer

preLoadTime

sampleRate

sampleSize

soundChannel

state

stop member

streamName

url

volume

声音

channelCount

cuePassed

cuePointNames

cuePointTimes

currentTime

isPastCuePoint

loop

mostRecentCuePoint

puppetSound

sound fadeIn

sound fadeOut

sound playFile

sound stop

soundBusy

soundDevice



soundDeviceList

soundEnabled

soundKeepDevice

soundLevel

volume

角色

backcolor

bgColor

blend

blendLevel

bottom

castLibNum

color

constrainH

constraint

constrainV

cursor

editable

endFrame

flipH

flipV

forecolor

ink

height

member

intersects

left

loc

locH locV

locZ

IOCZ

mapMemberToStage

map Stage To Member

member Num

moveableSprite

puppet

puppetSprite

quad

rect

right

rotation

skew

sprite

spriteBox

startFrame

top

trails

useFastQuads

visible

width

within

字符串



&&

••

after

BACKSPACE

before

char

chars

charToNum

contains

count

delete

EMPTY

ENTER

item

itemDelimiter

last

length

line

number

Hullibel

numToChar

offset

paragraph

put after

put before

put into

QUOTE

ref

RETURN

SPACE

starts

string

stringP

TAB

value

word

符号

#

symbol

symbolP

系统

applicationPath

buttonStyle

clearGlobals

colorDepth

colorQD

cpuHogTicks

currentSpriteNum

date

deskTopRectList

doubleClick

emulateMultiButtonMouse

environment

freeBlock



freeBytes

globals

idle

idleHandlerPeriod

lastClick

lastEvent

lastKey

lastRoll

machineType

memorySize

mouseCast

mouseDown

mouseH

mouseLoc

mouseMember

mouseUp

mouseV

multiSound

organizationName

platform

productName

productVersion

quit

restart

rollOver

romanLingo

runMode

searchCurrentFolder

searchPaths

serialNumber

shutDown

stillDown

switchColorDepth

time

userName

version

文本

alignment

antiAlias

autoTab

backcolor

bgColor

bottomSpacing

boxType

charPosToLoc

color

editable

firstIndent

fixedLineSpace

font

fontSize

fontStyle

forecolor

HTML

录



hyperlink

hyperlinkClicked

hyperlinkRange

hyperlinks

hyperlinkState

kerning

kerningThreshold

leftIndent

linePosToLocV

locToCharPos

locVToLinePos

missingFonts

pageHeight

pointInHyperLink

pointToChar

pointToltem

pointToLine

pointToParagraph

pointToWord

rightIndent

scrollByLine

scrollByPage

scrollTop

selectedText

selection

setContents

setContentsAfter

setContentsBefore

tabCount

tabs

text

useHyperTextStyles

时限

timeout

timeoutKeydown

timeoutLapsed

timeoutLength

timeoutMouse

timeoutPlay

timeoutScript

过渡

changeArea

chunkSize

duration

transitionType

矢量图形

addVertex

antiAlias

bgColor

broadcast Props

centerRegPoint

closed



color

defaultRect

defaultRectMode

deleteVertex

directToStage

endColor

fillColor

fillCycles

fillDirection

fillMode

fillOffset

fillScale

flashRect

gradientType

hitTest

imageEnabled

moveVertex

moveVertexHandle

originH

originMode

originPoint

originV

regPoint

scale

scaleMode

show Props

stageToFlash

strokeColor

strokeWidth

vertex

vertexList

viewH

viewPoint

viewScale

viewV

Xtra

closeXLib

interface

movie X tra List

name

new

number

openXLib

showResFile

showXLib

xtra

xtraList