

WEIXIN CHEN

AI Product Manager | Generative AI & AI Innovation

AI product portfolio covering agent workflows, data products, and independently developed prototypes. Experienced in identifying user problems, defining solutions, building functional demos, evaluating product behavior, and iterating with evidence.

English website

GitHub

Auto-LifeOS

Job Radar

Claims are limited to repository-verifiable evidence. No fabricated users, interviews, model calls, or business outcomes.

Capability Map

- AI Product Design
- User Scenario Definition
- Agent Workflow Design
- RAG & Generative AI
- Prototype & Demo Development
- Data Analysis & Evaluation
- AI-Assisted Development

FOCUS

AI agents × data products × automotive AI

Auto-LifeOS

Turns a meal request into an executable workflow with validation, two-stage confirmation, and transactional inventory updates.

USER PROBLEM

Advice ignores inventory

Users still verify stock, expiry, dietary restrictions, and actual quantities.

PRODUCT GOAL


Make advice executable

Retrieval and deterministic rules run before two confirmations authorize an inventory transaction.

PUBLIC BOUNDARY

Mock Provider, no private key

The public demo does not call GPT or Qwen; user, inventory, knowledge, and test data are synthetic or sample data.



Public demo screens: request - plan - second confirmation - inventory transaction result

Core product behavior


- LangGraph node orchestration, conditional routing, validation retry, and exception fallback
- TF-IDF knowledge retrieval with a structured MealPlan
- Deterministic checks for allergies, exclusions, expiry, units, and quantities
- Two-stage confirmation for the plan and actual quantities
- Atomic SQLite inventory transactions, audit records, and undo

61 public tests

27 core tests

28 demo recipes

User flow



Auto-LifeOS: Product Decisions

The provider proposes a plan; deterministic rules, confirmation, and database transactions control execution and side effects.

PROVIDER / MOCK

Propose a structured plan

Interpret the request, organize retrieval evidence, and output a candidate MealPlan without inventory write access.

RULES

Control executability

Pydantic and Python check allergies, exclusions, expiry, units, quantities, and nutrition ranges.

TRANSACTION

Control side effects

After two confirmations, SQLite updates atomically. Failures roll back and successful results support undo.

KEY PRODUCT DECISIONS

Four decisions create the demo loop

- Keep validation outside generation so safety boundaries remain explainable and regression-testable.
- Confirm the plan first, then confirm actual quantities before any inventory side effect.
- Make updates atomic and reversible, treating recovery as a product capability.
- Use a Mock Provider in public so the demo is stable without claiming a live model call.

SYNTHETIC USABILITY EVALUATION

Task walkthroughs, not user research

- Single professional | quick meal | checks process clarity and available stock
- Fitness-focused user | high protein | checks rationale and adjustable portions
- User with allergies | exclude peanuts | checks that rules block conflicts early
- Household inventory owner | shared use | checks quantities, audit trail, and undo

PROTOTYPE COMPARISON • NOT A LIVE A/B TEST

Version A: one confirmation, low detail vs Version B: two confirmations, inventory preview, and undo

Version B is the selected direction. It adds one confirmation but makes validation and inventory effects visible. Automated tests cover routing, rule boundaries, confirmation, transaction atomicity, undo, and session isolation. There are no real-user interviews or live A/B results.

2027 Graduate Job Radar

Turns fragmented recruitment entry points into a traceable, filterable, and reviewable job-information list.

User problem and product value



Public demo screens: home · filters · source verification · data quality

PAIN POINT

High search cost

Company, public-employment, and university entry points are scattered.

PAIN POINT

Details are easy to miss

Location, function, stage, and degree limits lack consistent fields.

DATA PROBLEM

Source status is unclear


Reposts may be duplicated or stale; source and time must remain visible.

PRODUCT VALUE

Structure once, filter often

Convert public leads into a structured list and reduce repeated work.

Data flow




Boundary: data automation, rule-based filtering, information management, and product presentation - no agent, LLM, recommendation, or success score.

DriveMate

Concept Proposal / Open static prototype

A multi-agent, multimodal mobility and vehicle-status assistant for commuters, families, and long-distance drivers.



DriveMate: Scenarios, Safety, and VLA Roadmap

All vehicle, map, weather, calendar, vision, and charging capabilities are proposed scope - not integrated APIs or models.

SCENARIO 01

Heavy Rain & Flooding

Combine weather, route, and range. Do not assess water depth or instruct driving through water.

SCENARIO 02

Family Road Trip

Work backward from lunch, passenger breaks, and charging alternatives to a departure plan.

SCENARIO 03

Abnormal Tire Pressure

Pause trip planning and prioritize safe inspection and professional service options.

SAFETY BOUNDARY

- No high-risk vehicle control; confirm key actions
- Separate facts, stale data, and model inference
- Prioritize safe inspection or professional support
- State information gaps instead of inventing facts

PLANNED EVALUATION • NOT RESULTS

Task completion

Tool-call accuracy

Factual consistency

Confirmation count

Response time

User satisfaction

High-risk error rate

These are proposed concept metrics, not deployed-product results.

Static low-fidelity interface

VEHICLE & CONTEXT

Battery 68% · sample

Weather: heavy rain · sample

Tire pressure: normal · sample

Heavy Rain & Flooding • Airport Pickup

Leave 25 minutes early · prefer elevated roads · retain 20% range

High risk: cannot assess water depth; recommend rerouting only.

Confirm reminder draft • static demo

Physical AI / VLA staged roadmap

0 CURRENT

Static concept and synthetic scenarios

1 READ-ONLY

Authorized vehicle data and tool evaluation

2 MULTIMODAL


Offline vision-language risk evaluation

3 CONTROLLED

Closed setting, low risk, human confirmation

Product Method

Use a verifiable MVP to shorten the distance between an idea and product evidence.



CONTACT & LINKS

Let's turn AI capabilities into useful products

WEIXIN CHEN · AI Product Manager | Generative AI & AI Innovation

Website

GitHub

Auto-LifeOS

Job Radar

Email

Public recruitment email only. No phone number or unnecessary personal data is included.