Champion Bot

Three TradingView Strategies

Opening Drive · Small Dip · Midday Follow

A plain-English guide to each strategy, how its code works, and the full Pine Script you can paste into TradingView.

Read this first.
1. Put the chart on the **1-minute** timeframe (symbol NQ1! or MNQ1!). The scripts stop with an error on any other timeframe.
2. The profit numbers come from my replay of 15 years of NQ data. I chose the rules while looking at that same data, so the real results will most likely be lower.
3. Paper trade first. Nothing here is financial advice.

Prepared 17 October 2026. The code also lives in the folder `champion_bot/pine/` as three .pine files (copy from those, not from this PDF, because long lines wrap here).

1. Overview

The Champion bot trades ten small, rule-based setups on Nasdaq futures (NQ and the micro MNQ). I picked the **three that made the most money** in my replay of 2015 to 2026 and turned each into a TradingView *strategy*, so you can see every trade on a chart and check the results yourself.

Strategy	When it trades	Direction	Replay profit*	Trades
1. Opening Drive (+ re-entry)	10:00 ET, plus one re-entry later in the day	With the 9-to-10 AM move	about +14,000 pts (+900 more from the re-entry)	614 (+81)
2. Small Dip	9:50 ET	Long only	about +12,300 pts	698
3. Midday Follow	Between 11:00 and 11:30 ET	With the morning move	about +11,500 pts	925

*Oct 2015 to Oct 2026, 1 contract, after 0.75 points of cost per trade. One NQ point is $20; one MNQ point is $2.

Words used in this guide

Term	What it means
ET	New York time. Every time in the scripts is New York time, whatever your chart's time zone is.
Point	One whole number of price movement. 1 point = $20 on NQ and $2 on MNQ.
20-day range	The average of the last 20 days' (high minus low) between 9:00 AM and 4:00 PM ET. It is how the strategies measure what a "big" move is today. The scripts call it `avgRng`.
Stop / stop-loss	An order that exits the trade if price goes against you by a set amount.
Trailing stop	A stop that follows price in your favour and never moves back, so it locks in profit.
Re-entry	Taking a second trade the same day after the first one was stopped out.
News day	A day when the 8:30 AM data release causes a volume spike (3 times the 20-day average volume from 8:30 to 8:34). All three strategies skip those days.
Drawdown	The biggest drop from a peak to a later low in your account's equity.

How to set them up in TradingView

1. Open an **NQ1!** or **MNQ1!** chart and set the timeframe to **1m**.
2. Open the Pine Editor (bottom of the screen) and paste one script from section 2, 3 or 4, or from the .pine file.
3. Press **Save**, then **Add to chart**. Open the Strategy Tester tab to see trades, profit and drawdown.
4. The settings (contracts, triggers, stop sizes) are in the strategy's gear icon, under Inputs. The defaults match the bot.
5. Commission is set to $0.62 per contract and slippage to 1 tick. Change them in Properties if your broker differs.

What the three scripts have in common

- **Trading day.** A day starts at 6 PM ET the evening before, like the futures market. The code works this out by shifting time 6 hours.
- **The 20-day range.** Each day it saves the 9 AM to 4 PM high minus low, and averages the last 20 days.
- **News filter.** It adds up volume from 8:30 to 8:34 and compares it to the average of recent days.
- **One exit rule.** Every position is closed at 3:55 PM ET. Nothing is held overnight.
- **Skip switch.** Each script has a "Skip news days" input you can turn off.

2. Strategy 1: Opening Drive

In plain English

The first hour of the New York day (9:00 to 10:00 AM) often shows where the day is heading. If the market has already moved a lot in that hour, this strategy joins that move at 10:00 and rides it with a stop that follows price. It is the bot's single biggest earner.

The rules, step by step

1. Measure the move from the **9:00 AM open** to the **9:59 close**.
2. If the move is bigger than **0.35 times the 20-day range**, trade in its direction at 10:00 (up = buy, down = sell).
3. If it is not, but the 9:59 close is more than **0.2 times the range** beyond the overnight high (buy) or overnight low (sell), trade that break. The overnight session is 6 PM to 9:29 AM.
4. **Stop:** the low (for a buy) or high (for a sell) of the first hour, but never further than **0.6 times the range** from your entry.
5. **Trailing stop:** once the trade is **0.5 times the range** in profit, the stop follows the best price at a distance of **0.4 times the range**.
6. **Re-entry (once a day):** if the first trade is stopped out before 3:30 PM, place an order to re-enter in the same direction if price makes a new high (for a buy) or new low (for a sell) of the day. Its stop is the extreme since the exit, capped at 0.6 times the range, with the same trailing stop. The order is cancelled at 3:30 PM.
7. Everything is closed at **3:55 PM**. Skip the day if it is a news day, or if fewer than 55 one-minute bars exist in the first hour.

A real example: Friday 16 October 2026

From 9:00 to 10:00 the market fell 227.5 points, against a trigger of 122.4, so the strategy **sold at 10:00 (29,836.75)**. The trailing stop was hit at 1:41 PM at 29,565.75 for **+271 points**. The market then made a new low of the day at 2:01 PM, so the re-entry **sold at 29,425.75**. It stayed open until the 3:55 PM exit at 29,363.75 for another **+62 points**. (This is the replay's version of the day.)

What each part of the code does

Code section	What it does
Inputs	The numbers you can change: contracts, 0.35 / 0.2 / 0.6 / 0.5 / 0.4 multiples, the re-entry and news switches.
Day setup (`newSession`)	Starts a fresh trading day at 6 PM ET and saves yesterday's 9-to-4 range into the 20-day list.
Accumulators	During the day it tracks the overnight high and low, the 8:30 volume, the 9:00 open, and the first-hour high and low.
Entry (bar at 9:59)	Applies rules 1 to 3 and sends the buy or sell, which fills at the 10:00 open.
Trade management	On the first bar of the trade it sets the stop (with the 0.6 cap). After that it tracks the best price and moves the trailing stop up (or down).
Re-entry	Notices the first trade was stopped out, then places a stop order at the day's extreme plus or minus one tick. Cancels it at 3:30 PM.
Time exit (3:54 bar)	Closes everything and cancels waiting orders so the day ends flat.

Settings you can change

Input	Default	Effect
Drive trigger	0.35	Lower = more trades, higher = fewer, bigger-move-only trades.
Overnight-break trigger	0.20	How far past the overnight high or low the 9:59 close must be.
Stop cap	0.60	The widest allowed stop, as a multiple of the 20-day range.
Trail arms after / distance	0.50 / 0.40	When the trailing stop starts and how far behind price it follows.
One re-entry per day	on	Turn off to compare with and without the second trade.

How good is the evidence?

- Statistically it is the strongest of the three: t-statistics of 3.2 (2015 to 2023) and 4.5 (2023 to 2026).
- A walk-forward test (choosing settings only from earlier years) kept about **94%** of the backtest profit.
- Average trade after costs: about +46 points (2023 to 2026), winning 67% of the time.
- An average losing trade on 1 MNQ is about $242; the worst single trade I measured was about $691.

Full code (1_opening_drive.pine)

```
//@version=5
strategy("Champion 1 - Opening Drive (+ re-entry)", overlay=true, initial_capital=100000,
        default_qty_type=strategy.fixed, default_qty_value=1, pyramiding=0,
        commission_type=strategy.commission.cash_per_contract, commission_value=0.62, slippage=1,
        calc_on_every_tick=false)

// OPENING DRIVE - the bot's best piece. Use the 1-MINUTE chart of NQ1! or MNQ1! (CME futures, overnight
//   session on).
// Rule: at 10:00 ET, if the 09:00-10:00 move is bigger than 0.35 x the 20-day average 09:00-16:00 range,
//   trade that way.
//       Also trades when the 09:59 close is 0.2 x range past the overnight (18:00-09:29) high or low.
//       Stop = the first-hour extreme, never more than 0.6 x range from the fill. Trail 0.4 x range once
//   0.5 x range in profit.
//       One re-entry per day: after the trade is stopped out before 15:30, enter again on a new day
//   extreme. Flat at 15:55 ET.
//       Skips news days (08:30-08:34 volume 3x its 20-day average).
// My replay 2015-10 to 2026-10, 1 contract, after costs: about +14,000 pts (614 trades) + about +900 pts
//   from the re-entry.
// TradingView will not match exactly (different data and fills). 1-minute history on TradingView is
//   limited: use Deep Backtesting for long tests.

if barstate.isfirst and timeframe.period != "1"
    runtime.error("Use the 1-minute chart")

qty       = input.int(1, "Contracts", minval=1)
driveMult = input.float(0.35, "Drive trigger (x 20-day range)", step=0.05)
onMult    = input.float(0.20, "Overnight-break trigger (x range)", step=0.05)
capMult   = input.float(0.60, "Stop cap (x range)", step=0.05)
armMult   = input.float(0.50, "Trail arms after (x range)", step=0.05)
trailMult = input.float(0.40, "Trail distance (x range)", step=0.05)
useRe     = input.bool(true, "One re-entry per day")
skipNews  = input.bool(true, "Skip news days")

tz   = "America/New_York"
tick = syminfo.mintick
hm   = hour(time, tz) * 100 + minute(time, tz)
shifted    = time + 6 * 60 * 60 * 1000
skey       = year(shifted, tz) * 10000 + month(shifted, tz) * 100 + dayofmonth(shifted, tz)
newSession = skey != skey[1]

var float[] ranges = array.new_float()
var float[] vhist  = array.new_float()
var float rthH = na
var float rthL = na
var float v830 = 0.0
var bool newsDay = false
var float o900 = na
var float fhH = na
var float fhL = na
var int fhN = 0
var float onH = na
var float onL = na
var bool traded = false
var int odSide = 0
var int reState = 0
var float reLo = na
var float reHi = na
var float stopPx = na
var float bestPx = na
var float entPx = na
var string tid = ""

if newSession
    if not na(rthH)
        array.push(ranges, rthH - rthL)
        if array.size(ranges) > 20
            array.shift(ranges)
    rthH := na
    rthL := na
    v830 := 0.0
    newsDay := false
```

```
    o900 := na
    fhH := na
    fhL := na
    fhN := 0
    onH := na
    onL := na
    traded := false
    odSide := 0
    reState := 0
    reLo := na
    reHi := na

if hm >= 1800 or hm < 930
    onH := na(onH) ? high : math.max(onH, high)
    onL := na(onL) ? low : math.min(onL, low)
if hm >= 830 and hm < 835
    v830 += volume
if hm == 834
    newsDay := array.size(vhist) >= 10 and v830 >= 3 * array.avg(vhist)
    array.push(vhist, v830)
    if array.size(vhist) > 20
        array.shift(vhist)
if hm >= 900 and hm < 1600
    rthH := na(rthH) ? high : math.max(rthH, high)
    rthL := na(rthL) ? low : math.min(rthL, low)
if hm == 900
    o900 := open
if hm >= 900 and hm < 1000
    fhH := na(fhH) ? high : math.max(fhH, high)
    fhL := na(fhL) ? low : math.min(fhL, low)
    fhN += 1

avgRng = array.size(ranges) >= 1 ? array.avg(ranges) : na

// entry decision on the close of the 09:59 bar -> fills at the 10:00 open
if hm == 959 and fhN >= 55 and not na(avgRng) and not na(o900) and not traded and not (skipNews and
        newsDay)
    mv = close - o900
    side = 0
    if math.abs(mv) > driveMult * avgRng
        side := mv > 0 ? 1 : -1
    else if close > onH + onMult * avgRng
        side := 1
    else if close < onL - onMult * avgRng
        side := -1
    if side != 0
        traded := true
        odSide := side
        strategy.entry("OD", side > 0 ? strategy.long : strategy.short, qty=qty)

// manage the open trade: stop (capped), then a trailing stop
opened = strategy.position_size != 0 and strategy.position_size[1] == 0
if strategy.position_size != 0
    pside = strategy.position_size > 0 ? 1 : -1
    if opened
        tid := strategy.opentrades.entry_id(0)
        entPx := strategy.position_avg_price
        capD = capMult * avgRng
        base = tid == "OD" ? (pside > 0 ? fhL - tick : fhH + tick) : (pside > 0 ? reLo - tick : reHi +
                tick)
        if pside * (entPx - base) > capD or (tid != "OD" and pside * (entPx - base) <= 0)
            base := entPx - pside * capD
        stopPx := base
        bestPx := entPx
        if tid == "OD-RE"
            reState := 2
    else
        bestPx := pside > 0 ? math.max(bestPx, high) : math.min(bestPx, low)
        if pside * (bestPx - entPx) >= armMult * avgRng
            ts = math.round((bestPx - pside * trailMult * avgRng) / tick) * tick
            if pside * (ts - stopPx) > 0
                stopPx := ts
    strategy.exit("x " + tid, tid, stop=stopPx, comment="stop")
```

```
// re-entry: the first trade was stopped out (not the 15:55 exit) before 15:30
nClosed = strategy.closedtrades
if nClosed > nClosed[1] and useRe and reState == 0 and traded and hm < 1530 and not (skipNews and newsDay)
    if strategy.closedtrades.entry_id(nClosed - 1) == "OD" and strategy.closedtrades.exit_comment(nClosed
            - 1) != "time exit"
        reState := 1
        reLo := low
        reHi := high
        strategy.entry("OD-RE", odSide > 0 ? strategy.long : strategy.short, qty=qty, stop=(odSide > 0 ?
                rthH + tick : rthL - tick))
if reState == 1
    reLo := math.min(reLo, low)
    reHi := math.max(reHi, high)
if hm == 1529 and reState == 1
    strategy.cancel("OD-RE")
    reState := 2

// flat at 15:55 ET
if hm == 1554
    strategy.close_all(comment="time exit")
    strategy.cancel_all()

plot(strategy.position_size != 0 ? stopPx : na, "Stop", color=color.red, style=plot.style_linebr)
```

3. Strategy 2: Small Dip

In plain English

Most days the market either sells off at the open or opens calmly. This strategy only buys on **calm** opens: days when the market did not dip much below its 9:30 open in the first 15 minutes. The idea is that a calm start tends to drift higher, while a rough start is a warning.

The rules, step by step

1. At 9:30 AM, record the open price.
2. From 9:30 to 9:44, find the lowest low. The **dip** is the 9:30 open minus that low.
3. Compare the dip with the last 30 days' dips. Take their standard deviation (a measure of how much dips usually vary).
4. If today's dip is **at most 0.5 times that standard deviation**, the open is calm: **buy at 9:50**.
5. **Stop:** 1.5% below your entry. There is no profit target.
6. Close at **3:55 PM**. Skip news days.

A real example: Friday 16 October 2026

The market opened and sold off quickly, so the dip was too big for a calm open. The bot's plan showed "dip too big for a calm open" and **Small Dip did not trade** that day. A skipped day is a normal outcome: it trades only when the open is quiet.

What each part of the code does

Code section	What it does
Inputs	Contracts, the 0.5 "calm" multiple, the 1.5% stop and the news switch.
Day setup	Resets the 9:30 open, the low and the news flag each trading day. The list of past dips (30 days) is kept between days.
Dip measurement	Collects the lowest low between 9:30 and 9:44 and needs at least 14 minutes of data.
Calm test (bar at 9:44)	Computes the dip, compares it with the standard deviation of earlier dips, then adds today's dip to the list.
Entry (bar at 9:49)	Buys if the day was calm and not a news day. It fills at the 9:50 open.
Stop and exit	A stop 1.5% below the average entry price, and a forced close at 3:55 PM.

How good is the evidence?

This is the shakiest of the three. Its statistical test was weak before 2023 ($p = 0.063$) and strong after ($p = 0.0004$), and after correcting for the many versions I tried it is not significant. A walk-forward test kept only about **one third** of its backtest profit. Trade it small, or on paper first.

- Average trade after costs: about +43 points (2023 to 2026), winning 64% of the time.

- An average losing trade on 1 MNQ is about $220; the worst I measured was about $753.
- Steadier-looking variations I tried (using only up-moves, or measuring the dip as a percent of range) were no better in the full bot.

Full code (2_small_dip.pine)

```
//@version=5
strategy("Champion 2 - Small Dip (calm-open long)", overlay=true, initial_capital=100000,
        default_qty_type=strategy.fixed, default_qty_value=1, pyramiding=0,
        commission_type=strategy.commission.cash_per_contract, commission_value=0.62, slippage=1,
        calc_on_every_tick=false)

// SMALL DIP - buy a calm open. Use the 1-MINUTE chart of NQ1! or MNQ1!.
// Rule: dip = 09:30 open minus the lowest low of 09:30-09:44. If the dip is at most 0.5 x the standard
//   deviation of the previous
//       30 days' dips, buy at 09:50. Stop 1.5% from the fill, no target, flat at 15:55 ET. Skips news
//   days.
// My replay 2015-10 to 2026-10, 1 contract, after costs: about +12,300 pts (698 trades).
// Honest warning: this is the piece most likely to be partly overfitted - a walk-forward test kept only
//   about a third of its backtest profit.

if barstate.isfirst and timeframe.period != "1"
    runtime.error("Use the 1-minute chart")

qty      = input.int(1, "Contracts", minval=1)
calmMult = input.float(0.5, "Calm if dip <= x standard deviations", step=0.1)
stopPct  = input.float(1.5, "Stop (%)", step=0.1) / 100
skipNews = input.bool(true, "Skip news days")

tz = "America/New_York"
hm = hour(time, tz) * 100 + minute(time, tz)
shifted    = time + 6 * 60 * 60 * 1000
skey       = year(shifted, tz) * 10000 + month(shifted, tz) * 100 + dayofmonth(shifted, tz)
newSession = skey != skey[1]

var float[] dips  = array.new_float()
var float[] vhist = array.new_float()
var float v830 = 0.0
var bool newsDay = false
var float o930 = na
var float dLow = na
var int dN = 0
var bool calm = false

if newSession
    v830 := 0.0
    newsDay := false
    o930 := na
    dLow := na
    dN := 0
    calm := false

if hm >= 830 and hm < 835
    v830 += volume
if hm == 834
    newsDay := array.size(vhist) >= 10 and v830 >= 3 * array.avg(vhist)
    array.push(vhist, v830)
    if array.size(vhist) > 20
        array.shift(vhist)
if hm == 930
    o930 := open
if hm >= 930 and hm < 945
    dLow := na(dLow) ? low : math.min(dLow, low)
    dN += 1

// decide on the close of the 09:44 bar using the previous 30 days
if hm == 944 and dN >= 14 and not na(o930)
    dip = o930 - dLow
    if array.size(dips) >= 2
        calm := dip <= calmMult * array.stdev(dips, false)
    array.push(dips, dip)
    if array.size(dips) > 30
        array.shift(dips)

// buy on the close of the 09:49 bar -> fills at the 09:50 open
if hm == 949 and calm and not (skipNews and newsDay)
    strategy.entry("Small Dip", strategy.long, qty=qty)
```

```
if strategy.position_size > 0
    strategy.exit("x Small Dip", "Small Dip", stop=strategy.position_avg_price * (1 - stopPct),
            comment="stop")

if hm == 1554
    strategy.close_all(comment="time exit")
    strategy.cancel_all()

plot(strategy.position_size > 0 ? strategy.position_avg_price * (1 - stopPct) : na, "Stop",
        color=color.red, style=plot.style_linebr)
```

4. Strategy 3: Midday Follow

In plain English

If the market has already moved a long way by late morning, it often keeps going. This strategy waits until 11:00, watches until 11:30, and if price is far enough from the 9:00 open it **follows that direction** until the end of the day. Because it uses a trigger, not a fixed time, it works on whichever minute the move qualifies.

The rules, step by step

1. Every minute from **11:00 to 11:29** ET, compare the price with the 9:00 open.
2. The **first time** the distance is more than **0.5 times the 20-day range**, trade in that direction (above the open = buy, below = sell). It fills at the next bar's open.
3. Only one trade per day. If the market never gets that far before 11:30, no trade.
4. **Stop:** 1% from your entry. There is no profit target.
5. Close at **3:55 PM**. Skip news days.

A real example: Friday 16 October 2026

By 11:00 the market was already well below the 9:00 open, past the trigger. The strategy **sold at 11:00 (29,825.00)** and held until the 3:55 PM exit at 29,363.75 for **+461 points**. Days like this one, where the trend simply continues, carry most of the profit.

What each part of the code does

Code section	What it does
Inputs	Contracts, the 0.5 trigger multiple, the 1% stop and the news switch.
Day setup and accumulators	Saves the 20-day range list, the 9:00 open and the 8:30 volume check each day.
Trigger (11:00 to 11:29 bars)	On each bar close, checks if the distance from the 9:00 open is bigger than 0.5 times the range. The first time it is, it sends the order and stops looking.
Stop and exit	A stop 1% against the entry (below for a buy, above for a sell) and a forced close at 3:55 PM.

How good is the evidence?

- A "random direction" test (flipping a coin for buy or sell on the same days) gave p = 0.0004 (2015 to 2023) and p = 0.0095 (2023 to 2026). The direction really carries information.
- A walk-forward test kept about **67%** of the backtest profit.
- Every trigger window I tried, from 10:00 to 13:00, was positive in both periods, so it does not depend on one exact minute.
- Average trade after costs: about +22 points (2023 to 2026), winning 55% of the time. An average loser on 1 MNQ is about $210; the worst was about $610.

- It often trades in the same direction as Opening Drive, so running both doubles up on the same days.

Full code (3_midday_follow.pine)

```
//@version=5
strategy("Champion 3 - Midday Follow", overlay=true, initial_capital=100000,
        default_qty_type=strategy.fixed, default_qty_value=1, pyramiding=0,
        commission_type=strategy.commission.cash_per_contract, commission_value=0.62, slippage=1,
        calc_on_every_tick=false)

// MIDDAY FOLLOW - follow a big morning move. Use the 1-MINUTE chart of NQ1! or MNQ1!.
// Rule: between 11:00 and 11:30 ET, the first time price is more than 0.5 x the 20-day average
//   09:00-16:00 range away from the
//       09:00 open, trade in that direction. Stop 1%, no target, flat at 15:55 ET. One trade a day. Skips
//   news days.
// My replay 2015-10 to 2026-10, 1 contract, after costs: about +11,500 pts (925 trades). Random-direction
//   test: p = 0.0004 and 0.0095.

if barstate.isfirst and timeframe.period != "1"
    runtime.error("Use the 1-minute chart")

qty      = input.int(1, "Contracts", minval=1)
trigMult = input.float(0.5, "Trigger (x 20-day range)", step=0.05)
stopPct  = input.float(1.0, "Stop (%)", step=0.1) / 100
skipNews = input.bool(true, "Skip news days")

tz = "America/New_York"
hm = hour(time, tz) * 100 + minute(time, tz)
shifted    = time + 6 * 60 * 60 * 1000
skey       = year(shifted, tz) * 10000 + month(shifted, tz) * 100 + dayofmonth(shifted, tz)
newSession = skey != skey[1]

var float[] ranges = array.new_float()
var float[] vhist  = array.new_float()
var float rthH = na
var float rthL = na
var float v830 = 0.0
var bool newsDay = false
var float o900 = na
var bool done = false

if newSession
    if not na(rthH)
        array.push(ranges, rthH - rthL)
        if array.size(ranges) > 20
            array.shift(ranges)
    rthH := na
    rthL := na
    v830 := 0.0
    newsDay := false
    o900 := na
    done := false

if hm >= 830 and hm < 835
    v830 += volume
if hm == 834
    newsDay := array.size(vhist) >= 10 and v830 >= 3 * array.avg(vhist)
    array.push(vhist, v830)
    if array.size(vhist) > 20
        array.shift(vhist)
if hm >= 900 and hm < 1600
    rthH := na(rthH) ? high : math.max(rthH, high)
    rthL := na(rthL) ? low : math.min(rthL, low)
if hm == 900
    o900 := open

avgRng = array.size(ranges) >= 1 ? array.avg(ranges) : na

// first bar close between 11:00 and 11:30 that is far enough from the 09:00 open -> trade that way at the
//   next open
if hm >= 1100 and hm < 1130 and not done and not na(avgRng) and not na(o900) and not (skipNews and
        newsDay)
    if math.abs(close - o900) > trigMult * avgRng
        done := true
        strategy.entry("Midday", close > o900 ? strategy.long : strategy.short, qty=qty)
```

```
if strategy.position_size != 0
    strategy.exit("x Midday", "Midday", stop=strategy.position_avg_price * (strategy.position_size > 0 ? 1
            - stopPct : 1 + stopPct), comment="stop")

if hm == 1554
    strategy.close_all(comment="time exit")
    strategy.cancel_all()

plot(strategy.position_size != 0 ? strategy.position_avg_price * (strategy.position_size > 0 ? 1 - stopPct
        : 1 + stopPct) : na, "Stop", color=color.red, style=plot.style_linebr)
```

5. What to expect, and troubleshooting

Results at a glance

	Opening Drive	Small Dip	Midday Follow
Replay profit 2015-2026 (1 contract)	+14,060 pts (+858 re-entry)	+12,300 pts	+11,456 pts
Average per trade, 2023-2026, after costs	+46.1 pts	+43.3 pts	+22.5 pts
Win rate, 2023-2026	67%	64%	55%
Walk-forward: profit kept	94%	33%	67%
Average losing trade on 1 MNQ	$242	$220	$210
Worst trade on 1 MNQ	$691	$753	$610
Verdict	Strongest	Shakiest	Strong

On their own the three are a good core: in my Topstep Combine simulation, running just these three at 1 micro contract each passed a $50K account in 90% of start dates and failed in 9%. Expect about half the backtest profit in real trading until the rules have run live for a few months.

Why TradingView will not match my numbers exactly

- **Different data.** My results use 1-minute Databento and similar data with the roll gaps removed. TradingView's NQ1! uses its own continuous contract.
- **Different fills.** TradingView fills orders at the next bar's open and decides stop-versus-target order inside a bar by its own rules.
- **History.** TradingView only keeps a limited amount of 1-minute history unless you have Deep Backtesting.
- **The real bot has more.** The Champion bot runs ten pieces, has risk stops and a news pause, and manages orders at the exchange. These scripts are single-strategy versions.

Common problems

What you see	Why, and the fix
Error "Use the 1-minute chart"	The chart is on another timeframe. Click the timeframe button at the top left and choose 1m.
No trades at all	Check the symbol is NQ1! or MNQ1!, that the strategy tester date range includes recent days, and that you are not on a holiday week. Small Dip also skips any day that is not calm.
Trades start late, or the first weeks are empty	The strategies need 20 trading days of history to calculate the 20-day range.
Fewer trades than my numbers	Short TradingView history, or news days being skipped. Turn off "Skip news days" to compare.
Compile error after editing	Pine is strict about indentation (4 spaces). Paste the original again and change only the input defaults.

Before you risk money

- Run them on paper (TradingView paper trading or the bot's Paper mode) for at least a few weeks.
- Start small: one micro contract (MNQ) per strategy.
- Remember a Combine account's maximum loss: three strategies at once can lose on the same day, because they often point the same way.
- These notes describe a backtest. They are not a promise of profit and not financial advice.