



Anwendungstalldiagramm



individuelle fieldset Eingaben

Bestellung kontrollieren



Produktänderung durch
Texteingabe

Baumgart
Radio Bones
O
O
O

900

5

C

Wegeln / Staps

--

17

Wiederholung Skript

185

Wissen / Schritte

180

--

James Spivey
Rach's Bikes
○○○

9

20

C

Host / Ratio
Boxes

Q

C

Q

Adresse Inputfeld

aufgelesene Asylhe
nach Auswahl

aufgedröckte Asperille

nach Auswahl

define Heterogeneous
array interface



define Homogeneous
interface with Datatypes
as Heterogeneous interfaces



Use case Arrays mit
var. Datatypes



Create Fieldsets mit
einer for Schleife auf
von Products



Fieldset. addEventListener



change



refresh shopping cart



calc price →




```
interface Products {
  name: string;
  value: number;
  price: number; }

```

} Heterogeneous interface

```
interface articles: "Products" {
  [key: string]: Products[]; }

```

} Homogeneous interface

Erzeugung arrays:

let allArticles: allProducts = {

"Kugeln": [
 { name: "Rote Kugeln", value: 1, price: 3 },
 { name: "Blaue Kugeln", value: 2, price: 3.5 },
],

"Korben": [
 { name: "Korben", value: 1, price: 3 },
 { name: "Korben", value: 2, price: 3.5 },
],
}

calc price



~~shoppingcart.~~

if Object price
pushed in shoppingcart
add to Total



if. Object price
spliced delete
from Total



display Total

