





- NOTES, UNLESS OTHERWISE SPECIFIED
- 1. UNSPECIFIED FILLET RADII .005-.010.
  - 2. MATERIAL: AL BAR 6061-T651
  - 3. THREADS PER ANSI B1.1.

REV	ZONE	DESCRIPTION	APPROVED	DATE
-		INITIAL RELEASE		

ALL DIMENSIONS ARE IN INCHES- INTERPRET DRAWING PER ASME Y14.5 -1994		APPROVED	DATE	<div></div> <div>BLOCK, INLET</div>			
TOLERANCES UNLESS OTHERWISE SPECIFIED: X.X ± .03    ∠ ± .5° X.XX ± .01    125/ X.XXX ± .005    √		PREP BY D. ANDERSON					
		CHECKED					
		RESP ENG D. ANDERSON					
		MFG ENG					
REMOVE ALL BURRS AND SHARP EDGES .005 R OR CHAMFER MAX		QUAL ENG		SIZE C	FSCM NO.	PART NO.	PART REV 02
		◆ = (CRITICAL DIMENSION)		SCALE 4:1	WT 0.04	SHEET 1	OF 1









NOTES, UNLESS OTHERWISE SPECIFIED

- 1. UNSPECIFIED FILLET RADII .005-.010.
- 2. MATERIAL: AL BAR 6061-T651
- 3. THREADS PER ANSI B1.1.

REV	ZONE	DESCRIPTION	APPROVED	DATE
-		INITIAL RELEASE		



ALL DIMENSIONS ARE IN INCHES- INTERPRET DRAWING PER ASME Y14.5 -1994  TOLERANCES UNLESS OTHERWISE SPECIFIED:  X.X ± .03     ∠ ± .5° X.XX ± .01 X.XXX ± .005     125/  REMOVE ALL BURRS AND SHARP EDGES .005 R OR CHAMFER MAX	APPROVED	DATE	 <b>CLAMP PLATE, ROTOR</b>			
	PREP BY					
	CHECKED					
	RESP ENG					
	MFG ENG					
	QUAL ENG		SIZE <b>C</b>	FSCM NO.	PART NO.	PART REV <b>01</b>
	◆ = (CRITICAL DIMENSION)		SCALE <b>4:1</b>	WT	SHEET <b>1</b>	OF <b>1</b>



NOTES, UNLESS OTHERWISE SPECIFIED

1. UNSPECIFIED FILLET RADII .005-.010.
2. MATERIAL: 416SS RC 28 MIN.
3. THREADS PER ANSI B1.1.

REV	ZONE	DESCRIPTION	APPROVED	DATE
-		INITIAL RELEASE		



ALL DIMENSIONS ARE IN INCHES- INTERPRET DRAWING PER ASME Y14.5 -1994	APPROVED	DATE	<div><div><div></div><div>Franklin W. Olin</div><div>College of Engineering</div></div><div>SHAFT, ROTOR</div></div>			
	PREP BY D. ANDERSON					
	CHECKED					
	RESP ENG D. ANDERSON					
	MFG ENG					
TOLERANCES UNLESS OTHERWISE SPECIFIED: X.X ± .03 X.XX ± .01 X.XXX ± .005	QUAL ENG		SIZE C	FSCM NO.	PART NO.	PART REV 01
	REMOVE ALL BURRS AND SHARP EDGES .005 R OR CHAMFER MAX	◆ = (CRITICAL DIMENSION)	SCALE 2:1	WT 0.19	SHEET 1	OF 1

8

7

6

5

4

3






2

1

NOTES, UNLESS OTHERWISE SPECIFIED:


1. UNSPECIFIED FILLET RADIUS .005-.010.
2. MATERIAL: AL 6061-T651
3. THREADS PER ANSI B18.1.

REV	ZONE	DESCRIPTION	APPROVED	DATE
-		INITIAL RELEASE		

SECTION B-B  
SCALE 2:1

ALL DIMENSIONS ARE IN INCHES - INTERPRET DRAWING PER ASME Y14.5-1994		APPROVED	DATE	Franklin W. Olin College of Engineering	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PREP BY	D. ANDERSON	3-28-08	
X.X ± .03		CHECKED			
X.XX ± .01		RESP ENG	D. ANDERSON		
X.XXX ± .005		MFG ENG			
REMOVE ALL BURRS AND SHARP EDGES .005 R OR CHAMFER MAX		QUAL ENG			
♦ - (CRITICAL DIMENSION)		SIZE	D	SCALE	1:1
		PART NO.		PART REV	01
		SHEET	1	OF	1






NOTES, UNLESS OTHERWISE SPECIFIED

1. UNSPECIFIED FILLET RADII .005-.010.
2. MATERIAL: AL BAR 6061-T651
3. THREADS PER ANSI B1.1.

REV	ZONE	DESCRIPTION	APPROVED	DATE
-		INITIAL RELEASE		

ALL DIMENSIONS ARE IN INCHES- INTERPRET DRAWING PER ASME Y14.5 -1994		APPROVED	DATE	 <b>SPACER, TURBINE DISC</b>	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PREP BY	D. ANDERSON		
X.X ± .03    ∠ ± .5°		CHECKED			
X.XX ± .01		RESP ENG			
X.XXX ± .005    125/		MFG ENG			
REMOVE ALL BURRS AND SHARP EDGES .005 R OR CHAMFER MAX		QUAL ENG		SIZE	C
♦ = (CRITICAL DIMENSION)		SCALE		FSCM NO.	4:1
				PART NO.	WT
				PART REV	01
				DOC REV	1
				SHEET	1 OF 1

