




MAINCRAFTS
TECHNOLOGY



Cyber Security & Ethical Hacking

INTERNSHIP PROGRAM

CYBERSECURITY

THREAT INTELLIGENCE REPORT

TASK 1 – AWARENESS & RESEARCH PROJECT

Submitted By
LINGJELTHOIBI CHONGTHAM

Bachelor of Engineering (B.E)
Computer Science & Engineering
Manipur Institute of Technology

Submission Date
29-06-26

TABLE OF CONTENTS

1. Introduction to Cybersecurity
2. Modern Cyber Threats
 - 2.1 AI-Powered Phishing Attacks
 - 2.2 Ransomware-as-a-Service (RaaS)
 - 2.3 Cloud Security Misconfigurations
 - 2.4 IoT Vulnerabilities
 - 2.5 Zero-Day Exploits
3. Impact Analysis
4. Real-World Case Studies
5. Preventive Measure
6. Conclusion & Future Scope
7. References

INTRODUCTION TO CYBERSECURITY

What is Cybersecurity?

➤ Cybersecurity is the practice of protecting computer systems, networks, software, and digital information from cyberattacks, unauthorized access, data theft, and service disruption. It combines technology, security policies, and best practices to ensure that digital assets remain secure. A key objective of cybersecurity is to maintain the Confidentiality, Integrity, and Availability (CIA Triad) of information, ensuring that data is protected, accurate, and accessible to authorized users whenever required.



Why is Cybersecurity Important?

➤ As individuals, businesses, and governments increasingly rely on digital technologies, cybersecurity has become essential for protecting sensitive information and maintaining trust in digital systems. For individuals, cybersecurity safeguards personal information, online accounts, financial transactions, and privacy. For businesses, it helps prevent data breaches, financial losses, operational downtime, legal issues, and reputational damage. Strong cybersecurity practices also support business continuity and help organizations comply with security and privacy regulations.

Current Relevance

➤ Cybersecurity is more important today than ever before because of the rapid growth of digital transformation, cloud computing, artificial intelligence (AI), and Internet of Things (IoT) devices. Modern cybercriminals use increasingly sophisticated techniques such as AI-powered phishing, ransomware, and social engineering attacks to target individuals and organizations. According to recent cybersecurity threat landscape reports, ransomware, phishing, data breaches, and attacks against critical infrastructure continue to be among the most significant global cyber threats. As technology continues to evolve, organizations must adopt proactive security measures, continuously update their defenses, and promote cybersecurity awareness to reduce cyber risks.

MODERN CYBER THREATS

The rapid advancement of digital technologies has significantly transformed the way people communicate, conduct business, and access information. However, this digital transformation has also increased the number and complexity of cyber threats. Modern cyber threats are more sophisticated than traditional attacks because they often exploit artificial intelligence (AI), cloud computing, interconnected devices, and software vulnerabilities to target individuals, businesses, and critical infrastructure.

Cybersecurity organizations such as CISA, ENISA, IBM Security, and the Verizon Data Breach Investigations Report (DBIR) highlight that phishing, ransomware, cloud security issues, Internet of Things (IoT) attacks, and zero-day exploits remain among the most significant threats facing organizations today.

The following major cyber threats are discussed in this report:

- AI-Powered Phishing Attacks
- Ransomware-as-a-Service (RaaS)
- Cloud Security Misconfigurations
- IoT Vulnerabilities
- Zero-Day Exploits

Understanding these threats is essential for developing effective security strategies, protecting sensitive information, and reducing cyber risks in today's digital environment.

Cyber Threat	Primary Target	Main Risk
AI-Powered Phishing	Individuals & Organizations	Credential Theft
Ransomware-as-a-Service (RaaS)	Businesses	Data Encryption & Financial Loss
Cloud Security Misconfigurations	Cloud Platforms	Data Exposure
IoT Vulnerabilities	Smart Devices	Unauthorized Access
Zero-Day Exploits	Software Systems	System Compromise

2.1 AI-Powered Phishing Attacks

- AI-powered phishing attacks are an advanced form of phishing in which cybercriminals use artificial intelligence (AI) to create highly convincing fraudulent emails, messages, websites, or voice recordings. Unlike traditional phishing attacks, AI enables attackers to generate personalized content, imitate writing styles, and produce realistic deepfake audio or images that appear to come from trusted individuals or organizations.
- These attacks commonly use emails, deepfakes, and social engineering techniques to manipulate victims into revealing sensitive information such as usernames, passwords, banking details, or multi-factor authentication (MFA) codes. AI also allows attackers to automate phishing campaigns, making them more scalable and difficult to detect.
- According to IBM Security and CISA, phishing remains one of the most common methods used by cybercriminals to gain unauthorized access to systems and confidential information. The increasing use of artificial intelligence has made phishing attacks more sophisticated, increasing the success rate of social engineering attacks against both individuals and organizations.

2.2 Ransomware-as-a-Service (RaaS)

- Ransomware-as-a-Service (RaaS) is a cybercrime business model in which ransomware developers create malicious software and make it available to other cybercriminals through subscription or profit-sharing arrangements. Similar to legitimate Software-as-a-Service (SaaS) platforms, RaaS allows attackers with little technical expertise to launch ransomware attacks using ready-made tools and support provided by ransomware operators.
- In a typical RaaS attack, cybercriminals distribute ransomware through phishing emails, malicious websites, or software vulnerabilities. Once a victim's system is infected, the ransomware encrypts files and prevents access until a ransom payment is demanded, usually in cryptocurrency. Some RaaS groups also threaten to publish stolen data if the ransom is not paid.
- According to IBM Security and CISA, the availability of ransomware kits has significantly increased the number of ransomware attacks worldwide. By lowering the technical barrier for cybercriminals, RaaS has become one of the most serious cybersecurity threats affecting businesses, government organizations, healthcare institutions, and individuals.

2.3 Cloud Security Misconfigurations

- Cloud Security Misconfigurations occur when cloud services or storage resources are incorrectly configured, exposing sensitive data or systems to unauthorized access. As organizations increasingly rely on cloud platforms such as Amazon Web Services (AWS), Google Cloud Platform (GCP), and Microsoft Azure, improper security settings have become one of the leading causes of cloud-related data breaches.
- Common misconfigurations include publicly accessible storage buckets, weak identity and access management (IAM) policies, disabled encryption, and incorrectly configured security groups or firewalls. These mistakes may allow attackers to access confidential information, compromise cloud resources, or disrupt business operations.
- According to IBM Security and CISA, cloud misconfigurations are often the result of human error rather than software vulnerabilities. Regular security audits, proper access controls, and continuous monitoring are essential to reduce the risk of data exposure and maintain the security of cloud environments.

2.4 IoT Vulnerabilities

- The Internet of Things (IoT) refers to a network of interconnected devices that communicate and exchange data over the internet. Common IoT devices include smart home appliances, security cameras, smart TVs, wearable fitness trackers, medical devices, and industrial sensors. While these devices improve convenience and automation, they also introduce new cybersecurity risks.
- IoT vulnerabilities arise when smart devices have weak security features, outdated firmware, default passwords, or unpatched software. Cybercriminals can exploit these weaknesses to gain unauthorized access, steal sensitive information, or use compromised devices to launch larger cyberattacks. Because many IoT devices are continuously connected to the internet, they often become attractive targets for attackers.
- According to ENISA and CISA, the rapid growth of IoT devices has expanded the cyberattack surface, making IoT security a critical concern for both consumers and organizations. Implementing secure configurations, regular software updates, and strong authentication mechanisms is essential to reduce IoT-related security risks.

2.5 Zero-Day Exploits

- A Zero-Day Exploit is a cyberattack that targets a software vulnerability before the software developer or vendor becomes aware of it or releases a security patch. Since no official fix is available at the time of the attack, these vulnerabilities provide cybercriminals with an opportunity to compromise systems without detection.
- Attackers exploit zero-day vulnerabilities to gain unauthorized access, install malware, steal sensitive information, or disrupt critical services. These exploits can affect operating systems, web browsers, applications, and network devices. Because organizations are unable to defend against unknown vulnerabilities immediately, zero-day attacks are considered one of the most dangerous cybersecurity threats.
- According to CISA, ENISA, and IBM Security, zero-day exploits continue to pose significant risks to governments, businesses, and individuals. Security organizations recommend continuous vulnerability monitoring, timely software updates, threat intelligence, and advanced security solutions to minimize the risks associated with zero-day attacks.

IMPACT ANALYSIS

Cyber threats affect both individuals and organizations in different ways. Individuals often experience identity theft, financial fraud, and loss of privacy, while organizations may suffer operational disruptions, financial losses, reputational damage, and regulatory consequences. The following analysis explains the impact of each major cyber threat discussed in this report.

3.1 AI-Powered Phishing Attacks

Impact on Individuals

- Theft of personal information such as usernames, passwords, and banking credentials.
- Financial fraud through unauthorized transactions.
- Identity theft and misuse of personal data.
- Emotional distress and loss of privacy.

Impact on Organizations

- Unauthorized access to corporate accounts and networks.
- Data breaches involving confidential business information.
- Financial losses due to fraud and incident recovery.
- Reputational damage and reduced customer trust.
- Compliance and legal issues following data breaches.

3.2 Ransomware-as-a-Service (RaaS)

Impact on Individuals

- Loss of access to personal files and important documents.
- Financial losses from ransom payments.
- Permanent data loss if backups are unavailable.
- Emotional stress caused by inaccessible data.

Impact on Organizations

- Business operations disrupted due to encrypted systems.
- Significant financial losses from downtime and recovery.
- Loss of critical business data.
- Damage to organizational reputation.
- Compliance violations and legal consequences.

3.3 Cloud Security Misconfigurations

Impact on Individuals

- Exposure of personal information stored in cloud services.
- Increased risk of identity theft and privacy breaches.
- Unauthorized access to sensitive data.

Impact on Organizations

- Leakage of confidential business information.
- Financial penalties due to data breaches.
- Non-compliance with data protection regulations.
- Loss of customer confidence and business reputation.

3.4 IoT Vulnerabilities

Impact on Individuals

- Unauthorized access to smart home devices.
- Privacy invasion through compromised cameras or microphones.
- Theft of personal information.

Impact on Organizations

- Compromise of connected business devices.
- Increased risk of network intrusion.
- Operational disruption in smart environments.
- Financial losses due to security incidents.

3.5 Zero-Day Exploits

Impact on Individuals

- Malware infection before security patches are available.
- Theft of personal and financial information.
- Loss of device security and privacy.

Impact on Organizations

- Large-scale system compromise.
- Operational downtime and service disruption.
- Financial losses due to incident response and recovery.
- Reputational damage and regulatory compliance issues.

The five major cyber threats discussed in this report affect individuals and organizations in different ways. While individuals are commonly exposed to risks such as identity theft, financial fraud, and loss of privacy, organizations often experience data breaches, operational downtime, financial losses, reputational damage, and compliance challenges. The table below provides a comparative overview of the potential impacts associated with each cyber threat.

Threat	Individuals	Organizations
AI-Powered Phishing	Identity theft, financial fraud	Data breaches, reputational damage
RaaS	Loss of files	Downtime, financial loss
Cloud Misconfigurations	Privacy breaches	Data exposure, compliance issues
IoT Vulnerabilities	Device Compromise	Network intrusion
Zero-Day Exploits	Malware Infection	System compromise

REAL-WORLD CASE STUDIES

4.1 MGM Resorts Cyberattack (2023)

Threat: AI-Powered Phishing / Social Engineering

Year: 2023

In September 2023, MGM Resorts International suffered a major cyberattack after attackers used social engineering techniques to impersonate an employee and deceive the company's IT help desk into resetting account credentials. Public reporting indicated that the attackers gathered information from publicly available sources and used convincing communication to gain unauthorized access to internal systems. The attack disrupted hotel reservations, casino operations, digital room keys, ATMs, and payment systems across multiple MGM properties.

Impact:

The incident caused significant operational disruption, financial losses, and reputational damage. It also demonstrated how modern phishing and social engineering techniques, supported by readily available AI tools for crafting convincing messages, can be highly effective against organizations.

Key Lesson Learned:

Organizations should strengthen identity verification procedures, implement multi-factor authentication (MFA), provide regular security awareness training, and establish strict help desk authentication processes to reduce the risk of phishing and social engineering attacks.

4.2 WannaCry Ransomware Attack (2017)

Threat: Ransomware-as-a-Service (RaaS)

Year: 2017

The WannaCry ransomware attack began in May 2017 and rapidly spread across more than 150 countries by exploiting a vulnerability in Microsoft Windows. Once a computer was infected, the ransomware encrypted files and demanded payment in Bitcoin to restore access. The attack severely affected hospitals, businesses, government agencies, and transportation services, causing widespread disruption.

Impact:

The attack infected more than 200,000 computers worldwide and resulted in billions of dollars in financial losses. It highlighted the importance of timely software updates and regular data backups.

Key Lesson Learned:

Organizations should regularly install security patches, maintain offline backups, and implement strong endpoint protection to reduce the risk of ransomware attacks.

4.3 Capital One Cloud Misconfiguration Breach (2019)

Threat: Cloud Security Misconfiguration

Year: 2019

In 2019, Capital One experienced a major data breach after a cloud infrastructure misconfiguration allowed an attacker to access sensitive customer information stored on Amazon Web Services (AWS). The breach exposed personal information belonging to over 100 million customers, including names, addresses, credit scores, and bank account details.

Impact:

The incident resulted in financial losses, legal penalties, and reputational damage. It demonstrated how configuration errors in cloud environments can expose large amounts of sensitive data.

Key Lesson Learned:

Organizations should regularly audit cloud configurations, apply the principle of least privilege, and continuously monitor cloud environments to detect security risks.

4.4 Mirai Botnet Attack (2016)

Threat: IoT Vulnerabilities

Year: 2016

The Mirai Botnet attack targeted Internet of Things (IoT) devices such as routers, IP cameras, and digital video recorders by exploiting default usernames and passwords. After infecting thousands of devices, the malware created a botnet that launched one of the largest Distributed Denial-of-Service (DDoS) attacks ever recorded, disrupting major online services around the world.

Impact:

The attack caused widespread internet service disruptions and demonstrated how insecure IoT devices can be used to launch large-scale cyberattacks.

Key Lesson Learned:

Users and organizations should change default passwords, regularly update device firmware, and disable unnecessary network services to improve IoT security.

4.5 SolarWinds Supply Chain Attack (2020)

Threat: Zero-Day Exploits

Year: 2020

The SolarWinds cyberattack was a sophisticated supply chain attack discovered in 2020. Attackers inserted malicious code into software updates for the SolarWinds Orion platform, allowing them to gain unauthorized access to thousands of organizations, including government agencies and private companies. The attack remained undetected for several months, making it one of the most significant cybersecurity incidents in recent history.

Impact:

The attack compromised sensitive systems, disrupted operations, and required extensive incident response efforts. It highlighted the risks associated with software supply chains and advanced cyber threats.

Key Lesson Learned:

Organizations should implement continuous monitoring, strengthen software supply chain security, verify software updates, and adopt a Zero Trust security model to reduce the impact of similar attacks.

PREVENTIVE MEASURE

As cyber threats continue to evolve, organizations and individuals must adopt proactive cybersecurity practices to reduce risks and strengthen their overall security posture. Implementing preventive measures not only minimizes the likelihood of cyberattacks but also improves an organization's ability to detect, respond to, and recover from security incidents. The following measures are widely recommended by cybersecurity organizations to protect against modern cyber threats.

1. Multi-Factor Authentication (MFA)

Implement Multi-Factor Authentication (MFA) to add an extra layer of security beyond passwords. MFA significantly reduces the risk of unauthorized account access, even if user credentials are compromised.

2. Employee Security Awareness Training

Provide regular cybersecurity awareness training to help employees recognize phishing emails, social engineering attacks, and other common cyber threats. Well-informed users are the first line of defense against cyberattacks.

3. Regular Software Updates and Patch Management

Keep operating systems, applications, and firmware updated with the latest security patches. Prompt patch management helps eliminate known vulnerabilities that attackers commonly exploit.

4. Zero Trust Security Model

Adopt the Zero Trust security approach by verifying every user and device before granting access to organizational resources. This model follows the principle of "never trust, always verify."

5. Data Backup and Recovery Plans

Maintain regular, secure, and offline backups of critical data. A well-planned backup and recovery strategy enables organizations to restore systems quickly after ransomware attacks or data loss incidents.

6. Cloud Security Best Practices

Secure cloud environments by applying strong identity and access management (IAM), enabling encryption, regularly auditing cloud configurations, and continuously monitoring cloud resources to prevent unauthorized access and data breaches.

CONCLUSION & FUTURE SCOPE

Cybersecurity has become one of the most important aspects of the digital world as cyber threats continue to grow in both frequency and sophistication. This report examined five major modern cyber threats—AI-powered phishing attacks, Ransomware-as-a-Service (RaaS), cloud security misconfigurations, IoT vulnerabilities, and zero-day exploits—and discussed their impact on individuals and organizations through real-world case studies.

The analysis highlights that effective cybersecurity requires more than advanced technologies. Strong security policies, continuous employee awareness, timely software updates, secure cloud configurations, multi-factor authentication, and regular data backups are all essential for reducing cyber risks. Organizations must also adopt proactive security strategies to detect, prevent, and respond to emerging threats.

Future Scope

As technology continues to evolve, new cybersecurity challenges will emerge with the increasing adoption of artificial intelligence, cloud computing, the Internet of Things (IoT), and quantum computing. Future cybersecurity efforts will focus on AI-driven threat detection, Zero Trust Architecture, automated incident response, stronger cloud security frameworks, and enhanced privacy protection. Continuous research, innovation, and cybersecurity awareness will play a crucial role in building a safer and more resilient digital environment.

“Cybersecurity is not just about protecting technology; it is about protecting people, information, and trust in the digital world.”

REFERENCES

- Cybersecurity and Infrastructure Security Agency (CISA). (n.d.). *Cybersecurity Resources*. <https://www.cisa.gov>
- IBM Security. (n.d.). *What is Cybersecurity?* <https://www.ibm.com/topics/cybersecurity>
- IBM Security. (n.d.). *Phishing*. <https://www.ibm.com/topics/phishing>
- European Union Agency for Cybersecurity (ENISA). (2024). *ENISA Threat Landscape*. <https://www.enisa.europa.eu>
- Open Web Application Security Project (OWASP). (n.d.). *OWASP Foundation*. <https://owasp.org>
- Verizon. (2024). *2024 Data Breach Investigations Report (DBIR)*. <https://www.verizon.com/business/resources/reports/dbir>
- KrebsOnSecurity. (n.d.). *Cybersecurity News and Investigation*. <https://krebsonsecurity.com>