Status	Finished
Started	Sunday, 11 October 2026, 8:16 PM
Completed	Sunday, 11 October 2026, 8:19 PM
Duration	3 mins 30 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

____ function returns the value corresponding to the key passed as the argument.

a. del
b. get ✓
c. values
d. update

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. {'b': [2, 3, 4], 'a': 1} ✓
b. Error
c. {'b': [2], 'a': 1}
d. {'b': [2], 'a': [3]}

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

a. c and d
b. b and d
c. a and b ✓
d. a and c

Question **4**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be ____.

a. antique
b. integers
c. mutable
d. unique ✓

Question **5**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

a. Comma(,)
b. Semicolon(;)
c. dot(.)
d. Colon (:) ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
c. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. convert
b. create
c. dict ✓
d. dictionary

Question **8**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. size(d)
b. d.len()
c. d.size()
d. len(d) ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. dictionary
b. tuple
c. list ✓
d. string

Question **10**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Emily', 'John', 'Erik'] ✓
- b. ['Janice', 'John', 'Erik']
- c. ['Janice', 'Emily', 'John', 'Eleanor']
- d. ['Janice', 'Emily', 'John']

Question **12**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. True ✓
- b. False

Question **13**

Correct

Mark 1.00 out of 1.00

Key – value concept is in ____.

- a. String
- b. Dictionary ✓
- c. Tuple
- d. List

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

- a. 5
- b. Invalid Synatx,Error
- c. A
- d. 4 ✓

Question **15**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

- a. True ✓
- b. False