Augmented Dickey-Fuller Unit Root Test on PDIFF_SWITZERLAND

Null Hypothesis: PDIFF_SWITZERLAND has a unit root
Exogenous: Constant
Lag Length: 1 (Fixed)

		t-Statistic	Prob.*
Augmented Dickey-Fuller test statistic		1.446405	0.9992
Test critical values:	1% level	-3.439384	
	5% level	-2.865417	
	10% level	-2.568891	

*MacKinnon (1996) one-sided p-values.

Augmented Dickey-Fuller Test Equation
Dependent Variable: D(PDIFF_SWITZERLAND)
Method: Least Squares
Date: 07/22/19   Time: 01:07
Sample (adjusted): 1960M03 2018M12
Included observations: 706 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
PDIFF_SWITZERLAND(-1)	0.000862	0.000596	1.446405	0.1485
D(PDIFF_SWITZERLAND(-1))	0.224185	0.036808	6.090674	0.0000
C	-0.001076	0.000257	-4.181587	0.0000

R-squared	0.055300	Mean dependent var	-0.001022
Adjusted R-squared	0.052612	S.D. dependent var	0.004337
S.E. of regression	0.004222	Akaike info criterion	-8.092954
Sum squared resid	0.012529	Schwarz criterion	-8.073579
Log likelihood	2859.813	Hannan-Quinn criter.	-8.085468
F-statistic	20.57579	Durbin-Watson stat	2.052108
Prob(F-statistic)	0.000000		