Augmented Dickey-Fuller Unit Root Test on QT_POLAND

		t-Statistic	Prob.*
Augmented Dickey-Fuller test statistic		-2.274516	0.1810
Test critical values:	1% level	-3.451283	
	5% level	-2.870651	
	10% level	-2.571695	

*MacKinnon (1996) one-sided p-values.

Augmented Dickey-Fuller Test Equation
Dependent Variable: D(QT_POLAND)
Method: Least Squares
Date: 07/21/19   Time: 00:20
Sample (adjusted): 1993M03 2018M12
Included observations: 310 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
QT_POLAND(-1)	-0.021312	0.009370	-2.274516	0.0236
D(QT_POLAND(-1))	0.289793	0.054390	5.328034	0.0000
C	0.024472	0.011068	2.211024	0.0278

R-squared	0.094744	Mean dependent var	-0.000622
Adjusted R-squared	0.088846	S.D. dependent var	0.029538
S.E. of regression	0.028195	Akaike info criterion	-4.289697
Sum squared resid	0.244056	Schwarz criterion	-4.253536
Log likelihood	667.9030	Hannan-Quinn criter.	-4.275241
F-statistic	16.06521	Durbin-Watson stat	1.945701
Prob(F-statistic)	0.000000		