Augmented Dickey-Fuller Unit Root Test on QT_SWITZERLAND

Null Hypothesis: QT_SWITZERLAND has a unit root
Exogenous: Constant
Lag Length: 1 (Fixed)

		t-Statistic	Prob.*
Augmented Dickey-Fuller test statistic		-2.040058	0.2697
Test critical values:	1% level	-3.439384	
	5% level	-2.865417	
	10% level	-2.568891	

*MacKinnon (1996) one-sided p-values.

Augmented Dickey-Fuller Test Equation
Dependent Variable: D(QT_SWITZERLAND)
Method: Least Squares
Date: 07/23/19   Time: 22:18
Sample (adjusted): 1960M03 2018M12
Included observations: 706 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
QT_SWITZERLAND(-1)	-0.006370	0.003123	-2.040058	0.0417
D(QT_SWITZERLAND(-1))	0.241614	0.036508	6.618158	0.0000
C	0.001074	0.001320	0.813686	0.4161

R-squared	0.063404	Mean dependent var	-0.001081
Adjusted R-squared	0.060739	S.D. dependent var	0.025639
S.E. of regression	0.024848	Akaike info criterion	-4.547862
Sum squared resid	0.434039	Schwarz criterion	-4.528486
Log likelihood	1608.395	Hannan-Quinn criter.	-4.540375
F-statistic	23.79521	Durbin-Watson stat	1.981621
Prob(F-statistic)	0.000000		