Augmented Dickey-Fuller Unit Root Test on QT_NORWAY

Null Hypothesis: QT_NORWAY has a unit root
Exogenous: Constant
Lag Length: 1 (Fixed)

		t-Statistic	Prob.*
Augmented Dickey-Fuller test statistic		-1.942749	0.3124
Test critical values:	1% level	-3.451283	
	5% level	-2.870651	
	10% level	-2.571695	

*MacKinnon (1996) one-sided p-values.

Augmented Dickey-Fuller Test Equation
Dependent Variable: D(QT_NORWAY)
Method: Least Squares
Date: 07/21/19   Time: 00:20
Sample (adjusted): 1993M03 2018M12
Included observations: 310 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
QT_NORWAY(-1)	-0.019354	0.009962	-1.942749	0.0530
D(QT_NORWAY(-1))	0.307642	0.054480	5.646906	0.0000
C	0.039318	0.020008	1.965122	0.0503

R-squared	0.098910	Mean dependent var	0.000758
Adjusted R-squared	0.093040	S.D. dependent var	0.024137
S.E. of regression	0.022987	Akaike info criterion	-4.698149
Sum squared resid	0.162219	Schwarz criterion	-4.661988
Log likelihood	731.2130	Hannan-Quinn criter.	-4.683693
F-statistic	16.84924	Durbin-Watson stat	1.933031
Prob(F-statistic)	0.000000		