

Vid2Sim: Generalizable, Video-based Reconstruction of Appearance, Geometry and Physics for Mesh-free Simulation

Chuhao Chen¹ Zhiyang Dou^{1,2} Chen Wang¹ Yiming Huang¹

Anjun Chen^{1,3} Qiao Feng¹ Jiatao Gu⁴ Lingjie Liu¹

¹University of Pennsylvania ²The University of Hong Kong ³Zhejiang University ⁴Apple

{chuhaoc, zydou, chenw30, ymhuang9, chen3110, fengqiao, lingjie.liu}@seas.upenn.edu; jiatao@apple.com




Figure 1. Vid2Sim achieves high-quality dynamic reconstruction from multi-view videos effectively and can be used to simulate appealing animations.

Abstract

Faithfully reconstructing textured shapes and physical properties from videos presents an intriguing yet challenging problem. Significant efforts have been dedicated to advancing system identification in this area. Previous methods often rely on heavy optimization pipelines with a differentiable simulator and renderer to estimate physical parameters. However, these approaches frequently necessitate extensive hyperparameter tuning for each scene and involve a costly optimization process, which limits both their practicality and generalizability. In this work, we propose a novel framework, Vid2Sim, a generalizable video-based approach for recovering geometry and physical properties through a mesh-free reduced simulation based on Linear Blend Skinning (LBS), offering high computational efficiency and versatile representation capability. Specifically, Vid2Sim first reconstructs the observed configuration of the physical sys-

tem from video using a feed-forward neural network trained to capture physical world knowledge. A lightweight optimization pipeline then refines the estimated appearance, geometry, and physical properties to closely align with video observations within just a few minutes. Additionally, after the reconstruction, Vid2Sim enables high-quality, mesh-free simulation with high efficiency. Extensive experiments demonstrate that our method achieves superior accuracy and efficiency in reconstructing geometry and physical properties from video data. Our code and models will be publicly available upon acceptance.

1. Introduction

Understanding and reconstructing appearance, geometry, and physical properties from observations with high fidelity, a.k.a. system identification, is a fundamental yet challenging task in computer vision. Traditional methods [13, 17, 19, 24, 39, 46, 49] often rely on known shape information

of given objects, which limits their practicality for broader applications. Recent advancements [5, 27, 32, 64] leverage neural representations, such as NeRF [40] and Gaussian Splatting [28] along with differentiable simulators [25] to create a unified framework that jointly learns 3D geometry, appearance, and physical parameters. That being said, none of the previous efforts have achieved accurate, generalizable, and efficient reconstruction of appearance, geometry, and physical properties from the input video, as they suffer from two main limitations. First, most existing methods [5, 27, 32, 64] employ heavy per-scene optimization to identify physical parameters, making the understanding of various scenes computationally expensive. Second, these approaches struggle to accurately model complex, physics-driven deformations, as they typically use Material Point Methods (MPM) [25] for simulation. This method is limited by its grid-based representation and dependence on symplectic time integration, which constrains expressiveness. Although alternative approaches, such as Spring-Gaus [64], employ more efficient mass-spring models, they remain limited to reconstructing elastic dynamics.

In this paper, we propose a novel framework, named Vid2Sim, for the high-fidelity reconstruction of textured shapes and the estimation of physical parameters directly from videos. We first train a feed-forward neural network that integrates general physical knowledge, utilizing a pre-trained video vision transformer [54] to infer a range of physical attributes from the input video sequences. This component is coupled with an advanced 3D reconstruction pipeline [53] that predicts both object geometry and appearance, encoded with 3D Gaussians to facilitate instant system identification. In contrast to prior methods, Vid2Sim incorporates an optimized simulation pipeline leveraging an implicit Euler solver as inspired by [41]. This simulation approach is mesh-free and uses Linear Blend Skinning (LBS) to enable reduced-order, computationally efficient simulations that are highly adaptable to complex deformations and fully end-to-end trainable. Then, we perform a lightweight optimization with a Neural Jacobian module to efficiently refine estimates of appearance, geometry, and physical properties, aligning the reconstructed outputs precisely with observed video data. This post-prediction optimization completes in only a few minutes. Upon reconstruction, the system enables high-quality, mesh-free simulations via the implicit Euler solver, supporting accurate dynamic behavior modeling.

We conduct extensive experiments to evaluate our method where Vid2Sim demonstrates remarkable accuracy and efficiency in recovering geometry, appearance, and physical properties from videos compared to existing methods. In summary, our contributions are three-fold:

- We propose Vid2Sim, a novel framework for generalizable, video-based reconstruction of appearance, geome-

try, and physical properties for mesh-free, reduced-order simulation.

- We introduce a generalizable feed-forward model with physical world knowledge for estimation of the dynamics, followed by an efficient optimization step with Neural Jacobian to further improve the reconstruction results.
- Vid2Sim demonstrates remarkable effectiveness and efficiency, achieving state-of-the-art performance in accuracy and speed compared to existing methods.

2. Related Work

2.1. Physics-aware Dynamic 3D reconstruction

Dynamic 3D reconstruction is one of the critical tasks in computer vision and graphics. Recent advances in 3D representations like NeRF [40] and 3D Gaussian Splatting [28] as well as template-based models [31, 36, 51] make it flexible to reconstruct complex 3D scenes from visual data. These methods are recently extended to a dynamic 3D reconstruction [45, 56, 60] from either monocular videos [16, 47, 52, 55, 57, 58, 61] or multi-view videos [38, 42, 43]. With the introduction of physics-informed learning [6, 8], approaches that incorporate physical priors to enhance the understanding and reconstruction of dynamic scenes have gained popularity. For instance, PAC-NeRF [32] first jointly reconstructed the dynamic scene and a simulatable model using the differentiable Material Point Method [22, 23], and it was subsequently improved regarding the quality [5, 27] and adaptability [64]. While these methods achieve physically complete reconstruction, none of them are generalizable. In contrast to all existing methods, we first propose a generalizable pipeline that achieves simulation-ready geometry and physical property recovery in a feed-forward manner, which is inspired by the recent achievements in large 3D reconstruction model [21, 53, 62] and 4D reconstruction model [48]. A highly efficient optimization step is conducted to further enhance the reconstruction quality.

2.2. Vision-based Physical Simulation

Mesh-free Physical Simulation Traditional physical elasticity simulation, such as the finite element method (FEM) [9], often requires a mesh or tetrahedral representation. This complicates the simulation of scenes reconstructed from visual data, often represented by NeRF or 3D Gaussians, as obtaining high-quality meshes from these models for simulation can be a non-trivial task. Mesh-free models have then been a popular alternative for vision-based physical simulation such as the material point method (MPM) [22, 25] and smoothed-particle hydrodynamics (SPH) [11, 30, 44]. However, neither is a purely point-based method since SPH needs to update connectivity among neighborhoods, and MPM requires maintaining a background grid. More importantly, these approaches bring sig-

nificant computational burden. The very recent work Simplicits [41] thus proposed a mesh-free, geometry-agnostic, and reduced-order elastic simulation method, which offers another feasibility to do a vision-based physical simulation in an efficient and flexible way. Inspired by Simplicits, we develop a feed-forward model that efficiently delivers a generalizable initial estimate, coupled with a differentiable, reduced-order simulator that employs Linear Blend Skinning for rapid and accurate optimization of appearance, geometry, and physical properties.

Physical reconstruction and simulation from visual data

Apart from physics-aware dynamic 3D reconstruction, there are a lot of other applications in vision-based physical simulation with the help of mesh-free simulation methods. Works such as PhysGaussian [59] integrate mesh-free simulators with NeRF [15] or 3D Gaussians [26, 37], making it possible to interact with these representations. Some other works [14, 34, 35, 63] combine the simulation model with the video generation model [2–4, 50] to learn physical properties and generate dynamics. As of yet, all previous methods are limited by their reconstruction accuracy, generalization capability, and runtime cost.

3. Preliminary

We begin by introducing (1) mesh-free simulation [41], which operates without mesh or grid representation using a reduced simulator; and (2) 3D Gaussian Splatting [28] for modeling both geometry and appearance.

Mesh-Free, Order-Reduced Simulation Given a set of points $\{\mathbf{X}_i \in \mathbb{R}^3 \mid i = 1, 2, \dots, n\}$ at the rest position, following [41], we simulate the dynamics of the points with a set of handles (full affine transformations) $\{\mathbf{Z}_j \in \mathbb{R}^{3 \times 4} \mid j = 1, 2, \dots, m\}$ (or $\mathbf{z}_j \in \mathbb{R}^{12}$ in an equivalent vector form) with a reduced $m \ll n$. The deformation of the point \mathbf{X}_i is then defined as

$$\mathbf{x}_i = \phi_i(\mathbf{X}_i, \mathbf{Z}) = \mathbf{X}_i + \sum_{j=1}^m W_{\theta;j}(\mathbf{X}_i) \mathbf{Z}_j [\mathbf{X}_i, 1]^\top, \quad (1)$$

where \mathbf{x}_i represents the deformed position, and $W_{\theta;j}(\mathbf{X}_i)$ is a scalar weight for Linear Blending Skinning (LBS), predicted by a small MLP that models the transformation of each point based on the combined influence of the handles.

The handles \mathbf{z}_i are initialized to zero to make sure the points are at the rest position at $t = 0$. Then, at each discrete time step, the handles vary according to the implicit time integration with the following incremental potential equation containing an inertia term and a potential energy term:

$$\mathbf{z}_{t+1} = \operatorname{argmin}_{\mathbf{z}} \frac{1}{2} \|\mathbf{z} - \tilde{\mathbf{z}}_t\|_{\mathbf{M}} + \Delta t^2 E_{\text{potential}}(\mathbf{z}_t) \quad (2)$$

where Δt is the simulation time step, $\tilde{\mathbf{z}}_t = \mathbf{z}_t + \Delta t \dot{\mathbf{z}}_t$ is the first order prediction of \mathbf{z}_t and $E_{\text{potential}}(\mathbf{z}_t)$ is the potential energy from the external force.

3D Gaussian Splatting 3D Gaussian Splatting [28] represents 3D scenes as Gaussian primitives. Each primitive is defined by the Gaussian function:

$$\mathcal{G}(\mathbf{x}) = e^{-\frac{1}{2}(\mathbf{x}-\mathbf{p})^\top \Sigma^{-1}(\mathbf{x}-\mathbf{p})} \quad (3)$$

where \mathbf{p} is the center and $\Sigma = \mathbf{R} \mathbf{S}^\top \mathbf{R}^\top$ is the covariance matrix, factorized into rotation matrix \mathbf{R} and scaling matrix \mathbf{S} . For rendering, learnable parameters \mathbf{p} and Σ are projected into camera coordinates as $\mathbf{p}' = \mathbf{K}\mathbf{W}[\mathbf{p}, 1]^\top$, $\Sigma' = \mathbf{J}\mathbf{W}\Sigma\mathbf{W}^\top\mathbf{J}^\top$, where \mathbf{K} is the camera’s intrinsic matrix, \mathbf{W} the extrinsic matrix, and \mathbf{J} the Jacobian matrix of the affine perspective projection. The Gaussian in image space is then: $\mathcal{G}'(\mathbf{x}') = e^{-\frac{1}{2}(\mathbf{x}'-\mathbf{p}')^\top \Sigma'^{-1}(\mathbf{x}'-\mathbf{p}')}$, where \mathbf{x}' is the pixel position transformed similarly to $\mathbf{p} \mapsto \mathbf{p}'$. Each 3D Gaussian primitive uses \mathbf{c} and α to model appearance, with \mathbf{c} representing view-dependent color (parameterized by spherical harmonics) and α the opacity. The pixel color \mathbf{C} at \mathbf{x}' is computed via volumetric alpha blending:

$$\mathbf{C}(\mathbf{x}') = \sum_{i=1}^N T_i \alpha_i \mathcal{G}'_i(\mathbf{x}') \mathbf{c}_i \quad T_i = \prod_{j=1}^{i-1} (1 - \alpha_j \mathcal{G}'_j(\mathbf{x}')) \quad (4)$$

where $\mathcal{G}'(\mathbf{x}')$ is the Gaussian with transformed \mathbf{p}' and Σ' , and T_i is the transmittance along the ray.

To apply deformation to each Gaussian primitive, we apply $\phi(\mathbf{X}, \mathbf{Z})$ to \mathbf{p} and construct $\Sigma = \mathbf{L}'\mathbf{L}'^\top$ with $\mathbf{L}' = \mathbf{F}(\mathbf{RS})$. Here, $\mathbf{F} = \frac{\partial \phi(\mathbf{p}, \mathbf{Z})}{\partial \mathbf{p}}$ is the deformation gradient, reflecting local deformation in continuum mechanics.

4. Method

4.1. Problem Setting

We aim to jointly reconstruct the appearance, geometry, and physical properties of the given target from posed multiview videos that describe the dynamics. We focus on elastic material modeled by the Neo-Hookean constitutive model to reduce the state space that our feed-forward predictor needs to learn, where we only predict Young’s modulus E , Poisson’s ratio ν and estimated scalar LBS weight $W_{\theta;j}(\mathbf{X}_i)$. Notably, our framework is not restricted to elastic materials and can be readily extended to various physical phenomena. Additionally, we demonstrate in the supplementary materials that our method generalizes across different material types. Our two-stage pipeline, illustrated in Fig. 2, is detailed below.

4.2. Feed-forward Physical System Identification

In the first stage, we develop a neural network that learns physical world knowledge, enabling feed-forward reconstruction of the observed appearance, geometry, and physical configuration of the physical system from the video.

We leverage the prior knowledge of physical dynamics by utilizing a pre-trained large video vision transformer,




Figure 2. **An overview of Vid2Sim, comprising two stages.** In Stage I, a generalizable feed-forward model reconstructs appearance, geometry, and physical properties, generating simulation-ready outputs. In Stage II, a lightweight optimization pipeline refines these estimated attributes to closely match the input video. We introduce a mesh-free reduced simulation based on Linear Blend Skinning (LBS), which provides high computational efficiency and versatile representational capability for high-fidelity dynamic reconstruction.

VideoMAE [54], as the backbone of our feed-forward predictor. This model, with network weights trained on a vast dataset of videos, serves as the foundation, while small MLPs function as the regression head to estimate physical parameters and initial Linear Blend Skinning (LBS) weights. This network takes as input a single front-view video and regresses it to two physical parameters, $\{E, \nu\}$, relevant to elastic materials. Additionally, to enable mesh-free, order-reduced simulation, we also predict LBS values. The LBS $W_{\theta;j}(\mathbf{X}_i)$ is used to deform positions for dynamics, as specified in Eq. (1). Previous work [41] overfits a Multi-Layer Perceptron (MLP) to model the transformation of each point based on the combined influence of control handles. While this approach effectively models movements, it is limited in its generalization capability.

In contrast to the previous method, we introduce a HyperNetwork [18] approach for predicting the network weights $\hat{\theta}_{\text{lbs}}$ for LBS estimation. Subsequently, the network is tasked with regressing only the weights and biases of the final linear layer, keeping the other layers fixed at their default initialization. This design significantly enhances the generalizability and robustness of LBS prediction during feed-forward inference. See Sec. 5 for the detailed implementation.

To recover geometry and appearance, we process the first multiview frames of the input videos by applying the pre-trained Large Multi-view Gaussian Model [53] which leverages the generalizable knowledge of the textured shape recovery trained with large-scale 3D datasets, and efficiently reconstruct them into 3D Gaussians as the shape representation, which is then normalized into a canonical space.

Together, we recover the geometry, appearance, and physical properties through the two branches, as shown in Sec. 4.2 Stage I, with a short inference time. This produces a simulation-ready prediction as a *general* estimation, which is then further refined to more closely match the ref-

erence videos, resulting in a *specific* estimation. More implementation details can be found in Sec. 5

4.3. Scene-specific Refinement

We conduct joint optimization of geometry, appearance, LBS, and physical parameters to better fit the reconstruction with the input multiview videos. Our lightweight optimization is significantly more efficient, completing in approximately 15 minutes, compared to existing methods that typically require around 1.5 hours. Detailed statistics are provided in Tab. 5.

To improve the reconstruction quality of the shape and appearance, we first refine the 3D Gaussians via standard 3DGs training [28]. Next, we refine the LBS estimation model to capture physical dynamics, enhancing its alignment with the specific dynamics of the given object. Usually, optimizing the LBS, as in Simplicits [41], requires pre-computing the Jacobian of the deformation gradient with respect to transformations, $\mathbf{J}(\mathbf{X}) = \frac{\partial \mathbf{F}(\mathbf{X}, \mathbf{z})}{\partial \mathbf{z}}$, where \mathbf{z} is the vector form of transformation \mathbf{Z} . Since $\mathbf{F} = \frac{\partial \phi(\mathbf{X}, \mathbf{z})}{\partial \mathbf{X}}$ includes only linear terms of \mathbf{z} , \mathbf{J} depends solely on \mathbf{X} . For cubature points $C \subseteq A$, $\mathbf{J} \in \mathbb{R}^{9N_c \times m \times m}$ grows large with increasing cubature points N_c and handles m , necessitating auto-differentiation. Precomputing this Jacobian is manageable if done once for fixed neural LBS, but further LBS optimization makes this cost-prohibitive.

In Vid2Sim, we accelerate the refinement (and simulation) by introducing a Neural Jacobian module.

Neural Jacobian. We employ a neural network trained to predict $\mathbf{J}_\theta(\mathbf{X})$ instead of computing it explicitly. The Neural Jacobian is trained following the LBS training using the loss function below

$$\mathcal{L}_J = \|\mathbf{J}_\theta(\mathbf{X})\mathbf{z} + \mathbf{I} - \mathbf{F}(\mathbf{X}, \mathbf{z})\|_1, \quad (5)$$

where $\mathbf{J}_\theta(\mathbf{X})\mathbf{z} + \mathbf{I}$ is an estimation of the deformation gradient $\mathbf{F}(\mathbf{X}, \mathbf{z})$ and its ground truth is much cheaper to get via finite differences. The training samples for \mathbf{X} and \mathbf{z} are

generated in a data-free manner the same as [41]. We validate the effectiveness and efficiency of the Neural Jacobian in Sec. 6.3.

Then, we optimize the LBS along with the physical parameters to fit the video, using a rendering loss to supervise the optimization. This process can be formulated as:

$$\begin{aligned} \theta_{lbs}^*, \theta_{jac}^*, E^*, \nu^* &= \underset{\theta_{lbs}, \theta_{jac}, E, \nu}{\operatorname{argmin}} \mathcal{L}_{\text{rendering}} \\ \mathcal{L}_{\text{rendering}} &= \frac{1}{N\Delta s} \sum_{i=1}^N \sum_{t=s}^{s+\Delta s} \|\mathbf{C}_{\text{pred}}(i, t) - \mathbf{C}_{\text{gt}}(i, t)\|_1. \end{aligned} \quad (6)$$

Here, \mathbf{C}_{pred} represents the rendering sequence from the simulation steps $\{\mathbf{z}_s, \mathbf{z}_{s+1}, \dots, \mathbf{z}_{s+\Delta s}\}$, \mathbf{C}_{gt} is the reference rendering sequence, and N denotes the number of views. For efficiency, we set $\Delta s = 4$ and randomly sample s from 1 to $T - \Delta s$ in each iteration, allowing the process to cover the entire observation. We compute the LBS module following [41] to stabilize the data-free learning process with the estimated LBS weights from Stage I as the initialization.

5. Implementation Details

5.1. Feed-forward Physical System Identification

Dataset. We choose 50k high-quality 3D objects from Objaverse [10] to train our feed-forward predictor. For each object, we generate an animation at 448×448 resolution simulated by our reduced simulator, with randomly sampled $E \in [10^4, 10^6]$, $\nu \in [0, 2, 0.5]$.

Implementation. We use two identical 4-layer MLPs to predict the scalar E and ν and a 3-layer MLP as the hyper-network to predict the final linear layer of the LBS network. We trained the whole network on one NVIDIA-L40 GPU for 1 day with the Adam [29] and a learning rate of 10^{-5} .

5.2. Physical System Refinement

Dataset. To evaluate the performance of our full pipeline, we use both a synthetic dataset and a real-world dataset.

The synthetic dataset is a mesh dataset that contains 12 delicate objects collected from Google Scanned Objects (GSO) [12] with complex geometry and detailed texture. We use FEM to simulate animations in the most accurate physics as references. We render each animation from 12 different viewpoints at 448×448 resolution for 24 frames. The first 16 frames are treated as observation, and the 8 frames remaining are references for future state prediction.

For the real-world dataset, we captured 3 different animations (See Fig. 4) *orange*, *bird* and *cup* with four posed cameras at surrounding views. We use BackgroundMattingV2 [33] with post-processing to obtain the mask of the object.

Implementation. We first refine the 3DGS in a standard manner and use the data-free method from [41] to initialize the full LBS layers and the corresponding Neural Jacobian. Afterwards, we jointly optimize $\{\theta_{lbs}, \theta_{jac}, E, \nu\}$ for 400 iterations. We also use the Adam optimizer and the learning rates are set to $\{5 \times 10^{-7}, 5 \times 10^{-7}, 5 \times 10^{-3}, 10^{-3}\}$. We use 10 control handles and sample 500 cubature points for simulation.

6. Experiments

6.1. Baselines and Metrics

We compare our method with the state-of-the-art methods: GIC [5], Spring-GS [64], and PAC-NeRF [32] on dynamic reconstruction tasks and future state prediction tasks at both synthetic and real-world datasets. We use the Peak Signal-to-Noise Ratio (PSNR), Structural Similarity Index Metric (SSIM), and video perceptual loss (FoVVDP) as the metrics for evaluation. We additionally report the running time of each method to assess runtime efficiency in Tab. 5.

6.2. Evaluation on the synthetic dataset

Following previous methods [5, 27, 32, 64], we evaluate our method and baselines for dynamic reconstruction on the 12 diverse synthetic test cases. Both qualitative results Fig. 3 and quantitative results Tab. 1 show that our method Vid2Sim achieves a much higher quality of reconstruction for appearance and physics compared with all the SOTA methods across different objects. To be more specific, previous methods rely on optimizing dynamic NeRF or 3D Gaussians to model appearance, a process that is challenging in high-dimensional spaces and often results in blurred textures as shown in Fig. 3. In contrast, our pipeline enables explicit deformation guided by a deformation field based on 3D Gaussians, preserving high-quality details optimized in the canonical space. Furthermore, baseline models are constrained to a differentiable simulator with a symplectic solver, which introduces oscillations and instability, compromising the realism of the simulations. Unlike these models, our implicit solver within the differentiable simulator provides a more accurate and efficient simulation.

6.3. Ablation Study

We conduct extensive ablation studies on our key designs. Tab. 2 summarize the quantitative results. Since only 4 views are used in LGM [53] in our Stage I, it is difficult to reconstruct the accurate appearance and geometry at inference time, resulting in compromised quantitative results (*Ours (w/o stage II)*). Nevertheless, the predicted physical properties from Stage I are effective enough to produce high-quality simulation. This is validated by *Ours (w/o finetune LBS+Physics)*, where we solely refine the 3D Gaussians without changing any physical properties. This




Figure 3. Comparison with the SOTA methods [5, 32, 64] on physics-aware dynamic reconstruction from multi-view videos (reference). Our method achieves the best performance in terms of textured shape and physical dynamics.

demonstrates that appearance and geometry are critical for the overall dynamic reconstruction. *Ours (w/o finetune LBS)* shows a further improvement when adding the optimization of the E and ν , and our full model that unlocks the LBS reaches the best. Additionally, *Ours (w/o Stage I)* shows purely optimization results with random initializa-

tion, for which we ran the experiments 3 times with random samples of $E \in [10^4, 10^6]$, $\nu \in [0, 2, 0.5]$, same as the prediction range of our feed-forward predictor. This result suggests that a reliable initialization is crucial for achieving final convergence.

Table 1. Quantitative Comparison with Previous Methods in Dynamic Reconstruction.

		backpack	bell	blocks	bus	cream	elephant	grandpa	leather	lion	mario	sofa	turtle	Mean
PSNR \uparrow	PAC-NeRF	19.37	25.00	23.36	20.72	23.24	22.27	21.63	20.85	22.66	21.01	22.49	22.19	22.06
	Spring-Gaus	17.42	20.49	22.78	20.06	23.58	21.30	21.64	18.29	21.95	20.23	21.89	21.23	20.91
	GIC	18.94	19.55	18.78	20.84	23.81	21.86	20.50	21.00	19.33	21.28	24.16	22.09	21.01
	Ours (full)	28.30	30.14	33.49	27.76	35.75	29.29	27.52	32.55	28.27	27.35	30.44	31.13	30.17
SSIM \uparrow	PAC-NeRF	0.887	0.956	0.940	0.908	0.893	0.922	0.939	0.932	0.936	0.921	0.926	0.923	0.924
	Spring-Gaus	0.867	0.941	0.941	0.903	0.912	0.919	0.948	0.917	0.937	0.920	0.921	0.920	0.920
	GIC	0.903	0.945	0.930	0.925	0.922	0.936	0.948	0.949	0.934	0.938	0.942	0.936	0.934
	Ours (full)	0.944	0.972	0.978	0.944	0.966	0.955	0.962	0.977	0.957	0.949	0.954	0.969	0.961
FoVVDP \uparrow	PAC-NeRF	6.043	7.473	7.001	6.540	5.991	6.791	6.626	6.485	7.006	6.876	6.543	6.711	6.674
	Spring-Gaus	5.455	6.862	6.890	6.377	5.899	6.524	6.998	5.988	6.902	6.153	6.300	6.569	6.410
	GIC	6.130	6.230	6.062	6.552	5.889	6.907	6.855	6.737	6.331	6.985	7.069	6.782	6.544
	Ours (full)	8.341	8.288	8.943	7.948	9.181	8.307	7.830	9.007	7.866	7.771	8.049	8.820	8.363

Table 2. Ablation of dynamic reconstruction

		backpack	bell	blocks	bus	cream	elephant	grandpa	leather	lion	mario	sofa	turtle	Mean
PSNR \uparrow	Ours (w/o Stage II)	19.54	21.34	20.50	19.62	18.08	19.89	19.46	15.53	21.36	19.07	20.48	22.36	19.77
	Ours (w/o finetune LBS+Physics)	27.10	26.78	32.61	26.51	34.85	27.10	24.72	31.06	28.59	24.88	29.88	31.03	28.76
	Ours (w/o finetune LBS)	27.37	27.97	32.98	27.01	35.31	27.93	27.34	31.06	28.27	26.60	29.90	31.00	29.40
	Ours (w/o Stage I)	27.63	30.79	33.02	28.35	35.75	28.59	26.72	32.71	27.06	26.58	30.09	31.16	29.87
	Ours (full)	28.30	30.14	33.49	27.76	35.75	29.29	27.52	32.55	28.27	27.35	30.44	31.13	30.17
SSIM \uparrow	Ours (w/o Stage II)	0.883	0.950	0.924	0.897	0.909	0.904	0.938	0.895	0.931	0.917	0.913	0.921	0.915
	Ours (w/o finetune LBS+Physics)	0.932	0.959	0.974	0.936	0.955	0.943	0.947	0.974	0.959	0.936	0.951	0.968	0.953
	Ours (w/o finetune LBS)	0.934	0.965	0.975	0.942	0.960	0.947	0.961	0.974	0.957	0.946	0.951	0.968	0.957
	Ours (w/o Stage I)	0.938	0.973	0.975	0.948	0.962	0.952	0.961	0.977	0.952	0.951	0.953	0.969	0.959
	Ours (full)	0.944	0.972	0.978	0.944	0.966	0.955	0.962	0.977	0.957	0.949	0.954	0.969	0.961
FoVVDP \uparrow	Ours (w/o Stage II)	6.616	6.175	6.481	6.545	4.450	6.188	6.064	5.661	6.834	5.912	6.062	7.330	6.193
	Ours (w/o finetune LBS+Physics)	8.058	6.988	8.847	7.681	9.121	7.533	6.286	8.929	8.060	6.440	7.988	8.728	7.888
	Ours (w/o finetune LBS)	8.080	7.680	8.873	7.770	9.199	7.916	7.676	8.929	7.866	7.312	7.994	8.729	8.169
	Ours (w/o Stage I)	7.996	8.439	8.861	8.107	9.158	8.064	7.433	9.011	7.438	7.218	7.942	8.782	8.204
	Ours (full)	8.341	8.288	8.943	7.948	9.181	8.307	7.830	9.007	7.866	7.771	8.049	8.820	8.363

6.4. Future State Prediction

Like Spring-Gaus [64] and GIC [5], we also perform a test of future state prediction to evaluate how our model’s simulation aligns the observation videos in future frames. We report an average result across all the test cases on our synthetic dataset in Tab. 4, for which both our method and baselines predict 8 frames after reconstructing from 16 frames. The results show that our method keeps better accuracy than all the baselines.

6.5. Evaluation on the real-world dataset

We next evaluate our model on the real-world dataset. Obtaining accurate 3D Gaussian representations from sparse viewpoints in our real-world dataset poses a significant challenge. To address this issue, we employ the registration network introduced by Spring-Gaus [64] to align the poses of the 3D Gaussians estimated by LGM [53] in Stage I with the real-world camera poses. Our approach then leverages these registered static 3D Gaussians, in the manner of Spring-Gaus, to facilitate reconstruction and simulation. We compare our method with Spring-Gaus for both dynamic reconstruction and future state prediction, as shown in Fig. 4 and Tab. 3. Our approach demonstrates enhanced

Table 3. Evaluation on the real-world object.

		orange	bird	cup	Mean
PSNR \uparrow	Spring-Gaus	28.69	25.08	24.39	26.05
	Ours (full)	30.11	26.02	25.24	27.12
SSIM \uparrow	Spring-Gaus	0.987	0.980	0.979	0.982
	Ours (full)	0.987	0.981	0.980	0.983
FoVVDP \uparrow	Spring-Gaus	8.379	7.494	7.447	7.773
	Ours (full)	8.623	7.554	7.447	7.875

Table 4. Comparison on future state prediction.

	PSNR \uparrow	SSIM \uparrow	FoVVDP \uparrow
PAC-NeRF	20.11	0.913	5.948
Spring-Gaus	18.32	0.905	5.443
GIC	19.20	0.916	5.702
Ours (full)	25.07	0.945	7.770

capability in modeling real-world objects, particularly in future state prediction.




Figure 4. Visualization of dynamic reconstruction results of Vid2Sim on the real-world object.

6.6. Comparison of Efficiency

Though using an implicit Euler solver with Newton’s method and line search, our method is still much more efficient regarding differentiable simulation. This is because of four reasons: **(1)** The implicit Euler solver requires fewer time steps; **(2)** The simulation and optimization is operated on a reduced dimension; **(3)** We design a neural Jacobian for faster precomputation and **(4)** Our strategy of using partial frames.

We compare the computation time among our method and baselines for one optimization iteration that contains one forward and backward pass (consider using all 12 views on *backpack* case). We also report the whole training time for all the methods with the default settings. Our results in Tab. 5 show that our method is even faster than the efficient Spring-Gaus method, and our proposed neural Jacobian saves more time when using more cubature points and handles in simulation. All the performances are tested on one NVIDIA-RTX-4090 GPU.

7. Conclusion

In this paper, we present Vid2Sim, a novel and robust framework for high-fidelity and generalizable reconstruction of textured shapes and physical properties directly from video data. Our approach overcomes key limitations in existing methods by incorporating a feed-forward model

Table 5. Comparison with existing methods on runtime performance. The results in (-) is the case that uses 40 handles and 2000 cubature points for more accurate simulation.

	Per Iteration Time	Total Training Time
GIC	37.33s	120min
PAC-NeRF	29.04s	84.47min
Spring-GS	8.08s	54min
Ours (w/o J_θ)	3.22s (13.11s)	26 min
Ours (full)	1.44s (2.11s)	15 min

that efficiently provides generalizable initial estimation, alongside a differentiable, order-reduced simulator utilizing Linear Blend Skinning for fast and precise optimization of appearance, geometry, and physical properties. After the reconstruction, Vid2Sim enables high-quality, mesh-free simulation with high efficiency. Comprehensive experiments demonstrate that Vid2Sim achieves state-of-the-art performance in both accuracy and efficiency, representing a significant advancement in video-based system identification.

8. Limitation and Future Work

Our approach is limited in reconstructing and simulating complex materials, e.g. fluid, since we use an order-reduced simulation method. Future works include further enhancing the ability to express more complex material and motions. Another direction is to merge the two branches of our Stage I and train a unified feed-forward network to predict 3D Gaussians together with point-wise physical properties.

References

- [1] Noam Aigerman, Kunal Gupta, Vladimir G Kim, Siddhartha Chaudhuri, Jun Saito, and Thibault Groueix. Neural jacobian fields: Learning intrinsic mappings of arbitrary meshes. *arXiv preprint arXiv:2205.02904*, 2022. 1
- [2] Omer Bar-Tal, Hila Chefer, Omer Tov, Charles Hermann, Roni Paiss, Shiran Zada, Ariel Ephrat, Junhwa Hur, Guanghui Liu, Amit Raj, et al. Lumiere: A space-time diffusion model for video generation. *arXiv preprint arXiv:2401.12945*, 2024. 3
- [3] Andreas Blattmann, Tim Dockhorn, Sumith Kulal, Daniel Mendelevitch, Maciej Kilian, Dominik Lorenz, Yam Levi, Zion English, Vikram Voleti, Adam Letts, et al. Stable video diffusion: Scaling latent video diffusion models to large datasets. *arXiv preprint arXiv:2311.15127*, 2023.
- [4] Tim Brooks, Bill Peebles, Connor Holmes, Will DePue, Yufei Guo, Li Jing, David Schnurr, Joe Taylor, Troy Luhman, Eric Luhman, et al. Video generation models as world simulators. 2024. URL <https://openai.com/research/video-generation-models-as-world-simulators>, 3, 2024. 3
- [5] Junhao Cai, Yuji Yang, Weihao Yuan, Yisheng He, Zilong Dong, Liefeng Bo, Hui Cheng, and Qifeng Chen. Gaussian-informed continuum for physical property identification and

- simulation. *arXiv preprint arXiv:2406.14927*, 2024. 2, 5, 6, 7, 1
- [6] Pao-Hsiung Chiu, Jian Cheng Wong, Chinchun Ooi, My Ha Dao, and Yew-Soo Ong. Can-pinn: A fast physics-informed neural network based on coupled-automatic-numerical differentiation method. *Computer Methods in Applied Mechanics and Engineering*, 395:114909, 2022. 2
- [7] Djork-Arné Clevert. Fast and accurate deep network learning by exponential linear units (elus). *arXiv preprint arXiv:1511.07289*, 2015. 1
- [8] Salvatore Cuomo, Vincenzo Schiano Di Cola, Fabio Giampaolo, Gianluigi Rozza, Maziar Raissi, and Francesco Piccialli. Scientific machine learning through physics-informed neural networks: Where we are and what's next. *Journal of Scientific Computing*, 92(3):88, 2022. 2
- [9] Barbara Cutler, Julie Dorsey, Leonard McMillan, Matthias Müller, and Robert Jagnow. A procedural approach to authoring solid models. *ACM Transactions on Graphics (TOG)*, 21(3):302–311, 2002. 2
- [10] Matt Deitke, Dustin Schwenk, Jordi Salvador, Luca Weihs, Oscar Michel, Eli VanderBilt, Ludwig Schmidt, Kiana Ehsani, Aniruddha Kembhavi, and Ali Farhadi. Objaverse: A universe of annotated 3d objects. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 13142–13153, 2023. 5
- [11] M Desbrun. Smoothed particles: A new paradigm for animating highly deformable bodies. *Computer Animation and Simulation/Springer Vienna*, 1996. 2
- [12] Laura Downs, Anthony Francis, Nate Koenig, Brandon Kinman, Ryan Hickman, Krista Reymann, Thomas B McHugh, and Vincent Vanhoucke. Google scanned objects: A high-quality dataset of 3d scanned household items. In *2022 International Conference on Robotics and Automation (ICRA)*, pages 2553–2560. IEEE, 2022. 5
- [13] Tao Du, Kui Wu, Pingchuan Ma, Sebastien Wah, Andrew Spielberg, Daniela Rus, and Wojciech Matusik. Diffpd: Differentiable projective dynamics. *ACM Transactions on Graphics (TOG)*, 41(2):1–21, 2021. 1
- [14] Yutao Feng, Yintong Shang, Xiang Feng, Lei Lan, Shandian Zhe, Tianjia Shao, Hongzhi Wu, Kun Zhou, Hao Su, Chenfanfu Jiang, et al. Elastogen: 4d generative elastodynamics. *arXiv preprint arXiv:2405.15056*, 2024. 3
- [15] Yutao Feng, Yintong Shang, Xuan Li, Tianjia Shao, Chenfanfu Jiang, and Yin Yang. Pie-nerf: Physics-based interactive elastodynamics with nerf. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 4450–4461, 2024. 3
- [16] Chen Gao, Ayush Saraf, Johannes Kopf, and Jia-Bin Huang. Dynamic view synthesis from dynamic monocular video. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 5712–5721, 2021. 2
- [17] Moritz Geilinger, David Hahn, Jonas Zehnder, Moritz Bächer, Bernhard Thomaszewski, and Stelian Coros. Add: Analytically differentiable dynamics for multi-body systems with frictional contact. *ACM Transactions on Graphics (TOG)*, 39(6):1–15, 2020. 1
- [18] David Ha, Andrew Dai, and Quoc V Le. Hypernetworks. *arXiv preprint arXiv:1609.09106*, 2016. 4
- [19] Eric Heiden, Miles Macklin, Yashraj Narang, Dieter Fox, Animesh Garg, and Fabio Ramos. Disect: A differentiable simulation engine for autonomous robotic cutting. *arXiv preprint arXiv:2105.12244*, 2021. 1
- [20] Dan Hendrycks and Kevin Gimpel. Gaussian error linear units (gelus). *arXiv preprint arXiv:1606.08415*, 2016. 1
- [21] Yicong Hong, Kai Zhang, Jiuxiang Gu, Sai Bi, Yang Zhou, Difan Liu, Feng Liu, Kalyan Sunkavalli, Trung Bui, and Hao Tan. Lrm: Large reconstruction model for single image to 3d. *arXiv preprint arXiv:2311.04400*, 2023. 2
- [22] Yuanming Hu, Yu Fang, Ziheng Ge, Ziyin Qu, Yixin Zhu, Andre Pradhana, and Chenfanfu Jiang. A moving least squares material point method with displacement discontinuity and two-way rigid body coupling. *ACM Transactions on Graphics (TOG)*, 37(4):1–14, 2018. 2
- [23] Yuanming Hu, Luke Anderson, Tzu-Mao Li, Qi Sun, Nathan Carr, Jonathan Ragan-Kelley, and Frédéric Durand. Diffaichi: Differentiable programming for physical simulation. *arXiv preprint arXiv:1910.00935*, 2019. 2
- [24] Krishna Murthy Jatavallabhula, Miles Macklin, Florian Golemo, Vikram Voleti, Linda Petrini, Martin Weiss, Breandan Considine, Jérôme Parent-Lévesque, Kevin Xie, Kenny Erleben, et al. gradsim: Differentiable simulation for system identification and visuomotor control. *arXiv preprint arXiv:2104.02646*, 2021. 1
- [25] Chenfanfu Jiang, Craig Schroeder, Joseph Teran, Alexey Stomakhin, and Andrew Selle. The material point method for simulating continuum materials. In *Acm siggraph 2016 courses*, pages 1–52. 2016. 2
- [26] Ying Jiang, Chang Yu, Tianyi Xie, Xuan Li, Yutao Feng, Huamin Wang, Minchen Li, Henry Lau, Feng Gao, Yin Yang, et al. Vr-gs: A physical dynamics-aware interactive gaussian splatting system in virtual reality. In *ACM SIGGRAPH 2024 Conference Papers*, pages 1–1, 2024. 3
- [27] Takuhiro Kaneko. Improving physics-augmented continuum neural radiance field-based geometry-agnostic system identification with lagrangian particle optimization. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 5470–5480, 2024. 2, 5
- [28] Bernhard Kerbl, Georgios Kopanas, Thomas Leimkühler, and George Drettakis. 3d gaussian splatting for real-time radiance field rendering. *ACM Trans. Graph.*, 42(4):139–1, 2023. 2, 3, 4
- [29] Diederick P Kingma and Jimmy Ba. Adam: A method for stochastic optimization. 2015. 5
- [30] Tassilo Kugelstadt, Jan Bender, José Antonio Fernández-Fernández, Stefan Rhys Jeske, Fabian Löschner, and Andreas Longva. Fast corotated elastic sph solids with implicit zero-energy mode control. *Proceedings of the ACM on Computer Graphics and Interactive Techniques*, 4(3):1–21, 2021. 2
- [31] Tianye Li, Timo Bolkart, Michael J Black, Hao Li, and Javier Romero. Learning a model of facial shape and expression from 4d scans. *ACM Trans. Graph.*, 36(6):194–1, 2017. 2
- [32] Xuan Li, Yi-Ling Qiao, Peter Yichen Chen, Krishna Murthy Jatavallabhula, Ming Lin, Chenfanfu Jiang, and Chuang

- Gan. Pac-nerf: Physics augmented continuum neural radiance fields for geometry-agnostic system identification. *arXiv preprint arXiv:2303.05512*, 2023. 2, 5, 6, 1
- [33] Shanchuan Lin, Andrey Ryabtsev, Soumyadip Sen-gupta, Brian Curless, Steve Seitz, and Ira Kemelmacher-Shlizerman. Real-time high-resolution background matting. In *2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2021. 5
- [34] Fangfu Liu, Hanyang Wang, Shunyu Yao, Shengjun Zhang, Jie Zhou, and Yueqi Duan. Physics3d: Learning physical properties of 3d gaussians via video diffusion. *arXiv preprint arXiv:2406.04338*, 2024. 3
- [35] Shaowei Liu, Zhongzheng Ren, Saurabh Gupta, and Shen-long Wang. Physgen: Rigid-body physics-grounded image-to-video generation. In *European Conference on Computer Vision*, pages 360–378. Springer, 2025. 3
- [36] Matthew Loper, Naureen Mahmood, Javier Romero, Gerard Pons-Moll, and Michael J Black. Smpl: A skinned multi-person linear model. In *Seminal Graphics Papers: Pushing the Boundaries, Volume 2*, pages 851–866. 2023. 2
- [37] Guanxing Lu, Shiyi Zhang, Ziwei Wang, Changliu Liu, Jiwen Lu, and Yansong Tang. Manigaussian: Dynamic gaussian splatting for multi-task robotic manipulation. In *European Conference on Computer Vision*, pages 349–366. Springer, 2025. 3
- [38] Jonathon Luiten, Georgios Kopanas, Bastian Leibe, and Deva Ramanan. Dynamic 3d gaussians: Tracking by persistent dynamic view synthesis. *arXiv preprint arXiv:2308.09713*, 2023. 2
- [39] Pingchuan Ma, Tao Du, Joshua B Tenenbaum, Wojciech Matusik, and Chuang Gan. Risp: Rendering-invariant state predictor with differentiable simulation and rendering for cross-domain parameter estimation. *arXiv preprint arXiv:2205.05678*, 2022. 1
- [40] Ben Mildenhall, Pratul P Srinivasan, Matthew Tancik, Jonathan T Barron, Ravi Ramamoorthi, and Ren Ng. Nerf: Representing scenes as neural radiance fields for view synthesis. *Communications of the ACM*, 65(1):99–106, 2021. 2
- [41] Vismay Modi, Nicholas Sharp, Or Perel, Shinjiro Sueda, and David IW Levin. Simplicits: Mesh-free, geometry-agnostic elastic simulation. *ACM Transactions on Graphics (TOG)*, 43(4):1–11, 2024. 2, 3, 4, 5, 1
- [42] Keunhong Park, Utkarsh Sinha, Jonathan T Barron, Sofien Bouaziz, Dan B Goldman, Steven M Seitz, and Ricardo Martin-Brualla. Nerfies: Deformable neural radiance fields. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 5865–5874, 2021. 2
- [43] Keunhong Park, Utkarsh Sinha, Peter Hedman, Jonathan T Barron, Sofien Bouaziz, Dan B Goldman, Ricardo Martin-Brualla, and Steven M Seitz. Hypernerf: A higher-dimensional representation for topologically varying neural radiance fields. *arXiv preprint arXiv:2106.13228*, 2021. 2
- [44] Andreas Peer, Christoph Gissler, Stefan Band, and Matthias Teschner. An implicit sph formulation for incompressible linearly elastic solids. In *Computer Graphics Forum*, pages 135–148. Wiley Online Library, 2018. 2
- [45] Albert Pumarola, Enric Corona, Gerard Pons-Moll, and Francesc Moreno-Noguer. D-nerf: Neural radiance fields for dynamic scenes. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 10318–10327, 2021. 2
- [46] Yiling Qiao, Junbang Liang, Vladlen Koltun, and Ming Lin. Differentiable simulation of soft multi-body systems. *Advances in Neural Information Processing Systems*, 34: 17123–17135, 2021. 1
- [47] Yi-Ling Qiao, Alexander Gao, and Ming Lin. Neu-physics: Editable neural geometry and physics from monocular videos. *Advances in Neural Information Processing Systems*, 35:12841–12854, 2022. 2
- [48] Jiawei Ren, Kevin Xie, Ashkan Mirzaei, Hanxue Liang, Xiaohui Zeng, Karsten Kreis, Ziwei Liu, Antonio Torralba, Sanja Fidler, Seung Wook Kim, et al. L4gm: Large 4d gaussian reconstruction model. *arXiv preprint arXiv:2406.10324*, 2024. 2
- [49] Junior Rojas, Eftychios Sifakis, and Ladislav Kavan. Differentiable implicit soft-body physics. *arXiv preprint arXiv:2102.05791*, 2021. 1
- [50] Robin Rombach, Andreas Blattmann, Dominik Lorenz, Patrick Esser, and Björn Ommer. High-resolution image synthesis with latent diffusion models. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 10684–10695, 2022. 3
- [51] Javier Romero, Dimitrios Tzionas, and Michael J Black. Embodied hands: Modeling and capturing hands and bodies together. *arXiv preprint arXiv:2201.02610*, 2022. 2
- [52] Soshi Shimada, Vladislav Golyanik, Patrick Pérez, and Christian Theobalt. Decaf: Monocular deformation capture for face and hand interactions. *ACM Transactions on Graphics (ToG)*, 42(6):1–16, 2023. 2
- [53] Jiaxiang Tang, Zhaoxi Chen, Xiaokang Chen, Tengfei Wang, Gang Zeng, and Ziwei Liu. Lgm: Large multi-view gaussian model for high-resolution 3d content creation. In *European Conference on Computer Vision*, pages 1–18. Springer, 2025. 2, 4, 5, 7
- [54] Zhan Tong, Yibing Song, Jue Wang, and Limin Wang. Videomae: Masked autoencoders are data-efficient learners for self-supervised video pre-training. *Advances in neural information processing systems*, 35:10078–10093, 2022. 2, 4, 1
- [55] Edgar Tretschk, Ayush Tewari, Vladislav Golyanik, Michael Zollhöfer, Christoph Lassner, and Christian Theobalt. Non-rigid neural radiance fields: Reconstruction and novel view synthesis of a dynamic scene from monocular video. In *Proceedings of the IEEE/CVF International Conference on Computer Vision*, pages 12959–12970, 2021. 2
- [56] Guanjun Wu, Taoran Yi, Jiemin Fang, Lingxi Xie, Xiaopeng Zhang, Wei Wei, Wenyu Liu, Qi Tian, and Xinggang Wang. 4d gaussian splatting for real-time dynamic scene rendering. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 20310–20320, 2024. 2
- [57] Qingxuan Wu, Zhiyang Dou#, Sirui Xu, Soshi Shimada, Chen Wang, Zhengming Yu, Yuan Liu, Cheng Lin, Zeyu

- Cao, Taku Komura, et al. Dice: End-to-end deformation capture of hand-face interactions from a single image. [arXiv preprint arXiv:2406.17988](#), 2024. [2](#)
- [58] Wenqi Xian, Jia-Bin Huang, Johannes Kopf, and Changil Kim. Space-time neural irradiance fields for free-viewpoint video. In [Proceedings of the IEEE/CVF conference on computer vision and pattern recognition](#), pages 9421–9431, 2021. [2](#)
- [59] Tianyi Xie, Zeshun Zong, Yuxing Qiu, Xuan Li, Yutao Feng, Yin Yang, and Chenfanfu Jiang. Physgaussian: Physics-integrated 3d gaussians for generative dynamics. In [Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition](#), pages 4389–4398, 2024. [3](#)
- [60] Zeyu Yang, Hongye Yang, Zijie Pan, and Li Zhang. Real-time photorealistic dynamic scene representation and rendering with 4d gaussian splatting. [arXiv preprint arXiv:2310.10642](#), 2023. [2](#)
- [61] Ziyi Yang, Xinyu Gao, Wen Zhou, Shaohui Jiao, Yuqing Zhang, and Xiaogang Jin. Deformable 3d gaussians for high-fidelity monocular dynamic scene reconstruction. In [Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition](#), pages 20331–20341, 2024. [2](#)
- [62] Kai Zhang, Sai Bi, Hao Tan, Yuanbo Xiangli, Nanxuan Zhao, Kalyan Sunkavalli, and Zexiang Xu. Gs-lrm: Large reconstruction model for 3d gaussian splatting. In [European Conference on Computer Vision](#), pages 1–19. Springer, 2025. [2](#)
- [63] Tianyuan Zhang, Hong-Xing Yu, Rundi Wu, Brandon Y Feng, Changxi Zheng, Noah Snavely, Jiajun Wu, and William T Freeman. Physics-based interaction with 3d objects via video generation. [3](#)
- [64] Licheng Zhong, Hong-Xing Yu, Jiajun Wu, and Yunzhu Li. Reconstruction and simulation of elastic objects with spring-mass 3d gaussians. In [European Conference on Computer Vision](#), pages 407–423. Springer, 2025. [2, 5, 6, 7, 1](#)