







What does bUnit not offer?

- It is not a general purpose framework.
- It does **not** run in a browser. Does not run JavaScript.
 - But we can assert that our JavaScript functions got called.

Why not Selenium / Playwright?

- They are slow!
- Expensive to build and maintain!
- They are not unit test frameworks. They are meant for e2e tests.



A screenshot of a test runner interface, likely Test Explorer in Visual Studio, showing a list of tests and their durations. The interface is tilted at an angle. The table has two columns: 'Test' and 'Duration'. The tests are grouped by expandable/collapsible icons (triangles) and green checkmarks indicating success. The tests listed are:

| Test | Duration |
|---|----------|
| Test | |
| ▶ AboutMePageTests (3) | |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.AboutMePageTests.Should... | 119 ms |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.AboutMePageTests.Should... | 22 ms |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.AboutMePageTests.Should... | 92 ms |
| ▶ AccessControlTests (4) | |
| ✓ AddProfileShortItemTests (5) | 5 ms |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.Components.AddProfileSh... | 24 ms |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.Components.AddProfileSh... | 335 ms |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.Components.AddProfileSh... | 4 ms |
| ✓ LinkDotNet.Blog.UnitTests.Web.Features.AboutMe.Components.AddProfileSh... | 16 ms |
| ▶ AddSkillDialogTests (1) | |
| ✓ AddSkillDialogTests (1) | 315 ms |
| | 3 ms |
| | 3 ms |
| | 309 ms |
| | 31 ms |