```
LinksPlatform's Platform Memory Class Library
     ./Platform.Memory/ArrayMemory.cs
   namespace Platform. Memory
1
        /// <summary>
3
       /// <para>Represents a memory block with access via indexer.</para>
4
       /// <para>Представляет блок памяти с доступом через индексатор.</para>
       /// </summary>
       /// <typeparam name="TElement"><para>Element type.</para><para>Тип
           элемента.</para></typeparam>
       public class ArrayMemory<TElement> : IArrayMemory<TElement>
            #region Fields
10
11
12
            private readonly TElement[] _array;
13
            #endregion
15
            #region Properties
16
17
            /// <inheritdoc/>
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
19
                path='doc/members/member[@name="P:Platform.Memory.IMemory.Size"]/*'/>
            public long Size => _array.Length;
21
            /// <inheritdoc/>
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml' path='doc/members/mem
            → ber[@name="P:Platform.Memory.IArrayMemory`1.Item(System.Int64)"]/*'/>
24
            public TElement this[long index]
25
                get => _array[index];
26
                set => _array[index] = value;
27
28
            #endregion
30
31
            #region Constuctors
33
            /// <summary>
34
            /// <para>Initializes a new instance of the <see cref="ArrayMemory{TElement}"/>
               class.</para>
            /// <para>N_{\rm hu}ициализирует новый экземпляр класса <see
36
               cref="ArrayMemory{TElement}"/>.</para>
            /// </summary>
            /// <param name="size"><para>Size in bytes.</para>Paзмер в байтах.</para></param>
38
            public ArrayMemory(long size) => _array = new TElement[size];
40
            #endregion
41
       }
42
   }
    ./Platform.Memory/DirectMemoryAsArrayMemoryAdapter.cs
   using System;
   using Platform.Disposables; using Platform.Exceptions;
2
   using Platform.Unsafe;
   namespace Platform. Memory
       /// <summary>
       /// <para>Represents adapter to a memory block with access via indexer.</para>
        /// <para>Представляет адаптер к блоку памяти с доступом через индексатор.</para>
       /// </summary>
11
       /// <typeparam name="TElement"><para>Element type.</para><para>Тип
12
           элемента.</para></typeparam>
       public class DirectMemoryAsArrayMemoryAdapter<TElement> : DisposableBase,
13

ightarrow IArrayMemory<TElement>, IDirectMemory
            where TElement : struct
       {
15
            #region Fields
17
            private readonly IDirectMemory _memory;
19
            #endregion
20
            #region Properties
22
23
            /// <inheritdoc/>
24
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
              path='doc/members/member[@name="P:Platform.Memory.IMemory.Size"]/*'/>
```

```
public long Size => _memory.Size;
26
27
            /// <inheritdoc/>
2.8
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
                path='doc/members/member[@name="P:Platform.Memory.IDirectMemory.Pointer"]/*'/>
            public IntPtr Pointer => _memory.Pointer;
30
31
            /// <inheritdoc/>
32
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml' path='doc/members/mem_
33
            → ber[@name="P:Platform.Memory.IArrayMemory`1.Item(System.Int64)"]/*'/>
            public TElement this[long index]
                get => Pointer.ReadElementValue<TElement>(index);
36
                set => Pointer.WriteElementValue(index, value);
37
            }
39
            #endregion
            #region DisposableBase Properties
42
            /// <inheritdoc/>
44
            protected override string ObjectName => $\B\"Array as memory block at '{Pointer}'
45
            → address.";
46
            #endregion
47
48
            #region Constructors
49
50
            /// <summary>
            /// <para>Initializes a new instance of the <see
52
               cref="DirectMemoryAsArrayMemoryAdapter{TElement}"/> class.</para>
            /// <para>Инициализирует новый экземпляр класса <see
53
               cref="DirectMemoryAsArrayMemoryAdapter{TElement}"/>.</para>
            /// </summary>
54
            /// <param name="memory"><para>An object implementing <see cref="IDirectMemory"/>
               interface.</para><para>Объект, реализующий интерфейс <see
                cref="IDirectMemory"/>.</para></param>
            public DirectMemoryAsArrayMemoryAdapter(IDirectMemory memory)
56
57
                Ensure.Always.ArgumentNotNull(memory, nameof(memory));
                Ensure.Always.ArgumentMeetsCriteria(memory, m => (m.Size % Structure<TElement>.Size)
59
                ⇒ == 0, nameof(memory), "Memory is not aligned to element size.");
                _memory = memory;
60
62
            #endregion
63
64
            #region DisposableBase Methods
65
            /// <inheritdoc/>
67
            protected override void Dispose(bool manual, bool wasDisposed)
68
69
                if (!wasDisposed)
70
                {
71
                    _memory.DisposeIfPossible();
                }
73
            }
74
75
            #endregion
76
        }
77
   }
    ./Platform.Memory/FileArrayMemory.cs
   using System. IO;
   using Platform.Disposables;
using Platform.Unsafe;
   using Platform.IO;
   namespace Platform. Memory
7
        /// <summary>
        /// <para>Represents a memory block with access via indexer and stored as file on
           disk.</para>
        /// <para>Представляет блок памяти с доступом через индексатор и хранящийся в виде файла на

→ диске.</para>

        /// </summary>
1.1
        /// <typeparam name="TElement"><para>Element type.</para><para>Тип
12
           элемента.</para></typeparam>
       public class FileArrayMemory<TElement> : DisposableBase, IArrayMemory<TElement> //-V3073
```

```
where TElement : struct
14
15
            #region Fields
16
17
            private readonly string _address;
private readonly FileStream _file;
18
19
            #endregion
21
22
            #region Properties
24
            /// <inheritdoc/>
25
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
                path='doc/members/member[@name="P:Platform.Memory.IMemory.Size"]/*'/>
            public long Size => _file.Length;
27
28
            /// <inheritdoc/>
29
30
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml' path='doc/members/mem
                ber[@name="P:Platform.Memory.IArrayMemory`1.Item(System.Int64)"]/*'/>
            public TElement this[long index]
32
                get
{
34
                     _file.Seek(Structure<TElement>.Size * index, SeekOrigin.Begin);
35
                     return _file.ReadOrDefault<TElement>();
36
                 }
37
                 set
38
                 {
                     _file.Seek(Structure<TElement>.Size * index, SeekOrigin.Begin);
40
                     _file.Write(value);
41
42
            }
43
44
            #endregion
45
46
            #region DisposableBase Properties
47
48
            /// <inheritdoc/>
49
            protected override string ObjectName => $\B\"File stored memory block at '{_address}'
50
             → path.";
5.1
            #endregion
53
            #region Contructors
54
            /// <summary>
            /// <para>Initializes a new instance of the <see cref="FileArrayMemory{TElement}"/>
57
                class.</para>
            /// <para>Инициализирует новый экземпляр класса <see
58
                cref="FileArrayMemory{TElement}"/>.</para>
            /// </summary>
59
            /// <param name="path"><para>An path to file.</para><para>Путь к файлу.</para></param>
            public FileArrayMemory(string path)
61
62
                 _address = path;
63
                 _file = File.Open(path, FileMode.OpenOrCreate, FileAccess.ReadWrite);
64
66
            #endregion
67
68
            #region DisposableBase Methods
69
70
            /// <inheritdoc/>
7.1
            protected override void Dispose(bool manual, bool wasDisposed)
72
73
                 if(!wasDisposed)
74
                 {
7.5
                     _file.DisposeIfPossible();
76
                 }
77
            }
78
79
            #endregion
80
81
        }
1.4 ./Platform.Memory/FileMappedResizableDirectMemory.cs
   using System;
   using System.IO;
   using System.IO.MemoryMappedFiles;
   using Platform.Disposables;
```

```
using Platform.Exceptions;
using Platform.Collections;
5
6
   using Platform.IO;
   namespace Platform. Memory
9
10
       /// <summary>
11
       /// <para>Represents a memory block stored as a file on disk.</para>
       /// <para>Представляет блок памяти, хранящийся в виде файла на диске.</para>
13
       /// </summary>
14
       public unsafe class FileMappedResizableDirectMemory : ResizableDirectMemoryBase
15
16
            #region Fields
18
            private MemoryMappedFile _file;
19
           private MemoryMappedViewAccessor _accessor;
21
22
            /// <summary>
            /// <para>Gets path to memory mapped file.</para>
23
            /// <para>Получает путь к отображенному в памяти файлу.</para>
24
            /// </summary>
25
           protected readonly string Path;
26
           #endregion
28
29
            #region DisposableBase Properties
30
31
            /// <inheritdoc/>
32
           protected override string ObjectName => $\B"File stored memory block at '{Path}' path.";
34
            #endregion
35
36
            #region Constructors
38
            /// <summary>
39
            /// <para>Initializes a new instance of the <see
40
                cref="FileMappedResizableDirectMemory"/> class.</para>
            /// <para>Инициализирует новый экземпляр класса <see
41
               cref="FileMappedResizableDirectMemory"/>.</para>
            /// </summary>
42
            /// <param name="path"><para>An path to file.</para><para>Путь к файлу.</para></param>
            /// <param name="minimumReservedCapacity"><para>Minimum file size in
44
               bytes.</para><para>Минимальный размер файла в байтах.</para></param>
           public FileMappedResizableDirectMemory(string path, long minimumReservedCapacity)
45
46
                Ensure.Always.ArgumentNotEmptyAndNotWhiteSpace(path, nameof(path));
                if (minimumReservedCapacity < MinimumCapacity)</pre>
48
                {
49
                    minimumReservedCapacity = MinimumCapacity;
50
51
                Path = path;
52
                var size = FileHelpers.GetSize(Path);
53
                ReservedCapacity = size > minimumReservedCapacity ? ((size /

→ minimumReservedCapacity) + 1) * minimumReservedCapacity :

                    minimumReservedCapacity;
                UsedCapacity = size;
            }
56
            /// <summary>
            /// <para>Initializes a new instance of the <see
59
               cref="FileMappedResizableDirectMemory"/> class.</para>
            /// <para>Инициализирует новый экземпляр класса <see
60
               cref="FileMappedResizableDirectMemory"/>.</para>
            /// </summary>
61
            /// <param name="address"><para>An path to file.</para><para>Путь к файлу.</para></param>
62
           public FileMappedResizableDirectMemory(string address) : this(address, MinimumCapacity)
63
            → { }
            #endregion
65
66
            #region Methods
68
           private void MapFile(long capacity)
69
70
                if (Pointer != IntPtr.Zero)
7.1
                {
72
73
                    return;
74
                _file = MemoryMappedFile.CreateFromFile(Path, FileMode.Open, mapName: null,
```

```
_accessor = _file.CreateViewAccessor();
                 byte* pointer = null;
77
                 _accessor.SafeMemoryMappedViewHandle.AcquirePointer(ref pointer);
78
                 Pointer = new IntPtr(pointer);
80
81
            private void UnmapFile()
82
83
                 if (UnmapFile(Pointer))
84
                 {
                     Pointer = IntPtr.Zero;
86
87
            }
89
            private bool UnmapFile(IntPtr pointer)
91
                 if (pointer == IntPtr.Zero)
92
                     return false;
94
95
                   (_accessor != null)
97
                     _accessor.SafeMemoryMappedViewHandle.ReleasePointer();
98
                     Disposable.TryDisposeAndResetToDefault(ref _accessor);
100
                 Disposable.TryDisposeAndResetToDefault(ref _file);
101
                 return true;
102
103
104
             #endregion
105
106
             #region ResizableDirectMemoryBase Methods
108
             /// <inheritdoc/>
109
             /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
             path='doc/members/member[@name="M:Platform.Memory.ResizableDirectMemoryBase.OnReserv
                edCapacityChanged(System.Int64,System.Int64)"]/*'/>
            protected override void OnReservedCapacityChanged(long oldReservedCapacity, long
                newReservedCapacity)
112
                 UnmapFile();
113
                 FileHelpers.SetSize(Path, newReservedCapacity);
                 MapFile(newReservedCapacity);
115
116
             /// <inheritdoc/>
118
             /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
119
             path='doc/members/member[@name="M:Platform.Memory.ResizableDirectMemoryBase.DisposePi
                ointer(System.IntPtr,System.Int64)"]/*'/>
            protected override void DisposePointer(IntPtr pointer, long usedCapacity)
120
121
                   (UnmapFile(pointer))
                 if
122
                     FileHelpers.SetSize(Path, usedCapacity);
125
             }
126
127
            #endregion
128
        }
129
130
     ./Platform.Memory/HeapResizableDirectMemory.cs
   using Platform.Unsafe;
 2
    using System;
    using System.Runtime.InteropServices;
 3
    namespace Platform. Memory
 5
 6
        /// <summary>
 7
        /// <para>Represents a memory block allocated in Heap.</para>
 8
        /// <para>Представляет блок памяти, выделенный в "куче".</para>
        /// </summary>
10
        public unsafe class HeapResizableDirectMemory : ResizableDirectMemoryBase
11
12
            #region DisposableBase Properties
13
14
             /// <inheritdoc/>
15
            protected override string ObjectName => $"Heap stored memory block at {Pointer}
16
             → address.";
```

```
#endregion
18
                     #region Constructors
20
21
                     /// <summary>
22
                     /// <para>Initializes a new instance of the <see cref="HeapResizableDirectMemory"/>
23
                            class.</para>
                     /// <para>Инициализирует новый экземпляр класса <see
                           cref="HeapResizableDirectMemory"/>.</para>
                     /// </summary>
                     /// <param name="minimumReservedCapacity"><para>Minimum file size in
26
                           bytes.</para><para>Минимальный размер файла в байтах.</para></param>
                     public HeapResizableDirectMemory(long minimumReservedCapacity)
27
28
                             if (minimumReservedCapacity < MinimumCapacity)</pre>
29
                             {
30
                                    minimumReservedCapacity = MinimumCapacity;
32
                             ReservedCapacity = minimumReservedCapacity;
                             UsedCapacity = 0;
34
36
                     /// <summary>
37
                     /// <para>Initializes a new instance of the <see cref="HeapResizableDirectMemory"/>
                            class.</para>
                     /// <para>Инициализирует новый экземпляр класса <see
39
                           cref="HeapResizableDirectMemory"/>.</para>
                     /// </summary>
40
                     public HeapResizableDirectMemory() : this(MinimumCapacity) { }
41
42
                     #endregion
43
44
                     #region ResizableDirectMemoryBase Methods
45
46
                     /// <inheritdoc/>
47
                     /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
48
                      _{\rightarrow} \quad \texttt{path='doc/members/member[@name="M:Platform.Memory.ResizableDirectMemoryBase.DisposeP_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamber_lamb
                           ointer(System.IntPtr,System.Int64)"]/*'/>
                     protected override void DisposePointer(IntPtr pointer, long usedCapacity) =>
49
                      → Marshal.FreeHGlobal(pointer);
50
                     /// <inheritdoc/>
51
                     /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
                      _{\rightarrow} \quad \texttt{path='doc/members/member[@name="M:Platform.Memory.ResizableDirectMemoryBase.OnReserv}_{\bot}
                           edCapacityChanged(System.Int64,System.Int64)"]/*'/>
                     protected override void OnReservedCapacityChanged(long oldReservedCapacity, long
                            newReservedCapacity)
                             if (Pointer == IntPtr.Zero)
55
                             {
56
                                    Pointer = Marshal.AllocHGlobal(new IntPtr(newReservedCapacity));
                                    MemoryBlock.Zero((void*)Pointer, newReservedCapacity);
58
                             }
59
                             else
60
                             {
61
                                    Pointer = Marshal.ReAllocHGlobal(Pointer, new IntPtr(newReservedCapacity));
62
                                    var pointer = (byte*)Pointer + oldReservedCapacity;
                                    MemoryBlock.Zero(pointer, newReservedCapacity - oldReservedCapacity);
64
                             }
65
                     }
67
                     #endregion
              }
69
70
         ./Platform.Memory/IArrayMemory.cs
1.6
     namespace Platform. Memory
1
 2
              /// <summary>
 3
              /// <para>Represents a memory block interface with access via indexer.</para>
 4
              /// <para>Представляет интерфейс блока памяти с доступом через индексатор.</para>
              /// </summary>
              /// <typeparam name="TElement"><para>Element type.</para><para>Тип
                    элемента.</para></typeparam>
              public interface IArrayMemory<TElement> : IMemory
                     /// <summary>
10
```

```
/// <para>Gets or sets the element at the specified index.</para>
11
            /// <para>Возвращает или устанавливает элемент по указанному индексу.</para>
12
            /// </summary>
13
           /// <param name="index"><para>The index of the element to get or set.</para><para>Индекс
14
               элемента, который нужно получить или установить.</para></param>
           TElement this[long index] { get; set; }
   }
17
    /Platform.Memory/IDirectMemory.cs
   using System;
   namespace Platform. Memory
3
4
       /// <summary>
       /// <para>Represents a memory block interface with direct access (via unmanaged
        → pointers).</para>
       /// <para>Представляет интерфейс блока памяти с прямым доступом (через неуправляемые
       public interface IDirectMemory : IMemory, IDisposable
9
10
            /// <summary>
11
            /// <para>Gets the pointer to the beginning of this memory block.</para>
13
           /// <para>Возвращает указатель на начало блока памяти.</para>
            /// </summary>
14
           IntPtr Pointer { get; }
15
       }
16
   }
17
    ./Plattorm.Memory/IMemory.cs
   namespace Platform.Memory
2
       /// <summary>
       /// <para>Represents a memory block interface with size in bytes.</para>
       /// <para>Представляет интерфейс блока памяти с размером в байтах.</para>
5
       /// </summary>
       public interface IMemory
            /// <summary>
           /// <para>Gets the size in bytes of this memory block.</para>
10
           /// <para>Возвращает размер блока памяти в байтах.</para>
11
            /// </summary>
12
           long Size { get; }
       }
14
   }
15
     ./Platform.Memory/IResizableDirectMemory.cs
   namespace Platform. Memory
1
   {
2
       /// <summary>
       /// <para>Represents a resizable memory block interface with direct access (via unmanaged
        → pointers).</para>
       /// <para>Представляет интерфейс блока памяти с изменяемым размером и прямым доступом (через
        → неуправляемые указатели).</para>
       /// </summary>
       public interface IResizableDirectMemory : IDirectMemory
            /// <summary>
            /// <para>Gets or sets the reserved capacity in bytes of this memory block.</para>
           /// <para>Возвращает или устаналивает зарезервированный размер блока памяти в
11

→ байтах.</para>

            /// </summary>
12
           /// <remarks>
13
           /// <para>
           /// If less then zero the value is replaced with zero.
15
           /// Cannot be less than the used capacity of this memory block.
16
           /// <para>
            /// Если меньше нуля, значение заменяется на ноль.
19
            /// Не может быть меньше используемой емкости блока памяти.
20
           /// </para>
21
           /// </remarks>
22
           long ReservedCapacity { get; set; }
24
            /// <summary>
25
            /// <para>Gets or sets the used capacity in bytes of this memory block.</para>
```

```
/// <para>Возвращает или устанавливает используемый размер в блоке памяти (в
                байтах).</para>
            /// </summary>
            /// <remarks>
29
            /// <para>
30
            /// \overline{\text{If}} less then zero the value is replaced with zero.
31
            /// Cannot be greater than the reserved capacity of this memory block.
            /// </para>
/// <para>
33
34
            /// It is recommended to reduce the reserved capacity of the memory block to the used
                capacity (specified in this property) after the completion of the use of the memory
               block.
            /// </para>
36
            /// <para>
37
            /// Если меньше нуля, значение заменяется на ноль.
38
            /// Не может быть больше, чем зарезервированная емкость этого блока памяти.
39
            /// </para>
40
            /// <para>
            /// Рекомендуется уменьшать фактический размер блока памяти до используемого размера
42
                (указанного в этом свойстве) после завершения использования блока памяти.
            /// </para>
43
            /// </remarks>
            long UsedCapacity { get; set; }
45
        }
46
   }
47
1.10
     ./Platform.Memory/ResizableDirectMemoryBase.cs
   using System;
   using System. Threading;
2
   using Platform. Exceptions;
   using Platform Disposables;
4
   using Platform.Ranges;
   namespace Platform. Memory
7
8
        /// <summary>
        /// <para>Provides a base implementation for the resizable memory block with direct access
10
           (via unmanaged pointers).</para>
        /// <para>Предоставляет базовую реализацию для блока памяти с изменяемым размером и прямым
11
        \rightarrow доступом (через неуправляемые указатели).
12
        public abstract class ResizableDirectMemoryBase : DisposableBase, IResizableDirectMemory
13
14
15
            #region Constants
16
            /// <summary>
17
            /// <para>Gets minimum capacity in bytes.</para>
18
            /// <para>Возвращает минимальную емкость в байтах.</para>
19
            /// </summary>
            public static readonly long MinimumCapacity = 4096;
21
22
            #endregion
24
            #region Fields
25
26
            private IntPtr _pointer;
27
            private long _reservedCapacity;
private long _usedCapacity;
28
29
30
            #endregion
31
32
            #region Properties
34
            /// <inheritdoc/>
35
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
36
                path='doc/members/member[@name="P:Platform.Memory.IMemory.Size"]/*'/>
            /// <exception cref="ObjectDisposedException"><para>The memory block is
37
                disposed.</para><para>Блок памяти уже высвобожден.</para></exception>
            public long Size
39
40
41
                     Ensure.Always.NotDisposed(this);
42
                     return UsedCapacity;
                }
44
            }
45
46
            /// <inheritdoc/>
47
            /// <include file='bin\Release\netstandard2.0\Platform.Memory.xml'
               path='doc/members/member[@name="P:Platform.Memory.IDirectMemory.Pointer"]/*'/>
```

```
/// <exception cref="ObjectDisposedException"><para>The memory block is
    disposed.</para><para>Блок памяти уже высвобожден.</para></exception>
public IntPtr Pointer
        Ensure.Always.NotDisposed(this);
        return _pointer;
    protected set
        Ensure.Always.NotDisposed(this);
        _pointer = value;
}
/// <inheritdoc/>
/// <include file='bin\Release\netstandard2.0\Platform.Memory.xml' path='doc/members/mem
    ber[@name="P:Platform.Memory.IResizableDirectMemory.ReservedCapacity"]/*'/>
/// <exception cref="ObjectDisposedException"><para>The memory block is
    disposed.</para><para>Блок памяти уже высвобожден.</para></exception>
/// <exception cref="ArgumentOutOfRangeException"><para>Attempted to set the reserved
    capacity to a value that is less than the used capacity. </para><para>Была выполнена
   попытка установить зарезервированную емкость на значение, которое меньше
   используемой емкости.</para></exception>
public long ReservedCapacity
    get
{
        Ensure.Always.NotDisposed(this);
        return _reservedCapacity;
    }
    set
    {
        Ensure.Always.NotDisposed(this);
        if (value != _reservedCapacity)
            Ensure.Always.ArgumentInRange(value, new Range<long>(_usedCapacity,
               long.MaxValue));
            OnReservedCapacityChanged(_reservedCapacity, value);
            _reservedCapacity = value;
        }
    }
}
/// <inheritdoc/>
/// <include file='bin\Release\netstandard2.0\Platform.Memory.xml' path='doc/members/mem
   ber[@name="P:Platform.Memory.IResizableDirectMemory.UsedCapacity"]/*'/>
/// <exception cref="ObjectDisposedException"><para>The memory block is
   disposed.</para><para>Блок памяти уже высвобожден.</para></exception>
/// <exception cref="ArgumentOutOfRangeException"><para>Attempted to set the used
   capacity to a value that is greater than the reserved capacity or less than
    zero.</para><para>Была выполнена попытка установить используемую емкость на
   значение, которое больше, чем зарезервированная емкость или меньше
   нуля. </para></exception>
public long UsedCapacity
        Ensure.Always.NotDisposed(this);
        return _usedCapacity;
    }
    set
    {
        Ensure.Always.NotDisposed(this);
        if (value != _usedCapacity)
            Ensure.Always.ArgumentInRange(value, new Range<long>(0, _reservedCapacity));
            _usedCapacity = value;
        }
    }
}
#endregion
#region DisposableBase Properties
/// <inheritdoc/>
protected override bool AllowMultipleDisposeCalls => true;
```

49

53

54 55

56

57 58

59

60 61

63

66

68

70

72

73

74 75

76

77

78 79

80

83

84

86

89

90

96

97

98

99

100 101

102

103

104

105

106

107 108

109

111

113

```
115
            #endregion
116
            #region Methods
118
119
            /// <summary>
120
            /// <para>Executed on the event of change for <see cref="ReservedCapacity"/>
121
                property.</para>
            /// <para>Выполняется в случае изменения свойства <see cref="ReservedCapacity"/>.</para>
122
            /// </summary>
123
            /// <param name="oldReservedCapacity"><para>The old reserved capacity of the memory
124
             _{
ightharpoonup} block in bytes.</para>Старая зарезервированная емкость блока памяти в
                байтах.</para></param>
            /// <param name="newReservedCapacity"><para>The new reserved capacity of the memory
125
                block in bytes.</para><para>Новая зарезервированная емкость блока памяти в
                байтах.</para></param>
            protected abstract void OnReservedCapacityChanged(long oldReservedCapacity, long
             → newReservedCapacity);
127
            /// <summary>
            /// <para>Executed when it is time to dispose <see cref="Pointer"/>.</para>
129
            /// <para>Выполняется, когда пришло время высвободить <see cref="Pointer"/>.</para>
130
            /// </summary>
131
            /// <param name="pointer"><para>The pointer to a memory block.</para><para>Указатель на
                блок памяти.</para></param>
            /// <param name="usedCapacity"><para>The used capacity of the memory block in
133
            🛶 bytes.</para><para>Используемая емкость блока памяти в байтах.</para></param>
            protected abstract void DisposePointer(IntPtr pointer, long usedCapacity);
134
            #endregion
136
137
            #region DisposableBase Methods
139
140
            /// <inheritdoc/>
            protected override void Dispose(bool manual, bool wasDisposed)
141
142
                if (!wasDisposed)
143
                {
                     var pointer = Interlocked.Exchange(ref _pointer, IntPtr.Zero);
145
                     if (pointer != IntPtr.Zero)
146
147
                         DisposePointer(pointer, _usedCapacity);
148
149
                }
150
            }
152
            #endregion
153
        }
154
155
      ./Platform.Memory/TemporaryFileMappedResizableDirectMemory.cs
1.11
   using System.IO;
 1
 2
    namespace Platform. Memory
 3
        /// <summary>
 5
        /// <para>Represents a memory block stored as a temporary file on disk.</para>
 6
        /// <para>Представляет блок памяти, хранящийся в виде временного файла на диске.</para>
        /// </summary>
        public class TemporaryFileMappedResizableDirectMemory : FileMappedResizableDirectMemory
10
            #region DisposableBase Properties
11
12
            /// <inheritdoc/>
13
            protected override string ObjectName => $ "Temporary file stored memory block at
14
             → '{Path}' path.";
            #endregion
16
17
            #region Constructors
19
            /// <summary>
20
            /// <para>Initializes a new instance of the <see
21
                cref="TemporaryFileMappedResizableDirectMemory"/> class.
            /// <para>Инициализирует новый экземпляр класса <see
22
                cref="TemporaryFileMappedResizableDirectMemory"/>.</para>
            /// </summary>
23
            /// <param name="minimumReservedCapacity"><para>Minimum file size in
             → bytes.</para><para>Минимальный размер файла в байтах.</para></param>
```

```
public TemporaryFileMappedResizableDirectMemory(long minimumReservedCapacity) :
25
            → base(System.IO.Path.GetTempFileName(), minimumReservedCapacity) { }
26
           /// <summary>
27
           /// <para>Initializes a new instance of the <see
28
               cref="TemporaryFileMappedResizableDirectMemory"/> class.
           /// <para>Инициализирует новый экземпляр класса <see
            /// </summary>
30
           public TemporaryFileMappedResizableDirectMemory() : this(MinimumCapacity) { }
31
32
           #endregion
33
34
35
           #region DisposableBase Methods
36
           /// <inheritdoc/>
           protected override void Dispose(bool manual, bool wasDisposed)
38
39
               base.Dispose(manual, wasDisposed);
40
               if (!wasDisposed)
41
42
                   File.Delete(Path);
43
               }
           }
45
46
           #endregion
47
       }
48
   }
49
     ./Platform.Memory.Tests/HeapResizableDirectMemoryTests.cs
1.12
   using Xunit;
2
3
   namespace Platform.Memory.Tests
4
       public unsafe class HeapResizableDirectMemoryTests
           [Fact]
           public void CorrectMemoryReallocationTest()
               using (var heapMemory = new HeapResizableDirectMemory())
10
11
                   var value1 = GetLastByte(heapMemory);
                   heapMemory.ReservedCapacity *= 2;
13
                   var value2 = GetLastByte(heapMemory);
14
                   Assert.Equal(value1, value2);
15
                   Assert.Equal(0, value1);
16
               }
17
           }
18
19
20
           private static byte GetLastByte(HeapResizableDirectMemory heapMemory)
21
               var pointer1 = (void*)heapMemory.Pointer;
22
               return *((byte*)pointer1 + heapMemory.ReservedCapacity - 1);
23
       }
25
   }
26
```

## Index

```
./Platform.Memory.Tests/HeapResizableDirectMemoryTests.cs, 11
./Platform.Memory/ArrayMemory.cs, 1
./Platform.Memory/DirectMemoryAsArrayMemoryAdapter.cs, 1
./Platform.Memory/FileArrayMemory.cs, 2
./Platform.Memory/FileMappedResizableDirectMemory.cs, 3
./Platform.Memory/HeapResizableDirectMemory.cs, 5
./Platform.Memory/IArrayMemory.cs, 6
./Platform.Memory/IDirectMemory.cs, 7
./Platform.Memory/IMemory.cs, 7
./Platform.Memory/IResizableDirectMemory.cs, 7
./Platform.Memory/ResizableDirectMemoryBase.cs, 8
```

./Platform.Memory/TemporaryFileMappedResizableDirectMemory.cs, 10