

Volleyball Team&Event Management System



Group8

Our Group Members



Bohao Li




Varun Tadimeti



Chenyan Zhu



Linlin Fan



Names in Alphabetic Order

Summary

- Replaces inconsistent spreadsheets with a unified, secure, analytics-driven database.
- Eliminates major challenges: redundant data, weak match analytics, inefficient ticketing, missing performance insights, and poor financial tracking.
- Centralizes all core data: players, teams, matches, tournaments, ticketing, payments, seating in a well-structured relational model.
- Enables accurate player & team performance tracking with detailed stats and history.
- Supports streamlined match scheduling using queue management.
- Provides robust ticketing, seating, and financial management with clear rules and relationships.
- Ensures secure role-based access to protect sensitive data.
- Incorporates improvements from feedback: seasonal assignments, refined venue/seat relationships, improved historic stats, and a cleaner logical flow.
- Enhances fairness, transparency, operational efficiency, and data-driven decision-making for coaches, players, managers, and organizers.

High-Level Design

1. Architecture

- Central relational database as single source of truth for team, match, ticket, and financial data.


2. Main Modules

- Player & Team – Teams, players, coaches, seasons, assignments, historic stats.
- Match & Tournament – Matches, tournaments, queues, venues, referees, player stats, strategy.
- Ticketing & Seating – Customers, orders, tickets, venues, sections, seats (incl. VIP/accessible).
- Payments & Refunds – Payment methods, amounts, refunds using original method where possible.

3. Key Design Principles

- Business rules enforced in schema (e.g., one referee & one record per match, one seat per ticket per event).
- Normalized, well-structured model (3NF, FK-based relationships, no M:N) to keep data consistent and analyzable.

ERD



Triggers

```
-- First, create audit table
IF OBJECT_ID('dbo.CustomerAudit', 'U') IS NOT NULL
    DROP TABLE dbo.CustomerAudit;
GO

CREATE TABLE dbo.CustomerAudit (
    AuditID INT IDENTITY(1,1) PRIMARY KEY,
    CustomerID INT NOT NULL,
    ActionType VARCHAR(10) NOT NULL,
    OldFirstName VARCHAR(25),
    NewFirstName VARCHAR(25),
    OldLastName VARCHAR(25),
    NewLastName VARCHAR(25),
    OldEmail VARCHAR(255),
    NewEmail VARCHAR(255),
    OldPhone VARCHAR(15),
    NewPhone VARCHAR(15),
    ModifiedBy VARCHAR(100) DEFAULT SYSTEM_USER,
    ModifiedDate DATETIME DEFAULT GETDATE()
);
GO
```

```
-- Create the trigger
CREATE OR ALTER TRIGGER trg_CustomerAudit
ON dbo.Customer
AFTER UPDATE
AS
BEGIN
    SET NOCOUNT ON;

    INSERT INTO CustomerAudit (
        CustomerID, ActionType,
        OldFirstName, NewFirstName,
        OldLastName, NewLastName,
        OldEmail, NewEmail,
        OldPhone, NewPhone,
        ModifiedBy, ModifiedDate
    )
    SELECT
        d.CustomerID,
        'UPDATE',
        d.FirstName, i.FirstName,
        d.LastName, i.LastName,
        d.Email, i.Email,
        d.Phone, i.Phone,
        SYSTEM_USER,
        GETDATE()
    FROM deleted d
    INNER JOIN inserted i ON d.CustomerID = i.CustomerID
    WHERE
        d.FirstName <> i.FirstName OR
        d.LastName <> i.LastName OR
        d.Email <> i.Email OR
        ISNULL(d.Phone, '') <> ISNULL(i.Phone, '');

END;
GO
```

Encryption

```
-- =====
-- STEP 3: Create Symmetric Key
-- =====
PRINT 'Step 3: Creating Symmetric Key for Encryption...';

-- Drop symmetric key if exists
IF EXISTS (SELECT * FROM sys.symmetric_keys WHERE name = 'VolleyballLeagueSymKey')
BEGIN
    DROP SYMMETRIC KEY VolleyballLeagueSymKey;
    PRINT 'Existing symmetric key dropped.';
END

CREATE SYMMETRIC KEY VolleyballLeagueSymKey
WITH ALGORITHM = AES_256
ENCRYPTION BY CERTIFICATE VolleyballLeagueCert;

PRINT 'Symmetric Key created successfully.';
PRINT 'Algorithm: AES_256';
PRINT '';
GO
```

```
-- =====
-- STEP 7: Encrypt Existing Data
-- =====
PRINT 'Step 7: Encrypting Existing Data...';

-- Open the symmetric key
OPEN SYMMETRIC KEY VolleyballLeagueSymKey
DECRYPTION BY CERTIFICATE VolleyballLeagueCert;

-- Encrypt Customer Email
UPDATE Customer
SET Email_Encrypted = EncryptByKey(Key_GUID('VolleyballLeagueSymKey'), Email)
WHERE Email_Encrypted IS NULL;
PRINT 'Customer emails encrypted: ' + CAST(@@ROWCOUNT AS VARCHAR(10)) + ' rows';

-- Encrypt Customer Phone
UPDATE Customer
SET Phone_Encrypted = EncryptByKey(Key_GUID('VolleyballLeagueSymKey'), Phone)
WHERE Phone IS NOT NULL AND Phone_Encrypted IS NULL;
PRINT 'Customer phones encrypted: ' + CAST(@@ROWCOUNT AS VARCHAR(10)) + ' rows';

-- Encrypt Customer Street Address
UPDATE Customer
SET Street_Encrypted = EncryptByKey(Key_GUID('VolleyballLeagueSymKey'), Street)
WHERE Street IS NOT NULL AND Street_Encrypted IS NULL;
PRINT 'Customer street addresses encrypted: ' + CAST(@@ROWCOUNT AS VARCHAR(10)) + ' rows';

-- Encrypt Coach Email
UPDATE Coach
SET Email_Encrypted = EncryptByKey(Key_GUID('VolleyballLeagueSymKey'), Email)
WHERE Email_Encrypted IS NULL;
PRINT 'Coach emails encrypted: ' + CAST(@@ROWCOUNT AS VARCHAR(10)) + ' rows';

-- Encrypt Payment Details (storing method as encrypted for demonstration)
UPDATE Payment
SET PaymentDetails_Encrypted = EncryptByKey(Key_GUID('VolleyballLeagueSymKey'),
    Method + '|' + CAST(PaymentID AS VARCHAR(10)))
WHERE PaymentDetails_Encrypted IS NULL;
PRINT 'Payment details encrypted: ' + CAST(@@ROWCOUNT AS VARCHAR(10)) + ' rows';

-- Close the symmetric key
CLOSE SYMMETRIC KEY VolleyballLeagueSymKey;

PRINT 'All existing data encrypted successfully.';
PRINT '';
GO
```

UDF

```
-- Function 1: Calculate Player Performance Score
-- Description: Calculates a performance score based on player statistics
-- Parameters: @PlayerID - ID of the player
-- Returns: Performance score (DECIMAL)

CREATE OR ALTER FUNCTION dbo.fn_CalculatePlayerPerformanceScore
(
    @PlayerID INT
)
RETURNS DECIMAL(10,2)
AS
BEGIN
    DECLARE @PerformanceScore DECIMAL(10,2);

    SELECT @PerformanceScore =
        (SUM(Kills) * 3.0 + -- Kills weighted heavily
        SUM(Assists) * 2.0 + -- Assists important
        SUM(Aces) * 4.0 + -- Aces very valuable
        SUM(Blocks) * 2.5) / -- Blocks valuable
        CASE WHEN COUNT(*) = 0 THEN 1 ELSE COUNT(*) END -- Average per match
    FROM PlayerStats
    WHERE PlayerID = @PlayerID;

    -- If no stats found, return 0
    IF @PerformanceScore IS NULL
        SET @PerformanceScore = 0;

    RETURN @PerformanceScore;
END;
GO
```

View

```
-- SECTION 3: VIEWS
-- =====
-- View 1: Match Schedule Report
-- Description: Comprehensive view of scheduled matches with venue and team details
-- =====

CREATE OR ALTER VIEW vw_MatchScheduleReport
AS
SELECT
    m.MatchID,
    q.ScheduledTime,
    ht.TeamName AS HomeTeam,
    at.TeamName AS AwayTeam,
    v.Name AS VenueName,
    v.City AS VenueCity,
    t.Name AS TournamentName,
    m.Score,
    m.MatchDuration,
    CASE
        WHEN m.WinningTeam_ID = m.HomeTeam_ID THEN ht.TeamName
        WHEN m.WinningTeam_ID = m.AwayTeam_ID THEN at.TeamName
        ELSE 'TBD'
    END AS Winner,
    q.Status AS MatchStatus,
    m.Comments
FROM Match m
INNER JOIN Queue q ON m.QueueID = q.QueueID
INNER JOIN Team ht ON m.HomeTeam_ID = ht.TeamID
INNER JOIN Team at ON m.AwayTeam_ID = at.TeamID
INNER JOIN Venue v ON q.VenueID = v.VenueID
INNER JOIN Tournament t ON q.TournamentID = t.TournamentID;
```

1	SELECT TOP 10 * FROM vw_MatchScheduleReport
2	ORDER BY MatchID;

Results	Messages										
MatchID	ScheduledTime	HomeTeam	AwayTeam	VenueName	VenueCity	TournamentName	Score	MatchDuration	Winner	MatchStatus	Comments
1	2025-03-05 18:00:00.000	Boston Spikers	Cambridge Crushers	Boston Sports Arena	Boston	Spring Championship 2025	2-1	45	Boston Spikers	Final	
2	2025-03-06 19:00:00.000	Newton Knights	Quincy Waves	Newton Volleyball Complex	Newton	Spring Championship 2025	3-0	30	Newton Knights	Final	
3	2025-06-20 17:30:00.000	Waltham Warriors	Salem Strikers	Waltham Indoor Facility	Waltham	Summer League Finals	2-0	35	Waltham Warriors	Final	
4	2025-06-22 18:30:00.000	Lynn Lightning	Peabody Panthers	Lynn Sports Center	Lynn	Summer League Finals	1-2	40	Peabody Panthers	Final	
5	2025-09-15 19:00:00.000	Brookline Blazers	Somerville Slammers	Cambridge Community Center	Cambridge	Fall Classic Tournament	2-1	50	Brookline Blazers	Final	
6	2025-09-17 17:00:00.000	Malden Mavericks	Revere Rockets	Quincy Beach Courts	Quincy	Fall Classic Tournament	1-2	40	Revere Rockets	Final	
7	2025-12-05 18:00:00.000	Medford Meteors	Chelsea Champions	Salem Outdoor Complex	Salem	Winter Invitational	3-0	35	Medford Meteors	Final	
8	2025-12-07 19:30:00.000	Everett Eagles	Danvers Dragons	Peabody Athletic Arena	Peabody	Winter Invitational	2-1	45	Everett Eagles	Final	
9	2025-04-10 18:00:00.000	Beverly Beasts	Woburn Wolves	Somerville Sports Plaza	Somerville	Regional Qualifiers East	2-0	30	Beverly Beasts	Final	
10	2025-04-12 17:30:00.000	Melrose Mustangs	Stoneham Storm	Malden Multi-Court Center	Malden	Regional Qualifiers East	1-2	35	Stoneham Storm	Final	

Stored Procedure

```
-- =====
-- Stored Procedure 2: Update Match Results
-- Description: Updates match results and player statistics
-- Parameters:
--   @MatchID - ID of the match
--   @WinningTeamID - ID of the winning team
--   @Score - Match score
--   @MatchDuration - Duration of match
--   @Comments - Match comments
-- =====

CREATE OR ALTER PROCEDURE usp_UpdateMatchResults
(
    @MatchID INT,
    @WinningTeamID INT,
    @Score VARCHAR(20),
    @MatchDuration TIME,
    @Comments VARCHAR(500) = NULL
)
AS
BEGIN
    SET NOCOUNT ON;

    DECLARE @ErrorMessage NVARCHAR(4000);
    DECLARE @ErrorSeverity INT;
    DECLARE @ErrorState INT;
    DECLARE @HomeTeamID INT;
    DECLARE @AwayTeamID INT;
    DECLARE @SetDiff INT;
    DECLARE @PointDiff INT;

    BEGIN TRY
        BEGIN TRANSACTION;

        -- Get home and away team IDs
        SELECT @HomeTeamID = HomeTeam_ID, @AwayTeamID = AwayTeam_ID
        FROM Match
        WHERE MatchID = @MatchID;

        IF @HomeTeamID IS NULL
        BEGIN
            RAISERROR('Match ID %d does not exist', 16, 1, @MatchID);
        END

        -- Validate winning team
        IF @WinningTeamID NOT IN (@HomeTeamID, @AwayTeamID)
        BEGIN
            RAISERROR('Winning team ID %d must be either home team (%d) or away team (%d)',
                16, 1, @WinningTeamID, @HomeTeamID, @AwayTeamID);
        END

        -- Parse score to calculate differentials (assuming format like "3-1")
        DECLARE @WinnerSets INT, @LoserSets INT;
        SET @WinnerSets = CAST(LEFT(@Score, CHARINDEX('-', @Score) - 1) AS INT);
        SET @LoserSets = CAST(RIGHT(@Score, LEN(@Score) - CHARINDEX('-', @Score)) AS INT);
        SET @SetDiff = @WinnerSets - @LoserSets;

        -- Estimate point differential (rough estimate: 5 points per set difference)
        SET @PointDiff = @SetDiff * 5 + (RAND() * 20 - 10);

        UPDATE Match
        SET Score = @Score,
            MatchDuration = @MatchDuration,
            Comments = @Comments,
            SetDiff = @SetDiff,
            PointDiff = @PointDiff
        WHERE MatchID = @MatchID;

        -- Update team statistics
        DECLARE @UpdateDate DATETIME = GETDATE();

        IF EXISTS (SELECT 1 FROM Team_Historic_Stats WHERE TeamID = @WinningTeamID AND @UpdateDate = @UpdateDate)
        BEGIN
            UPDATE Team_Historic_Stats
            SET TotalWins = TotalWins + 1,
                TotalPoints = TotalPoints + @PointDiff
            WHERE TeamID = @WinningTeamID AND @UpdateDate = @UpdateDate;
        END
        ELSE
        BEGIN
            INSERT INTO Team_Historic_Stats (TeamID, @UpdateDate, TotalWins, TotalLoss, TotalDraws, TotalPoints, RankingPosition, RankingPoints)
            SELECT @WinningTeamID, @UpdateDate, 1, 0, 0, @PointDiff, 0, 0
            FROM Team_Historic_Stats
            WHERE TeamID = @WinningTeamID
            AND @UpdateDate = (SELECT MAX(@UpdateDate) FROM Team_Historic_Stats WHERE TeamID = @WinningTeamID);
        END

        -- Update losing team stats
        DECLARE @LosingTeamID INT = CASE WHEN @WinningTeamID = @HomeTeamID THEN @AwayTeamID ELSE @HomeTeamID END;

        IF EXISTS (SELECT 1 FROM Team_Historic_Stats WHERE TeamID = @LosingTeamID AND @UpdateDate = @UpdateDate)
        BEGIN
            UPDATE Team_Historic_Stats
            SET TotalLoss = TotalLoss + 1
            WHERE TeamID = @LosingTeamID AND @UpdateDate = @UpdateDate;
        END
        ELSE
        BEGIN
            INSERT INTO Team_Historic_Stats (TeamID, @UpdateDate, TotalWins, TotalLoss, TotalDraws, TotalPoints, RankingPosition, RankingPoints)
            SELECT @LosingTeamID, @UpdateDate, 0, 1, 0, -@PointDiff, 0, 0
            FROM Team_Historic_Stats
            WHERE TeamID = @LosingTeamID
            AND @UpdateDate = (SELECT MAX(@UpdateDate) FROM Team_Historic_Stats WHERE TeamID = @LosingTeamID);
        END

        COMMIT TRANSACTION;

        PRINT 'Match results updated successfully.';
        PRINT 'Match ID: ' + CAST(@MatchID AS VARCHAR(10));
        PRINT 'Winner: Team ' + CAST(@WinningTeamID AS VARCHAR(10));
        PRINT 'Score: ' + @Score;
    END TRY
    BEGIN CATCH
        IF (ERROR_NUMBER() > 0)
            ROLLBACK TRANSACTION;

        SET @ErrorMessage = ERROR_MESSAGE();
        SET @ErrorSeverity = ERROR_SEVERITY();
        SET @ErrorState = ERROR_STATE();

        RAISERROR(@ErrorMessage, @ErrorSeverity, @ErrorState);
    END CATCH
RETURN 0;
END;
GO
```

```
-- =====
-- Stored Procedure 3: Get Match Details
-- Description: Retrieves match details and team statistics
-- Parameters:
--   @MatchID - ID of the match
--   @TeamID - ID of the team (optional)
--   @Date - Date to filter by (optional)
-- =====

CREATE OR ALTER PROCEDURE usp_GetMatchDetails
(
    @MatchID INT,
    @TeamID INT = NULL,
    @Date DATETIME = NULL
)
AS
BEGIN
    SET NOCOUNT ON;

    DECLARE @ErrorMessage NVARCHAR(4000);
    DECLARE @ErrorSeverity INT;
    DECLARE @ErrorState INT;

    BEGIN TRY
        -- Get match details
        SELECT MatchID, ScheduledTime, HomeTeam, AwayTeam, VenueName, VenueCity, TournamentName, Score, MatchDuration, Winner, MatchStatus, Comments
        FROM Match
        WHERE MatchID = @MatchID;

        -- Get team statistics
        IF @TeamID IS NOT NULL
        BEGIN
            SELECT TeamID, TotalWins, TotalLoss, TotalDraws, TotalPoints, RankingPosition, RankingPoints
            FROM Team_Historic_Stats
            WHERE TeamID = @TeamID
            AND @Date IS NULL
            ORDER BY RankingPosition;
        END
        ELSE
        BEGIN
            SELECT TeamID, TotalWins, TotalLoss, TotalDraws, TotalPoints, RankingPosition, RankingPoints
            FROM Team_Historic_Stats
            WHERE TeamID = @WinningTeamID
            AND @Date IS NULL
            ORDER BY RankingPosition;
        END

        -- Get venue details
        IF @Date IS NOT NULL
        BEGIN
            SELECT VenueName, VenueCity
            FROM Venue
            WHERE VenueName = @VenueName
            AND @Date IS NULL;
        END
        ELSE
        BEGIN
            SELECT VenueName, VenueCity
            FROM Venue
            WHERE VenueName = @VenueName;
        END


        COMMIT TRANSACTION;

        PRINT 'Match details retrieved successfully.';
    END TRY
    BEGIN CATCH
        IF (ERROR_NUMBER() > 0)
            ROLLBACK TRANSACTION;

        SET @ErrorMessage = ERROR_MESSAGE();
        SET @ErrorSeverity = ERROR_SEVERITY();
        SET @ErrorState = ERROR_STATE();

        RAISERROR(@ErrorMessage, @ErrorSeverity, @ErrorState);
    END CATCH
RETURN 0;
END;
GO
```

Revenue by venue



Sales Trend



Dashboard

Revenue by Venue Chart

Sales Trend

Top Players Heat Map


Attach vs Defense Matrix

Top 10 Players Performance Heatmap

Top Players



Attack vs Defense Matrix



Total Revenue

\$37,601


Tickets Sold

431

Matches Played

15

HeatMap(Top10)



GUI & Live Demo

```
Watching for file changes with StatReloader
Performing system checks...

System check identified no issues (0 silenced).
November 30, 2025 - 17:35:32
Django version 5.2.8, using settings 'myproject.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/5.2/howto/deployment/
[30/Nov/2025 17:35:43] "GET /admin/ HTTP/1.1" 200 24258
```

VolleyballLeague

Search apps and model...

Authentication and Authorization

Groups

Users

Myapp

Coachassigns

Coachs

Courtside seats

Customeraudits

Customers

Indoor venues

Matches

Matchteamassigns

Orders

Outdoor venues

Payments

Playerassigns

Players

Playerstatss

Queues

Records

Referees

Refunds

Seasons

Seats

Sections

Strategyplans

Teams

Myapp > Players

Type to search

Filters

Playerid	Firstname	Lastname	Preferredposition	Birthdate
22	Evelyn	Adams	Middle Blocker	Aug. 26, 1998
14	Amelia	Allen	Libero	March 9, 2001
23	Alden	Baker	Setter	Oct. 15, 1999
25	Michael	Carter	Libero	Jan. 29, 1997
9	Mason	Clark	Libero	June 20, 2001
6	Ava	Garcia	Outside Hitter	Nov. 30, 2000
21	Sebastian	Green	Opposite Hitter	June 8, 2000
13	Alexander	Hall	Setter	Jan. 16, 1999
3	Ethan	Harris	Middle Blocker	May 10, 1999
19	Jackson	Hill	Outside Hitter	Feb. 19, 2001
1	Tyler	Jackson	Outside Hitter	Jan. 15, 2000
16	Emily	King	Opposite Hitter	July 14, 2000
37	bh	Lee	Setter	Nov. 2, 2025
11	Lucas	Lee	Outside Hitter	Oct. 5, 2000
10	Mia	Lewis	Opposite Hitter	Aug. 12, 1997
18	Abigail	Lopez	Setter	Nov. 27, 1999
4	Sophia	Martin	Libero	July 18, 2001
7	Liam	Martinez	Middle Blocker	Feb. 14, 1998
26	Sofia	Mitchell	Opposite Hitter	March 17, 2000
24				
27				
30				
28				
8				

```
WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/5.2/howto/deployment/
[30/Nov/2025 17:35:43] "GET /admin/ HTTP/1.1" 200 24258
[30/Nov/2025 17:35:44] "GET /static/admin/css/dark_mode.css HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/css/base.css HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/css/nav_sidebar.css HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/css/dashboard.css HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/css/responsive.css HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/js/theme.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/js/nav_sidebar.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/img/icon-addlink.svg HTTP/1.1" 304 0
[30/Nov/2025 17:35:44] "GET /static/admin/img/icon-changelink.svg HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /admin/myapp/coach/ HTTP/1.1" 200 29623
[30/Nov/2025 17:35:47] "GET /static/admin/js/jquery.init.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/admin/RelatedObjectLookups.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/core.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/css/changelists.css HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/vendor/jquery/jquery.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/prepopulate.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/actions.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/urlify.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/vendor/xregexp/xregexp.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/img/search.svg HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/js/filters.js HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /admin/jsi18n/ HTTP/1.1" 200 3342
[30/Nov/2025 17:35:47] "GET /static/admin/img/tooltag-add.svg HTTP/1.1" 304 0
[30/Nov/2025 17:35:47] "GET /static/admin/img/icon-viewlink.svg HTTP/1.1" 304 0
```