

IT认证轻松过

SnowPro Core COF-C03

英文含讨论版

下载时间：2026-11-02

使用指南

1. **章节与题序：**每个章节内，越靠前是越早收录的旧题，越靠后是最新题目。不同科目章节数不同，有的分多个章节，有的只有一个章节。
2. **答案参考：**极少数题目的官方答案可能有误，建议结合「AI 解析」与「社区投票分布」综合判断。

> 提示：越新的题目参与投票的人数越少，投票结果的参考价值相应降低，请以 AI 解析为主要参考。

扫码关注 · 获取更多题库与更新

微信
Examtopics

淘宝
IT认证轻松过

咸鱼
IT认证轻松过

Question #1 *Topic 1*

What is a key difference between the Snowflake CLI and SnowSQL?

A. SnowSQL is used for managing workloads and applications, while Snowflake CLI executes queries.

B. Snowflake CLI is primarily used for managing workloads and applications, while SnowSQL is used for executing operations.

C. SnowSQL supports only Data Definition Language (DDL) operations, while Snowflake CLI supports only Data Manipulation Language (DML) operations.

D. Snowflake CLI only supports query execution, while SnowSQL manages Python packages.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #2 *Topic 1*

Which services are handled within the Cloud Services layer? (Choose two.)

- A. Authentication
- B. Query processing
- C. Secure socket
- D. Virtual warehouse hosting
- E. Metadata management

Correct Answer: AE

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #3 *Topic 1*

A user is automating a data pipeline using the Snowflake CLI and needs to pass variables into SQL scripts.
Which variable templating syntaxes should be used? (Choose two.)

A. STANDARD

B. LEGACY


C. JINJA

D. NONE

E. ALL

Correct Answer: BC

Community vote distribution



Comments

1e15c5d Most Recent 1 month, 18 days ago

Selected Answer: BC

two officially supported variable templating syntaxes in the Snowflake CLI:

Legacy: &variable

JINJA: {{ variable }}

There is no templating syntax called STANDARD in the Snowflake CLI.

upvoted 1 time

cui_li 1 month, 25 days ago

Selected Answer: AB

A.STANDARD and B.LEGACY

C. JINJA is not enabled by defult.

upvoted 1 time

kyliek7 2 months, 0 days ago

Selected Answer: AC

STANDARD (<% var %>): Enabled by default. It uses <% ... %> markers to resolve variables supplied via the -D / --variable flag.

JINJA ({{ var }}): Enabled explicitly via --enable-templating JINJA. It uses double-curly braces {{ ... }} for templating (and is also the default syntax used when executing scripts from stages).

LEGACY (&var or &{var}): Provided strictly for backward compatibility with classic SnowSQL scripts.

upvoted 1 time

Question #4 *Topic 1*

What is the MINIMUM Snowflake edition needed to apply 90 days of Time Travel to an object?

A. Standard

B. Enterprise

C. Business Critical

D. Virtual Private Snowflake (VPS)

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #5 *Topic 1*

Which objects can be recovered after being dropped? (Choose two.)

A. View

B. Transient table **Most Voted**

C. Temporary table

D. Permanent table **Most Voted**

E. Materialized view

Correct Answer: BD

Community vote distribution



Comments

gledanvic **Most Recent** 6 days ago

Selected Answer: BD

DE is wrong.

BD is true. Because Transient and Permanent Tables support Time Travel, so you can recover the data (only the available time differs). But recovering (Time Travel) any type of view is impossible. Temporary tables are deleted at the end of the session.

upvoted 3 times

jeanfor 7 days ago

Selected Answer: BD

B. Transient table and D. Permanent table

Permanent and transient tables both support Time Travel, so you can recover them with UNDROP TABLE within their retention period. For transient tables that period is 0–1 day, and a table set to 0 days can't be recovered.

Views and materialized views have no Time Travel, so UNDROP doesn't apply. You recreate them from their DDL instead.

A temporary table is dropped for good when its session ends, so it isn't treated as recoverable.

upvoted 3 times

1e15c5d 1 month, 26 days ago

Selected Answer: DE

Transient tables technically have 0–1 day Time Travel, but in exam context they are considered unrecoverable because they have no Fail-safe and recovery is not guaranteed — which is exactly why you wouldn't use them for data you care about protecting

upvoted 1 time

cui_li 2 months, 15 days ago

Selected Answer: BD

B. Transient table

D. Permanent table

Both can be recovered with Snowflake Time Travel using UNDROP TABLE, provided the object is still within its Time Travel retention period.

upvoted 2 times

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #6 *Topic 1*

How does Snowflake support storage for external tables?

A. Snowflake automatically replicates and stores all external table data.

B. Snowflake stores the metadata from external tables.

C. Snowflake references external tables using internal directory tables.

D. Snowflake references external tables using internal transient tables.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #7 *Topic 1*

Which Snowflake features support the ability to write to a Git repository?

A. Snowsight dashboards and stages

B. Snowpipe and dynamic tables

C. Stored procedures, tasks, and worksheets

D. Streamlit applications, workspaces, and notebooks

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #8 *Topic 1*

A Snowflake Practitioner is tasked with designing a data lakehouse architecture that requires:

1. Support for ACID transactions to ensure data consistency
2. The ability to evolve schemas over time without rewriting existing data
3. Efficient querying capabilities on large datasets

Which table type meets these requirements?

A. Permanent

B. Iceberg **Most Voted**

C. External

D. Transient

Correct Answer: B

Community vote distribution

B (100%)

Comments

jeanfor **Most Recent** 7 days ago

Selected Answer: B

Answer: Apache Iceberg tables (in Snowflake, usually Snowflake-managed Iceberg tables).

Here's how they meet each requirement:

ACID transactions: Iceberg's table format uses snapshot-based metadata, so every write is atomic and readers always see a consistent snapshot.

Schema evolution without rewriting data: Iceberg tracks columns by ID rather than by name or position. You can add, drop, rename, or reorder columns, or widen types, without rewriting existing data files.

Efficient querying on large datasets: Iceberg stores data in open Parquet files with rich metadata (manifests and partition and column statistics). This allows partition and file pruning, and Snowflake's engine can query the tables with near-native performance.

The "lakehouse" keyword is the main clue. Iceberg tables keep data in open format in your own cloud storage (through an external volume) and still behave like full Snowflake tables.

Why the usual distractors are wrong

External tables are read-only, so they offer no ACID writes, and they perform worse because they query files directly with limited metadata.

Standard (native) Snowflake tables do support ACID, schema changes, and fast queries. However, the data sits in Snowflake's proprietary format, which doesn't fit a lakehouse with open storage.

Hybrid tables are built for Unistore/OLTP workloads, meaning low-latency single-row operations, not lakehouse analytics.

Transient and temporary tables are about persistence and Fail-safe behavior, which isn't what this question tests.

Related exam points

Snowflake-managed Iceberg tables use Snowflake as the catalog and support full read/write.

Externally managed Iceberg tables use a catalog such as AWS Glue or Snowflake Open Catalog (Polaris), and Snowflake's access to them is typically read-only.

Both kinds need an external volume to point to the cloud storage location.

upvoted 1 time

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #9 *Topic 1*

What is SnowSQL used for?

A. Developing dashboards

B. Loading and unloading data

C. Developing Snowflake Native Apps

D. Monitoring data transformation activity

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #10 *Topic 1*

What is the impact on storage when a user clones a 1 TB sized table and updates 10% of the rows in the cloned table?

A. Only metadata is stored

B. Full storage is duplicated

C. No additional storage is used

D. Only modified data consumes additional storage

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #11 *Topic 1*

Which Snowflake feature, interface, or service is used to create and share custom web apps for ML and data science?

A. Cortex AI

B. Streamlit in Snowflake

C. Snowpipe

D. Snowsight

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #12 *Topic 1*

Which table type is supported by Open Catalog to provide centralized, read and write access to a table?

A. Hybrid

B. Iceberg

C. Dynamic

D. Event

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #13 *Topic 1*

Which are key characteristics of the Query Processing layer? (Choose two.)

A. Up to 10% of daily usage of compute is free

B. Storage is tied to the number of compute clusters

C. The size of virtual warehouses can be changed dynamically **Most Voted**

D. Virtual warehouse start and stop operations can be automated **Most Voted**

E. Compute costs are calculated per hour of virtual warehouse runtime

Correct Answer: CD

Community vote distribution

CD (100%)

Comments

PKMK **Most Recent** 4 days ago

Selected Answer: CD

Correct answers: C and D.

Reasoning

The Query Processing layer is Snowflake's compute layer, where virtual warehouses execute queries and process data.

- C. The size of virtual warehouses can be changed dynamically — Correct. Virtual warehouses can be resized up or down to adjust compute capacity as workload requirements change.

- D. Virtual warehouse start and stop operations can be automated — Correct. Warehouses can be configured to start and stop automatically, helping manage compute usage and costs.

Why the other options are incorrect

- A. Up to 10% of daily compute usage is free: This refers to the Cloud Services billing adjustment, not a characteristic of the Query Processing layer.

Snowflake Documentation

- B. Storage is tied to the number of compute clusters: Incorrect. Snowflake separates storage from compute.

- E. Compute costs are calculated per hour of virtual warehouse runtime: Incorrect as stated. Credit rates are expressed per hour, but warehouse usage is billed per second after a 60-second minimum each time it starts or resumes.

upvoted 1 time

Question #14 *Topic 1*

Which feature or service should be used to identify data about a department that was responsible for a recent revenue shortfall?

A. Snowpark


B. Snowpipe

C. ML Functions **Most Voted**

D. AI_EXTRACT

Correct Answer: C

Community vote distribution



Comments

jeanfor **Most Recent** 7 days ago

Selected Answer: C

Answer: C. ML Functions

Top Insights belongs to Snowflake's ML Functions, along with Forecasting, Anomaly Detection, and Classification. It finds the segment, here a department, that drove a change in a metric such as revenue. You call it through SQL, and no ML expertise is needed.

Why the others are wrong

A. Snowpark is a developer framework for writing custom code in Python, Java, or Scala. You could build your own analysis with it, but it isn't a ready-made feature for finding the cause of a metric change.

B. Snowpipe handles continuous, automated data loading from stages. It has nothing to do with analysis.

D. AI_EXTRACT is a Cortex AI function that pulls structured information out of unstructured content such as documents, PDFs, and text. It doesn't analyze the drivers of a metric.

On the exam, the umbrella answer is often ML Functions rather than the specific function name, so recognize both.

upvoted 1 time

meng 1 month, 29 days ago

Selected Answer: C

https://docs.snowflake.com/en/user-guide/ml-functions/top-insights

Use cases for Top Insights include:

Time-series analysis: Identify drivers of a metric's change over time. For example, automatically identify the locations, salespeople, customers, verticals, and other factors that are responsible for a recent revenue shortfall.

Vertical analysis: Identify the drivers of differences in a metric among various verticals. For example, to understand which user segments are responsible for differences in new user growth between the United States and EMEA countries, to help shape targeted marketing campaigns.

upvoted 1 time

cui_li 2 months, 3 days ago

Selected Answer: C

Snowflake's Top Insights ML Function is designed for this exact use case: identifying the drivers behind a change in a business metric.

upvoted 1 time

MSKFIN18 2 months, 7 days ago

Selected Answer: C

C is the Answer

D. AI_EXTRACT: This is a Snowflake Cortex AI function used to extract structured data (like JSON) from unstructured text documents or files (like PDFs), not a metric driver analysis function.

upvoted 1 time

1e15c5d 3 months, 10 days ago

Selected Answer: D

AI_EXTRACT is a Snowflake Cortex AI function that uses a large language model to pull out specific pieces of information from unstructured text — like pulling "which department" and "what caused the shortfall" from notes, reports, emails, or comments stored in Snowflake

upvoted 1 time

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #15 *Topic 1*

Which tools, services, or features should be used to write code when using the Snowpark API? (Choose two.)

A. Snowpark Container Services

B. Snowpark for Scala

C. Snowpark for Python

D. Streamlit in Snowflake

E. SQL Scripting

Correct Answer: BC

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #16 *Topic 1*

The data retention time for a schema is set for 5 days, and the data retention time for the database that contains the schema is set for 10 days. Based on these settings, what would the default data retention time be for a permanent table created in the schema?

A. 0 days

B. 1 day

C. 5 days **Most Voted**

D. 10 days

Correct Answer: C

Community vote distribution

C (100%)

淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

PKMK **Most Recent** 4 days ago

Selected Answer: C

A. 0 days: Disables Time Travel retention; it is not the inherited setting here.

B. 1 day: The default for permanent tables when no higher-level setting overrides it.

C. 5 days: Correct — the schema-level setting takes precedence over the database-level setting for the newly created table.

D. 10 days: This is the database setting, but the schema has its own explicit setting of 5 days.

upvoted 1 time

Question #17 *Topic 1*

A user adds a new connection called [dev_project] to their config.toml file, which includes setting role = DEVELOPER.
Then the user runs this command: snowsql -c dev_project. When they run SELECT current_role(); inside the session, the query returns SYSADMIN.
Why did Snowflake CLI use the SYSADMIN role?

A. SYSADMIN is the Engineer's default role and cannot be overridden by the config.toml file.

B. The [dev_project] connection in the config.toml file was missing a warehouse parameter, which caused the CLI to ignore the role parameter.

C. A SNOWFLAKE_ROLE environment variable was set to SYSADMIN, which takes precedence over the config.toml file.

D. The config.toml file is used if the connection is also passed as a command-line flag, such as snowsql --role DEVELOPER.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #18 *Topic 1*

A table is created with a column set to a data type of CHARACTER(25).
If the table is viewed in the database section of Snowsight, what data type will be shown for the column?

A. STRING(25)

B. TEXT(25)

C. VARCHAR(25)

D. CHARACTER(25)

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #19 *Topic 1*

A user oversees a database with several large, frequently updated tables. They observe rising storage costs, mainly due to the Continuous Data Protection (CDP) features.
To reduce storage expenses while keeping data protection intact, which table type should they choose?

A. Permanent

B. Transient

C. Temporary

D. External

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #20 *Topic 1*

A large global company needs to maximize system availability in the event of a cloud provider failure that affects Snowflake services.
Which configuration will support this requirement?

A. Scheduled database downloads to cloud storage.

B. A failover group to a separate region and cloud provider.

C. Account replication within the same region and cloud provider.

D. Scheduled database cloning maintained in the Snowflake account.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #21 *Topic 1*

Which interface or service allow users to connect to Snowflake with Python? (Choose two.)

A. Snowpark API **Most Voted**

B. Snowsight

C. Streamlit in Snowflake **Most Voted**

D. AI_EXTRACT

E. Snowflake CLI

Correct Answer: AC

Community vote distribution

AC (100%)

淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

cui_li **Most Recent** 2 months, 15 days ago

Selected Answer: AC

The Snowflake CLI is a command-line tool designed for managing Snowflake infrastructure, objects, app development, and stage deployments via terminal commands, rather than a Python library or service for writing Python code to connect to Snowflake

upvoted 3 times

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #22 *Topic 1*

An organization is preparing for a data structure change on a critical table, SALES_BUDGET, and needs to identify which users, dashboards, reports and processes might be affected.
What action should be performed to determine the impact of this change?

A. Create a stream on SALES_BUDGET and check for inserted or updated rows to identify the users responsible for data access.

B. Use SHOW GRANTS ON SALES_BUDGET to see which roles or users accessed the table and track their query frequency.

C. Query SNOWFLAKE.ACCOUNT_USAGE.ACCESS_HISTORY to see who accessed the SALES_BUDGET table and what columns were read.

D. Review TABLE_STORAGE_METRICS in the INFORMATION_SCHEMA to estimate read-frequency based on the table size and compression changes.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #23 *Topic 1*

Which Snowflake feature can be used to identify tables, views, and columns that contain sensitive information by assigning and querying metadata?

A. Tags

B. External Tokens

C. Row access policies

D. Tag-based masking policies

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #24 *Topic 1*

Which feature uses a Snowflake key with a customer-managed key to protect data?

A. Trust Center

B. Tri-Secret Secure

C. Key-pair authentication

D. Multi-Factor Authentication (MFA)

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #25 *Topic 1*

Which view shows the column lineage within an account?

A. ACCESS_HISTORY

B. ALERT_HISTORY

C. DATA_QUALITY_MONITORING_USAGE_HISTORY

D. EXTERNAL_ACCESS_HISTORY

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #26 *Topic 1*

Which view or command provides the MOST detailed storage information for a table?

A. SHOW TABLES

B. DESC TABLE

C. ACCOUNT_USAGE.STORAGE_USAGE

D. ACCOUNT_USAGE.TABLE_STORAGE_METRICS

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #27 *Topic 1*

What feature specifies which roles are allowed to see a particular record in a table?

A. Dynamic Data Masking

B. Secure Data Sharing

C. Row access policy

D. Object tagging

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #28 *Topic 1*

How can a user work with multiple assigned roles without the need to frequently switch roles?

A. Use secondary roles and primary roles.

B. Grant the user the ACCOUNTADMIN role.

C. Grant the user the parent role of the roles that have been assigned.

D. Create a new role and grant it to the user, then grant the existing roles to the new role.

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #29 *Topic 1*

Which feature allows users to audit how sensitive data is being accessed over time?

A. Column-level security

B. Row-level security

C. Tag-based masking policy

D. Object tagging

Correct Answer: D

Community vote distribution



Comments

gledanvic Most Recent 6 days ago

Selected Answer: D

D : TRUE ! Tags classify sensitive data so you can audit its access (via Snowflake tables/views).

C : WRONG ! It only applies masking (enforcement), it doesn't audit anything ! Don't confuse.

upvoted 2 times

jeanfor 6 days ago

Selected Answer: D

Object tagging. It is the only one built to track and monitor sensitive data. The other three protect data rather than audit it.

upvoted 3 times

MSKFIN18 2 months, 7 days ago

Selected Answer: C

Answer is C:

D (Object tagging) is incorrect becuase: Object tagging simply labels the data (e.g., tagging a column as EMAIL) but does not apply the actionable masking policy or directly create the protection and access compliance layer on its own

upvoted 1 time

19ebf5c 2 months, 9 days ago

Selected Answer: C

Tag-based masking policies: Combine the power of tagging sensitive data categories with automated policy enforcement, helping organizations manage, track, and monitor secure data access compliance

upvoted 1 time

Question #30 *Topic 1*

In a managed access schema, which role or privilege can grant permissions on schema objects to other roles? (Choose two.)

- A. The owner of the schema
- B. SYSADMIN
- C. ORGADMIN
- D. USERADMIN
- E. Roles with the MANAGE GRANTS privilege

Correct Answer: AE

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #31 *Topic 1*

Departments A and B both need to access the same data, but sensitive information needs to be hidden from department B.
How should this be accomplished?

A. Create and share a report with department B that does not contain the sensitive data.

B. Set up a masking policy on the sensitive data.

C. Build separate data marts and reports for each department.

D. Restrict department B's access to columns with sensitive data.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #32 *Topic 1*

Which methods for a second factor of authentication does Snowflake support? (Choose two.)

A. Email codes

B. Authenticator applications

C. Social logins

D. Passkeys

E. Security questions

Correct Answer: BD

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #33 *Topic 1*

Which action can be performed by the SYSADMIN role without requiring elevated privileges from the ACCOUNTADMIN or SECURITYADMIN role?

A. Granting privileges

B. Creating a new user

C. Managing virtual warehouses

D. Viewing billing and usage information

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #34 *Topic 1*

Which security features are used to control inbound access to Snowflake and internal stages? (Choose two.)

A. Network rules **Most Voted**

B. Feature policies

C. Network policies **Most Voted**

D. Packages policies

E. Authentication policies

Correct Answer: AC

Community vote distribution

AC (100%)

淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

1e15c5d **Most Recent** 3 months, 6 days ago

Selected Answer: AC

A. Network Rules - define the network identifiers

C. Network Policies - group Network Rules enforcement and assign them to accounts, users, or integration levels

upvoted 3 times

淘宝/闲鱼:IT认证轻松过，微信:Examtopics

Question #35 *Topic 1*

Which built-in function should be used to determine if the current role has inherited privileges from another specified role?

A. INVOKER_ROLE

B. CURRENT_ROLE

C. IS_ROLE—IN_SESSION

D. CURRENT_ROLE_TYPE

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #36 *Topic 1*

A Snowflake user is using the QUERY_HISTORY view in the ACCOUNT_USAGE schema to gather information about two queries that ran in the past 10 minutes, but the expected data is missing.
What would cause this to occur?

A. The queries were run on a multi-cluster virtual warehouse.

B. The queries were able to take advantage of the results cache.

C. The ACCOUNT_USAGE schema does not provide real-time results.

D. The user does not have privileges to access the QUERY_HISTORY view.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #37 *Topic 1*

Which feature allows a user to review the monthly projected costs of a Snowflake resource against the monthly actual costs?

A. Budgets

B. Auto-suspend

C. Scaling Policy

D. Resource monitor

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #38 *Topic 1*

A team needs to monitor and receive alerts for Snowpipe credit usage.
Why should a custom budget be used instead of a resource monitor?

A. The custom budget is the only tool that can automatically send alert emails to users outside the ACCOUNTADMIN role.

B. Resource monitors can only track costs for one virtual warehouse, but custom budgets monitor the entire account.

C. Custom budgets track historical spending, while a resource monitor provides a cost forecast.

D. Custom budgets can track costs by object tags and include serverless features.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #39 *Topic 1*

These application roles exist in a company's environment: DEVELOPER_ROLE and ETL_ROLE. Both roles have been granted USAGE, CREATE, and SELECT privileges on the same database and schema table object.
A user with the DEVELOPER_ROLE creates a new table named MYTABLE within the MYDB.MYSCH schema. When a user with the ETL_ROLE attempts to access MYDB.MYSCH.MYTABLE, they receive an error indicating insufficient privileges.
Which statement will enable the ETL_ROLE to access MYDB.MYSCH.MYTABLE upon its creation?

A. GRANT SELECT ON TABLE MYTABLE TO ROLE ETL_ROLE;

B. GRANT SELECT ON TABLE MYTABLE TO ROLE DEVELOPER_ROLE;

C. GRANT SELECT ON FUTURE TABLES IN SCHEMA MYSCH TO ROLE ETL_ROLE;

D. GRANT SELECT ON FUTURE TABLES IN SCHEMA MYSCH TO ROLE DEVELOPER_ROLE;

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #40 *Topic 1*

Which security feature supports the replacement of active keys to enhance key-pair authentication?

A. Authentication

B. Passkeys

C. Rotation

D. Time-based one-time passcodes

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #41 *Topic 1*

Which function is used to retrieve all errors of the past execution of a COPY INTO <table> command?

A. LIST

B. VALIDATE

C. RESULT_SCAN

D. COPY_HISTORY

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #42 *Topic 1*

Which should be used for near real-time feedback on data ingestion and ensuring the data is almost instantly available for analysis?

A. Snowpipe

B. The COPY INTO <table> command

C. Streams

D. Snowpipe Streaming

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #43 *Topic 1*

A user needs to load Snowflake files from a stage that contains data from the past 5 years while using the LEAST amount of operational overhead.
The file names include the year in this format:
SALES_2025_01.gz.
What command should be used to load the data from 2024?

A. The COPY INTO command to individually load the needed files.

B. The COPY INTO command using the PATTERN parameter to define the needed files.

C. The REMOVE command to eliminate unwanted files, then use the COPY INTO command.

D. The GET command to download the needed files, then create a new stage and load the files onto the stage using the COPY INTO command.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #44 *Topic 1*

A data team needs to connect Snowflake to a remote Git repository over a public network using a personal access token for authentication. Which components should be created in Snowflake to implement this connection? (Choose two.)

A. Storage integration

B. Azure Private Link

C. A secret **Most Voted**

D. An API integration **Most Voted**

E. A security integration

Correct Answer: CE

Community vote distribution

CD (100%)

Comments

Simv 19 days ago

Selected Answer: CD

A secret and API integration are the good answers according to the Snowflake Documentations.

upvoted 1 time

1e15c5d **Most Recent** 1 month, 26 days ago

Selected Answer: CD

Connecting Snowflake to a remote Git repository requires two specific Snowflake objects working together:

A Secret

An API Integration

upvoted 2 times

Question #45 *Topic 1*

How can a user optimize the performance of a COPY INTO <table> query that is being run on a very large file?

A. Split the file into smaller files.

B. Increase the virtual warehouse size.

C. Set the SIZE_LIMIT option to be larger than the file size.

D. Set the COMPRESSION = AUTO option in the file format.

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #46 *Topic 1*

When using the COPY INTO <table> command, which parameter should be used to load unstructured data?

A. FORCE

B. LOAD_UNCERTAIN_FILES

C. FILE_PROCESSOR

D. LOAD_MODE

Correct Answer: C

Community vote distribution

C (50%) D (50%)

Comments

MSKFIN18 Most Recent 2 months, 7 days ago

Selected Answer: C

LOAD_MODE is not a standard copy option parameter within the Snowflake native SQL syntax for the COPY INTO <table> statement.

upvoted 2 times

1e15c5d 2 months, 9 days ago

Selected Answer: D

The LOAD_MODE parameter in the COPY INTO <table> command controls how unstructured or semi-structured data is handled during loading. Specifically setting LOAD_MODE = FULL_INGEST enables loading of unstructured data (like PDFs, audio, video, images, documents) directly into a VARIANT column in Snowflake

upvoted 1 time

Question #47 *Topic 1*

Bulk data is being loaded from an external stage every day, using this command:

COPY INTO source_table -

FROM s3://source/data/files -
STORAGE_INTEGRATION = s3_source_int
FILE_FORMAT = (FORMAT_NAME = source_format)
PATTERN='sales.*[.]csv';
How will the data be loaded?

A. All files that match the specified format will be appended.

B. Only new files will be loaded, previously-loaded files will be skipped.

C. All s3://source/data/files/*.csv files will be loaded from a stage.

D. The source_table will be truncated and all files from s3://source/data/files will be loaded.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #48 *Topic 1*

What is the FASTEST way to load specific staged files using the COPY INTO <location> command?

A. Use wildcard characters in the file path.

B. Select files based on the path prefix of the stage.

C. List file names using the FILES parameter.

D. Use pattern matching using the PATTERN parameter.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #49 *Topic 1*

Which copy option is used to include column headers when unloading data to Parquet files?

A. PARSE_HEADER = TRUE

B. SKIP_HEADER = <integer>

C. HEADER = TRUE

D. HEADER = ('<header_1>' = '<value_1>')

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #50 *Topic 1*

Which object provides a list of the files stored in a stage?

A. Semantic view

B. Directory table

C. Materialized view

D. Information schema

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #51 *Topic 1*

What is the recommended use for the COPY INTO <location> SINGLE = TRUE; command?

A. To load data without duplications

B. To load an individual file

C. To copy data and parse the results into single stages

D. To unload a single file from a table into a stage

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #52 *Topic 1*

If a query is being used to unload a 1 TB table into a stage, which keyword will be shown in the Query History?

A. INSERT

B. UNLOAD

C. COPY

D. UPDATE

Correct Answer: C

Community vote distribution

C (50%) A (50%)

淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

agata888 Most Recent 5 days ago

Selected Answer: C

To unload data from table to a stage, COPY command should be used.

upvoted 1 time

Simv 19 days ago

Selected Answer: A

A (INSERT) est la bonne réponse pour un transfert table-vers-table.

upvoted 1 time

淘宝/闲鱼: IT认证轻松过, 微信: Examtopics

Question #53 *Topic 1*

What does the NULL_IF parameter do when loading CSV data into Snowflake?

A. Converts binary data to text format

B. Converts specific strings to SQL NULL

C. Removes NULL values from the data set

D. Replaces all NULL values with empty strings

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #54 *Topic 1*

What can load data from an external stage immediately after the data is taken in?

A. COPY command scheduled with a Task

B. Snowflake Kafka Connector

C. Auto-ingest Snowpipe

D. External table

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #55 *Topic 1*

What are characteristics of table streams?

A. Only one stream can be created for each table.

B. Dropping tables will make any stream on the table stale.

C. Renaming tables will make any stream on the table stale.

D. Streams can be created to track changes on views, external tables, and external stages.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #56 *Topic 1*

Which table type should be used with an insert-only stream?

A. Temporary

B. Hybrid

C. External

D. Transient

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #57 *Topic 1*

Which option will define the column type when unloading data into Parquet-formatted files?

A. BINARY_AS_TEXT = TRUE

B. EMPTY_FIELD_AS_NULL = FALSE

C. CAST or : : in the COPY INTO statement

D. SINGLE = TRUE

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #58 *Topic 1*

How are directory tables used in data pipelines? (Choose two.)

A. To query structured data residing in an external stage

B. To unload the results of unstructured file processing

C. To query a list of staged files that reside in internal or external storage

D. To store role-based access control information for unstructured data

E. To join data with a Snowflake table that contains unstructured file metadata

Correct Answer: CE

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #59 *Topic 1*

When regularly unloading similarly formatted semi-structured data, where should copy options be specified?

A. In a table definition

B. In a named file format

C. In a named stage definition

D. In the COPY command

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #60 *Topic 1*

A table gets updated throughout the day. A user wants to automate the process of table changes by capturing only the changed rows every 20 minutes and applying business transformations without manual intervention.
How should this be accomplished?

A. Create a stream and run a task only when there are changes.

B. Create a task that triggers every 20 minutes.

C. Create a stream and schedule a task every 20 minutes.

D. Use a dynamic table to materialize changes and run a task for the business transformations every 20 minutes.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #61 *Topic 1*

Which SNOWFLAKE.ACCOUNT_USAGE schema view would allow a user to find opportunities to optimize a slow-running query?

A. QUERY_ATTRIBUTION_HISTORY

B. QUERY_INSIGHTS

C. QUERY_ACCELERATION_HISTORY

D. ACCESS_HISTORY

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #62 *Topic 1*

A Developer has scheduled a dynamic table to refresh incrementally, but the process uses a full refresh instead.

When used, which query operator will cause a full refresh instead of the scheduled incremental refresh?

A. DISTINCT

B. GROUP BY

C. LATERAL JOIN **Most Voted**

D. UNION ALL

Correct Answer: C

Community vote distribution

C (67%) A (33%)

淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

agata888 **Most Recent** 5 days ago

Selected Answer: C

LATERAL JOIN is not supported according to Snowflake documentation:

https://docs.snowflake.com/en/user-guide/dynamic-tables/supported-queries?utm_source=chatgpt.com#incremental-and-full-refresh-support-matrix

upvoted 2 times

jeanfor 6 days ago

Selected Answer: C

Answer: C. LATERAL JOIN.

Snowflake's documentation is explicit here: lateral joins are not supported with incremental refresh, and the one exception is using LATERAL with FLATTEN(). When a dynamic table's definition includes a construct that isn't supported for incremental refresh, Snowflake chooses a full refresh instead, which reprocesses all the data on every refresh.

sql

-- Supported incrementally: LATERAL FLATTEN

SELECT p.id, f.value

FROM products p, LATERAL FLATTEN(input => p.attributes) f;

-- Not supported incrementally: lateral join to a subquery

SELECT o.id, x.total

FROM orders o, LATERAL (SELECT SUM(amount) AS total

FROM items i WHERE i.order_id = o.id) x;

The other options are wrong because they're all supported for incremental refresh:

A. DISTINCT is supported. The docs only note that it costs resources on every refresh, because duplicates have to be checked each time, so they advise against using it more than necessary.

B. GROUP BY is supported.

D. UNION ALL is supported. Snowflake processes it incrementally by combining the changes from each side of the union.

Once again, the "Most Voted" answer on that site (A) is wrong. DISTINCT makes incremental refresh more expensive, but it doesn't force a full refresh. I'd keep checking the community votes against the documentation on dynamic table questions in particular, since dynamic table support changes often. For example, Snowflake added incremental support for UNION in August 2025.

upvoted 2 times

1e15c5d 1 month, 27 days ago

Selected Answer: A

When DISTINCT is used, Snowflake cannot track incremental changes because removing duplicates requires seeing the full dataset to know whether a value is truly distinct after a change.

upvoted 1 time

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #63 *Topic 1*

Which queries can be executed in parallel using the query acceleration service? (Choose two.)

A. Large scans that delete many rows and columns

B. Large scans that use an aggregation or selective filter

C. Queries with complex joins on small tables

D. Small scans that read and write rows very slowly

E. Large scans that insert many new rows

Correct Answer: BE

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #64 *Topic 1*

Which Snowflake objects support quick result retrievals for queries that contain aggregate functions? (Choose two.)

A. Hybrid table

B. Materialized view

C. Dynamic table

D. External table

E. Secure view

Correct Answer: BC

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #65 *Topic 1*

Which view or feature can be used to analyze query performance to identify which operations are the most time-consuming?

A. The search optimization service

B. The QUERY_HISTORY view

C. The Query Profile

D. The WAREHOUSE_LOAD_HISTORY view

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #66 *Topic 1*

Which feature is used to optimize storage performance?

A. Search optimization service

B. Materialized view

C. Automatic Clustering

D. Hybrid table

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #67 *Topic 1*

Which object can be referenced from a User-Defined Function (UDF)?

A. View

B. Stream

C. External table

D. Materialized view

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #68 *Topic 1*

Which scaling feature will start a new cluster only when the system estimates there is enough query load to keep the cluster busy for at least 6 minutes?

A. The Standard scaling policy

B. The Economy scaling policy

C. Auto-scale mode

D. Maximized mode

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #69 *Topic 1*

How can a user validate if a micro-partition is pruning efficiently?

A. By inspecting the statistics pane in the Query Profile

B. By inspecting the query details output in Snowsight

C. By using the SYSTEM$CLUSTERING_INFORMATION() function

D. By querying the INFORMATION_SCHEMA.TABLES view

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #70 *Topic 1*

What actions can be taken to reduce memory spilling for queries that are too large to fit into memory? (Choose two.)

A. Increase the size of the virtual warehouse.

B. Edit the queries to process the data in smaller batches.

C. Increase the size of the virtual warehouse clusters.

D. Suspend and then resume the virtual warehouse.

E. Set a clustering key on the tables used in the queries.

Correct Answer: AB

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #71 *Topic 1*

The number of virtual warehouse users and the number of reports the users access has been increasing.
Which step should be taken to find out if the warehouse is overloaded?

A. Monitor the duration of running queries.

B. Determine if any queries are being queued.

C. Check the number of running queries in the Query History.

D. Determine if there are queries that will benefit from the query acceleration service.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #72 *Topic 1*

Which feature or service will optimize point lookups on large tables that have high-cardinality columns?

A. Caching

B. Clustering

C. A materialized view

D. Search optimization service

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #73 *Topic 1*

A user is investigating a slow-running query using the Query Profile. The profile shows a join operator that consumes 10,000 records from the left table and 5,000 records from the right table but produces 50,000,000 records as output. The join operator is consuming 95% of the total query execution time.
What is causing this performance issue and how should it be fixed?

A. The warehouse is too small to handle the join operation efficiently. To fix the warehouse should be increased to size X-Large or larger.

B. The join is causing data to spill to the disk. To fix add more filters before the join to reduce the input data volume.

C. The query is causing data to spill to the disk. To fix add more filters before the join to reduce the input data volume.

D. The query has an exploding join caused by a missing join condition. To fix verify the join conditions in the query are specified correctly and sufficiently restrictive.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #74 *Topic 1*

Which types of values lead to slower queries and increased storage consumption when placed within a VARIANT column? (Choose two.)

A. JSON null values

B. Floating-point numbers

C. Arrays **Most Voted**

D. Vectors

E. Timestamps within strings **Most Voted**

Correct Answer: AE

Community vote distribution

CE (100%)

Comments

meng **Most Recent** 1 month, 29 days ago

Selected Answer: CE

https://docs.snowflake.com/en/user-guide/semistructured-considerations

For better pruning and less storage consumption, we recommend flattening your OBJECT and key data into separate relational columns if your semi-structured data includes:

Dates and timestamps, especially non-ISO 8601 dates and timestamps, as string values

Numbers within strings

Arrays

Non-native values (such as dates and timestamps in JSON) are stored as strings when loaded into a VARIANT column, so operations on thes values could be slower and also consume more space than when stored in a relational column with the corresponding data type.

upvoted 3 times

Question #75 *Topic 1*

Which function should be used to access values from an object?

A. OBJECT_KEYS

B. OBJECT_PICK

C. GET_PATH

D. XMLGET

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #76 *Topic 1*

Query results contain a small number of rows or columns relative to the base table with these characteristics:
1. The results require significant processing
2. The base table changes infrequently
3. The query is using only one large table
Which data object should be created to improve the performance?

A. A secure view

B. A materialized view

C. A standard view

D. A hybrid table

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #77 *Topic 1*

Which statement will return a NULL value instead of raising an error when converting an input to a date?

A. SELECT TRY_TO_DATE(START_DATE) FROM TABLE_A;

B. SELECT DATE(START_DATE) FROM TABLE_A;

C. SELECT START_DATE::DATE FROM TABLE_A;

D. SELECT TO_DATE(START_DATE) FROM TABLE_A;

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #78 *Topic 1*

Which query creates a JSON-style object with the keys name and age, and values Alice and 30?

A. SELECT {'name': 'Alice', 'age': 30};

B. SELECT TO_OBJECT('name', 'Alice', 'age', 30);

C. SELECT OBJECT_INSERT('name', 'Alice', 'age', 30);

D. SELECT OBJECT_CONSTRUCT('name', 'Alice', 'age', 30);

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #79 *Topic 1*

A size Medium virtual warehouse processes scheduled reports for a team. More than 30 reports run simultaneously during business hours, and the team requires high availability with consistent performance and minimal startup time.
What action should be taken to help avoid queuing when these reports are run?

A. Increase the size of the warehouse.

B. Enable a multi-cluster warehouse with Auto-scale mode and an Economy scaling policy.

C. Enable a multi-cluster warehouse with Maximized mode.

D. Enable a multi-cluster warehouse with Auto-scale mode and a Standard scaling policy.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #80 *Topic 1*

How does clustering depth impact query performance?

A. Low clustering depth indicates that there are a large number of overlapping micro-partitions and that the query pruning is efficient.

B. High clustering depth indicates that queries are taking advantage of caching and that the queries are running efficiently.

C. Low clustering depth indicates that there are few overlapping micro-partitions and that the query pruning is efficient.

D. High clustering depth indicates that too many users are scanning the same micro-partitions, slowing down query performance.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #81 *Topic 1*

A size Medium standard virtual warehouse is being used to continuously load data. The data will be consumed using reports.
Which step will optimize costs?

A. Create separate warehouses for each workload.

B. Enable the query acceleration service.

C. Change to a multi-cluster warehouse.

D. Resize the warehouse to size Small.

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #82 *Topic 1*

A reporting dashboard uses a dedicated warehouse that auto-suspends after five minutes of idle time. Similar queries run sporadically with gaps exceeding five minutes. Users notice the first query after suspension takes significantly longer than subsequent queries while the warehouse stays active.
How should query performance be improved?

A. Set the MIN_CLUSTER_COUNT equal to the MAX_CLUSTER_COUNT.

B. Increase the warehouse size to X-Large.

C. Use ALTER WAREHOUSE to increase the STATEMENT_TIMEOUT_IN_SECONDS.

D. Increase the AUTO_SUSPEND setting.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #83 *Topic 1*

Which virtual warehouse parameters are used to configure how clusters will run in Maximized mode or Auto-scale mode? (Choose two.)

A. SET WAREHOUSE_SIZE

B. SET MIN_CLUSTER_COUNT

C. SET MAX_CONCURRENCY_LEVEL

D. SET WAREHOUSE_TYPE

E. SET MAX_CLUSTER_COUNT

Correct Answer: BE

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #84 *Topic 1*

The first query run on virtual warehouse takes longer to run than the next run of the same query an hour later.
What causes this to happen?

A. The network connection is slower due to high traffic.

B. The warehouse copies all data from storage before executing the first query.

C. The first query was compiled by the database, the second query used a pre-compiled version.

D. The warehouse was suspended initially, the second query used cached data.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #85 *Topic 1*

A user needs to implement Slowly Changing Dimensions (SCD Type 2) to track historical changes.
Which action will accomplish this?

A. Enable table CHANGE_TRACKING on the dimension and use a scheduled task to run a MERGE that reads only changed rows.

B. Use Time Travel with periodic clones to snapshot the dimension and reconstruct history, using views when needed.

C. Use Snowpipe for auto-ingest and materialized views to propagate changes into the dimension table for versioning.

D. Use streams on the source or staging table with tasks that run a MERGE to expire current rows and insert new versioned rows with effective dates.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #86 *Topic 1*

What is the initial status of a cloned task?

A. Started

B. Suspended

C. Unassigned

D. Same as the parent task

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #87 *Topic 1*

A user runs a query on a large table using a Medium virtual warehouse. The same query is run on the same table by a different user using a different warehouse.
Which caches will be used?

A. Local disk cache and metadata cache

B. Query result cache and warehouse cache

C. Warehouse cache and metadata cache

D. Metadata cache and query result cache

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #88 *Topic 1*

Which will enable temporary scaling for queries that contain complex computations that may consume many credits?

A. Search optimization service

B. A virtual warehouse scaling policy

C. Query acceleration service

D. A multi-cluster virtual warehouse

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #89 *Topic 1*

This query was run:
select count(*) from ORDERS;
Where will the results come from?

A. Metadata cache

B. Query result cache

C. A full scan of the ORDERS table

D. The warehouse summary tables

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #90 *Topic 1*

A dashboard query is running much slower than expected. The Query Profile shows a join operator consuming 70% of the total execution time and producing 1,000 times more rows than its input tables.
What is causing this issue?

A. The query is queuing because the warehouse has too many concurrent queries.

B. The joined tables are not benefiting from efficient micro-partition pruning.

C. The query is generating a cartesian product due to a missing or incorrect ON clause condition.

D. The query is spilling data to remote storage because the warehouse is too small.

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #91 *Topic 1*

Which metadata does Snowflake store about the rows in a micro-partition? (Choose two.)

A. The range of values for each column

B. The average values for each column

C. The number of distinct values

D. The total number of values

E. The number of times each column has been queried

Correct Answer: AC

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #92 *Topic 1*

When will queries benefit from clustering? (Choose two.)

A. When queries filter or sort on the clustering key

B. When queries use the SELECT DISTINCT command to remove duplicate rows

C. When queries use random sampling to explore the data set

D. When queries use the ORDER BY or GROUP BY parameter on the clustering key

E. When clustering keys are applied to columns that are not used in filters or joins

Correct Answer: AD

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #93 *Topic 1*

How does the search optimization service use the search access path?

A. By generating a real-time index for all data in a database

B. By creating an up-to-date catalog of all tables in a database

C. By listing all queries that have been executed on the table data

D. By identifying where column-level values are in each micro-partition

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #94 *Topic 1*

What can be shared when the SECURE_OBJECTS_ONLY property is set to = FALSE?

A. A view **Most Voted**

B. A stored procedure

C. Storage integration access

D. A User-Defined Function (UDF)

Correct Answer: ABD

Community vote distribution

A (100%)

淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

PKMK **Most Recent** 4 days ago

Selected Answer: A

Setting SECURE_OBJECTS_ONLY = FALSE allows a Snowflake share to include non-secure views, in addition to secure objects.

Snowflake Documentation

+1

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Why the others are incorrect:

- B. Stored procedure — Not enabled for sharing by this property.

- C. Storage integration access — This property does not grant consumers access to storage integrations.

- D. UDF — A UDF shared through a standard Snowflake share must be secure; this setting does not permit a non-secure UDF.

upvoted 1 time

jeanfor 5 days ago

Selected Answer: A

Answer: A. A view.

By default, Snowflake's Secure Data Sharing only allows secure views to be added to a share, so that the consumer can't see the view's definition or get around its logic. The share property SECURE_OBJECTS_ONLY controls this:

SECURE_OBJECTS_ONLY Shareable views

TRUE (default) Secure views only

FALSE Non-secure (regular) views as well, including materialized views

sql

CREATE SHARE sales_share SECURE_OBJECTS_ONLY = FALSE;

GRANT SELECT ON VIEW sales_db.public.sales_v TO SHARE sales_share;

Setting it to FALSE is useful when a non-secure view's performance matters more than hiding its definition. Secure views disable some optimizations, so regular views can be faster.

The other options are wrong for these reasons:

B. Stored procedures aren't shared through a share in this way. Native Apps are the way to share procedures.

C. Storage integrations are account-level objects and can't be added to shares.

D. UDFs can be shared, but only secure UDFs. SECURE_OBJECTS_ONLY affects views, not functions.

upvoted 3 times

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #95 *Topic 1*

What tasks can a data consumer perform using third-party data sets in the Snowflake Marketplace?

A. Republish listings from the data provider.

B. Integrate Marketplace data with the Snowflake environment.

C. Modify the data structures and schemas in the provider's data set.

D. Export Marketplace data sets to local files for offline analysis.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #96 *Topic 1*

A Snowflake user needs to share a data set and wants it to be available to any Snowflake account that resides in the same cloud region.
What is the recommended way to do this?

A. Use a public listing.

B. Use a direct share. **Most Voted**

C. Use a Data Exchange.

D. Use an external stage.

Correct Answer: A

Community vote distribution

B (100%)

Comments

agata888 **Most Recent** 4 days ago

Selected Answer: B

a Direct Share is an option of sharing, in which you directly share specific database objects (a share) to another account in your region.

https://docs.snowflake.com/en/user-guide/data-sharing-intro

Options for sharing in Snowflake

You can share data in Snowflake using one of the following options:

a Listing, in which you offer a share and additional metadata as a data product to one or more accounts,

a Direct Share, in which you directly share specific database objects (a share) to another account in your region,

a Data Exchange, in which you set up and manage a group of accounts and offer a share to that group,

a clean room, in which you can share data and control which queries can be run against your data.

upvoted 1 time

Question #97 *Topic 1*

What is the MOST efficient method to share a subset of data from a table with a consumer account?

A. Create a secure User-Defined Function (UDF).

B. Use a dynamic table.

C. Create an external table.

D. Create a secure view.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #98 *Topic 1*

What steps are required when creating an external share that includes a table from Database A and a view from Database B?

A. Create the share as an account-level object and grant USAGE on both databases.

B. Create the share as a database-level object and define the share in the database that contains majority of the objects.

C. Create the share as a schema-level object and ensure all the referenced databases are transient.

D. Create the share as an organization-level object and use the ACCOUNTADMIN role to define the share.

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #99 *Topic 1*

What can a data consumer do with a Snowflake listing?

A. Publish the listing.

B. Create another listing from the shared listing.

C. Establish security parameters for listing access.

D. Request a copy of the data set used to create the listing.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #100 *Topic 1*

There are two Snowflake accounts in the same cloud provider region: one is production and the other is non-production.
How can data be easily transferred from the production account to the non-production account?

A. Clone the data from the production account to the non-production account.

B. Create a data share from the production account to the non-production account.

C. Create a subscription in the production account and have it published to the non-production account.

D. Create a reader account using the production account and link the reader account to the non-production account.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #101 *Topic 1*

A company stores customer and plan information in tables. The business team wants to ask questions like “Which plan has the most customers leaving this month?” and get answers right away without writing any SQL.

Which Snowflake Cortex feature should be used?

A. Cortex Analyst

B. Cortex Search

C. AI_PARSE_DOCUMENT

D. Cortex Fine-tuning

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #102 *Topic 1*

A Snowflake Practitioner wants to generate insights from customer data using an LLM directly within Snowflake without building or deploying separate models.

Which feature should be used?

A. Snowpark ML

B. Streamlit in Snowflake

C. Snowflake Cortex

D. Snowflake Marketplace

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #103 *Topic 1*

A company has multiple business units that need data isolation but shared administrative oversight.

Which solution will meet this requirement?

A. Create separate Snowflake accounts for each business unit.

B. Create a single database with separate schemas for each business unit.

C. Create separate databases within one account assigned to a business unit.

D. Create separate virtual warehouses for each business unit and share databases and schemas.

Correct Answer: A

Community vote distribution



淘宝/闲鱼:IT认证轻松过 微信:Examtopics

Comments

jeanfor Most Recent 5 days ago

Selected Answer: A

Answer: A. Create separate Snowflake accounts for each business unit.

The two requirements point to Snowflake's organization model:

Data isolation: each business unit gets its own account, which is the strongest boundary Snowflake offers. Each account has its own users, roles, data, warehouses, and security settings, so one unit's administrators can't see or affect another unit's data.

Shared administrative oversight: all the accounts belong to one organization. Central administrators use the ORGADMIN role, or an organization account, to create and manage accounts, see usage and costs across all of them, and control settings such as replication.

sql

USE ROLE ORGADMIN;

SHOW ACCOUNTS; -- every business unit's account, in one view

Accounts in the same organization can still share data with each other, or replicate it, when units need to collaborate.

The other options are wrong for these reasons:

B. Separate schemas give only logical separation through role-based access control, inside one shared account with shared administrators. That's the weakest isolation.

C. Separate databases are better organized but still share one account with the same account administrators, so there's no real isolation between units.

D. Separate warehouses separate compute and cost, not data. Sharing databases and schemas is the opposite of isolating them.
upvoted 3 times

1e15c5d 2 months, 3 days ago

Selected Answer: C

Data isolation — each business unit's data is separate

Shared administrative oversight — one team manages everything

Creating separate databases within one Snowflake account satisfies both perfectly:
upvoted 2 times

> **Simv** 15 days ago
> les bases de données cohabitent sous la même hiérarchie de rôles et la même gouvernance — l'isolation reste partielle, pas au niveau du compte.
> upvoted 1 time

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #104 *Topic 1*

A large enterprise requires a disaster recovery solution that ensures all critical databases and account-level objects can be quickly redirected to a secondary region that is hosted on a different cloud provider.

Which solution will enable synchronized cross-cloud and cross-region replication to support this level of redundancy?

A. Snowgrid

B. Data Clean Rooms

C. Cloning to an external stage

D. Replication and failover groups

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #105 *Topic 1*

A masking policy named SSN_MASK is applied to the SSN column in the EMPLOYEE table. A user account has been assigned the primary role of DEVELOPER.

This policy definition has been set:

```
CASE
WHEN CURRENT_ROLE() IN ('AUDITOR') THEN val
WHEN CURRENT_ROLE() IN ('HR_MGR') THEN 'XXXXX-XX-' || RIGHT(val, 4)
ELSE sha2(val)
END;
```

The HR_MGR role has been granted to the DEVELOPER role. The DEVELOPER role runs this statement:

SELECT SSN from EMPLOYEE;

Which results will Snowflake return?

A. SSN values partially masked as 'XXXXX-XX-' plus the last four digits

B. NULL

C. Unmasked SSN values

D. SHA2 hash of the original SSN values

Correct Answer: D

Comments

Question #106 *Topic 1*

Why does Snowflake recommend encrypting the private key when automation tools can use an unencrypted key?

A. Encrypting the private key improves query performance by reducing authentication latency.

B. Encrypting the private key allows Snowflake to validate the key rotation interval automatically.

C. Encrypting the private key is required because Snowflake-generated keys need encryption to integrate with the platform's security framework.

D. Encrypting the private key prevents unauthorized use if someone gains access to the key file.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #107 *Topic 1*

A user wants to change the configuration settings in the Snowflake Visual Studio Code (VS Code) extension without using the command line.

Which file should they use?

A. settings.joon

B. connections.toml

C. connectconfig. json

D. connections.config

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #108 *Topic 1*

A user is trying to determine why a data loading script that uses username/password authentication keeps failing with authentication errors. The service account has the correct permissions.

How should this be fixed?

A. Add Multi-Factor Authentication (MFA) to the service account.

B. Switch to key-pair authentication.

C. Increase password complexity requirements.

D. Run the script manually to enter MFA codes.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #109 *Topic 1*

A report runs on a table every 8 hours. New data is loaded to the table every 30 days. The query that ran immediately after the latest data load took 5 minutes to complete, while the next several executions completed in under 30 seconds.

When will the query execution begin to slow down?

A. 8 hours

B. 24 hours

C. 30 days

D. 31 days

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #110 *Topic 1*

Which field in ACCOUNT_USAGE.QUERY_HISTORY view reflects the time a query spends waiting for resources due to concurrency?

A. QUEUED_OVERLOAD_TIME

B. QUEUED_REPAIR_TIME

C. QUEUED_PROVISIONING_TIME

D. TRANSACTION_BLOCKED_TIME

Correct Answer: A

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #111 *Topic 1*

A warehouse is configured with AUTO_SUSPEND = 1800. A daily report is run in the morning and takes around 9 minutes to complete. The report is run again 10 minutes later and completes in 30 seconds. The report is not run overnight.

Why does the query run faster the second time?

A. The query structure caused the optimizer to choose different join sequences.

B. The warehouse cache retained the data from the first run.

C. The query results stored from the first run are removed.

D. The warehouse optimizes subsequent queries based on the performance of the first run.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #112 *Topic 1*

Which object type creates a data object that collects information from two tables without implementing manual tracking of data dependencies through transformations?

A. Materialized view

B. Stream

C. Transient table

D. Dynamic table

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #113 *Topic 1*

A secure view that references objects from multiple databases within the same account needs to be shared.

Which database-level privilege must be granted to the share to ensure data consumers can query the view and access the necessary underlying data?

A. USAGE

B. REFERENCE_USAGE

C. SELECT

D. CREATE SHARE

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #114 *Topic 1*

A company wants to offer a preview of a small portion of a large data set on the Marketplace for a short time, to encourage subscriptions.

Which feature supports this requirement?

A. A private Data Exchange with a time-limited membership

B. A shared materialized view with an expiration date

C. A limited trial listing

D. A reader account

Correct Answer: C

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #115 *Topic 1*

A user is creating a free private listing to share data with partner organizations. They have created the listing, added data products, and accepted the Snowflake Provider and Consumer Terms.

Which step is required prior to publishing the listing?

A. Add the cloud providers that will host and publish the listing.

B. Add any featured objects to the listing's data dictionary.

C. Add a list of SQL examples to the “Quick Start” section.

D. Add the organization and account names for the consumers to the ‘Who can access” section.

Correct Answer: D

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics

Question #116 *Topic 1*

A data provider shares a database containing 5 TB of data with three consumer accounts. Each consumer creates a database from the share and queries the imported data using their own virtual warehouses.

Will the consumers incur costs for accessing this imported data?

A. Consumers will incur a one-time data transfer fee plus ongoing compute charges.

B. Consumers will incur charges for the compute resources used to query the imported data.

C. Consumers will not incur any charges for this access because all costs are absorbed by the provider.

D. Consumers will incur both storage charges and compute charges because the 5 TB of data is replicated to their accounts.

Correct Answer: B

Comments

淘宝/闲鱼: IT认证轻松过，微信: Examtopics