

Spatial data: discovering geopandas

Lino Galiana

Version of October 4, 2026

Geolocated data has multiplied in recent years, whether it is open data or geolocated digital traces of the *big data* type. For spatial data, the **GeoPandas** package extends the features of the **Pandas** ecosystem to make it possible to handle complex geographic data in a simple way.

 **Automatically generated PDF.** This document is produced from the course website and may contain formatting issues. For an up-to-date version adapted to your reading, visit the course page: pythonds.linogaliana.fr.

Table of contents

Informations additionnelles 1

The **GeoPandas** part has recently evolved. You can find the content related to **GeoPandas** in the following chapter (lectures and exercises):

- [Introduction to spatial data with Geopandas](#)

Informations additionnelles

Python environment

This site was built automatically through a **Github** action using the **Quarto** reproducible publishing software (version 1.10.18).

The environment used to obtain the results is reproducible via **uv**. The **pyproject.toml** file used to build this environment is available on the [linogaliana/python-datascientist](#) repository

```
[project]
name = "python-datascientist"
version = "0.1.0"
description = "Source code for Lino Galiana's Python for data science course"
readme = "README.md"
requires-python = "≥3.13,<3.14"
dependencies = [
    "altair≥6.0.0",
    "cartiflette",
    "contextily=1.6.2",
    "duckdb≥0.10.1",
    "folium≥0.19.6",
    "gdal=3.11.4",
    "graphviz=0.20.3",
    "great-tables≥0.12.0",
    "gt-extras≥0.0.8",
```

```

    "ipykernel ≥ 6.29.5",
    "jupyter ≥ 1.1.1",
    "jupyter-cache ≥ 1.0.0",
    "kaleido ≥ 0.2.1",
    "langchain-community ≥ 0.3.27",
    "loguru = 0.7.3",
    "markdown ≥ 3.8",
    "nbcclient ≥ 0.10.0",
    "nbformat ≥ 5.10.4",
    "nltk ≥ 3.9.1",
    "pandas ≥ 3.0",
    "pip ≥ 25.1.1",
    "plotly ≥ 6.1.2",
    "plotnine ≥ 0.15",
    "polars ≥ 1.8.2",
    "pyarrow ≥ 17.0.0",
    "pynsee ≥ 0.1.8",
    "python-dotenv ≥ 1.0.1",
    "python-frontmatter ≥ 1.1.0",
    "pywaffle ≥ 1.1.1",
    "requests ≥ 2.32.3",
    "scikit-image ≥ 0.24.0",
    "scikit-learn ≥ 1.8.0",
    "scipy ≥ 1.13.0",
    "seaborn ≥ 0.13.2",
    "selenium < 4.39.0",
    "spacy ≥ 3.8.4",
    "webdriver-manager ≥ 4.0.2",
    "wordcloud = 1.9.3",
]

[tool.uv.sources]
cartiflette = { git = "https://github.com/inseefr/lab/cartiflette" }
gdal = [
    { index = "gdal-wheels", marker = "sys_platform == 'linux'", },
    { index = "geospatial-wheels", marker = "sys_platform == 'win32'", },
]

[[tool.uv.index]]
name = "geospatial-wheels"
url = "https://nathanjmcDougall.github.io/geospatial-wheels-index/"
explicit = true

[[tool.uv.index]]
name = "gdal-wheels"
url = "https://gitlab.com/api/v4/projects/61637378/packages/pypi/simple"
explicit = true

[dependency-groups]
dev = [
    "nb-clean ≥ 4.0.1",
]

```

To use exactly the same environment (version of `Python` and `packages`), please refer to the [documentation for uv](#).