

SIMULATION IDEAS

For each observation $i \in [n]$, denote by its tensor covariate $\mathcal{X}_i \in \mathbb{R}^{p_1 \times \dots \times p_D}$, one-way covariates $\mathbf{z}_i \in \mathbb{R}^{p_0}$, and two responses $y_{ij} \in \mathbb{R}$ where $j = 1, 2$ represents two eyes. Let $t \in [0, 1]$ be the observation time, $\mathcal{A}(t) = (\alpha_{j_1, \dots, j_d}(t)) \in \mathbb{R}^{p_1 \times \dots \times p_D}$ be the unknown tensor coefficient function, and $\beta \in \mathbb{R}^{p_0}$ be the coefficients. The model is assumed to be

$$y_{ij} = \langle \mathcal{X}_{ij}, \mathcal{A}(t_i) \rangle + \mathbf{z}_i^\top \beta + \epsilon_{ij} = \sum_{s=1}^S \left\langle \mathcal{X}_{ij}^{(s)}, \mathcal{A}^{(s)}(t_i) \right\rangle + \mathbf{z}_i^\top \beta + \epsilon_{ij} \quad (1)$$

by a rank- R CP decomposition, we can reorganize it in a matrix form

$$\approx \sum_{s=1}^S \sum_{r=1}^R x_{ijrs}^* \left\langle \mathcal{U}_r^{(s)}, \mathcal{A}^{(s)}(t_i) \right\rangle + \mathbf{z}_i^\top \beta + \epsilon_{ij} = \langle \mathbf{X}_{ij}^*, \mathbf{A}(t_i) \rangle + \mathbf{z}_i^\top \beta + \epsilon_{ij},$$

where matrix $\mathbf{X}_{ij}^* := (x_{ijrs}^*) \in \mathbb{R}^{R \times S}$, and $\mathbf{A}(t) := (\alpha_{rs}(t)) \in \mathbb{R}^{R \times S}$ with $\alpha_{rs}(t) := \left\langle \mathcal{U}_r^{(s)}, \mathcal{A}^{(s)}(t) \right\rangle$. Within one patient, the eyes are correlated by

$$\begin{bmatrix} \epsilon_{i1} \\ \epsilon_{i2} \end{bmatrix} \sim \mathbf{N} \left(\mathbf{0}, \sigma^2(t) \begin{bmatrix} 1 & \rho \\ \rho & 1 \end{bmatrix} \right).$$

Case 1: 2D Tensor Covariate

DGP. The tensor size is set to be $D = 2$, $p_1 = p_2 = 60$, and split by $p'_1 = p'_2 = 12$ such that by $S^{(1)} = S^{(2)} = 5$. Set the rank $R = 4$, and the s -th block tensor for j -th eye of i -th patient is generated by:

$$\mathcal{X}_{ij}^{(s)} = \sum_{r=1}^R x_{ijrs}^* \mathbf{x}_r^{(s1)} \circ \mathbf{x}_r^{(s2)}, \quad \text{where } x_{ijrs}^* \stackrel{\text{iid}}{\sim} \mathcal{N}(0, 1).$$

and any $\mathbf{x}_r^{(sd)}$ and $\mathbf{x}_{r'}^{(sd)}$ are orthonormal and obtained from the QR decomposition of a random matrix. The coefficient function is set to be $\mathcal{A}^{(s)}(t) = \sum_{r=1}^R \alpha_{rs}(t) \mathbf{x}_r^{(s1)} \circ \mathbf{x}_r^{(s2)}$ where $\alpha_{rs}(t)$ has 4 choices:

$$\alpha_{1rs}(t) = 5\sqrt{\frac{rs}{RS}}(t - 0.2)^2, \quad \alpha_{2rs}(t) = \sqrt{\frac{rs}{RS}} \left(e^{-(3t-1)^2} - 0.75 \right), \quad \alpha_{3rs}(t) = \sqrt{\frac{rs}{RS}} \sin(2\pi(t - 0.5)), \quad (2)$$

$$\alpha_{4rs}(t) = \sqrt{\frac{rs}{RS}} \left[0.45 \cdot 5(t - 0.2)^2 + 0.35(e^{-(3t-1)^2} - 0.75) + 0.20 \sin(2\pi(t - 0.5)) \right]. \quad (3)$$

The one-way vector $\mathbf{Z} \in \mathbb{R}^{n \times p_0}$ is Gaussian ensemble matrix (iid entries) and $\beta = (2.0, 1.0, -1.0, 0.5)^\top$. We will vary $\sigma^2(t)$ to 4 subcases as Case 1(a)-(d).

$$\sigma_0(t) \equiv 1, \quad \sigma_1(t) = 1 + 0.3 \sin(2\pi t), \quad \sigma_2(t) = 1 + 0.25 \cos(2\pi t), \quad \text{and } \sigma_3(t) = 0.5 + 0.5 \sin^2(\pi t) \quad (4)$$

Estimation Steps. (1) We treat the paired data as iid, and get initial estimate $\hat{\mathbf{A}}^\dagger(t)$ and $\hat{\beta}^\dagger$. (2) Then estimate covariance structure $\hat{\sigma}^2(t)$ by eq(15)-(16) in AOAS draft. (3) Get final estimates $\hat{\mathbf{A}}^*(t)$ and $\hat{\beta}^*$ from eq(14)-(15) of AOAS draft.

Simulation Results. We vary $n = 1000/2000$, coefficients $\alpha_{1rs}(t), \dots, \alpha_{4rs}(t)$, and correlation $\rho = 0/0.3/0.6/0.9$. We report the error of both initial estimates $(\hat{\mathbf{A}}^\dagger, \hat{\beta}^\dagger)$ and final estimates $(\hat{\mathbf{A}}^*, \hat{\beta}^*)$, also the error of $(\hat{\sigma}^2, \hat{\rho})$.

Table 1: MAE errors ($\times 10^{-2}$) for Case 1(a) - $\sigma_0(t) \equiv 1$.

function	n	ρ	MIAE		MAE		MIAE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	5.06 ($\pm$ 0.17)	5.08 ($\pm$ 0.18)	2.09 ($\pm$ 0.78)	2.12 ($\pm$ 0.77)	30.32 ($\pm$ 2.66)	2.81 ($\pm$ 1.91)
		0.3	5.05 ($\pm$ 0.20)	4.94 ($\pm$ 0.18)	2.44 ($\pm$ 1.01)	2.49 ($\pm$ 1.07)	30.23 ($\pm$ 3.48)	7.48 ($\pm$ 3.06)
		0.6	5.06 ($\pm$ 0.24)	4.53 ($\pm$ 0.17)	2.66 ($\pm$ 1.10)	2.69 ($\pm$ 1.13)	30.19 ($\pm$ 3.71)	15.09 ($\pm$ 2.55)
		0.9	5.06 ($\pm$ 0.27)	3.57 ($\pm$ 0.18)	2.88 ($\pm$ 1.13)	2.84 ($\pm$ 1.15)	30.14 ($\pm$ 3.99)	22.70 ($\pm$ 1.92)
	2000	0.0	3.29 ($\pm$ 0.10)	3.30 ($\pm$ 0.10)	1.25 ($\pm$ 0.43)	1.24 ($\pm$ 0.44)	13.31 ($\pm$ 1.88)	1.37 ($\pm$ 0.80)
		0.3	3.32 ($\pm$ 0.11)	3.22 ($\pm$ 0.11)	1.39 ($\pm$ 0.59)	1.36 ($\pm$ 0.61)	13.24 ($\pm$ 1.82)	4.12 ($\pm$ 1.64)
		0.6	3.33 ($\pm$ 0.11)	2.89 ($\pm$ 0.10)	1.53 ($\pm$ 0.65)	1.47 ($\pm$ 0.67)	13.15 ($\pm$ 2.04)	8.48 ($\pm$ 1.41)
		0.9	3.33 ($\pm$ 0.11)	2.16 ($\pm$ 0.07)	1.68 ($\pm$ 0.70)	1.56 ($\pm$ 0.72)	13.07 ($\pm$ 2.32)	12.92 ($\pm$ 1.03)
$\mathbf{A}_2(t)$	1000	0.0	5.08 ($\pm$ 0.21)	5.10 ($\pm$ 0.21)	2.09 ($\pm$ 0.79)	2.12 ($\pm$ 0.78)	30.33 ($\pm$ 2.72)	2.94 ($\pm$ 2.11)
		0.3	5.03 ($\pm$ 0.18)	4.92 ($\pm$ 0.16)	2.44 ($\pm$ 0.98)	2.51 ($\pm$ 1.03)	30.28 ($\pm$ 3.56)	6.87 ($\pm$ 2.92)
		0.6	5.03 ($\pm$ 0.20)	4.50 ($\pm$ 0.16)	2.66 ($\pm$ 1.08)	2.71 ($\pm$ 1.11)	30.25 ($\pm$ 3.78)	14.46 ($\pm$ 2.31)
		0.9	5.02 ($\pm$ 0.22)	3.52 ($\pm$ 0.15)	2.89 ($\pm$ 1.12)	2.84 ($\pm$ 1.14)	30.20 ($\pm$ 4.05)	22.09 ($\pm$ 1.48)
	2000	0.0	3.28 ($\pm$ 0.08)	3.29 ($\pm$ 0.08)	1.21 ($\pm$ 0.46)	1.21 ($\pm$ 0.46)	13.43 ($\pm$ 1.89)	1.56 ($\pm$ 0.96)
		0.3	3.29 ($\pm$ 0.12)	3.19 ($\pm$ 0.11)	1.39 ($\pm$ 0.59)	1.37 ($\pm$ 0.63)	13.34 ($\pm$ 1.78)	3.87 ($\pm$ 1.59)
		0.6	3.29 ($\pm$ 0.12)	2.86 ($\pm$ 0.10)	1.54 ($\pm$ 0.64)	1.48 ($\pm$ 0.70)	13.24 ($\pm$ 2.03)	8.22 ($\pm$ 1.31)
		0.9	3.29 ($\pm$ 0.11)	2.09 ($\pm$ 0.08)	1.69 ($\pm$ 0.69)	1.60 ($\pm$ 0.74)	13.12 ($\pm$ 2.34)	12.64 ($\pm$ 0.98)
$\mathbf{A}_3(t)$	1000	0.0	6.49 ($\pm$ 0.22)	6.60 ($\pm$ 0.23)	2.21 ($\pm$ 0.76)	2.27 ($\pm$ 0.76)	17.16 ($\pm$ 2.64)	2.85 ($\pm$ 2.21)
		0.3	6.52 ($\pm$ 0.18)	6.56 ($\pm$ 0.17)	2.46 ($\pm$ 1.11)	2.53 ($\pm$ 1.09)	17.08 ($\pm$ 3.21)	11.00 ($\pm$ 3.08)
		0.6	6.53 ($\pm$ 0.19)	6.29 ($\pm$ 0.16)	2.70 ($\pm$ 1.18)	2.73 ($\pm$ 1.16)	17.15 ($\pm$ 3.26)	22.32 ($\pm$ 2.77)
		0.9	6.54 ($\pm$ 0.22)	5.75 ($\pm$ 0.15)	2.95 ($\pm$ 1.21)	2.89 ($\pm$ 1.22)	17.24 ($\pm$ 3.35)	33.66 ($\pm$ 2.46)
	2000	0.0	5.04 ($\pm$ 0.11)	5.14 ($\pm$ 0.12)	1.49 ($\pm$ 0.56)	1.48 ($\pm$ 0.58)	9.82 ($\pm$ 1.17)	1.33 ($\pm$ 0.98)
		0.3	5.05 ($\pm$ 0.12)	5.09 ($\pm$ 0.12)	1.41 ($\pm$ 0.59)	1.38 ($\pm$ 0.61)	10.29 ($\pm$ 1.30)	8.32 ($\pm$ 1.90)
		0.6	5.06 ($\pm$ 0.13)	4.89 ($\pm$ 0.11)	1.55 ($\pm$ 0.65)	1.49 ($\pm$ 0.66)	10.41 ($\pm$ 1.36)	16.81 ($\pm$ 1.83)
		0.9	5.06 ($\pm$ 0.13)	4.50 ($\pm$ 0.09)	1.67 ($\pm$ 0.70)	1.58 ($\pm$ 0.70)	10.57 ($\pm$ 1.48)	25.32 ($\pm$ 1.67)
$\mathbf{A}_4(t)$	1000	0.0	4.87 ($\pm$ 0.19)	4.88 ($\pm$ 0.20)	2.09 ($\pm$ 0.76)	2.13 ($\pm$ 0.75)	31.77 ($\pm$ 2.69)	2.85 ($\pm$ 1.97)
		0.3	4.85 ($\pm$ 0.18)	4.73 ($\pm$ 0.16)	2.43 ($\pm$ 1.01)	2.47 ($\pm$ 1.07)	31.68 ($\pm$ 3.47)	6.83 ($\pm$ 2.97)
		0.6	4.85 ($\pm$ 0.21)	4.28 ($\pm$ 0.15)	2.65 ($\pm$ 1.10)	2.67 ($\pm$ 1.14)	31.64 ($\pm$ 3.69)	13.98 ($\pm$ 2.37)
		0.9	4.86 ($\pm$ 0.24)	3.20 ($\pm$ 0.16)	2.88 ($\pm$ 1.13)	2.82 ($\pm$ 1.15)	31.59 ($\pm$ 3.97)	21.14 ($\pm$ 1.64)
	2000	0.0	3.02 ($\pm$ 0.09)	3.02 ($\pm$ 0.09)	1.26 ($\pm$ 0.45)	1.26 ($\pm$ 0.45)	15.12 ($\pm$ 1.87)	1.44 ($\pm$ 0.78)
		0.3	3.03 ($\pm$ 0.09)	2.91 ($\pm$ 0.09)	1.36 ($\pm$ 0.58)	1.33 ($\pm$ 0.60)	15.04 ($\pm$ 1.85)	3.57 ($\pm$ 1.45)
		0.6	3.04 ($\pm$ 0.09)	2.54 ($\pm$ 0.08)	1.51 ($\pm$ 0.64)	1.45 ($\pm$ 0.66)	14.95 ($\pm$ 2.06)	7.33 ($\pm$ 1.30)
		0.9	3.04 ($\pm$ 0.09)	1.63 ($\pm$ 0.06)	1.65 ($\pm$ 0.69)	1.54 ($\pm$ 0.71)	14.85 ($\pm$ 2.35)	11.21 ($\pm$ 0.88)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						

Table 2: MAE errors ($\times 10^{-2}$) for Case 1(b) - $\sigma_1(t) = 1 + 0.3 \sin(2\pi t)$.

function	n	ρ	MIAE		MAE		MIAE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	5.05 ($\pm$ 0.18)	5.05 ($\pm$ 0.18)	2.12 ($\pm$ 0.80)	2.05 ($\pm$ 0.75)	30.43 ($\pm$ 2.75)	2.93 ($\pm$ 1.94)
		0.3	5.03 ($\pm$ 0.20)	4.92 ($\pm$ 0.18)	2.41 ($\pm$ 1.03)	2.45 ($\pm$ 1.04)	30.27 ($\pm$ 3.47)	7.63 ($\pm$ 3.19)
		0.6	5.03 ($\pm$ 0.23)	4.51 ($\pm$ 0.17)	2.63 ($\pm$ 1.10)	2.65 ($\pm$ 1.10)	30.26 ($\pm$ 3.76)	15.23 ($\pm$ 2.67)
		0.9	5.04 ($\pm$ 0.27)	3.56 ($\pm$ 0.18)	2.86 ($\pm$ 1.14)	2.79 ($\pm$ 1.12)	30.23 ($\pm$ 4.12)	22.80 ($\pm$ 2.02)
	2000	0.0	3.29 ($\pm$ 0.10)	3.29 ($\pm$ 0.10)	1.24 ($\pm$ 0.46)	1.21 ($\pm$ 0.42)	13.47 ($\pm$ 1.92)	1.60 ($\pm$ 0.90)
		0.3	3.31 ($\pm$ 0.11)	3.20 ($\pm$ 0.11)	1.39 ($\pm$ 0.61)	1.34 ($\pm$ 0.58)	13.41 ($\pm$ 1.93)	4.31 ($\pm$ 1.55)
		0.6	3.32 ($\pm$ 0.11)	2.88 ($\pm$ 0.10)	1.53 ($\pm$ 0.67)	1.44 ($\pm$ 0.65)	13.46 ($\pm$ 2.10)	8.63 ($\pm$ 1.31)
		0.9	3.32 ($\pm$ 0.11)	2.15 ($\pm$ 0.07)	1.67 ($\pm$ 0.72)	1.53 ($\pm$ 0.69)	13.57 ($\pm$ 2.25)	12.97 ($\pm$ 0.98)
$\mathbf{A}_2(t)$	1000	0.0	5.05 ($\pm$ 0.21)	5.07 ($\pm$ 0.21)	2.11 ($\pm$ 0.82)	2.06 ($\pm$ 0.75)	30.43 ($\pm$ 2.82)	3.14 ($\pm$ 2.03)
		0.3	4.99 ($\pm$ 0.18)	4.89 ($\pm$ 0.17)	2.42 ($\pm$ 1.01)	2.44 ($\pm$ 1.02)	30.32 ($\pm$ 3.54)	6.97 ($\pm$ 3.07)
		0.6	4.99 ($\pm$ 0.20)	4.47 ($\pm$ 0.16)	2.66 ($\pm$ 1.09)	2.63 ($\pm$ 1.11)	30.32 ($\pm$ 3.83)	14.55 ($\pm$ 2.42)
		0.9	4.99 ($\pm$ 0.22)	3.49 ($\pm$ 0.15)	2.88 ($\pm$ 1.15)	2.78 ($\pm$ 1.12)	30.30 ($\pm$ 4.18)	22.12 ($\pm$ 1.51)
	2000	0.0	3.26 ($\pm$ 0.08)	3.27 ($\pm$ 0.08)	1.19 ($\pm$ 0.46)	1.18 ($\pm$ 0.44)	13.55 ($\pm$ 1.99)	1.77 ($\pm$ 1.12)
		0.3	3.26 ($\pm$ 0.12)	3.17 ($\pm$ 0.12)	1.38 ($\pm$ 0.62)	1.35 ($\pm$ 0.58)	13.41 ($\pm$ 1.94)	4.06 ($\pm$ 1.53)
		0.6	3.26 ($\pm$ 0.12)	2.84 ($\pm$ 0.10)	1.54 ($\pm$ 0.67)	1.46 ($\pm$ 0.65)	13.41 ($\pm$ 2.12)	8.36 ($\pm$ 1.28)
		0.9	3.26 ($\pm$ 0.11)	2.07 ($\pm$ 0.08)	1.69 ($\pm$ 0.71)	1.56 ($\pm$ 0.70)	13.45 ($\pm$ 2.32)	12.69 ($\pm$ 1.00)
$\mathbf{A}_3(t)$	1000	0.0	6.48 ($\pm$ 0.22)	6.59 ($\pm$ 0.23)	2.22 ($\pm$ 0.79)	2.21 ($\pm$ 0.75)	19.24 ($\pm$ 2.34)	2.95 ($\pm$ 2.18)
		0.3	6.51 ($\pm$ 0.18)	6.54 ($\pm$ 0.17)	2.43 ($\pm$ 1.08)	2.49 ($\pm$ 1.08)	19.03 ($\pm$ 2.81)	11.20 ($\pm$ 3.26)
		0.6	6.52 ($\pm$ 0.20)	6.28 ($\pm$ 0.17)	2.67 ($\pm$ 1.15)	2.69 ($\pm$ 1.15)	19.03 ($\pm$ 3.09)	22.52 ($\pm$ 2.99)
		0.9	6.53 ($\pm$ 0.22)	5.74 ($\pm$ 0.16)	2.91 ($\pm$ 1.19)	2.86 ($\pm$ 1.20)	19.06 ($\pm$ 3.45)	33.85 ($\pm$ 2.68)
	2000	0.0	5.04 ($\pm$ 0.11)	5.14 ($\pm$ 0.12)	1.52 ($\pm$ 0.55)	1.47 ($\pm$ 0.56)	10.30 ($\pm$ 1.13)	1.39 ($\pm$ 1.04)
		0.3	5.05 ($\pm$ 0.12)	5.08 ($\pm$ 0.12)	1.41 ($\pm$ 0.58)	1.35 ($\pm$ 0.61)	10.84 ($\pm$ 1.29)	8.51 ($\pm$ 1.89)
		0.6	5.06 ($\pm$ 0.13)	4.89 ($\pm$ 0.11)	1.54 ($\pm$ 0.63)	1.46 ($\pm$ 0.66)	10.99 ($\pm$ 1.33)	16.96 ($\pm$ 1.81)
		0.9	5.06 ($\pm$ 0.13)	4.49 ($\pm$ 0.09)	1.67 ($\pm$ 0.68)	1.56 ($\pm$ 0.70)	11.22 ($\pm$ 1.37)	25.42 ($\pm$ 1.66)
$\mathbf{A}_4(t)$	1000	0.0	4.85 ($\pm$ 0.20)	4.86 ($\pm$ 0.20)	2.12 ($\pm$ 0.78)	2.05 ($\pm$ 0.71)	31.88 ($\pm$ 2.79)	2.95 ($\pm$ 2.01)
		0.3	4.82 ($\pm$ 0.18)	4.70 ($\pm$ 0.16)	2.39 ($\pm$ 1.03)	2.42 ($\pm$ 1.05)	31.72 ($\pm$ 3.45)	6.98 ($\pm$ 3.13)
		0.6	4.82 ($\pm$ 0.21)	4.26 ($\pm$ 0.15)	2.62 ($\pm$ 1.10)	2.61 ($\pm$ 1.12)	31.71 ($\pm$ 3.75)	14.11 ($\pm$ 2.52)
		0.9	4.82 ($\pm$ 0.24)	3.18 ($\pm$ 0.15)	2.85 ($\pm$ 1.14)	2.77 ($\pm$ 1.13)	31.69 ($\pm$ 4.10)	21.23 ($\pm$ 1.76)
	2000	0.0	3.00 ($\pm$ 0.09)	3.00 ($\pm$ 0.09)	1.25 ($\pm$ 0.47)	1.23 ($\pm$ 0.43)	15.24 ($\pm$ 1.94)	1.65 ($\pm$ 0.92)
		0.3	3.01 ($\pm$ 0.09)	2.89 ($\pm$ 0.09)	1.36 ($\pm$ 0.59)	1.31 ($\pm$ 0.57)	15.15 ($\pm$ 1.94)	3.71 ($\pm$ 1.47)
		0.6	3.02 ($\pm$ 0.09)	2.52 ($\pm$ 0.08)	1.51 ($\pm$ 0.65)	1.42 ($\pm$ 0.64)	15.14 ($\pm$ 2.11)	7.47 ($\pm$ 1.21)
		0.9	3.02 ($\pm$ 0.09)	1.62 ($\pm$ 0.06)	1.65 ($\pm$ 0.70)	1.51 ($\pm$ 0.68)	15.15 ($\pm$ 2.33)	11.25 ($\pm$ 0.85)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						

Table 3: MAE errors ($\times 10^{-2}$) for Case 1(c) - $\sigma_2(t) = 1 + 0.25 \cos(2\pi t)$.

function	n	ρ	MIAE		MAE		MIAE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	4.28 ($\pm$ 0.14)	4.29 ($\pm$ 0.14)	1.82 ($\pm$ 0.68)	1.78 ($\pm$ 0.66)	20.98 ($\pm$ 2.10)	2.79 ($\pm$ 1.96)
		0.3	4.28 ($\pm$ 0.18)	4.19 ($\pm$ 0.16)	2.08 ($\pm$ 0.85)	2.12 ($\pm$ 0.89)	20.91 ($\pm$ 2.62)	7.39 ($\pm$ 3.17)
		0.6	4.28 ($\pm$ 0.20)	3.84 ($\pm$ 0.15)	2.27 ($\pm$ 0.92)	2.29 ($\pm$ 0.94)	20.89 ($\pm$ 2.80)	14.77 ($\pm$ 2.63)
		0.9	4.28 ($\pm$ 0.23)	3.06 ($\pm$ 0.15)	2.45 ($\pm$ 0.96)	2.40 ($\pm$ 0.96)	20.85 ($\pm$ 3.03)	22.15 ($\pm$ 1.96)
	2000	0.0	2.85 ($\pm$ 0.09)	2.86 ($\pm$ 0.09)	1.09 ($\pm$ 0.38)	1.04 ($\pm$ 0.38)	8.56 ($\pm$ 1.44)	1.51 ($\pm$ 0.91)
		0.3	2.87 ($\pm$ 0.09)	2.79 ($\pm$ 0.09)	1.23 ($\pm$ 0.52)	1.13 ($\pm$ 0.51)	8.47 ($\pm$ 1.43)	4.17 ($\pm$ 1.73)
		0.6	2.88 ($\pm$ 0.09)	2.53 ($\pm$ 0.09)	1.35 ($\pm$ 0.57)	1.23 ($\pm$ 0.56)	8.41 ($\pm$ 1.58)	8.51 ($\pm$ 1.42)
		0.9	2.88 ($\pm$ 0.10)	1.96 ($\pm$ 0.06)	1.48 ($\pm$ 0.61)	1.31 ($\pm$ 0.60)	8.37 ($\pm$ 1.77)	12.91 ($\pm$ 1.01)
$\mathbf{A}_2(t)$	1000	0.0	4.29 ($\pm$ 0.17)	4.31 ($\pm$ 0.17)	1.83 ($\pm$ 0.69)	1.77 ($\pm$ 0.67)	21.00 ($\pm$ 2.15)	3.03 ($\pm$ 2.04)
		0.3	4.24 ($\pm$ 0.15)	4.16 ($\pm$ 0.14)	2.08 ($\pm$ 0.83)	2.13 ($\pm$ 0.87)	20.97 ($\pm$ 2.70)	6.68 ($\pm$ 2.98)
		0.6	4.24 ($\pm$ 0.17)	3.81 ($\pm$ 0.13)	2.27 ($\pm$ 0.89)	2.30 ($\pm$ 0.93)	20.95 ($\pm$ 2.87)	14.04 ($\pm$ 2.36)
		0.9	4.23 ($\pm$ 0.18)	3.00 ($\pm$ 0.13)	2.48 ($\pm$ 0.92)	2.41 ($\pm$ 0.97)	20.91 ($\pm$ 3.09)	21.43 ($\pm$ 1.49)
	2000	0.0	2.83 ($\pm$ 0.07)	2.84 ($\pm$ 0.07)	1.04 ($\pm$ 0.40)	1.01 ($\pm$ 0.39)	8.68 ($\pm$ 1.45)	1.75 ($\pm$ 1.15)
		0.3	2.83 ($\pm$ 0.10)	2.76 ($\pm$ 0.10)	1.22 ($\pm$ 0.53)	1.15 ($\pm$ 0.51)	8.56 ($\pm$ 1.41)	3.87 ($\pm$ 1.72)
		0.6	2.83 ($\pm$ 0.10)	2.49 ($\pm$ 0.08)	1.36 ($\pm$ 0.56)	1.25 ($\pm$ 0.58)	8.49 ($\pm$ 1.58)	8.19 ($\pm$ 1.38)
		0.9	2.83 ($\pm$ 0.10)	1.87 ($\pm$ 0.06)	1.49 ($\pm$ 0.59)	1.34 ($\pm$ 0.61)	8.42 ($\pm$ 1.81)	12.56 ($\pm$ 0.99)
$\mathbf{A}_3(t)$	1000	0.0	5.84 ($\pm$ 0.19)	5.96 ($\pm$ 0.20)	1.94 ($\pm$ 0.68)	1.95 ($\pm$ 0.68)	9.43 ($\pm$ 1.33)	3.00 ($\pm$ 2.14)
		0.3	5.88 ($\pm$ 0.15)	5.94 ($\pm$ 0.15)	2.12 ($\pm$ 0.98)	2.15 ($\pm$ 0.90)	9.57 ($\pm$ 1.61)	11.74 ($\pm$ 3.09)
		0.6	5.88 ($\pm$ 0.16)	5.74 ($\pm$ 0.14)	2.32 ($\pm$ 1.05)	2.32 ($\pm$ 0.95)	9.61 ($\pm$ 1.60)	23.73 ($\pm$ 2.84)
		0.9	5.89 ($\pm$ 0.17)	5.34 ($\pm$ 0.13)	2.54 ($\pm$ 1.06)	2.45 ($\pm$ 1.00)	9.69 ($\pm$ 1.68)	35.74 ($\pm$ 2.62)
	2000	0.0	4.72 ($\pm$ 0.10)	4.84 ($\pm$ 0.11)	1.36 ($\pm$ 0.51)	1.29 ($\pm$ 0.51)	10.46 ($\pm$ 0.95)	1.38 ($\pm$ 1.05)
		0.3	4.72 ($\pm$ 0.11)	4.80 ($\pm$ 0.10)	1.28 ($\pm$ 0.50)	1.17 ($\pm$ 0.52)	10.69 ($\pm$ 1.10)	9.40 ($\pm$ 2.06)
		0.6	4.73 ($\pm$ 0.12)	4.65 ($\pm$ 0.10)	1.39 ($\pm$ 0.55)	1.26 ($\pm$ 0.56)	10.78 ($\pm$ 1.15)	18.86 ($\pm$ 1.97)
		0.9	4.73 ($\pm$ 0.12)	4.37 ($\pm$ 0.08)	1.50 ($\pm$ 0.59)	1.34 ($\pm$ 0.60)	10.92 ($\pm$ 1.25)	28.35 ($\pm$ 1.83)
$\mathbf{A}_4(t)$	1000	0.0	4.07 ($\pm$ 0.15)	4.07 ($\pm$ 0.16)	1.81 ($\pm$ 0.67)	1.79 ($\pm$ 0.64)	22.43 ($\pm$ 2.13)	2.89 ($\pm$ 1.95)
		0.3	4.05 ($\pm$ 0.15)	3.95 ($\pm$ 0.14)	2.07 ($\pm$ 0.86)	2.09 ($\pm$ 0.89)	22.37 ($\pm$ 2.61)	6.57 ($\pm$ 3.04)
		0.6	4.06 ($\pm$ 0.18)	3.57 ($\pm$ 0.13)	2.26 ($\pm$ 0.93)	2.27 ($\pm$ 0.94)	22.34 ($\pm$ 2.78)	13.34 ($\pm$ 2.41)
		0.9	4.05 ($\pm$ 0.20)	2.65 ($\pm$ 0.13)	2.46 ($\pm$ 0.96)	2.38 ($\pm$ 0.96)	22.31 ($\pm$ 3.01)	20.13 ($\pm$ 1.62)
	2000	0.0	2.55 ($\pm$ 0.08)	2.55 ($\pm$ 0.08)	1.10 ($\pm$ 0.40)	1.05 ($\pm$ 0.38)	10.37 ($\pm$ 1.44)	1.56 ($\pm$ 0.90)
		0.3	2.56 ($\pm$ 0.08)	2.45 ($\pm$ 0.08)	1.19 ($\pm$ 0.50)	1.11 ($\pm$ 0.50)	10.27 ($\pm$ 1.46)	3.45 ($\pm$ 1.54)
		0.6	2.56 ($\pm$ 0.08)	2.15 ($\pm$ 0.07)	1.33 ($\pm$ 0.55)	1.21 ($\pm$ 0.55)	10.21 ($\pm$ 1.61)	7.01 ($\pm$ 1.30)
		0.9	2.56 ($\pm$ 0.08)	1.39 ($\pm$ 0.05)	1.45 ($\pm$ 0.59)	1.28 ($\pm$ 0.59)	10.14 ($\pm$ 1.82)	10.67 ($\pm$ 0.83)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						

Table 4: MAE errors ($\times 10^{-2}$) for Case 1(d) - $\sigma_3(t) = 0.5 + 0.5 \sin^2(\pi t)$.

function	n	ρ	MIAE		MAE		MIAE	MAE
			$\mathbf{\hat{A}^\dagger(t)}$	$\mathbf{\hat{A}^*(t)}$	$\mathbf{\hat{\beta}^\dagger}$	$\mathbf{\hat{\beta}^*}$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A_1(t)}$	1000	0.0	5.17 ($\pm$ 0.18)	5.18 ($\pm$ 0.19)	2.08 ($\pm$ 0.79)	2.09 ($\pm$ 0.75)	31.65 ($\pm$ 2.68)	2.92 ($\pm$ 2.04)
		0.3	5.15 ($\pm$ 0.21)	5.03 ($\pm$ 0.18)	2.45 ($\pm$ 1.03)	2.44 ($\pm$ 1.05)	31.52 ($\pm$ 3.55)	7.70 ($\pm$ 3.10)
		0.6	5.16 ($\pm$ 0.24)	4.62 ($\pm$ 0.17)	2.68 ($\pm$ 1.10)	2.64 ($\pm$ 1.11)	31.47 ($\pm$ 3.79)	15.65 ($\pm$ 2.60)
		0.9	5.16 ($\pm$ 0.28)	3.67 ($\pm$ 0.19)	2.90 ($\pm$ 1.16)	2.79 ($\pm$ 1.12)	31.40 ($\pm$ 4.05)	23.60 ($\pm$ 2.02)
	2000	0.0	3.35 ($\pm$ 0.10)	3.35 ($\pm$ 0.10)	1.25 ($\pm$ 0.43)	1.23 ($\pm$ 0.43)	14.39 ($\pm$ 1.76)	1.31 ($\pm$ 0.81)
		0.3	3.38 ($\pm$ 0.11)	3.27 ($\pm$ 0.11)	1.38 ($\pm$ 0.59)	1.35 ($\pm$ 0.60)	14.46 ($\pm$ 1.71)	4.27 ($\pm$ 1.69)
		0.6	3.39 ($\pm$ 0.11)	2.94 ($\pm$ 0.10)	1.53 ($\pm$ 0.64)	1.46 ($\pm$ 0.66)	14.38 ($\pm$ 1.97)	8.81 ($\pm$ 1.48)
		0.9	3.39 ($\pm$ 0.11)	2.19 ($\pm$ 0.07)	1.67 ($\pm$ 0.69)	1.55 ($\pm$ 0.70)	14.32 ($\pm$ 2.29)	13.44 ($\pm$ 1.10)
$\mathbf{A_2(t)}$	1000	0.0	5.19 ($\pm$ 0.22)	5.20 ($\pm$ 0.22)	2.08 ($\pm$ 0.80)	2.11 ($\pm$ 0.76)	31.67 ($\pm$ 2.75)	3.07 ($\pm$ 2.20)
		0.3	5.13 ($\pm$ 0.18)	5.02 ($\pm$ 0.17)	2.46 ($\pm$ 1.00)	2.45 ($\pm$ 1.01)	31.56 ($\pm$ 3.61)	7.11 ($\pm$ 3.01)
		0.6	5.13 ($\pm$ 0.20)	4.60 ($\pm$ 0.16)	2.69 ($\pm$ 1.10)	2.65 ($\pm$ 1.10)	31.52 ($\pm$ 3.83)	15.04 ($\pm$ 2.38)
		0.9	5.13 ($\pm$ 0.23)	3.62 ($\pm$ 0.16)	2.92 ($\pm$ 1.16)	2.80 ($\pm$ 1.11)	31.47 ($\pm$ 4.09)	23.00 ($\pm$ 1.58)
	2000	0.0	3.34 ($\pm$ 0.08)	3.33 ($\pm$ 0.08)	1.20 ($\pm$ 0.46)	1.19 ($\pm$ 0.45)	14.82 ($\pm$ 1.71)	1.45 ($\pm$ 0.96)
		0.3	3.36 ($\pm$ 0.12)	3.25 ($\pm$ 0.12)	1.39 ($\pm$ 0.59)	1.35 ($\pm$ 0.63)	14.94 ($\pm$ 1.66)	4.05 ($\pm$ 1.61)
		0.6	3.36 ($\pm$ 0.12)	2.91 ($\pm$ 0.11)	1.54 ($\pm$ 0.64)	1.47 ($\pm$ 0.70)	14.87 ($\pm$ 1.93)	8.58 ($\pm$ 1.36)
		0.9	3.36 ($\pm$ 0.12)	2.12 ($\pm$ 0.08)	1.69 ($\pm$ 0.69)	1.58 ($\pm$ 0.74)	14.79 ($\pm$ 2.25)	13.19 ($\pm$ 1.04)
$\mathbf{A_3(t)}$	1000	0.0	6.60 ($\pm$ 0.23)	6.71 ($\pm$ 0.24)	2.21 ($\pm$ 0.77)	2.23 ($\pm$ 0.74)	19.12 ($\pm$ 2.45)	2.91 ($\pm$ 2.24)
		0.3	6.62 ($\pm$ 0.19)	6.66 ($\pm$ 0.17)	2.48 ($\pm$ 1.09)	2.49 ($\pm$ 1.09)	19.06 ($\pm$ 3.18)	11.24 ($\pm$ 3.14)
		0.6	6.63 ($\pm$ 0.20)	6.39 ($\pm$ 0.16)	2.72 ($\pm$ 1.16)	2.69 ($\pm$ 1.17)	19.13 ($\pm$ 3.23)	22.90 ($\pm$ 2.84)
		0.9	6.64 ($\pm$ 0.22)	5.86 ($\pm$ 0.16)	2.96 ($\pm$ 1.20)	2.85 ($\pm$ 1.23)	19.23 ($\pm$ 3.26)	34.59 ($\pm$ 2.55)
	2000	0.0	5.10 ($\pm$ 0.11)	5.19 ($\pm$ 0.12)	1.48 ($\pm$ 0.55)	1.47 ($\pm$ 0.57)	12.79 ($\pm$ 1.33)	1.30 ($\pm$ 0.97)
		0.3	5.11 ($\pm$ 0.12)	5.14 ($\pm$ 0.12)	1.40 ($\pm$ 0.60)	1.37 ($\pm$ 0.60)	13.23 ($\pm$ 1.41)	8.47 ($\pm$ 1.87)
		0.6	5.12 ($\pm$ 0.13)	4.94 ($\pm$ 0.11)	1.53 ($\pm$ 0.66)	1.48 ($\pm$ 0.64)	13.33 ($\pm$ 1.53)	17.14 ($\pm$ 1.83)
		0.9	5.12 ($\pm$ 0.13)	4.53 ($\pm$ 0.09)	1.65 ($\pm$ 0.72)	1.58 ($\pm$ 0.68)	13.45 ($\pm$ 1.70)	25.86 ($\pm$ 1.70)
$\mathbf{A_4(t)}$	1000	0.0	4.97 ($\pm$ 0.21)	4.98 ($\pm$ 0.21)	2.08 ($\pm$ 0.77)	2.10 ($\pm$ 0.72)	33.11 ($\pm$ 2.70)	2.93 ($\pm$ 2.14)
		0.3	4.94 ($\pm$ 0.19)	4.82 ($\pm$ 0.16)	2.43 ($\pm$ 1.03)	2.42 ($\pm$ 1.04)	32.96 ($\pm$ 3.54)	7.05 ($\pm$ 3.01)
		0.6	4.95 ($\pm$ 0.21)	4.37 ($\pm$ 0.15)	2.67 ($\pm$ 1.11)	2.61 ($\pm$ 1.13)	32.92 ($\pm$ 3.77)	14.53 ($\pm$ 2.42)
		0.9	4.95 ($\pm$ 0.25)	3.30 ($\pm$ 0.16)	2.90 ($\pm$ 1.16)	2.77 ($\pm$ 1.13)	32.86 ($\pm$ 4.03)	22.04 ($\pm$ 1.74)
	2000	0.0	3.06 ($\pm$ 0.09)	3.06 ($\pm$ 0.09)	1.26 ($\pm$ 0.44)	1.24 ($\pm$ 0.45)	16.05 ($\pm$ 1.84)	1.38 ($\pm$ 0.82)
		0.3	3.08 ($\pm$ 0.10)	2.96 ($\pm$ 0.10)	1.35 ($\pm$ 0.58)	1.32 ($\pm$ 0.59)	16.08 ($\pm$ 1.78)	3.71 ($\pm$ 1.48)
		0.6	3.08 ($\pm$ 0.09)	2.59 ($\pm$ 0.08)	1.50 ($\pm$ 0.64)	1.43 ($\pm$ 0.65)	15.99 ($\pm$ 2.05)	7.66 ($\pm$ 1.36)
		0.9	3.09 ($\pm$ 0.09)	1.66 ($\pm$ 0.06)	1.64 ($\pm$ 0.69)	1.53 ($\pm$ 0.69)	15.89 ($\pm$ 2.39)	11.73 ($\pm$ 0.95)
$\mathbf{A_5(t)}$	1000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A_6(t)}$	1000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A_6(t)}$	2000	0.0						
		0.3						
		0.6						
		0.9						

Appendix: RMSE Tables

Table 5: RMSE errors ($\times 10^{-2}$) for Case 1(a) - $\sigma(t) \equiv 1$.

function	n	ρ	RMISE		RMSE		RMISE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	6.93 ($\pm$ 0.33)	6.97 ($\pm$ 0.34)	2.45 ($\pm$ 0.94)	2.50 ($\pm$ 0.98)	31.46 ($\pm$ 2.49)	2.81 ($\pm$ 1.91)
		0.3	6.95 ($\pm$ 0.38)	6.83 ($\pm$ 0.35)	2.78 ($\pm$ 1.07)	2.83 ($\pm$ 1.09)	31.34 ($\pm$ 3.35)	7.48 ($\pm$ 3.06)
		0.6	6.96 ($\pm$ 0.43)	6.30 ($\pm$ 0.36)	3.05 ($\pm$ 1.16)	3.04 ($\pm$ 1.17)	31.33 ($\pm$ 3.57)	15.09 ($\pm$ 2.55)
		0.9	6.96 ($\pm$ 0.50)	5.09 ($\pm$ 0.40)	3.32 ($\pm$ 1.23)	3.19 ($\pm$ 1.22)	31.34 ($\pm$ 3.82)	22.70 ($\pm$ 1.92)
	2000	0.0	4.28 ($\pm$ 0.14)	4.28 ($\pm$ 0.14)	1.45 ($\pm$ 0.49)	1.44 ($\pm$ 0.49)	14.39 ($\pm$ 1.87)	1.37 ($\pm$ 0.80)
		0.3	4.33 ($\pm$ 0.14)	4.21 ($\pm$ 0.15)	1.62 ($\pm$ 0.64)	1.58 ($\pm$ 0.67)	14.54 ($\pm$ 1.74)	4.12 ($\pm$ 1.64)
		0.6	4.34 ($\pm$ 0.14)	3.77 ($\pm$ 0.13)	1.79 ($\pm$ 0.70)	1.71 ($\pm$ 0.74)	14.57 ($\pm$ 1.98)	8.48 ($\pm$ 1.41)
		0.9	4.34 ($\pm$ 0.14)	2.74 ($\pm$ 0.09)	1.95 ($\pm$ 0.75)	1.82 ($\pm$ 0.77)	14.66 ($\pm$ 2.26)	12.92 ($\pm$ 1.03)
$\mathbf{A}_2(t)$	1000	0.0	6.94 ($\pm$ 0.36)	6.98 ($\pm$ 0.37)	2.47 ($\pm$ 0.95)	2.51 ($\pm$ 0.98)	31.57 ($\pm$ 2.57)	2.94 ($\pm$ 2.11)
		0.3	6.92 ($\pm$ 0.36)	6.82 ($\pm$ 0.34)	2.81 ($\pm$ 1.02)	2.85 ($\pm$ 1.05)	31.47 ($\pm$ 3.40)	6.87 ($\pm$ 2.92)
		0.6	6.93 ($\pm$ 0.41)	6.28 ($\pm$ 0.35)	3.08 ($\pm$ 1.11)	3.05 ($\pm$ 1.14)	31.46 ($\pm$ 3.60)	14.46 ($\pm$ 2.31)
		0.9	6.92 ($\pm$ 0.47)	5.04 ($\pm$ 0.37)	3.34 ($\pm$ 1.18)	3.20 ($\pm$ 1.20)	31.47 ($\pm$ 3.84)	22.09 ($\pm$ 1.48)
	2000	0.0	4.27 ($\pm$ 0.10)	4.28 ($\pm$ 0.11)	1.43 ($\pm$ 0.53)	1.43 ($\pm$ 0.53)	14.68 ($\pm$ 1.89)	1.56 ($\pm$ 0.96)
		0.3	4.31 ($\pm$ 0.15)	4.19 ($\pm$ 0.15)	1.63 ($\pm$ 0.65)	1.60 ($\pm$ 0.70)	14.77 ($\pm$ 1.74)	3.87 ($\pm$ 1.59)
		0.6	4.31 ($\pm$ 0.15)	3.75 ($\pm$ 0.13)	1.81 ($\pm$ 0.70)	1.73 ($\pm$ 0.77)	14.77 ($\pm$ 2.01)	8.22 ($\pm$ 1.31)
		0.9	4.31 ($\pm$ 0.15)	2.71 ($\pm$ 0.10)	1.98 ($\pm$ 0.74)	1.85 ($\pm$ 0.81)	14.82 ($\pm$ 2.32)	12.64 ($\pm$ 0.98)
$\mathbf{A}_3(t)$	1000	0.0	8.41 ($\pm$ 0.34)	8.55 ($\pm$ 0.35)	2.64 ($\pm$ 0.91)	2.71 ($\pm$ 0.93)	20.98 ($\pm$ 2.18)	2.85 ($\pm$ 2.21)
		0.3	8.46 ($\pm$ 0.28)	8.50 ($\pm$ 0.27)	2.89 ($\pm$ 1.17)	2.97 ($\pm$ 1.10)	20.88 ($\pm$ 3.01)	11.00 ($\pm$ 3.08)
		0.6	8.47 ($\pm$ 0.32)	8.15 ($\pm$ 0.27)	3.14 ($\pm$ 1.26)	3.17 ($\pm$ 1.20)	20.87 ($\pm$ 3.13)	22.32 ($\pm$ 2.77)
		0.9	8.48 ($\pm$ 0.38)	7.45 ($\pm$ 0.28)	3.40 ($\pm$ 1.32)	3.33 ($\pm$ 1.28)	20.90 ($\pm$ 3.26)	33.66 ($\pm$ 2.46)
	2000	0.0	6.25 ($\pm$ 0.12)	6.38 ($\pm$ 0.13)	1.75 ($\pm$ 0.59)	1.74 ($\pm$ 0.59)	11.69 ($\pm$ 1.32)	1.33 ($\pm$ 0.98)
		0.3	6.27 ($\pm$ 0.15)	6.32 ($\pm$ 0.15)	1.63 ($\pm$ 0.68)	1.60 ($\pm$ 0.70)	12.23 ($\pm$ 1.49)	8.32 ($\pm$ 1.90)
		0.6	6.28 ($\pm$ 0.15)	6.07 ($\pm$ 0.14)	1.78 ($\pm$ 0.74)	1.72 ($\pm$ 0.76)	12.39 ($\pm$ 1.58)	16.81 ($\pm$ 1.83)
		0.9	6.28 ($\pm$ 0.16)	5.59 ($\pm$ 0.11)	1.92 ($\pm$ 0.80)	1.83 ($\pm$ 0.79)	12.61 ($\pm$ 1.73)	25.32 ($\pm$ 1.67)
$\mathbf{A}_4(t)$	1000	0.0	6.75 ($\pm$ 0.36)	6.78 ($\pm$ 0.36)	2.45 ($\pm$ 0.93)	2.50 ($\pm$ 0.95)	32.74 ($\pm$ 2.54)	2.85 ($\pm$ 1.97)
		0.3	6.76 ($\pm$ 0.36)	6.64 ($\pm$ 0.33)	2.78 ($\pm$ 1.06)	2.82 ($\pm$ 1.07)	32.62 ($\pm$ 3.35)	6.83 ($\pm$ 2.97)
		0.6	6.77 ($\pm$ 0.41)	6.08 ($\pm$ 0.35)	3.05 ($\pm$ 1.15)	3.03 ($\pm$ 1.16)	32.61 ($\pm$ 3.56)	13.98 ($\pm$ 2.37)
		0.9	6.77 ($\pm$ 0.48)	4.76 ($\pm$ 0.39)	3.32 ($\pm$ 1.22)	3.17 ($\pm$ 1.22)	32.61 ($\pm$ 3.81)	21.14 ($\pm$ 1.64)
	2000	0.0	4.00 ($\pm$ 0.12)	4.00 ($\pm$ 0.13)	1.46 ($\pm$ 0.50)	1.46 ($\pm$ 0.50)	15.89 ($\pm$ 1.86)	1.44 ($\pm$ 0.78)
		0.3	4.05 ($\pm$ 0.13)	3.90 ($\pm$ 0.14)	1.58 ($\pm$ 0.63)	1.55 ($\pm$ 0.66)	15.99 ($\pm$ 1.75)	3.57 ($\pm$ 1.45)
		0.6	4.05 ($\pm$ 0.13)	3.42 ($\pm$ 0.12)	1.75 ($\pm$ 0.69)	1.68 ($\pm$ 0.74)	16.01 ($\pm$ 2.00)	7.33 ($\pm$ 1.30)
		0.9	4.05 ($\pm$ 0.13)	2.21 ($\pm$ 0.09)	1.92 ($\pm$ 0.74)	1.79 ($\pm$ 0.77)	16.06 ($\pm$ 2.30)	11.21 ($\pm$ 0.88)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	2000	0.0						
		0.3						
		0.6						
		0.9						

Table 6: RMSE errors ($\times 10^{-2}$) for Case 1(b) - $\sigma_1(t)$.

function	n	ρ	RMISE		RMSE		RMISE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	6.93 ($\pm$ 0.35)	6.96 ($\pm$ 0.35)	2.48 ($\pm$ 0.99)	2.42 ($\pm$ 0.92)	32.72 ($\pm$ 2.79)	2.93 ($\pm$ 1.94)
		0.3	6.94 ($\pm$ 0.37)	6.82 ($\pm$ 0.34)	2.76 ($\pm$ 1.08)	2.78 ($\pm$ 1.06)	32.46 ($\pm$ 3.45)	7.63 ($\pm$ 3.19)
		0.6	6.95 ($\pm$ 0.42)	6.29 ($\pm$ 0.36)	3.03 ($\pm$ 1.16)	2.98 ($\pm$ 1.15)	32.50 ($\pm$ 3.80)	15.23 ($\pm$ 2.67)
		0.9	6.95 ($\pm$ 0.49)	5.08 ($\pm$ 0.39)	3.30 ($\pm$ 1.23)	3.13 ($\pm$ 1.20)	32.56 ($\pm$ 4.22)	22.80 ($\pm$ 2.02)
	2000	0.0	4.28 ($\pm$ 0.14)	4.28 ($\pm$ 0.14)	1.44 ($\pm$ 0.51)	1.41 ($\pm$ 0.48)	15.66 ($\pm$ 1.96)	1.60 ($\pm$ 0.90)
		0.3	4.33 ($\pm$ 0.14)	4.19 ($\pm$ 0.15)	1.60 ($\pm$ 0.66)	1.57 ($\pm$ 0.65)	15.74 ($\pm$ 1.87)	4.31 ($\pm$ 1.55)
		0.6	4.33 ($\pm$ 0.14)	3.76 ($\pm$ 0.13)	1.76 ($\pm$ 0.72)	1.69 ($\pm$ 0.72)	15.89 ($\pm$ 2.08)	8.63 ($\pm$ 1.31)
		0.9	4.33 ($\pm$ 0.14)	2.73 ($\pm$ 0.09)	1.93 ($\pm$ 0.77)	1.80 ($\pm$ 0.75)	16.08 ($\pm$ 2.32)	12.97 ($\pm$ 0.98)
$\mathbf{A}_2(t)$	1000	0.0	6.94 ($\pm$ 0.38)	6.98 ($\pm$ 0.38)	2.49 ($\pm$ 1.00)	2.43 ($\pm$ 0.91)	32.55 ($\pm$ 2.87)	3.14 ($\pm$ 2.03)
		0.3	6.92 ($\pm$ 0.36)	6.81 ($\pm$ 0.34)	2.79 ($\pm$ 1.03)	2.77 ($\pm$ 1.03)	32.33 ($\pm$ 3.50)	6.97 ($\pm$ 3.07)
		0.6	6.91 ($\pm$ 0.40)	6.27 ($\pm$ 0.34)	3.06 ($\pm$ 1.12)	2.97 ($\pm$ 1.13)	32.37 ($\pm$ 3.83)	14.55 ($\pm$ 2.42)
		0.9	6.91 ($\pm$ 0.46)	5.03 ($\pm$ 0.36)	3.33 ($\pm$ 1.20)	3.12 ($\pm$ 1.18)	32.43 ($\pm$ 4.23)	22.12 ($\pm$ 1.51)
	2000	0.0	4.28 ($\pm$ 0.11)	4.29 ($\pm$ 0.11)	1.41 ($\pm$ 0.55)	1.40 ($\pm$ 0.51)	15.48 ($\pm$ 2.01)	1.77 ($\pm$ 1.12)
		0.3	4.30 ($\pm$ 0.16)	4.18 ($\pm$ 0.15)	1.62 ($\pm$ 0.67)	1.58 ($\pm$ 0.66)	15.52 ($\pm$ 1.85)	4.06 ($\pm$ 1.53)
		0.6	4.30 ($\pm$ 0.16)	3.75 ($\pm$ 0.14)	1.79 ($\pm$ 0.72)	1.70 ($\pm$ 0.73)	15.64 ($\pm$ 2.08)	8.36 ($\pm$ 1.28)
		0.9	4.30 ($\pm$ 0.16)	2.71 ($\pm$ 0.10)	1.96 ($\pm$ 0.76)	1.81 ($\pm$ 0.77)	15.81 ($\pm$ 2.32)	12.69 ($\pm$ 1.00)
$\mathbf{A}_3(t)$	1000	0.0	8.40 ($\pm$ 0.34)	8.54 ($\pm$ 0.36)	2.67 ($\pm$ 0.93)	2.64 ($\pm$ 0.90)	22.75 ($\pm$ 2.39)	2.95 ($\pm$ 2.18)
		0.3	8.45 ($\pm$ 0.29)	8.49 ($\pm$ 0.28)	2.88 ($\pm$ 1.14)	2.93 ($\pm$ 1.10)	22.48 ($\pm$ 3.10)	11.20 ($\pm$ 3.26)
		0.6	8.46 ($\pm$ 0.33)	8.14 ($\pm$ 0.28)	3.13 ($\pm$ 1.23)	3.13 ($\pm$ 1.19)	22.52 ($\pm$ 3.38)	22.52 ($\pm$ 2.99)
		0.9	8.47 ($\pm$ 0.38)	7.43 ($\pm$ 0.29)	3.39 ($\pm$ 1.28)	3.28 ($\pm$ 1.27)	22.59 ($\pm$ 3.70)	33.85 ($\pm$ 2.68)
	2000	0.0	6.26 ($\pm$ 0.13)	6.37 ($\pm$ 0.14)	1.75 ($\pm$ 0.59)	1.73 ($\pm$ 0.59)	13.04 ($\pm$ 1.18)	1.39 ($\pm$ 1.04)
		0.3	6.27 ($\pm$ 0.15)	6.31 ($\pm$ 0.15)	1.61 ($\pm$ 0.66)	1.57 ($\pm$ 0.71)	13.50 ($\pm$ 1.32)	8.51 ($\pm$ 1.89)
		0.6	6.28 ($\pm$ 0.15)	6.06 ($\pm$ 0.14)	1.76 ($\pm$ 0.72)	1.70 ($\pm$ 0.76)	13.67 ($\pm$ 1.44)	16.96 ($\pm$ 1.81)
		0.9	6.29 ($\pm$ 0.16)	5.59 ($\pm$ 0.11)	1.90 ($\pm$ 0.78)	1.81 ($\pm$ 0.80)	13.90 ($\pm$ 1.59)	25.42 ($\pm$ 1.66)
$\mathbf{A}_4(t)$	1000	0.0	6.74 ($\pm$ 0.37)	6.77 ($\pm$ 0.37)	2.48 ($\pm$ 0.97)	2.42 ($\pm$ 0.89)	33.88 ($\pm$ 2.81)	2.95 ($\pm$ 2.01)
		0.3	6.75 ($\pm$ 0.36)	6.63 ($\pm$ 0.33)	2.76 ($\pm$ 1.07)	2.76 ($\pm$ 1.06)	33.63 ($\pm$ 3.45)	6.98 ($\pm$ 3.13)
		0.6	6.76 ($\pm$ 0.41)	6.07 ($\pm$ 0.34)	3.03 ($\pm$ 1.15)	2.96 ($\pm$ 1.15)	33.66 ($\pm$ 3.79)	14.11 ($\pm$ 2.52)
		0.9	6.76 ($\pm$ 0.47)	4.75 ($\pm$ 0.38)	3.30 ($\pm$ 1.22)	3.10 ($\pm$ 1.20)	33.72 ($\pm$ 4.21)	21.23 ($\pm$ 1.76)
	2000	0.0	4.00 ($\pm$ 0.13)	4.01 ($\pm$ 0.13)	1.45 ($\pm$ 0.52)	1.43 ($\pm$ 0.48)	16.95 ($\pm$ 1.98)	1.65 ($\pm$ 0.92)
		0.3	4.04 ($\pm$ 0.14)	3.89 ($\pm$ 0.14)	1.56 ($\pm$ 0.65)	1.53 ($\pm$ 0.64)	16.99 ($\pm$ 1.89)	3.71 ($\pm$ 1.47)
		0.6	4.04 ($\pm$ 0.13)	3.41 ($\pm$ 0.12)	1.73 ($\pm$ 0.70)	1.66 ($\pm$ 0.71)	17.12 ($\pm$ 2.10)	7.47 ($\pm$ 1.21)
		0.9	4.05 ($\pm$ 0.13)	2.21 ($\pm$ 0.09)	1.90 ($\pm$ 0.75)	1.77 ($\pm$ 0.75)	17.29 ($\pm$ 2.34)	11.25 ($\pm$ 0.85)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						

Table 7: RMSE errors ($\times 10^{-2}$) for Case 1(c) - $\sigma_2(t)$.

function	n	ρ	RMISE		RMSE		RMISE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	5.64 ($\pm$ 0.23)	5.68 ($\pm$ 0.24)	2.12 ($\pm$ 0.81)	2.12 ($\pm$ 0.84)	21.56 ($\pm$ 2.16)	2.79 ($\pm$ 1.96)
		0.3	5.65 ($\pm$ 0.28)	5.57 ($\pm$ 0.27)	2.38 ($\pm$ 0.92)	2.41 ($\pm$ 0.91)	21.46 ($\pm$ 2.62)	7.39 ($\pm$ 3.17)
		0.6	5.66 ($\pm$ 0.32)	5.13 ($\pm$ 0.27)	2.61 ($\pm$ 0.99)	2.58 ($\pm$ 0.97)	21.47 ($\pm$ 2.80)	14.77 ($\pm$ 2.63)
		0.9	5.66 ($\pm$ 0.37)	4.14 ($\pm$ 0.29)	2.85 ($\pm$ 1.04)	2.70 ($\pm$ 1.02)	21.47 ($\pm$ 3.05)	22.15 ($\pm$ 1.96)
	2000	0.0	3.62 ($\pm$ 0.12)	3.63 ($\pm$ 0.12)	1.26 ($\pm$ 0.43)	1.21 ($\pm$ 0.41)	9.16 ($\pm$ 1.50)	1.51 ($\pm$ 0.91)
		0.3	3.65 ($\pm$ 0.12)	3.56 ($\pm$ 0.12)	1.43 ($\pm$ 0.56)	1.33 ($\pm$ 0.56)	9.16 ($\pm$ 1.49)	4.17 ($\pm$ 1.73)
		0.6	3.66 ($\pm$ 0.11)	3.21 ($\pm$ 0.10)	1.58 ($\pm$ 0.61)	1.44 ($\pm$ 0.62)	9.21 ($\pm$ 1.70)	8.51 ($\pm$ 1.42)
		0.9	3.66 ($\pm$ 0.12)	2.43 ($\pm$ 0.07)	1.73 ($\pm$ 0.66)	1.52 ($\pm$ 0.65)	9.30 ($\pm$ 1.93)	12.91 ($\pm$ 1.01)
$\mathbf{A}_2(t)$	1000	0.0	5.65 ($\pm$ 0.26)	5.69 ($\pm$ 0.27)	2.14 ($\pm$ 0.83)	2.12 ($\pm$ 0.83)	21.57 ($\pm$ 2.21)	3.03 ($\pm$ 2.04)
		0.3	5.63 ($\pm$ 0.26)	5.55 ($\pm$ 0.25)	2.41 ($\pm$ 0.86)	2.42 ($\pm$ 0.89)	21.53 ($\pm$ 2.70)	6.68 ($\pm$ 2.98)
		0.6	5.63 ($\pm$ 0.29)	5.11 ($\pm$ 0.25)	2.65 ($\pm$ 0.93)	2.59 ($\pm$ 0.97)	21.52 ($\pm$ 2.87)	14.04 ($\pm$ 2.36)
		0.9	5.62 ($\pm$ 0.33)	4.10 ($\pm$ 0.26)	2.88 ($\pm$ 0.98)	2.70 ($\pm$ 1.02)	21.53 ($\pm$ 3.10)	21.43 ($\pm$ 1.49)
	2000	0.0	3.61 ($\pm$ 0.08)	3.63 ($\pm$ 0.09)	1.24 ($\pm$ 0.47)	1.20 ($\pm$ 0.44)	9.34 ($\pm$ 1.44)	1.75 ($\pm$ 1.15)
		0.3	3.62 ($\pm$ 0.13)	3.54 ($\pm$ 0.12)	1.44 ($\pm$ 0.57)	1.35 ($\pm$ 0.57)	9.29 ($\pm$ 1.45)	3.87 ($\pm$ 1.72)
		0.6	3.62 ($\pm$ 0.12)	3.19 ($\pm$ 0.10)	1.60 ($\pm$ 0.61)	1.46 ($\pm$ 0.64)	9.29 ($\pm$ 1.70)	8.19 ($\pm$ 1.38)
		0.9	3.62 ($\pm$ 0.12)	2.41 ($\pm$ 0.08)	1.75 ($\pm$ 0.64)	1.55 ($\pm$ 0.67)	9.33 ($\pm$ 1.99)	12.56 ($\pm$ 0.99)
$\mathbf{A}_3(t)$	1000	0.0	7.39 ($\pm$ 0.25)	7.54 ($\pm$ 0.27)	2.31 ($\pm$ 0.79)	2.35 ($\pm$ 0.82)	11.83 ($\pm$ 1.78)	3.00 ($\pm$ 2.14)
		0.3	7.43 ($\pm$ 0.20)	7.51 ($\pm$ 0.20)	2.51 ($\pm$ 1.06)	2.54 ($\pm$ 0.90)	11.87 ($\pm$ 2.06)	11.74 ($\pm$ 3.09)
		0.6	7.44 ($\pm$ 0.22)	7.27 ($\pm$ 0.19)	2.73 ($\pm$ 1.13)	2.71 ($\pm$ 0.97)	11.92 ($\pm$ 2.04)	23.73 ($\pm$ 2.84)
		0.9	7.45 ($\pm$ 0.26)	6.78 ($\pm$ 0.19)	2.95 ($\pm$ 1.17)	2.85 ($\pm$ 1.04)	12.01 ($\pm$ 2.11)	35.74 ($\pm$ 2.62)
	2000	0.0	5.83 ($\pm$ 0.11)	5.98 ($\pm$ 0.12)	1.58 ($\pm$ 0.53)	1.52 ($\pm$ 0.52)	12.49 ($\pm$ 1.19)	1.38 ($\pm$ 1.05)
		0.3	5.83 ($\pm$ 0.14)	5.93 ($\pm$ 0.13)	1.47 ($\pm$ 0.59)	1.37 ($\pm$ 0.59)	12.76 ($\pm$ 1.35)	9.40 ($\pm$ 2.06)
		0.6	5.84 ($\pm$ 0.14)	5.76 ($\pm$ 0.12)	1.60 ($\pm$ 0.64)	1.47 ($\pm$ 0.64)	12.88 ($\pm$ 1.40)	18.86 ($\pm$ 1.97)
		0.9	5.84 ($\pm$ 0.14)	5.45 ($\pm$ 0.11)	1.72 ($\pm$ 0.69)	1.56 ($\pm$ 0.68)	13.04 ($\pm$ 1.51)	28.35 ($\pm$ 1.83)
$\mathbf{A}_4(t)$	1000	0.0	5.42 ($\pm$ 0.25)	5.44 ($\pm$ 0.26)	2.12 ($\pm$ 0.80)	2.12 ($\pm$ 0.81)	23.03 ($\pm$ 2.20)	2.89 ($\pm$ 1.95)
		0.3	5.43 ($\pm$ 0.26)	5.33 ($\pm$ 0.24)	2.38 ($\pm$ 0.91)	2.39 ($\pm$ 0.90)	22.96 ($\pm$ 2.63)	6.57 ($\pm$ 3.04)
		0.6	5.43 ($\pm$ 0.30)	4.86 ($\pm$ 0.25)	2.61 ($\pm$ 0.98)	2.57 ($\pm$ 0.96)	22.96 ($\pm$ 2.81)	13.34 ($\pm$ 2.41)
		0.9	5.43 ($\pm$ 0.34)	3.74 ($\pm$ 0.27)	2.85 ($\pm$ 1.03)	2.68 ($\pm$ 1.01)	22.96 ($\pm$ 3.06)	20.13 ($\pm$ 1.62)
	2000	0.0	3.29 ($\pm$ 0.11)	3.29 ($\pm$ 0.11)	1.27 ($\pm$ 0.44)	1.23 ($\pm$ 0.42)	11.01 ($\pm$ 1.51)	1.56 ($\pm$ 0.90)
		0.3	3.31 ($\pm$ 0.10)	3.19 ($\pm$ 0.10)	1.40 ($\pm$ 0.54)	1.30 ($\pm$ 0.55)	10.98 ($\pm$ 1.54)	3.45 ($\pm$ 1.54)
		0.6	3.32 ($\pm$ 0.10)	2.79 ($\pm$ 0.09)	1.55 ($\pm$ 0.59)	1.41 ($\pm$ 0.61)	10.99 ($\pm$ 1.75)	7.01 ($\pm$ 1.30)
		0.9	3.32 ($\pm$ 0.10)	1.82 ($\pm$ 0.06)	1.69 ($\pm$ 0.64)	1.49 ($\pm$ 0.65)	11.05 ($\pm$ 2.01)	10.67 ($\pm$ 0.83)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						

Table 8: RMSE errors ($\times 10^{-2}$) for Case 1(d) - $\sigma_3(t)$.

function	n	ρ	RMISE		RMSE		RMISE	MAE
			$\hat{\mathbf{A}}^\dagger(t)$	$\hat{\mathbf{A}}^*(t)$	$\hat{\beta}^\dagger$	$\hat{\beta}^*$	$\hat{\sigma}^2(t)$	$\hat{\rho}$
$\mathbf{A}_1(t)$	1000	0.0	7.28 ($\pm$ 0.38)	7.31 ($\pm$ 0.39)	2.45 ($\pm$ 0.97)	2.45 ($\pm$ 0.95)	35.63 ($\pm$ 2.68)	2.92 ($\pm$ 2.04)
		0.3	7.30 ($\pm$ 0.41)	7.16 ($\pm$ 0.38)	2.80 ($\pm$ 1.07)	2.77 ($\pm$ 1.07)	35.45 ($\pm$ 3.56)	7.70 ($\pm$ 3.10)
		0.6	7.31 ($\pm$ 0.47)	6.62 ($\pm$ 0.40)	3.07 ($\pm$ 1.17)	2.98 ($\pm$ 1.16)	35.42 ($\pm$ 3.81)	15.65 ($\pm$ 2.60)
		0.9	7.32 ($\pm$ 0.55)	5.39 ($\pm$ 0.44)	3.33 ($\pm$ 1.25)	3.14 ($\pm$ 1.21)	35.41 ($\pm$ 4.06)	23.60 ($\pm$ 2.02)
	2000	0.0	4.43 ($\pm$ 0.14)	4.43 ($\pm$ 0.15)	1.45 ($\pm$ 0.49)	1.42 ($\pm$ 0.49)	17.82 ($\pm$ 2.18)	1.31 ($\pm$ 0.81)
		0.3	4.50 ($\pm$ 0.16)	4.36 ($\pm$ 0.16)	1.61 ($\pm$ 0.64)	1.56 ($\pm$ 0.66)	18.10 ($\pm$ 2.04)	4.27 ($\pm$ 1.69)
		0.6	4.50 ($\pm$ 0.15)	3.90 ($\pm$ 0.14)	1.78 ($\pm$ 0.70)	1.69 ($\pm$ 0.73)	18.12 ($\pm$ 2.36)	8.81 ($\pm$ 1.48)
		0.9	4.50 ($\pm$ 0.16)	2.82 ($\pm$ 0.10)	1.94 ($\pm$ 0.75)	1.80 ($\pm$ 0.76)	18.16 ($\pm$ 2.71)	13.44 ($\pm$ 1.10)
$\mathbf{A}_2(t)$	1000	0.0	7.29 ($\pm$ 0.41)	7.31 ($\pm$ 0.42)	2.47 ($\pm$ 0.98)	2.47 ($\pm$ 0.95)	35.87 ($\pm$ 2.76)	3.07 ($\pm$ 2.20)
		0.3	7.28 ($\pm$ 0.40)	7.14 ($\pm$ 0.37)	2.82 ($\pm$ 1.03)	2.79 ($\pm$ 1.03)	35.68 ($\pm$ 3.56)	7.11 ($\pm$ 3.01)
		0.6	7.28 ($\pm$ 0.46)	6.60 ($\pm$ 0.38)	3.08 ($\pm$ 1.14)	2.99 ($\pm$ 1.12)	35.64 ($\pm$ 3.80)	15.04 ($\pm$ 2.38)
		0.9	7.28 ($\pm$ 0.52)	5.34 ($\pm$ 0.41)	3.35 ($\pm$ 1.23)	3.14 ($\pm$ 1.17)	35.64 ($\pm$ 4.05)	23.00 ($\pm$ 1.58)
	2000	0.0	4.43 ($\pm$ 0.12)	4.42 ($\pm$ 0.12)	1.43 ($\pm$ 0.53)	1.41 ($\pm$ 0.53)	18.29 ($\pm$ 2.24)	1.45 ($\pm$ 0.96)
		0.3	4.47 ($\pm$ 0.17)	4.33 ($\pm$ 0.16)	1.63 ($\pm$ 0.65)	1.58 ($\pm$ 0.70)	18.53 ($\pm$ 2.03)	4.05 ($\pm$ 1.61)
		0.6	4.48 ($\pm$ 0.16)	3.87 ($\pm$ 0.15)	1.81 ($\pm$ 0.70)	1.71 ($\pm$ 0.77)	18.54 ($\pm$ 2.35)	8.58 ($\pm$ 1.36)
		0.9	4.47 ($\pm$ 0.16)	2.78 ($\pm$ 0.11)	1.97 ($\pm$ 0.74)	1.83 ($\pm$ 0.81)	18.55 ($\pm$ 2.71)	13.19 ($\pm$ 1.04)
$\mathbf{A}_3(t)$	1000	0.0	8.70 ($\pm$ 0.38)	8.84 ($\pm$ 0.39)	2.66 ($\pm$ 0.93)	2.66 ($\pm$ 0.90)	26.43 ($\pm$ 2.39)	2.91 ($\pm$ 2.24)
		0.3	8.74 ($\pm$ 0.32)	8.78 ($\pm$ 0.30)	2.91 ($\pm$ 1.13)	2.92 ($\pm$ 1.12)	26.28 ($\pm$ 3.31)	11.24 ($\pm$ 3.14)
		0.6	8.76 ($\pm$ 0.36)	8.42 ($\pm$ 0.30)	3.16 ($\pm$ 1.23)	3.12 ($\pm$ 1.22)	26.24 ($\pm$ 3.47)	22.90 ($\pm$ 2.84)
		0.9	8.77 ($\pm$ 0.42)	7.69 ($\pm$ 0.32)	3.41 ($\pm$ 1.30)	3.28 ($\pm$ 1.30)	26.23 ($\pm$ 3.60)	34.59 ($\pm$ 2.55)
	2000	0.0	6.36 ($\pm$ 0.13)	6.48 ($\pm$ 0.14)	1.75 ($\pm$ 0.58)	1.72 ($\pm$ 0.59)	15.12 ($\pm$ 1.45)	1.30 ($\pm$ 0.97)
		0.3	6.39 ($\pm$ 0.16)	6.42 ($\pm$ 0.15)	1.62 ($\pm$ 0.69)	1.58 ($\pm$ 0.70)	15.71 ($\pm$ 1.56)	8.47 ($\pm$ 1.87)
		0.6	6.39 ($\pm$ 0.15)	6.16 ($\pm$ 0.14)	1.77 ($\pm$ 0.75)	1.71 ($\pm$ 0.75)	15.82 ($\pm$ 1.73)	17.14 ($\pm$ 1.83)
		0.9	6.40 ($\pm$ 0.16)	5.65 ($\pm$ 0.11)	1.90 ($\pm$ 0.82)	1.82 ($\pm$ 0.78)	15.96 ($\pm$ 1.94)	25.86 ($\pm$ 1.70)
$\mathbf{A}_4(t)$	1000	0.0	7.10 ($\pm$ 0.41)	7.13 ($\pm$ 0.41)	2.46 ($\pm$ 0.96)	2.45 ($\pm$ 0.92)	36.69 ($\pm$ 2.70)	2.93 ($\pm$ 2.14)
		0.3	7.12 ($\pm$ 0.40)	6.98 ($\pm$ 0.37)	2.79 ($\pm$ 1.06)	2.76 ($\pm$ 1.06)	36.50 ($\pm$ 3.55)	7.05 ($\pm$ 3.01)
		0.6	7.13 ($\pm$ 0.46)	6.41 ($\pm$ 0.38)	3.06 ($\pm$ 1.16)	2.97 ($\pm$ 1.16)	36.46 ($\pm$ 3.80)	14.53 ($\pm$ 2.42)
		0.9	7.14 ($\pm$ 0.53)	5.08 ($\pm$ 0.43)	3.32 ($\pm$ 1.24)	3.12 ($\pm$ 1.20)	36.45 ($\pm$ 4.05)	22.04 ($\pm$ 1.74)
	2000	0.0	4.16 ($\pm$ 0.14)	4.16 ($\pm$ 0.14)	1.46 ($\pm$ 0.49)	1.43 ($\pm$ 0.50)	18.91 ($\pm$ 2.17)	1.38 ($\pm$ 0.82)
		0.3	4.22 ($\pm$ 0.15)	4.07 ($\pm$ 0.15)	1.58 ($\pm$ 0.64)	1.53 ($\pm$ 0.66)	19.17 ($\pm$ 2.02)	3.71 ($\pm$ 1.48)
		0.6	4.23 ($\pm$ 0.14)	3.57 ($\pm$ 0.13)	1.74 ($\pm$ 0.69)	1.66 ($\pm$ 0.72)	19.17 ($\pm$ 2.33)	7.66 ($\pm$ 1.36)
		0.9	4.23 ($\pm$ 0.15)	2.32 ($\pm$ 0.10)	1.91 ($\pm$ 0.75)	1.77 ($\pm$ 0.76)	19.19 ($\pm$ 2.69)	11.73 ($\pm$ 0.95)
$\mathbf{A}_5(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						
$\mathbf{A}_6(t)$	1000	0.0						
		0.3						
		0.6						
		0.9						
	2000	0.0						
		0.3						
		0.6						
		0.9						