

Figure 4 – Somatic hypermutation is reduced in haemagglutinin specific memory B cells from aged individuals after TIV immunisation

- (A) The number of nucleotide mutations within the antibody heavy chain are shown for each cell for day 0 and 42 and for older and younger individuals.
- (B) and (C) The number of nucleotide mutations within the antibody heavy chain are shown for each region at day 0 and for older and younger individuals for FR (framework regions, B) or CDR (complementarity determining regions, C).
- (C) The ratio of replacement:silent mutations within the antibody heavy chain are shown for each cell for day 0 and 42 and for older and younger individuals. The replacement:silent ratio was calculated: # replacement mutations / (# silent mutations + 0.01), as many cells had zero silent mutations and >=1 replacement mutations.
- (D) and (F) The ratio of replacement:silent mutations within the heavy chain is shown for each cell from day 0 from both age groups.
- (E) and (H) The number of mutations in the antibody heavy chain at day 0 plotted by age group for each UMAP cluster, for FR (G) or CDR (H).
- (F) and (J) The ratio of replacement:silent mutations the antibody heavy chain at day 0 plotted by age group for each UMAP cluster, for FR (I) or CDR (J). In (G)-(J), each UMAP cluster is labelled and the colors correspond to its appearance in Figures 1-3. For (E, F, I & J), the ratio of replacement:silent mutations is calculated as in (D), and plotted as a pseudolog. In (A)-(J) P values from two tailed unpaired Mann-Whitney tests are shown. Where data are transformed for plotting (E, F, I & J), the test was performed on the untransformed data. The boxplots show the median, and inter-quartile range (IQR), with whiskers extending to the furthest data point, up to a maximum of 1.5x IQR. In (E, F, I & J), the boxplots correspond to the median and IQR of the transformed data.

SessionInfo

```
## R version 3.6.1 (2019-07-05)
## Platform: x86 64-pc-linux-gnu (64-bit)
## Running under: CentOS Linux 7 (Core)
## Matrix products: default
          /bi/apps/R/3.6.1/lib64/R/lib/libRblas.so
## BLAS:
## LAPACK: /bi/apps/R/3.6.1/lib64/R/lib/libRlapack.so
## locale:
  [1] LC_CTYPE=en_GB.UTF-8
                                   LC NUMERIC=C
   [3] LC_TIME=en_GB.UTF-8
                                   LC_COLLATE=en_GB.UTF-8
   [5] LC_MONETARY=en_GB.UTF-8
                                   LC_MESSAGES=en_GB.UTF-8
## [7] LC_PAPER=en_GB.UTF-8
                                   LC_NAME=C
## [9] LC ADDRESS=C
                                   LC TELEPHONE=C
## [11] LC MEASUREMENT=en GB.UTF-8 LC IDENTIFICATION=C
##
## attached base packages:
## [1] parallel stats4
                                     graphics grDevices utils
                                                                    datasets
                           stats
## [8] methods
                 base
## other attached packages:
## [1] ggpubr_0.2.4
                                    magrittr_1.5
## [3] scater_1.14.5
                                    ggplot2_3.3.2
## [5] SingleCellExperiment_1.8.0
                                    stringr_1.4.0
## [7] readr_1.3.1
                                    MultiAssayExperiment_1.12.1
## [9] SummarizedExperiment_1.16.0 DelayedArray_0.12.0
## [11] BiocParallel_1.20.0
                                    matrixStats_0.55.0
## [13] Biobase_2.46.0
                                    GenomicRanges_1.38.0
## [15] GenomeInfoDb 1.22.0
                                    IRanges 2.20.1
## [17] S4Vectors_0.24.1
                                    BiocGenerics_0.32.0
## [19] dplyr_1.0.2
##
## loaded via a namespace (and not attached):
## [1] Rcpp_1.0.3
                                 rsvd 1.0.2
                                                           lattice_0.20-38
## [4] digest_0.6.29
                                 R6_2.4.1
                                                          plyr_1.8.5
## [7] evaluate_0.14
                                 pillar_1.4.7
                                                           zlibbioc_1.32.0
## [10] rlang_0.4.10
                                 irlba_2.3.3
                                                          Matrix_1.2-17
## [13] rmarkdown_2.14
                                 labeling_0.3
                                                           BiocNeighbors_1.4.1
## [16] gridtext_0.1.4
                                 RCurl_1.95-4.12
                                                          munsell_0.5.0
## [19] compiler_3.6.1
                                 vipor_0.4.5
                                                           BiocSingular_1.2.0
## [22] xfun_0.31
                                 pkgconfig_2.0.3
                                                           ggbeeswarm_0.6.0
## [25] htmltools_0.5.2
                                 ggtext_0.1.1
                                                           tidyselect_1.1.0
## [28] tibble_3.0.4
                                 gridExtra_2.3
                                                           GenomeInfoDbData_1.2.2
## [31] viridisLite_0.3.0
                                 crayon_1.3.4
                                                          withr 2.1.2
## [34] bitops_1.0-6
                                 grid_3.6.1
                                                           gtable_0.3.0
## [37] lifecycle 0.2.0
                                 scales_1.1.0
                                                          stringi_1.4.3
## [40] farver_2.0.1
                                 ggsignif_0.6.0
                                                          XVector_0.26.0
## [43] reshape2_1.4.3
                                                          xm12_1.2.2
                                 viridis 0.5.1
## [46] DelayedMatrixStats_1.8.0 ellipsis_0.3.0
                                                          generics_0.0.2
```

## [49] vctrs_0.3.6	cowplot_1.0.0	tools_3.6.1
## [52] glue_1.4.2	beeswarm_0.2.3	markdown_1.1
## [55] purrr_0.3.3	hms_0.5.2	fastmap_1.1.0
## [58] yaml_2.2.0	colorspace_1.4-1	knitr_1.26