TECHNICAL PAPER TO DEFINE THE EXTERNAL INTERFACE FOR NAVIERA ARMAS WEB SERVICES

Revision	3.3
Date created	29th November 2013
Date changed	25th May 2018

Table of contents

Introduction....3
Requirements....4
Web Services available....5
Loading of Ports of Origin....7
Loading of Routes....8
Loading of Sales Services....9
Loading of Passenger Types....10
Loading of Discounts....11
Loading of Types of Documents....12
Loading of Types of Rates....13
Loading of List of Countries....14
AvAvailable Routes Search....15
Available Routes Search on Timetable....17
Price Query....18
Making a Booking....19
Cancelling a Booking....20
Completing a Sale....21
Cancelling a Sale....22
Retrieval of a Sale....23
Examples....25
Error Codes....30

Introduction

The purpose of this document is to define how the external sales service of Naviera Armas S.A. works.

This function is performed with web services, by using an SOAP application over SSL communications and an authentication certificate (dual certificate) so that the source of the requests can be validated before they are serviced.

Requirements

This section details the technical requirements that have to be met by integrators to enable them to interact with the platform.

Operational

Internet connectivity is required to enable access to port 8443 of https://secure.navieraarmas.com.

The integrator must develop a SOAP client to communicate with our services, to enable them to send requests to our system and receive the responses to those requests.

Security

To make it possible to authenticate each integrator, they will be required to use their digital certificate from the company. For that purpose, the integrator must give us their public certificate so that we can enable it on the platform.

Additionally, there will be an option to filter the requests by the source IP address provided by the integrator.

The PKCS12 format will be used for the certificates.

Web Services available

Overview

The service definition appears in the attached WSDL, whose entry points are as follows:

- *nasaPuertos*
- *nasaTrayectos*
- *nasaServiciosVentas*
- *nasaTiposPasajeros*
- *nasaBonificaciones*
- *nasaTiposDocumentos*
- *nasaPaises*
- *nasaSalidas*
- *nasaSalidasCalendario*
- *nasaTarificaciones*
- *nasaReservas*
- *nasaCancelaReserva*
- *nasaRecuperaVenta*
- *nasaPagos*
- *nasaCancelaVenta*

Header:

The XML header definition of all of the requests is as follows:

```
<contextoEntidad xmlns="">

        <codigoAgencia>[string?]</codigoAgencia>

        <codigoIdioma>[string?]</codigoIdioma>

        <codigoUsuario>[string?]</codigoUsuario>

        <versionXml>[string?]</versionXml>

</contextoEntidad>
```

You must remember that all of these tags are required and must contain the correct values for the platform to respond to the request.

In the agency and user fields, indicate the code and username given to each integrator. In the language field, establish the possible ES, PT, EN, FR values.

The version field is a control mechanism to verify that the correct version of the front-ends is running. If server-side changes are made that require the front-ends to be updated, this value is changed for the service and the error

code CO0002 is given in response to all requests, indicating that the front-end must be updated.

The external service definition informs the client of the information that it is necessary to send to each access point to make it possible for requests to be sent and responses to be received. A number of entities have been defined that identify the ports, routes, sales services, routes... so from the client-side it is sufficient to instantiate these entities for it to be possible to send requests and obtain the necessary information in the responses to perform the sales operations.

Remember the importance of *ContextEntity*, which has to go in each request that is made to the external service, and where you have to specify the language in which you want to receive the information and the point of sale of the client in question. In this case it would be the point of sale that Naviera has associated with the integrator.

A client who operates with our external service must load the ports of origin and, for each port of origin, query the routes, sales services, discounts and types of passengers loaded.

With this information, the client must indicate the date on which they want to travel and inquire about the route, and this will return routes with dates in addition to the availability of the sales services to complete a purchase.

Each response given by the service has a response code, in this case NASA_OK (code 000000, 000001 or 000002) and NASA_ERR (a code other than 000000, 000001 or 000002), which determine whether or not the response is correct.

Loading of Ports of Origin

nasaPuertos:

This service returns all of the ports of origin where Naviera operates; it is the first command which must be launched to enable you to build the subsequent requests on the basis of this initial information.

It should be noted that it is considered highly advisable for the integrator to be able to cache the information for at least 15-30 minutes, to reduce the number of queries to the system for information that is highly static, thus making it quicker for the end user.

The elements that make up this entry are as follows:

Element	Description
-	-

The elements that make up the response for this entry are as follows:

Element	Description
codigoPuerto	Code identifying the port
flaginternacional	Flag that identifies the type of route
textoCorto	Brief description of the Port
textoLargo	Detailed description of the Port

Loading of Routes

nasaTrayectos:

With this service you obtain all of the routes that are operated by Naviera. This route does not indicate the departure date and time, it only indicates the routes operated by the company.

It should be noted that it is considered highly advisable for the integrator to be able to cache the information for at least 15-30 minutes, to reduce the number of queries to the system for information that is highly static, thus making it quicker for the end user.

The elements that make up this entry are as follows:

Element	**Description**
codigoPuerto	Code for the port of Origin about which you want to determine the possible destinations

The elements that make up the response for this entry are as follows:

Element	**Description**
flagcompuesto	Flag that indicates whether it is a route with several stages
puertoOrigenEntidad	
codigoPuerto	Code of the destination port
textoCorto	Brief description of the Port
textoLargo	Detailed description of the Port
puertoDestinoEntidad	
codigoPuerto	Code of the destination port
textoCorto	Brief description of the Port
textoLargo	Detailed description of the Port

Loading of Sales Services

nasaServiciosVentas:

A number of sales services (seats, cabins, vehicle...) are associated with each route, and this access point returns the services associated with a given route. This does not mean that this service can be purchased for a given journey; it only informs you that a specific service is loaded for a specific route.

The elements that make up this entry are as follows:

Element	**Description**
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the available services
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the available services

The elements that make up the response for this entry are as follows:

Element	**Description**
textoCorto	Brief description of the service
textoLargo	Detailed description of the service
codigoServicioVenta	Indicates the code of the service that can be sold
tipoServicioVenta	Indicates the type of service that can be sold
disponibilidad	This service is available

Loading of Passenger Types

nasaTiposPasajeros:

There are different types of passengers who can travel on each route (adults, minors...). With this service you obtain the types of passengers who can travel on any given route.

The elements that make up this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the Types of Passengers available
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the Types of Passengers available

The elements that make up the response for this entry are as follows:

Element	Description
textoCorto	Brief description of the type of passenger
textoLargo	Detailed description of the type of passenger
tipoPasajero	Code of the passenger type
flagNacionalidad	If true then it is necessary passenger nationality
flagFechaNacimiento	When true, then it is necessary to fill the date of birth of the passenger.
rellenaDatos	When true, then it is necessary to fill in the details of passengers.
rangoFechaNacimiento	Age to be considered a baby or child (in months).

Loading of Discounts

nasaBonificaciones:

Different discounts (residency, large family...) are applicable to different routes and, with this service, you obtain the different options that are available.

The elements that make up this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the available discounts
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the available discounts

The elements that make up the response for this entry are as follows:

Element	Description
codigoBonificacion	Code of the discount
textoCorto	Brief description of the discount
textoLargo	Detailed description of the discount

Loading of Types of Documents

nasaTiposDocumentos

For each passenger you must indicate the type of document and code of the passenger's identification document (ID, Passport, Foreigner's ID number...). With this service you obtain the types of passengers who can be entered for each route, so you must indicate the origin and destination in the request.

The elements that make up this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the Types of Documents available
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the Types of Documents available

The elements that make up the response for this entry are as follows:

Element	Description
tipoDocumento	Code of the type of document
textoCorto	Brief description of the type of document
textoLargo	Detailed description of the type of document

Loading of Types of Rates

nasaTarifas

With this service you obtain the types of rates who can be entered for each route, so you must indicate the origin and destination in the request.

The elements that make up this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the Types of rates available
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the Types of rates available

The elements that make up the response for this entry are as follows:

Element	Description
codigoTarifa	Code of the type of rate
textoCorto	Brief description of the type of rate
textoLargo	Detailed description of the type of rate

Loading of List of Countries

nasaPaises

This service allows you to obtain the list of countries and their coding, to associate it with each passenger on those lines where it is compulsory to indicate the nationality of the passenger.

The elements that make up this entry are as follows:

Element	Description
-	-

The elements that make up the response for this entry are as follows:

Element	Description
codigoPais	Code of the country
textoCorto	Brief description of the country
textoLargo	Detailed description of the country

Available Routes Search

nasaSalidas:

This service provides a date for the routes that are operated by the company. Based on the date given by the client, the system returns the route and their upcoming departure dates following the specified date. It also returns the availability of the services for each specific journey. Here the services that can be purchased are defined.

The elements that make up this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the available routes
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the available routes
fecha	Date from which the nearest departures will be searched, in the yyyymmdd format.

The elements that make up the response for this entry are as follows:

Element	Description
salidaEntidad	
codigoBarco	Code that identifies the boat that makes the journey
codigoNaviera	Code of the Shipping Company that operates the route
estadoSalida	Code that identifies the status of the journey
fechaLlegada	Date of arrival of the journey
fechaSalida	Departure date of the journey
horaLlegada	Time of arrival of the journey
horaSalida	Departure time of the journey
muelleLlegada	Port of destination
muelleSalida	Port of departure
tipoBarco	Type of boat that makes the journey
tipoSalida	Code that identifies the type of journey
flagcompuesto	Flag that determines whether it is a journey with several stages.

puertoOrigenEntidad	
codigoPuerto	Code of the destination port
flaginternacional	Flag that indicates the type of journey
flagCambioMuelle	Flag that indicates whether the planned port of departure may change
textoCorto	Brief description of the Port
textoLargo	Detailed description of the Port
puertoDestinoEntidad	
codigoPuerto	Code of the destination port
flaginternacional	Flag that indicates the type of journey
textoCorto	Brief description of the Port
flagCambioMuelle	Flag that indicates whether the planned port of arrival may change
textoLargo	Detailed description of the Port
servicioVentaEntidad	
codigoServicioVenta	Indicates whether each service is available
disponibilidad	Flag that indicates whether or not the service is available.
textoCorto	Brief description of the service
textoLargo	Detailed description of the service

Available Routes Search on Timetable

nasaSalidasCalendario:

This service provides a date for the routes that are generally operated by the company, by months, without providing information on the availability of the services. This is a quick search to see what routes are loaded for a specific line or month.

The elements that make up this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the port of Origin about which you want to enquire about the available routes
puertoDestinoEntidad	
codigoPuerto	Code of the Destination port about which you want to enquire about the available routes
fecha	Date from which the nearest departures will be searched, in the yyyymmdd format.

The elements that make up the response for this entry are as follows:

Element	Description
puertoOrigenEntidad	
codigoPuerto	Code of the destination port
flaginternacional	Flag that indicates the type of journey
textoCorto	Brief description of the Port
textoLargo	Detailed description of the Port
puertoDestinoEntidad	
codigoPuerto	Code of the destination port
flaginternacional	Flag that indicates the type of journey
textoCorto	Brief description of the Port
textoLargo	Detailed description of the Port
días	List of days of the month for the line and date included in the request

Price Query

nasaTarificaciones

This service returns the price for a specific journey, based on the criteria specified for the services, type of people, number of people and discounts.

The elements that make up this entry are as follows:

Element	Description
fechaSalida	Departure date of the journey
horaSalida	Departure time of the journey
cantidad	Number of passengers or vehicles
codigoServicioVenta	Code of the service for which the price is being requested
TipoServicioVenta	Type of service (Passenger or vehicle)
puertoOrigenEntidad	
codigoPuerto	Code of the port of origin
puertoDestinoEntidad	
codigoPuerto	Code of the destination port
tipoPasajero	Type of passenger
largo	Length of the vehicle
bonificacion	Discount for which the passenger is eligible

The elements that make up the response for this entry are as follows:

Element	Description
codigoBonificacion	Code of the discount applied
textoCorto	Brief description of the discount
textoLargo	Detailed description of the discount
total	Total amount charged
codigoTarifa	Code of the calculated charge
textoCorto	Brief description of the charge
textoLargo	Detailed description of the charge

Making a Booking

nasaReservas

This service books the places in the accommodation and on the journeys specified for the passengers for whom the service is being provided.

The elements that make up this entry are as follows:

Element	Description
horaSalida	Departure time of the journey
fechaSalida	Departure date of the journey
cantidad	Amount of passengers and vehicles
codigoServicioVenta	Code of the selected service
tipoServicioVenta	Type of passenger or vehicle service
puertoOrigenEntidad	
codigoPuerto	Code of the departure port
puertoDestinoEntidad	
codigoPuerto	Code of the port of arrival
tipoPasajero	Indicator of the type of passenger
tipoDocumento	Indicator of the type of identification document
nombre	Name of the passenger
apellido1	The passenger's first surname
apellido2	The passenger's second surname
codigoDocumento	Code of the identification document
largo	Length of the vehicle
tipoVehiculo	Type of vehicle selected
tarifa	Price charged
bonificacion	Discount applied

The elements that make up the response for this entry are as follows:

Element	Description
codigoLocata	Booking reference number
total	Price of the booking

Cancelling a Booking

nasaCancelaReserva

The purpose of this service is to cancel a booking that has previously been made.

The elements that make up this entry are as follows:

Element	Description
codigoLocata	Reference number of the booking to be cancelled.

The elements that make up the response for this entry are as follows:

Element	Description
codigoLocata	Reference number of the booking being cancelled.

Completing a Sale

nasaPagos

This consists of issuing a ticket that has previously been booked after the payment has been completed and verified.

The elements that make up this entry are as follows:

Element	Description
codigoLocata	Reference number of the booking for which the ticket is to be issued.
importe	Amount charged for the ticket.
formaPagoEntidad	Integrator's payment method.

The elements that make up the response for this entry are as follows:

Element	Description
codigoLocata	Reference number of the booking for which the ticket is to be issued.
importe	Amount charged for the ticket.
formaPagoEntidad	Integrator's payment method.

Cancelling a Sale

nasaDevoluciones

The purpose of this service is to cancel a ticket that has previously been purchased. This command will take into account all of the restrictions and charges applicable to the ticket, in order to confirm whether or not it can be cancelled.

The elements that make up this entry are as follows:

Element	Description
codigoLocata	Reference number of the booking to be cancelled.
importe	Price of the ticket.
formaPagoEntidad	Integrator's payment method.
FlagPrepago	True: do not cancel the ticket, used to get the cancellation cost. False: Cancel the ticket.

The elements that make up the response for this entry are as follows:

Element	Description
codigoLocata	Reference number of the booking being cancelled.
importe	Price of the ticket.
formaPagoEntidad	Integrator's payment method.

Retrieval of a Sale

nasaRecuperaVenta

This consists of the integrator retrieving a sale that has previously been made by entering all of the information about it.

The elements that make up this entry are as follows:

Element	Description
codigoLocata	Booking reference number to be retrieved.

The elements that make up the response for this entry are as follows:

Element	Description
codigoAgencia	Code of the point of sale of the ticket
codigoEstado	Status of the sale
fecha	Date of the sale
codigoLocata	Booking reference number
apellido1	The first surname of each passenger
apellido2	The second surname of each passenger
codigoDocumento	Code of the document of each passenger
codigoDocumentoFamiliaNumerosa	Code of the Large Family Certificate of each passenger
codigoMunicipio	Code of the municipality to which each passenger belongs
codigoPais	Code of the country to which each passenger belongs
fechaNacimiento	Date of birth of each passenger
justificacionEntidad	Type of proof of residence
justificacionFamiliaNumerosaEntidad	Type of proof of Large Family
nombre	Name of each passenger
numeroMascotas	Number of pets
sexo	Sex of each passenger
tipoDocumento	Type of document of each passenger
tipoPasajero	Type of passenger
vehiculoEntidad	
codigoBarco	Code of the boat making the journey
codigoNaviera	Code of the shipping company making the journey
estadoSalida	Departure status of the journey
fechaLlegada	Date of arrival of the journey
fechaSalida	Departure date of the journey
horaLlegada	Time of arrival of the journey

horaSalida	Departure time of the journey
muelleLlegada	Port of arrival
muelleSalida	Departure port
total	Total price of the ticket
codigoServicioVenta	Code of the purchased service
tipoBarco	Type of boat that makes the journey
tipoSalida	Departure status
flagcompuesto	Flag of the type of journey
codigoPuerto	Code of the ports of origin and destination
flaginternacional	Flag of the type of port of origin and destination
textoCorto	Brief description of the ports of origin and destination
textoLargo	Detailed description of the ports of origin and destination
codigoBillete	Number of the ticket sold
codigoBonificacion	Code of the passengers' discount
textoCorto	Brief description of the discount
textoLargo	Detailed description of the discount
codigoCliente	Code of the sale’s client
codigoFormaPago	Payment method for the sale
importe	Price of the sale
tipoFormaPago	Type of payment method
mail	Email account associated with the sale
observaciones	Remarks about the sale
codigoTarifa	Code of the price charged
textoCorto	Brief description of the charge
textoLargo	Detailed description of the charge
Teléfono	Telephone number associated with the sale

Examples

Below there are a number of examples of transactions with the interface:

Please replace <codigoAgencia>????</codigoAgencia> with your agency code.

nasaPuertos REQUEST:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaPuertos>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
      </sv:nasaPuertos>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaPuertos RESPONSE:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaPuertosResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaPuertos"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000001</codigo>
            <firma>d1d0b357f4e13414886d082eefd6f660</firma>
            <texto/>
            <ttl>86319</ttl>
            <versionXml>0.0.0.1</versionXml>
            <puertosEntidad xsi:type="ax239:PuertosEntidad">
               <puertoEntidad xsi:type="ax239:PuertoEntidad">
                  <codigoPuerto>AHU</codigoPuerto>
                  <textoCorto>AL HOCEIMA</textoCorto>
                  <textoLargo>Al Hoceima</textoLargo>
               </puertoEntidad>
               <puertoEntidad xsi:type="ax239:PuertoEntidad">
                  <codigoPuerto>LEI</codigoPuerto>
                  <textoCorto>ALMERIA</textoCorto>
                  <textoLargo>Almería</textoLargo>
               </puertoEntidad>

----- REMOVED -------

            </puertosEntidad>
         </return>
      </ns:nasaPuertosResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaTiposDocumentos REQUEST:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaTiposDocumentos>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>MOT</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>MLN</codigoPuerto>
         </puertoDestinoEntidad>
      </sv:nasaTiposDocumentos>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTiposDocumentos RESPONSE:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaTiposDocumentosResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaTiposDocumentos"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>383ec58934d8d7a21b2781538fde10ee</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <tiposDocumentosEntidad xsi:type="ax239:TiposDocumentosEntidad">
               <tipoDocumentoEntidad xsi:type="ax239:TipoDocumentoEntidad">
                  <textoCorto>DNI</textoCorto>
                  <textoLargo>DOCUMENTO NACIONAL DE IDENTIDAD</textoLargo>
                  <tipoDocumento>D</tipoDocumento>
               </tipoDocumentoEntidad>
               <tipoDocumentoEntidad xsi:type="ax239:TipoDocumentoEntidad">
                  <textoCorto>PAS</textoCorto>
                  <textoLargo>PASAPORTE</textoLargo>
                  <tipoDocumento>P</tipoDocumento>
               </tipoDocumentoEntidad>
               <tipoDocumentoEntidad xsi:type="ax239:TipoDocumentoEntidad">
                  <textoCorto>TRE</textoCorto>
                  <textoLargo>TARJETA DE RESIDENCIA</textoLargo>
                  <tipoDocumento>T</tipoDocumento>
               </tipoDocumentoEntidad>
               <tipoDocumentoEntidad xsi:type="ax239:TipoDocumentoEntidad">
                  <textoCorto>MENOR (DD/MM/YYYY)</textoCorto>
                  <textoLargo>MENOR SIN DOCUMENTACION (DD/MM/YYYY)</textoLargo>
                  <tipoDocumento>D</tipoDocumento>
               </tipoDocumentoEntidad>
```

```
            </tiposDocumentosEntidad>
         </return>
      </ns:nasaTiposDocumentosResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTarifas REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaTarifas>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>MOT</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>MLN</codigoPuerto>
         </puertoDestinoEntidad>
      </sv:nasaTarifas>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTarifas RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaTarifasResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaTarifas"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>bbd5e3bcb97d6b65e10afdd46bc8f1fb</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <tarifasEntidad xsi:type="ax239:TarifasEntidad">
               <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                  <codigoTarifa>CJ</codigoTarifa>
                  <textoCorto>JOVEN MENOR DE 26</textoCorto>
               </tarifaEntidad>
               <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                  <codigoTarifa>E2</codigoTarifa>
                  <textoCorto>PAQUETE AHORRO 2 PAX+V (PREF)</textoCorto>
               </tarifaEntidad>
               <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                  <codigoTarifa>E3</codigoTarifa>
                  <textoCorto>PAQUETE AHORRO 3 PAX+V (PREF)</textoCorto>
               </tarifaEntidad>
               <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                  <codigoTarifa>E4</codigoTarifa>
                  <textoCorto>PAQUETE AHORRO 4 PAX+V (PREF)</textoCorto>
               </tarifaEntidad>
               <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                  <codigoTarifa>E5</codigoTarifa>
                  <textoCorto>PAQUETE AHORRO 5 PAX+V (PREF)</textoCorto>
               </tarifaEntidad>
               <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                  <codigoTarifa>G</codigoTarifa>
                  <textoCorto>GENERAL</textoCorto>
```

```
                </tarifaEntidad>
                <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                   <codigoTarifa>JU</codigoTarifa>
                   <textoCorto>JUBILADO MAYOR 60</textoCorto>
                </tarifaEntidad>
                <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                   <codigoTarifa>P2</codigoTarifa>
                   <textoCorto>PAQUETE AHORRO 2 PAX+V</textoCorto>
                </tarifaEntidad>
                <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                   <codigoTarifa>P3</codigoTarifa>
                   <textoCorto>PAQUETE AHORRO 3 PAX+V</textoCorto>
                </tarifaEntidad>
                <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                   <codigoTarifa>P4</codigoTarifa>
                   <textoCorto>PAQUETE AHORRO 4 PAX+V</textoCorto>
                </tarifaEntidad>
                <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                   <codigoTarifa>P5</codigoTarifa>
                   <textoCorto>PAQUETE AHORRO 5 PAX+V</textoCorto>
                </tarifaEntidad>
             </tarifasEntidad>
          </return>
       </ns:nasaTarifasResponse>
    </soapenv:Body>
</soapenv:Envelope>
```


nasaBonificaciones REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaBonificaciones>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>LPA</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>TCI</codigoPuerto>
         </puertoDestinoEntidad>
      </sv:nasaBonificaciones>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaBonificaciones RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaBonificacionesResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaBonificaciones"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>f06663899626111857 89d763cb9f034f</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <bonificacionesEntidad xsi:type="ax239:BonificacionesEntidad">
               <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                  <codigoBonificacion>R</codigoBonificacion>
                  <textoCorto>RESIDENTE (CANARIAS)</textoCorto>
               </bonificacionEntidad>
               <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
```

```
                  <codigoBonificacion>R1</codigoBonificacion>
                  <textoCorto>RESIDENTE (CANARIAS) FAMILIA NUMEROSA GENERAL
(ESPAÑOLA)</textoCorto>
               </bonificacionEntidad>
               <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                  <codigoBonificacion>R2</codigoBonificacion>
                  <textoCorto>RESIDENTE (CANARIAS) FAMILIA NUMEROSA ESPECIAL
(ESPAÑOLA)</textoCorto>
               </bonificacionEntidad>
               <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                  <codigoBonificacion>G</codigoBonificacion>
                  <textoCorto>GENERAL</textoCorto>
               </bonificacionEntidad>
               <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                  <codigoBonificacion>F1</codigoBonificacion>
                  <textoCorto>NO RESIDENTE FAMILIA NUMEROSA GENERAL
(ESPAÑOLA)</textoCorto>
               </bonificacionEntidad>
               <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                  <codigoBonificacion>F2</codigoBonificacion>
                  <textoCorto>NO RESIDENTE FAMILIA NUMEROSA ESPECIAL
(ESPAÑOLA)</textoCorto>
               </bonificacionEntidad>
            </bonificacionesEntidad>
         </return>
      </ns:nasaBonificacionesResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaLocalidades REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaLocalidades>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <provinciaEntidad>
            <codigoProvincia>35</codigoProvincia>
         </provinciaEntidad>
      </sv:nasaLocalidades>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaLocalidades RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaLocalidadesResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaLocalidades"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>48b6f6cdf419424e6ca992cb128d4fd3</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <localidadesEntidad xsi:type="ax239:LocalidadesEntidad">
               <localidadEntidad xsi:type="ax239:LocalidadEntidad">
                  <codigoLocalidad>48444</codigoLocalidad>
                  <textoCorto>ACEBUCHAL (MARZAPE)</textoCorto>
                  <textoLargo/>
               </localidadEntidad>
```

```
                <localidadEntidad xsi:type="ax239:LocalidadEntidad">
                   <codigoLocalidad>48446</codigoLocalidad>
                   <textoCorto>ACEQUIA MARRERO</textoCorto>
                   <textoLargo/>
                </localidadEntidad>

----- REMOVED -------

            </localidadesEntidad>
         </return>
      </ns:nasaLocalidadesResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaMunicipios REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaMunicipios>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <provinciaEntidad>
            <codigoProvincia>35</codigoProvincia>
         </provinciaEntidad>
      </sv:nasaMunicipios>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaMunicipios RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaMunicipiosResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaMunicipios"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>4021bd3a0c73fbc806daaa7ec6a9f519</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <municipiosEntidad xsi:type="ax239:MunicipiosEntidad">
               <municipioEntidad xsi:type="ax239:MunicipioEntidad">
                  <codigoMunicipio>350017</codigoMunicipio>
                  <textoCorto>AGAETE</textoCorto>
                  <textoLargo/>
               </municipioEntidad>
               <municipioEntidad xsi:type="ax239:MunicipioEntidad">
                  <codigoMunicipio>350022</codigoMunicipio>
                  <textoCorto>AGÜIMES</textoCorto>
                  <textoLargo/>
               </municipioEntidad>

----- REMOVED -------

            </municipiosEntidad>
         </return>
      </ns:nasaMunicipiosResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaPaises REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaPaises>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
      </sv:nasaPaises>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaPaises RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaPaisesResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaPaises"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>c7f185e2f4cf37ca6b64ef90afbdf722</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <paisesEntidad xsi:type="ax239:PaisesEntidad">
               <paisEntidad xsi:type="ax239:PaisEntidad">
                  <codigoPais>AF</codigoPais>
                  <textoCorto>AFGANISTÁN</textoCorto>
                  <textoLargo/>
               </paisEntidad>
               <paisEntidad xsi:type="ax239:PaisEntidad">
                  <codigoPais>AX</codigoPais>
                  <textoCorto>ALAND</textoCorto>
                  <textoLargo/>
               </paisEntidad>

----- REMOVED -------

            </paisesEntidad>
         </return>
      </ns:nasaPaisesResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaProvincias REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaProvincias>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <paisEntidad>
            <codigoPais>ES</codigoPais>
         </paisEntidad>
```

```
      </sv:nasaProvincias>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaProvincias RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaProvinciasResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaProvincias"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>1c84258fe4aced51b1bd2590144e0bbf</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <provinciasEntidad xsi:type="ax239:ProvinciasEntidad">
               <provinciaEntidad xsi:type="ax239:ProvinciaEntidad">
                  <codigoProvincia>15</codigoProvincia>
                  <flagMunicipio>false</flagMunicipio>
                  <textoCorto>A CORUÑA</textoCorto>
                  <textoLargo/>
               </provinciaEntidad>
               <provinciaEntidad xsi:type="ax239:ProvinciaEntidad">
                  <codigoProvincia>1</codigoProvincia>
                  <flagMunicipio>false</flagMunicipio>
                  <textoCorto>ALAVA</textoCorto>
                  <textoLargo/>
               </provinciaEntidad>

----- REMOVED -------

            </provinciasEntidad>
         </return>
      </ns:nasaProvinciasResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaServiciosVentas REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaServiciosVentas>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>LPA</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>TCI</codigoPuerto>
         </puertoDestinoEntidad>
      </sv:nasaServiciosVentas>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaServiciosVentas RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
```

```
      <ns:nasaServiciosVentasResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaServiciosVentas"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>be9ac71a3c8c822dfd5af11cc3501aae</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <serviciosVentasEntidad xsi:type="ax239:ServiciosVentasEntidad">
               <servicioVentaEntidad xsi:type="ax239:ServicioVentaEntidad">
                  <cantidad>0</cantidad>
                  <codigoServicioVenta>BY</codigoServicioVenta>
                  <disponibilidad>false</disponibilidad>
                  <textoCorto>BUTACA</textoCorto>
                  <textoLargo>BUTACA</textoLargo>
                  <tipoServicioVenta>P</tipoServicioVenta>
               </servicioVentaEntidad>
               <servicioVentaEntidad xsi:type="ax239:ServicioVentaEntidad">
                  <cantidad>0</cantidad>
                  <codigoServicioVenta>BP</codigoServicioVenta>
                  <disponibilidad>false</disponibilidad>
                  <textoCorto>PREMIUM ECONOMY CLASS</textoCorto>
                  <textoLargo>PREMIUM ECONOMY CLASS</textoLargo>
                  <tipoServicioVenta>P</tipoServicioVenta>
               </servicioVentaEntidad>

----- REMOVED -------

            </serviciosVentasEntidad>
         </return>
      </ns:nasaServiciosVentasResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTiposPasjeros REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaTiposPasjeros>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>LPA</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>TCI</codigoPuerto>
         </puertoDestinoEntidad>
      </sv:nasaTiposPasjeros>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTiposPasjeros RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaTiposPasjerosResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaTiposPasajeros"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
```

```
            <codigo>000000</codigo>
            <firma>ab359ab85c5d82b86c0af325c2a1f2d6</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <tiposPasajerosEntidad xsi:type="ax239:TiposPasajerosEntidad">
               <tipoPasajeroEntidad xsi:type="ax239:TipoPasajeroEntidad">
                  <flagFechaNacimiento>false</flagFechaNacimiento>
                  <flagNacionalidad>false</flagNacionalidad>
                  <rangoFechaNacimiento>0</rangoFechaNacimiento>
                  <rellenaDatos>true</rellenaDatos>
                  <textoCorto>GENERAL</textoCorto>
                  <tipoPasajero>A</tipoPasajero>
               </tipoPasajeroEntidad>
               <tipoPasajeroEntidad xsi:type="ax239:TipoPasajeroEntidad">
                  <flagFechaNacimiento>false</flagFechaNacimiento>
                  <flagNacionalidad>false</flagNacionalidad>
                  <rangoFechaNacimiento>0</rangoFechaNacimiento>
                  <rellenaDatos>true</rellenaDatos>
                  <textoCorto>JOVEN MENOR DE 26 AÑOS</textoCorto>
                  <tipoPasajero>J</tipoPasajero>
               </tipoPasajeroEntidad>
               <tipoPasajeroEntidad xsi:type="ax239:TipoPasajeroEntidad">
                  <flagFechaNacimiento>false</flagFechaNacimiento>
                  <flagNacionalidad>false</flagNacionalidad>
                  <rangoFechaNacimiento>0</rangoFechaNacimiento>
                  <rellenaDatos>true</rellenaDatos>
                  <textoCorto>MAYOR DE 60 AÑOS</textoCorto>
                  <tipoPasajero>M</tipoPasajero>
               </tipoPasajeroEntidad>
               <tipoPasajeroEntidad xsi:type="ax239:TipoPasajeroEntidad">
                  <flagFechaNacimiento>false</flagFechaNacimiento>
                  <flagNacionalidad>false</flagNacionalidad>
                  <rangoFechaNacimiento>144</rangoFechaNacimiento>
                  <rellenaDatos>true</rellenaDatos>
                  <textoCorto>MENOR DE 12 AÑOS</textoCorto>
                  <tipoPasajero>N</tipoPasajero>
               </tipoPasajeroEntidad>
               <tipoPasajeroEntidad xsi:type="ax239:TipoPasajeroEntidad">
                  <flagFechaNacimiento>false</flagFechaNacimiento>
                  <flagNacionalidad>false</flagNacionalidad>
                  <rangoFechaNacimiento>36</rangoFechaNacimiento>
                  <rellenaDatos>false</rellenaDatos>
                  <textoCorto>BEBE</textoCorto>
                  <tipoPasajero>B</tipoPasajero>
               </tipoPasajeroEntidad>
            </tiposPasajerosEntidad>
         </return>
      </ns:nasaTiposPasjerosResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTrayectos REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaTrayectos>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>MOT</codigoPuerto>
         </puertoOrigenEntidad>
      </sv:nasaTrayectos>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaTrayectos RESPONSE:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaTrayectosResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaTrayectos"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>47dcf4fe565cc5f252388f7694b21f9e</firma>
            <texto/>
            <ttl>86400</ttl>
            <versionXml>0.0.0.1</versionXml>
            <trayectosEntidad xsi:type="ax239:TrayectosEntidad">
               <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                  <flagCompuesto>0</flagCompuesto>
                  <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                     <codigoPuerto>AHU</codigoPuerto>
                     <textoCorto>AL HOCEIMA</textoCorto>
                     <textoLargo>Al Hoceima</textoLargo>
                  </puertoDestinoEntidad>
                  <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                     <codigoPuerto>MOT</codigoPuerto>
                     <textoCorto>MOTRIL</textoCorto>
                     <textoLargo>Motril (Granada)</textoLargo>
                  </puertoOrigenEntidad>
               </trayectoEntidad>
               <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                  <flagCompuesto>0</flagCompuesto>
                  <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                     <codigoPuerto>MLN</codigoPuerto>
                     <textoCorto>MELILLA</textoCorto>
                     <textoLargo>Melilla</textoLargo>
                  </puertoDestinoEntidad>
                  <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                     <codigoPuerto>MOT</codigoPuerto>
                     <textoCorto>MOTRIL</textoCorto>
                     <textoLargo>Motril (Granada)</textoLargo>
                  </puertoOrigenEntidad>
               </trayectoEntidad>
               <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                  <flagCompuesto>0</flagCompuesto>
                  <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                     <codigoPuerto>NDR</codigoPuerto>
                     <textoCorto>NADOR</textoCorto>
                     <textoLargo>Nador</textoLargo>
                  </puertoDestinoEntidad>
                  <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                     <codigoPuerto>MOT</codigoPuerto>
                     <textoCorto>MOTRIL</textoCorto>
                     <textoLargo>Motril (Granada)</textoLargo>
                  </puertoOrigenEntidad>
               </trayectoEntidad>
            </trayectosEntidad>
         </return>
      </ns:nasaTrayectosResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaSalidas REQUEST:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaSalidas>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
```

```
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>LPA</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>TCI</codigoPuerto>
         </puertoDestinoEntidad>
         <fecha>20180530</fecha>
      </sv:nasaSalidas>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaSalidas RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaSalidasResponse xmlns:ns="http://sv.navieraarmas.com">
                                 <return    xsi:type="ax243:Ventas_NasaRespuestaSalidas"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>aec15c8e425a7604ad8f7056a8ab9df2</firma>
            <texto/>
            <ttl>120</ttl>
            <versionXml>0.0.0.1</versionXml>
            <salidasEntidad xsi:type="ax239:SalidasEntidad">
               <salidaEntidad xsi:type="ax239:SalidaEntidad">
                  <barcoEntidad xsi:type="ax239:BarcoEntidad">
                     <codigoBarco>TO</codigoBarco>
                     <textoCorto>VOLCAN DE TENO</textoCorto>
                     <tipoBarco>FF</tipoBarco>
                  </barcoEntidad>
                  <codigoNaviera/>
                  <estadoSalida>A</estadoSalida>
                  <fechaLlegada>20180530</fechaLlegada>
                  <fechaSalida>20180530</fechaSalida>
                  <horaLlegada>0920</horaLlegada>
                  <horaSalida>0730</horaSalida>
                  <muelleLlegadaEntidad xsi:type="ax239:MuelleEntidad">
                     <codigoMuelle>952260</codigoMuelle>
                     <textoCorto>SC TENERIFE</textoCorto>
                     <textoLargo/>
                  </muelleLlegadaEntidad>
                  <muelleSalidaEntidad xsi:type="ax239:MuelleEntidad">
                     <codigoMuelle>000113</codigoMuelle>
                     <textoCorto>NELSON MANDELA</textoCorto>
                     <textoLargo/>
                  </muelleSalidaEntidad>
                  <sentidoSalida>1</sentidoSalida>
                  <serviciosVentasEntidad xsi:type="ax239:ServiciosVentasEntidad">
                     <servicioVentaEntidad xsi:type="ax239:ServicioVentaEntidad">
                        <cantidad>0</cantidad>
                        <capacidad>1</capacidad>
                        <codigoServicioVenta>BY</codigoServicioVenta>
                        <disponibilidad>true</disponibilidad>
                        <disponibles>10</disponibles>
                        <tipoServicioVenta>P</tipoServicioVenta>
                     </servicioVentaEntidad>

----- REMOVED -------

                  </serviciosVentasEntidad>
                  <tipoSalida>0</tipoSalida>
                  <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                     <flagCompuesto>0</flagCompuesto>
                     <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                        <codigoPuerto>TCI</codigoPuerto>
                        <textoCorto>S/C TENERIFE</textoCorto>
                        <textoLargo>Tenerife (S.C. de Tenerife)</textoLargo>
                     </puertoDestinoEntidad>
```

```
                    <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                       <codigoPuerto>LPA</codigoPuerto>
                       <textoCorto>LAS PALMAS GC</textoCorto>
                       <textoLargo>Gran Canaria (Las Palmas de G.C.)</textoLargo>
                    </puertoOrigenEntidad>
                 </trayectoEntidad>
              </salidaEntidad>
              <salidaEntidad xsi:type="ax239:SalidaEntidad">

----- REMOVED -------

              </salidaEntidad>
              <salidaEntidad xsi:type="ax239:SalidaEntidad">

----- REMOVED -------

              </salidaEntidad>
           </salidasEntidad>
        </return>
     </ns:nasaSalidasResponse>
  </soapenv:Body>
</soapenv:Envelope>
```


nasaSalidasCalendario REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaSalidasCalendario>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>LPA</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>HUV</codigoPuerto>
         </puertoDestinoEntidad>
         <fecha>20180525</fecha>
      </sv:nasaSalidasCalendario>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaSalidasCalendario RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaSalidasCalendarioResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaSalidasCalendario"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>8d8c64c3241f03d585ad7dbbefd14099</firma>
            <texto/>
            <ttl>600</ttl>
            <versionXml>0.0.0.1</versionXml>
            <salidasCalendarioEntidad xsi:type="ax239:SalidasCalendarioEntidad">
               <dias>03</dias>
               <dias>10</dias>
               <dias>17</dias>
               <dias>24</dias>
               <dias>31</dias>
```

```
            <fecha>201805</fecha>
            <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
               <flagCompuesto>0</flagCompuesto>
               <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                  <codigoPuerto>HUV</codigoPuerto>
                  <textoCorto>HUELVA</textoCorto>
                  <textoLargo>Huelva</textoLargo>
               </puertoDestinoEntidad>
               <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                  <codigoPuerto>LPA</codigoPuerto>
                  <textoCorto>LAS PALMAS GC</textoCorto>
                  <textoLargo>Gran Canaria (Las Palmas de G.C.)</textoLargo>
               </puertoOrigenEntidad>
            </trayectoEntidad>
         </salidasCalendarioEntidad>
      </return>
   </ns:nasaSalidasCalendarioResponse>
</soapenv:Body>
</soapenv:Envelope>
```


nasaTarificaciones REQUEST:


```
1 adult, general, MOT-MLN
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaTarificaciones>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <salidasEntidad>
            <salidaEntidad>
               <fechaSalida>20180611</fechaSalida>
               <horaSalida>1430</horaSalida>
               <sentidoSalida>1</sentidoSalida>
               <serviciosVentasEntidad>
                  <servicioVentaEntidad>
                     <cantidad>1</cantidad>
                     <codigoServicioVenta>BY</codigoServicioVenta>
                     <tipoServicioVenta>P</tipoServicioVenta>
                  </servicioVentaEntidad>
               </serviciosVentasEntidad>
               <trayectoEntidad>
                  <puertoDestinoEntidad>
                     <codigoPuerto>MLN</codigoPuerto>
                  </puertoDestinoEntidad>
                  <puertoOrigenEntidad>
                     <codigoPuerto>MOT</codigoPuerto>
                  </puertoOrigenEntidad>
               </trayectoEntidad>
            </salidaEntidad>
         </salidasEntidad>
         <paxsVehsEntidad>
            <paxVehEntidad>
               <pasajeroEntidad>
                  <tipoPasajeroEntidad>
                     <tipoPasajero>A</tipoPasajero>
                  </tipoPasajeroEntidad>
               </pasajeroEntidad>
            </paxVehEntidad>
         </paxsVehsEntidad>
         <bonificacionEntidad>
            <codigoBonificacion>G</codigoBonificacion>
         </bonificacionEntidad>
```

```
      </sv:nasaTarificaciones>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTarifaciones RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaTarificacionesResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaTarificaciones"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>90ec902d7c1d29dc33662e572280ae7a</firma>
            <texto/>
            <ttl>600</ttl>
            <versionXml>0.0.0.1</versionXml>
            <tarificacionesEntidad xsi:type="ax239:TarificacionesEntidad">
               <tarificacionEntidad xsi:type="ax239:TarificacionEntidad">
                  <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                     <codigoBonificacion>G</codigoBonificacion>
                     <textoCorto>GENERAL</textoCorto>
                     <textoLargo/>
                  </bonificacionEntidad>
                  <precioEntidad xsi:type="ax239:PrecioEntidad">
                     <devolucion>0.0</devolucion>
                     <gastos>0.0</gastos>
                     <total>33.17</total>
                  </precioEntidad>
                  <precioIdaEntidad xsi:type="ax239:PrecioEntidad">
                     <devolucion>0.0</devolucion>
                     <gastos>0.0</gastos>
                     <total>33.17</total>
                  </precioIdaEntidad>
                  <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                     <codigoTarifa>G</codigoTarifa>
                     <textoCorto>GENERAL</textoCorto>
                     <textoLargo/>
                  </tarifaEntidad>
               </tarificacionEntidad>
            </tarificacionesEntidad>
         </return>
      </ns:nasaTarificacionesResponse>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaTarificaciones REQUEST (other examples):

Two adults (residents) with vehicule (with return trip, TCI-MOJ-TCI)


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaTarificaciones>
         <contextoEntidad>
            <codigoAgencia>????</codigoAgencia>
            <codigoIdioma>ES</codigoIdioma>
            <codigoUsuario>AGENCIA</codigoUsuario>
            <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <salidasEntidad>
            <salidaEntidad>
               <fechaSalida>20180622</fechaSalida>
               <horaSalida>0615</horaSalida>
               <sentidoSalida>1</sentidoSalida>
               <serviciosVentasEntidad>
                  <servicioVentaEntidad>
                     <cantidad>2</cantidad>
```

```
                <codigoServicioVenta>BY</codigoServicioVenta>
                <tipoServicioVenta>P</tipoServicioVenta>
             </servicioVentaEntidad>
             <servicioVentaEntidad>
                <cantidad>1</cantidad>
                <codigoServicioVenta>V</codigoServicioVenta>
                <tipoServicioVenta>V</tipoServicioVenta>
             </servicioVentaEntidad>
          </serviciosVentasEntidad>
          <trayectoEntidad>
             <puertoDestinoEntidad>
                <codigoPuerto>MOJ</codigoPuerto>
             </puertoDestinoEntidad>
             <puertoOrigenEntidad>
                <codigoPuerto>TCI</codigoPuerto>
             </puertoOrigenEntidad>
          </trayectoEntidad>
       </salidaEntidad>
            <salidaEntidad>
          <fechaSalida>20180624</fechaSalida>
          <horaSalida>1800</horaSalida>
          <sentidoSalida>2</sentidoSalida>
          <serviciosVentasEntidad>
             <servicioVentaEntidad>
                <cantidad>2</cantidad>
                <codigoServicioVenta>BY</codigoServicioVenta>
                <tipoServicioVenta>P</tipoServicioVenta>
             </servicioVentaEntidad>
             <servicioVentaEntidad>
                <cantidad>1</cantidad>
                <codigoServicioVenta>V</codigoServicioVenta>
                <tipoServicioVenta>V</tipoServicioVenta>
             </servicioVentaEntidad>
          </serviciosVentasEntidad>
          <trayectoEntidad>
             <puertoDestinoEntidad>
                <codigoPuerto>TCI</codigoPuerto>
             </puertoDestinoEntidad>
             <puertoOrigenEntidad>
                <codigoPuerto>MOJ</codigoPuerto>
             </puertoOrigenEntidad>
          </trayectoEntidad>
       </salidaEntidad>
    </salidasEntidad>
    <paxsVehsEntidad>
       <paxVehEntidad>
          <pasajeroEntidad>
             <tipoPasajeroEntidad>
                <tipoPasajero>A</tipoPasajero>
             </tipoPasajeroEntidad>
          </pasajeroEntidad>
          <vehiculoEntidad>
                 <alto>1.7</alto>
                 <largo>4.35</largo>
                 <tipoVehiculo>V</tipoVehiculo>
          </vehiculoEntidad>
       </paxVehEntidad>
       <paxVehEntidad>
          <pasajeroEntidad>
             <tipoPasajeroEntidad>
                <tipoPasajero>A</tipoPasajero>
             </tipoPasajeroEntidad>
          </pasajeroEntidad>
       </paxVehEntidad>
    </paxsVehsEntidad>
    <bonificacionEntidad>
       <codigoBonificacion>R</codigoBonificacion>
    </bonificacionEntidad>
 </sv:nasaTarificaciones>
</soapenv:Body>
</soapenv:Envelope>
```

1 adult+1 Child+1baby (residents) with vehicule (with return trip, QFU-QLY-QFU)


```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
    <s:Body xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <nasaTarificaciones xmlns="http://sv.navieraarmas.com">
             <contextoEntidad>
                <codigoAgencia>????</codigoAgencia>
                <codigoIdioma>ES</codigoIdioma>
                <codigoUsuario>AGENCIA</codigoUsuario>
                <versionXml>0.0.0.1</versionXml>
             </contextoEntidad>
            <salidasEntidad xmlns="">
                <salidaEntidad>
                    <fechaSalida>20180529</fechaSalida>
                    <horaSalida>1000</horaSalida>
                    <sentidoSalida>1</sentidoSalida>
                    <serviciosVentasEntidad>
                        <servicioVentaEntidad>
                            <cantidad>2</cantidad>
                            <capacidad>0</capacidad>
                            <codigoServicioVenta>BY</codigoServicioVenta>
                            <tipoServicioVenta>P</tipoServicioVenta>
                        </servicioVentaEntidad>
                        <servicioVentaEntidad>
                            <cantidad>1</cantidad>
                            <capacidad>0</capacidad>
                            <codigoServicioVenta>V</codigoServicioVenta>
                            <tipoServicioVenta>V</tipoServicioVenta>
                        </servicioVentaEntidad>
                    </serviciosVentasEntidad>
                    <trayectoEntidad>
                        <puertoDestinoEntidad>
                            <codigoPuerto>QLY</codigoPuerto>
                        </puertoDestinoEntidad>
                        <puertoOrigenEntidad>
                            <codigoPuerto>QFU</codigoPuerto>
                        </puertoOrigenEntidad>
                    </trayectoEntidad>
                </salidaEntidad>
                <salidaEntidad>
                    <fechaSalida>20180529</fechaSalida>
                    <horaSalida>1700</horaSalida>
                    <sentidoSalida>2</sentidoSalida>
                    <serviciosVentasEntidad>
                        <servicioVentaEntidad>
                            <cantidad>2</cantidad>
                            <capacidad>0</capacidad>
                            <codigoServicioVenta>BY</codigoServicioVenta>
                            <tipoServicioVenta>P</tipoServicioVenta>
                        </servicioVentaEntidad>
                        <servicioVentaEntidad>
                            <cantidad>1</cantidad>
                            <capacidad>0</capacidad>
                            <codigoServicioVenta>V</codigoServicioVenta>
                            <tipoServicioVenta>V</tipoServicioVenta>
                        </servicioVentaEntidad>
                    </serviciosVentasEntidad>
                    <trayectoEntidad>
                        <puertoDestinoEntidad>
                            <codigoPuerto>QFU</codigoPuerto>
                        </puertoDestinoEntidad>
                        <puertoOrigenEntidad>
                            <codigoPuerto>QLY</codigoPuerto>
                        </puertoOrigenEntidad>
                    </trayectoEntidad>
                </salidaEntidad>
            </salidasEntidad>
            <paxsVehsEntidad xmlns="">
                <paxVehEntidad>
                    <pasajeroEntidad>
                        <numeroBebes>1</numeroBebes>
                        <tipoPasajeroEntidad>
                            <tipoPasajero>A</tipoPasajero>
                        </tipoPasajeroEntidad>
                    </pasajeroEntidad>
```

```
                    <vehiculoEntidad>
                        <alto>1.5</alto>
                        <largo>4.3</largo>
                        <tipoVehiculo>V</tipoVehiculo>
                    </vehiculoEntidad>
                </paxVehEntidad>
                <paxVehEntidad>
                    <pasajeroEntidad>
                        <tipoPasajeroEntidad>
                            <tipoPasajero>N</tipoPasajero>
                        </tipoPasajeroEntidad>
                    </pasajeroEntidad>
                </paxVehEntidad>
            </paxsVehsEntidad>
            <bonificacionEntidad xmlns="">
                <codigoBonificacion>R</codigoBonificacion>
            </bonificacionEntidad>
        </nasaTarificaciones>
    </s:Body>
</s:Envelope>
```

nasaReservas REQUEST:

2 adults with vehicule (MOJ-LPA)


```xml
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <soap:Body>
        <nasaReservas xmlns="http://sv.navieraarmas.com">
            <contextoEntidad xmlns="">
                <codigoAgencia>????</codigoAgencia>
                <codigoIdioma>EN</codigoIdioma>
                <codigoUsuario>AGENCIA</codigoUsuario>
                <versionXml>0.0.0.1</versionXml>
            </contextoEntidad>
            <salidasEntidad xmlns="">
                <salidaEntidad>
                    <fechaSalida>20180525</fechaSalida>
                    <horaSalida>1600</horaSalida>
                    <sentidoSalida>1</sentidoSalida>
                    <serviciosVentasEntidad>
                        <servicioVentaEntidad>
                            <cantidad>2</cantidad>
                            <codigoServicioVenta>BY</codigoServicioVenta>
                            <tipoServicioVenta>P</tipoServicioVenta>
                        </servicioVentaEntidad>
                        <servicioVentaEntidad>
                            <cantidad>1</cantidad>
                            <codigoServicioVenta>V</codigoServicioVenta>
                            <tipoServicioVenta>V</tipoServicioVenta>
                        </servicioVentaEntidad>
                    </serviciosVentasEntidad>
                    <trayectoEntidad>
                        <puertoDestinoEntidad>
                            <codigoPuerto>LPA</codigoPuerto>
                        </puertoDestinoEntidad>
                        <puertoOrigenEntidad>
                            <codigoPuerto>MOJ</codigoPuerto>
                        </puertoOrigenEntidad>
                    </trayectoEntidad>
                </salidaEntidad>
            </salidasEntidad>
            <paxsVehsEntidad xmlns="">
                <paxVehEntidad>
                    <pasajeroEntidad>
                        <apellido1>SUAREZ</apellido1>
                        <apellido2/>
                        <codigoDocumento>BPP123456</codigoDocumento>
                        <codigoPais>GB</codigoPais>
                        <fechaNacimiento>19680621</fechaNacimiento>
                        <nombre>ADOLFO</nombre>
                        <numeroBebes>0</numeroBebes>
                        <sexo>H</sexo>
                        <tipoDocumentoEntidad>
                            <tipoDocumento>P</tipoDocumento>
                        </tipoDocumentoEntidad>
                        <tipoPasajeroEntidad>
                            <tipoPasajero>A</tipoPasajero>
                        </tipoPasajeroEntidad>
                    </pasajeroEntidad>
                    <vehiculoEntidad>
                        <alto>1.85</alto>
                        <largo>4.85</largo>
                        <marca>RENAULT</marca>
                        <matricula>5555ZBD</matricula>
```

```
                        <tipoVehiculo>V</tipoVehiculo>
                    </vehiculoEntidad>
                </paxVehEntidad>
                <paxVehEntidad>
                    <pasajeroEntidad>
                        <apellido1>SUAREZ</apellido1>
                        <apellido2/>
                        <codigoDocumento>BPP123458</codigoDocumento>
                        <codigoPais>GB</codigoPais>
                        <fechaNacimiento>19740124</fechaNacimiento>
                        <nombre>MARIA</nombre>
                        <sexo>M</sexo>
                        <tipoDocumentoEntidad>
                            <tipoDocumento>P</tipoDocumento>
                        </tipoDocumentoEntidad>
                        <tipoPasajeroEntidad>
                            <tipoPasajero>A</tipoPasajero>
                        </tipoPasajeroEntidad>
                    </pasajeroEntidad>
                </paxVehEntidad>
            </paxsVehsEntidad>
            <tarifaEntidad xmlns="">
                <codigoTarifa>P2</codigoTarifa>
                <textoCorto>PAQUETE AHORRO 2 PAX+V</textoCorto>
                <textoLargo/>
            </tarifaEntidad>
            <bonificacionEntidad xmlns="">
                <codigoBonificacion>G</codigoBonificacion>
            </bonificacionEntidad>
            <datosExtraEntidad xmlns="">
                <mail>uno@jjmail.com</mail>
                <observaciones xsi:nil="true"/>
                <telefono>666888888</telefono>
            </datosExtraEntidad>
        </nasaReservas>
    </soap:Body>
</soap:Envelope>
```


nasaReservas RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaReservasResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaReservas"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <texto/>
            <ttl>-1</ttl>
            <versionXml>0.0.0.1</versionXml>
            <reservasEntidad xsi:type="ax239:ReservasEntidad">
               <reservaEntidad xsi:type="ax239:ReservaEntidad">
                  <fechaValidezReserva>20180525</fechaValidezReserva>
                  <locataEntidad xsi:type="ax239:LocataEntidad">
                     <codigoLocata>95564930</codigoLocata>
                  </locataEntidad>
                  <precioEntidad xsi:type="ax239:PrecioEntidad">
                     <total>89.75</total>
                  </precioEntidad>
                  <precioIdaEntidad xsi:type="ax239:PrecioEntidad">
                     <total>89.75</total>
                  </precioIdaEntidad>
               </reservaEntidad>
            </reservasEntidad>
         </return>
      </ns:nasaReservasResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaPagos REQUEST:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaPagos>
            <contextoEntidad xmlns="">
                <codigoAgencia>????</codigoAgencia>
                <codigoIdioma>EN</codigoIdioma>
                <codigoUsuario>AGENCIA</codigoUsuario>
                <versionXml>0.0.0.1</versionXml>
            </contextoEntidad>
         <pagosEntidad>
            <pagoEntidad>
               <formasPagosEntidad>
                  <formaPagoEntidad>
                     <codigoFormaPago>CRE</codigoFormaPago>
                     <importe>89.75</importe>
                  </formaPagoEntidad>
               </formasPagosEntidad>
               <locataEntidad>
                  <codigoLocata>95564930</codigoLocata>
               </locataEntidad>
            </pagoEntidad>
         </pagosEntidad>
      </sv:nasaPagos>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaPagos RESPONSE:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaPagosResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaPagos"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <texto/>
            <ttl>-1</ttl>
            <versionXml>0.0.0.1</versionXml>
            <pagosEntidad xsi:type="ax239:PagosEntidad">
               <pagoEntidad xsi:type="ax239:PagoEntidad">
                  <flagPrepago>false</flagPrepago>
                  <formasPagosEntidad xsi:type="ax239:FormasPagosEntidad">
                     <formaPagoEntidad xsi:type="ax239:FormaPagoEntidad">
                        <codigoFormaPago>CRE</codigoFormaPago>
                        <importe>89.75</importe>
                        <tipoFormaPago/>
                     </formaPagoEntidad>
                  </formasPagosEntidad>
                  <locataEntidad xsi:type="ax239:LocataEntidad">
                     <codigoLocata>95564930</codigoLocata>
                  </locataEntidad>
               </pagoEntidad>
            </pagosEntidad>
         </return>
      </ns:nasaPagosResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaCancelaReserva REQUEST:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaCancelaReserva>
         <contextoEntidad>
               <codigoAgencia>????</codigoAgencia>
               <codigoIdioma>EN</codigoIdioma>
               <codigoUsuario>AGENCIA</codigoUsuario>
               <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <locataEntidad>
            <codigoLocata>95566310</codigoLocata>
         </locataEntidad>
      </sv:nasaCancelaReserva>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaCancelaReserva RESPONSE:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaCancelaReservaResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma xsi:nil="true" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
            <texto/>
            <ttl>-1</ttl>
            <versionXml>0.0.0.1</versionXml>
            <locataEntidad xsi:type="ax239:LocataEntidad"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
               <codigoLocata>95566310</codigoLocata>
            </locataEntidad>
         </return>
      </ns:nasaCancelaReservaResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaRecuperaVenta REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaRecuperaVenta>
         <contextoEntidad xmlns="">
               <codigoAgencia>????</codigoAgencia>
               <codigoIdioma>EN</codigoIdioma>
               <codigoUsuario>AGENCIA</codigoUsuario>
               <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <locataEntidad>
            <codigoLocata>95564930</codigoLocata>
         </locataEntidad>
      </sv:nasaRecuperaVenta>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaRecuperaVenta RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaRecuperaVentaResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaRecuperaVenta"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <texto/>
            <ttl>-1</ttl>
            <versionXml>0.0.0.1</versionXml>
            <accvEntidad xsi:type="ax239:AccvEntidad">
               <accvBilletesEntidad xsi:type="ax239:AccvBilletesEntidad">
                  <accvBilleteEntidad xsi:type="ax239:AccvBilleteEntidad">
                     <accvServiciosVentasEntidad
xsi:type="ax239:AccvServiciosVentasEntidad">
                        <accvServicioVentaEntidad
xsi:type="ax239:AccvServicioVentaEntidad">
                           <estadosEntidad xsi:type="ax239:EstadosEntidad">
                              <estadoEntidad xsi:type="ax239:EstadoEntidad">
                                 <codigoAgencia/>
                                 <codigoEstado>E</codigoEstado>
                                 <fecha/>
                              </estadoEntidad>
                              <estadoEntidad xsi:type="ax239:EstadoEntidad">
                                 <codigoAgencia/>
                                 <codigoEstado>E</codigoEstado>
                                 <fecha/>
                              </estadoEntidad>
                           </estadosEntidad>
                           <locataEntidad xsi:type="ax239:LocataEntidad">
                              <codigoLocata>95564931</codigoLocata>
                           </locataEntidad>
                           <paxsVehsEntidad xsi:type="ax239:PaxsVehsEntidad">
                              <paxVehEntidad xsi:type="ax239:PaxVehEntidad">
                                 <pasajeroEntidad xsi:type="ax239:PaxEntidad">
                                    <apellido1>SUAREZ</apellido1>
                                    <apellido2/>
                                    <bonificacionEntidad
xsi:type="ax239:BonificacionEntidad">
                                       <codigoBonificacion>G</codigoBonificacion>
                                    </bonificacionEntidad>
                                    <codigoDocumento>BPP123456</codigoDocumento>
                                    <codigoMunicipio>000000</codigoMunicipio>
                                    <fechaNacimiento>19680621</fechaNacimiento>
                                    <nombre>ADOLFO</nombre>
                                    <numeroBebes>0</numeroBebes>
                                    <numeroMascotas>0</numeroMascotas>
                                    <sexo>M</sexo>
```

```
                                    <tipoDocumentoEntidad
xsi:type="ax239:TipoDocumentoEntidad">
                                       <textoCorto>PAS</textoCorto>
                                       <textoLargo>PASAPORTE</textoLargo>
                                       <tipoDocumento>P</tipoDocumento>
                                    </tipoDocumentoEntidad>
                                    <tipoPasajeroEntidad
xsi:type="ax239:TipoPasajeroEntidad">
                                       <flagFechaNacimiento>false</flagFechaNacimiento>
                                       <flagNacionalidad>false</flagNacionalidad>
                                       <rangoFechaNacimiento>0</rangoFechaNacimiento>
                                       <rellenaDatos>true</rellenaDatos>
                                       <textoCorto>GENERAL</textoCorto>
                                       <tipoPasajero>A</tipoPasajero>
                                    </tipoPasajeroEntidad>
                                 </pasajeroEntidad>
                                 <vehiculoEntidad xsi:type="ax239:VehEntidad">
                                    <alto>0.0</alto>
                                    <ancho>0.0</ancho>
                                    <largo>4.85</largo>
                                    <marca>RENAULT</marca>
                                    <matricula>5555ZBD</matricula>
                                    <metrosExtra>0.0</metrosExtra>
                                    <seguro/>
                                    <tipoVehiculo>V</tipoVehiculo>
                                 </vehiculoEntidad>
                              </paxVehEntidad>
                           </paxsVehsEntidad>
                           <puedeImprimirIda>true</puedeImprimirIda>
                           <puedeImprimirVuelta>false</puedeImprimirVuelta>
                           <salidasEntidad xsi:type="ax239:SalidasEntidad">
                              <salidaEntidad xsi:type="ax239:SalidaEntidad">
                                 <barcoEntidad xsi:type="ax239:BarcoEntidad">
                                    <codigoBarco>TM</codigoBarco>
                                    <textoCorto>VOLCAN DE TAMASITE</textoCorto>
                                    <tipoBarco>FE</tipoBarco>
                                 </barcoEntidad>
                                 <codigoNaviera/>
                                 <estadoSalida>A</estadoSalida>
                                 <fechaLlegada>20180525</fechaLlegada>
                                 <fechaSalida>20180525</fechaSalida>
                                 <horaLlegada>1855</horaLlegada>
                                 <horaSalida>1600</horaSalida>
                                 <muelleLlegadaEntidad xsi:type="ax239:MuelleEntidad">
                                    <codigoMuelle>000113</codigoMuelle>
                                    <textoCorto>NELSON MANDELA</textoCorto>
                                    <textoLargo/>
                                 </muelleLlegadaEntidad>
                                 <muelleSalidaEntidad xsi:type="ax239:MuelleEntidad">
                                    <codigoMuelle>000000</codigoMuelle>
                                    <textoCorto>MORROJABLE</textoCorto>
                                 </muelleSalidaEntidad>
                                 <precioEntidad xsi:type="ax239:PrecioEntidad">
                                    <total>46.44</total>
                                 </precioEntidad>
                                 <sentidoSalida>1</sentidoSalida>
                                 <serviciosVentasEntidad
xsi:type="ax239:ServiciosVentasEntidad">
                                    <servicioVentaEntidad
xsi:type="ax239:ServicioVentaEntidad">
                                       <cantidad>0</cantidad>
                                       <codigoServicioVenta>BY</codigoServicioVenta>
                                       <disponibilidad>false</disponibilidad>
                                       <textoCorto>PULLMAN SEAT</textoCorto>
                                       <textoLargo>PULLMAN SEAT</textoLargo>
                                       <tipoServicioVenta>P</tipoServicioVenta>
                                    </servicioVentaEntidad>
                                    <servicioVentaEntidad
xsi:type="ax239:ServicioVentaEntidad">
                                       <cantidad>0</cantidad>
                                       <codigoServicioVenta>V</codigoServicioVenta>
                                       <disponibilidad>false</disponibilidad>
                                       <textoCorto>SMALL CAR</textoCorto>
                                       <textoLargo>UNDER 4.85 M LONG AND 1.85 M
HIGH</textoLargo>
                                       <tipoServicioVenta>V</tipoServicioVenta>
                                    </servicioVentaEntidad>
```

```
                                    </serviciosVentasEntidad>
                                    <tipoSalida>0</tipoSalida>
                                    <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                                       <flagCompuesto>0</flagCompuesto>
                                       <puertoDestinoEntidad
xsi:type="ax239:PuertoEntidad">
                                          <codigoPuerto>LPA</codigoPuerto>
                                          <idPuerto>1</idPuerto>
                                          <textoCorto>LAS PALMAS GC</textoCorto>
                                          <textoLargo>Gran Canaria (Las Palmas de
G.C.)</textoLargo>
                                       </puertoDestinoEntidad>
                                       <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                                          <codigoPuerto>MOJ</codigoPuerto>
                                          <idPuerto>6</idPuerto>
                                          <textoCorto>MORROJABLE</textoCorto>
                                          <textoLargo>Fuerteventura
(Morrojable)</textoLargo>
                                       </puertoOrigenEntidad>
                                    </trayectoEntidad>
                                 </salidaEntidad>
                              </salidasEntidad>
                           </accvServicioVentaEntidad>
                           <accvServicioVentaEntidad
xsi:type="ax239:AccvServicioVentaEntidad">
                              <estadosEntidad xsi:type="ax239:EstadosEntidad">
                                 <estadoEntidad xsi:type="ax239:EstadoEntidad">
                                    <codigoAgencia/>
                                    <codigoEstado>E</codigoEstado>
                                    <fecha/>
                                 </estadoEntidad>
                              </estadosEntidad>
                              <locataEntidad xsi:type="ax239:LocataEntidad">
                                 <codigoLocata>95564932</codigoLocata>
                              </locataEntidad>
                              <paxsVehsEntidad xsi:type="ax239:PaxsVehsEntidad">
                                 <paxVehEntidad xsi:type="ax239:PaxVehEntidad">
                                    <pasajeroEntidad xsi:type="ax239:PaxEntidad">
                                       <apellido1>SUAREZ</apellido1>
                                       <apellido2/>
                                       <bonificacionEntidad
xsi:type="ax239:BonificacionEntidad">
                                          <codigoBonificacion>G</codigoBonificacion>
                                       </bonificacionEntidad>
                                       <codigoDocumento>BPP123458</codigoDocumento>
                                       <codigoMunicipio>000000</codigoMunicipio>
                                       <fechaNacimiento>19740124</fechaNacimiento>
                                       <nombre>RUDY</nombre>
                                       <numeroBebes>0</numeroBebes>
                                       <numeroMascotas>0</numeroMascotas>
                                       <sexo>M</sexo>
                                       <tipoDocumentoEntidad
xsi:type="ax239:TipoDocumentoEntidad">
                                          <textoCorto>PAS</textoCorto>
                                          <textoLargo>PASAPORTE</textoLargo>
                                          <tipoDocumento>P</tipoDocumento>
                                       </tipoDocumentoEntidad>
                                       <tipoPasajeroEntidad
xsi:type="ax239:TipoPasajeroEntidad">
                                          <flagFechaNacimiento>false</flagFechaNacimiento>
                                          <flagNacionalidad>false</flagNacionalidad>
                                          <rangoFechaNacimiento>0</rangoFechaNacimiento>
                                          <rellenaDatos>true</rellenaDatos>
                                          <textoCorto>GENERAL</textoCorto>
                                          <tipoPasajero>A</tipoPasajero>
                                       </tipoPasajeroEntidad>
                                    </pasajeroEntidad>
                                 </paxVehEntidad>
                              </paxsVehsEntidad>
                              <puedeImprimirIda>true</puedeImprimirIda>
                              <puedeImprimirVuelta>false</puedeImprimirVuelta>
                              <salidasEntidad xsi:type="ax239:SalidasEntidad">
                                 <salidaEntidad xsi:type="ax239:SalidaEntidad">
                                    <barcoEntidad xsi:type="ax239:BarcoEntidad">
                                       <codigoBarco>TM</codigoBarco>
                                       <textoCorto>VOLCAN DE TAMASITE</textoCorto>
                                       <tipoBarco>FE</tipoBarco>
```

```
                                    </barcoEntidad>
                                    <codigoNaviera/>
                                    <estadoSalida>A</estadoSalida>
                                    <fechaLlegada>20180525</fechaLlegada>
                                    <fechaSalida>20180525</fechaSalida>
                                    <horaLlegada>1855</horaLlegada>
                                    <horaSalida>1600</horaSalida>
                                    <muelleLlegadaEntidad xsi:type="ax239:MuelleEntidad">
                                       <codigoMuelle>000113</codigoMuelle>
                                       <textoCorto>NELSON MANDELA</textoCorto>
                                       <textoLargo/>
                                    </muelleLlegadaEntidad>
                                    <muelleSalidaEntidad xsi:type="ax239:MuelleEntidad">
                                       <codigoMuelle>000000</codigoMuelle>
                                       <textoCorto>MORROJABLE</textoCorto>
                                    </muelleSalidaEntidad>
                                    <precioEntidad xsi:type="ax239:PrecioEntidad">
                                       <total>43.31</total>
                                    </precioEntidad>
                                    <sentidoSalida>1</sentidoSalida>
                                    <serviciosVentasEntidad
xsi:type="ax239:ServiciosVentasEntidad">
                                       <servicioVentaEntidad
xsi:type="ax239:ServicioVentaEntidad">
                                          <cantidad>0</cantidad>
                                          <codigoServicioVenta>BY</codigoServicioVenta>
                                          <disponibilidad>false</disponibilidad>
                                          <textoCorto>PULLMAN SEAT</textoCorto>
                                          <textoLargo>PULLMAN SEAT</textoLargo>
                                          <tipoServicioVenta>P</tipoServicioVenta>
                                       </servicioVentaEntidad>
                                    </serviciosVentasEntidad>
                                    <tipoSalida>0</tipoSalida>
                                    <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                                       <flagCompuesto>0</flagCompuesto>
                                       <puertoDestinoEntidad
xsi:type="ax239:PuertoEntidad">
                                          <codigoPuerto>LPA</codigoPuerto>
                                          <idPuerto>1</idPuerto>
                                          <textoCorto>LAS PALMAS GC</textoCorto>
                                          <textoLargo>Gran Canaria (Las Palmas de
G.C.)</textoLargo>
                                       </puertoDestinoEntidad>
                                       <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                                          <codigoPuerto>MOJ</codigoPuerto>
                                          <idPuerto>6</idPuerto>
                                          <textoCorto>MORROJABLE</textoCorto>
                                          <textoLargo>Fuerteventura
(Morrojable)</textoLargo>
                                       </puertoOrigenEntidad>
                                    </trayectoEntidad>
                                 </salidaEntidad>
                              </salidasEntidad>
                           </accvServicioVentaEntidad>
                        </accvServiciosVentasEntidad>
                        <billeteEntidad xsi:type="ax239:BilleteEntidad">
                           <codigoBillete>95564930</codigoBillete>
                        </billeteEntidad>
                        <bonificacionEntidad xsi:type="ax239:BonificacionEntidad">
                           <codigoBonificacion>G</codigoBonificacion>
                        </bonificacionEntidad>
                        <codigoCliente>9999</codigoCliente>
                        <formasPagosEntidad xsi:type="ax239:FormasPagosEntidad"/>
                        <mail>uno@jjmail.com</mail>
                        <tarifaEntidad xsi:type="ax239:TarifaEntidad">
                           <codigoTarifa>P2</codigoTarifa>
                           <textoCorto>PAQUETE AHORRO 2 PAX+V</textoCorto>
                        </tarifaEntidad>
                        <telefono>666888888</telefono>
                     </accvBilleteEntidad>
                  </accvBilletesEntidad>
               </accvEntidad>
            </return>
         </ns:nasaRecuperaVentaResponse>
      </soapenv:Body>
   </soapenv:Envelope>
```

nasaDevoluciones REQUEST:

with flagPrepago = TRUE. This not cancel the booking.


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaDevoluciones>
         <contextoEntidad xmlns="">
               <codigoAgencia>????</codigoAgencia>
               <codigoIdioma>EN</codigoIdioma>
               <codigoUsuario>AGENCIA</codigoUsuario>
               <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <pagosEntidad>
            <pagoEntidad>
               <flagPrepago>true</flagPrepago>
               <formasPagosEntidad>
                  <formaPagoEntidad>
                     <codigoFormaPago>CRE</codigoFormaPago>
                     <importe>89.75</importe>
                  </formaPagoEntidad>
               </formasPagosEntidad>
               <locataEntidad>
                  <codigoLocata>95564930</codigoLocata>
               </locataEntidad>
            </pagoEntidad>
         </pagosEntidad>
      </sv:nasaDevoluciones>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaDevoluciones RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaDevolucionesResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaDevoluciones"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <texto/>
            <ttl>-1</ttl>
            <versionXml>0.0.0.1</versionXml>
            <pagosEntidad xsi:type="ax239:PagosEntidad">
               <pagoEntidad xsi:type="ax239:PagoEntidad">
                  <flagPrepago>true</flagPrepago>
                  <formasPagosEntidad xsi:type="ax239:FormasPagosEntidad">
                     <formaPagoEntidad xsi:type="ax239:FormaPagoEntidad">
                        <codigoFormaPago>CRE</codigoFormaPago>
                        <importe>0.0</importe>
                        <precioEntidad xsi:type="ax239:PrecioEntidad">
                           <devolucion>89.75</devolucion>
                           <gastos>0.0</gastos>
                           <total>89.75</total>
                        </precioEntidad>
                        <tipoFormaPago>CRE</tipoFormaPago>
                     </formaPagoEntidad>
                  </formasPagosEntidad>
                  <locataEntidad xsi:type="ax239:LocataEntidad">
                     <codigoLocata>95564930</codigoLocata>
                  </locataEntidad>
               </pagoEntidad>
            </pagosEntidad>
         </return>
      </ns:nasaDevolucionesResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaDevoluciones REQUEST:

with flagPrepago = FALSE. Cancel the booking.


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaDevoluciones>
         <contextoEntidad xmlns="">
                     <codigoAgencia>????</codigoAgencia>
               <codigoIdioma>EN</codigoIdioma>
               <codigoUsuario>AGENCIA</codigoUsuario>
               <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <pagosEntidad>
            <pagoEntidad>
               <flagPrepago>false</flagPrepago>
               <formasPagosEntidad>
                  <formaPagoEntidad>
                     <codigoFormaPago>CRE</codigoFormaPago>
                     <importe>89.75</importe>
                  </formaPagoEntidad>
               </formasPagosEntidad>
               <locataEntidad>
                  <codigoLocata>95564930</codigoLocata>
               </locataEntidad>
            </pagoEntidad>
         </pagosEntidad>
      </sv:nasaDevoluciones>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaRecuperaVentas REQUEST:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaRecuperaVentas>
         <contextoEntidad>
               <codigoAgencia>????</codigoAgencia>
               <codigoIdioma>EN</codigoIdioma>
               <codigoUsuario>AGENCIA</codigoUsuario>
               <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <fechaIni>20180525</fechaIni>
         <fechaFin>20180525</fechaFin>
      </sv:nasaRecuperaVentas>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaRecuperaVentas RESPONSE:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaRecuperaVentasResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaRecuperaVentas"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <texto/>
            <ttl>-1</ttl>
            <versionXml>0.0.0.1</versionXml>
            <accventasEntidad xsi:type="ax239:AccvEntidad">
               <accvBilletesEntidad xsi:type="ax239:AccvBilletesEntidad">
                  <accvBilleteEntidad xsi:type="ax239:AccvBilleteEntidad">
                     <accvServiciosVentasEntidad
xsi:type="ax239:AccvServiciosVentasEntidad">
```

```
                        <accvServicioVentaEntidad
xsi:type="ax239:AccvServicioVentaEntidad">
                           <locataEntidad xsi:type="ax239:LocataEntidad">
                              <codigoLocata>95566310</codigoLocata>
                           </locataEntidad>
                           <salidasEntidad xsi:type="ax239:SalidasEntidad">
                              <salidaEntidad xsi:type="ax239:SalidaEntidad">
                                 <barcoEntidad xsi:type="ax239:BarcoEntidad">
                                    <codigoBarco>TM</codigoBarco>
                                    <textoCorto>VOLCAN DE TAMASITE</textoCorto>
                                    <tipoBarco>FE</tipoBarco>
                                 </barcoEntidad>
                                 <codigoNaviera/>
                                 <estadoSalida>A</estadoSalida>
                                 <fechaLlegada>20180525</fechaLlegada>
                                 <fechaSalida>20180525</fechaSalida>
                                 <horaLlegada>1855</horaLlegada>
                                 <horaSalida>1600</horaSalida>
                                 <muelleLlegadaEntidad xsi:type="ax239:MuelleEntidad">
                                    <codigoMuelle>000113</codigoMuelle>
                                    <textoCorto>NELSON MANDELA</textoCorto>
                                    <textoLargo/>
                                 </muelleLlegadaEntidad>
                                 <muelleSalidaEntidad xsi:type="ax239:MuelleEntidad">
                                    <codigoMuelle>000000</codigoMuelle>
                                    <textoCorto>MORROJABLE</textoCorto>
                                 </muelleSalidaEntidad>
                                 <sentidoSalida>1</sentidoSalida>
                                 <tipoSalida>0</tipoSalida>
                                 <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                                    <flagCompuesto>0</flagCompuesto>
                                    <puertoDestinoEntidad
xsi:type="ax239:PuertoEntidad">
                                       <codigoPuerto>LPA</codigoPuerto>
                                       <textoCorto>LAS PALMAS GC</textoCorto>
                                       <textoLargo>Gran Canaria (Las Palmas de
G.C.)</textoLargo>
                                    </puertoDestinoEntidad>
                                    <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                                       <codigoPuerto>MOJ</codigoPuerto>
                                       <textoCorto>MORROJABLE</textoCorto>
                                       <textoLargo>Fuerteventura
(Morrojable)</textoLargo>
                                    </puertoOrigenEntidad>
                                 </trayectoEntidad>
                              </salidaEntidad>
                           </salidasEntidad>
                        </accvServicioVentaEntidad>
                     </accvServiciosVentasEntidad>
                     <codigoCliente>9999</codigoCliente>
                     <mail/>
                     <observaciones/>
                     <telefono/>
                  </accvBilleteEntidad>
               </accvBilletesEntidad>
            </accventasEntidad>
            <accventasEntidad xsi:type="ax239:AccvEntidad">
               <accvBilletesEntidad xsi:type="ax239:AccvBilletesEntidad">
                  <accvBilleteEntidad xsi:type="ax239:AccvBilleteEntidad">

----- REMOVED -------

                  </accvBilleteEntidad>
               </accvBilletesEntidad>
            </accventasEntidad>
         </return>
      </ns:nasaRecuperaVentasResponse>
   </soapenv:Body>
</soapenv:Envelope>
```

nasaSalidasDetalle REQUEST:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:sv="http://sv.navieraarmas.com">
   <soapenv:Header/>
   <soapenv:Body>
      <sv:nasaSalidasDetalle>
         <contextoEntidad>
               <codigoAgencia>????</codigoAgencia>
               <codigoIdioma>EN</codigoIdioma>
               <codigoUsuario>AGENCIA</codigoUsuario>
                      <versionXml>0.0.0.1</versionXml>
         </contextoEntidad>
         <puertoOrigenEntidad>
            <codigoPuerto>TCI</codigoPuerto>
         </puertoOrigenEntidad>
         <puertoDestinoEntidad>
            <codigoPuerto>MOJ</codigoPuerto>
         </puertoDestinoEntidad>
         <fecha>20180622</fecha>
         <hora>0615</hora>
      </sv:nasaSalidasDetalle>
   </soapenv:Body>
</soapenv:Envelope>
```


nasaSalidasDetalle RESPONSE:


```xml
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
   <soapenv:Body>
      <ns:nasaSalidasDetalleResponse xmlns:ns="http://sv.navieraarmas.com">
         <return xsi:type="ax243:Ventas_NasaRespuestaSalidasDetalle"
xmlns:ax240="http://entidades.navieraarmas.com/xsd"
xmlns:ax239="http://ventas.entidades.navieraarmas.com/xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:ax243="http://sv.navieraarmas.com/xsd">
            <codigo>000000</codigo>
            <firma>be45d06b7147617e5ced5492d20899b3</firma>
            <texto/>
            <ttl>120</ttl>
            <versionXml>0.0.0.1</versionXml>
            <salidasEntidad xsi:type="ax239:SalidasEntidad">
               <salidaEntidad xsi:type="ax239:SalidaEntidad">
                  <barcoEntidad xsi:type="ax239:BarcoEntidad">
                     <codigoBarco>TY</codigoBarco>
                     <textoCorto>VOLCAN DE TIMANFAYA</textoCorto>
                     <tipoBarco>FE</tipoBarco>
                  </barcoEntidad>
                  <codigoNaviera/>
                  <estadoSalida>A</estadoSalida>
                  <fechaLlegada>20180622</fechaLlegada>
                  <fechaSalida>20180622</fechaSalida>
                  <horaLlegada>0900</horaLlegada>
                  <horaSalida>0615</horaSalida>
                  <muelleLlegadaEntidad xsi:type="ax239:MuelleEntidad">
                     <codigoMuelle>000000</codigoMuelle>
                     <textoCorto>LAS PALMAS GC</textoCorto>
                  </muelleLlegadaEntidad>
                  <muelleSalidaEntidad xsi:type="ax239:MuelleEntidad">
                     <codigoMuelle>952260</codigoMuelle>
                     <textoCorto>SC TENERIFE</textoCorto>
                     <textoLargo/>
                  </muelleSalidaEntidad>
                  <sentidoSalida>1</sentidoSalida>
                  <serviciosVentasEntidad xsi:type="ax239:ServiciosVentasEntidad">
                     <servicioVentaEntidad xsi:type="ax239:ServicioVentaEntidad">
                        <cantidad>0</cantidad>
                        <capacidad>1</capacidad>
                        <codigoServicioVenta>BY</codigoServicioVenta>
                        <disponibilidad>true</disponibilidad>
                        <disponibles>10</disponibles>
                        <tipoServicioVenta>P</tipoServicioVenta>
                     </servicioVentaEntidad>
                     <servicioVentaEntidad xsi:type="ax239:ServicioVentaEntidad">
                        <cantidad>0</cantidad>
```

```
                        <codigoServicioVenta>BV</codigoServicioVenta>
                        <disponibilidad>false</disponibilidad>
                        <tipoServicioVenta>P</tipoServicioVenta>
                     </servicioVentaEntidad>

----- REMOVED -------

                  </serviciosVentasEntidad>
                  <tipoSalida>0</tipoSalida>
                  <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                     <flagCompuesto>0</flagCompuesto>
                     <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                        <codigoPuerto>LPA</codigoPuerto>
                        <textoCorto>LAS PALMAS GC</textoCorto>
                        <textoLargo>Gran Canaria (Las Palmas de G.C.)</textoLargo>
                     </puertoDestinoEntidad>
                     <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                        <codigoPuerto>TCI</codigoPuerto>
                        <textoCorto>S/C TENERIFE</textoCorto>
                        <textoLargo>Tenerife (S.C. de Tenerife)</textoLargo>
                     </puertoOrigenEntidad>
                  </trayectoEntidad>
               </salidaEntidad>
               <salidaEntidad xsi:type="ax239:SalidaEntidad">
                  <barcoEntidad xsi:type="ax239:BarcoEntidad">
                     <codigoBarco>TY</codigoBarco>
                     <textoCorto>VOLCAN DE TIMANFAYA</textoCorto>
                     <tipoBarco>FE</tipoBarco>
                  </barcoEntidad>
                  <codigoNaviera/>
                  <estadoSalida>A</estadoSalida>
                  <fechaLlegada>20180622</fechaLlegada>
                  <fechaSalida>20180622</fechaSalida>
                  <horaLlegada>1220</horaLlegada>
                  <horaSalida>0930</horaSalida>
                  <muelleLlegadaEntidad xsi:type="ax239:MuelleEntidad">
                     <codigoMuelle>000000</codigoMuelle>
                     <textoCorto>MORROJABLE</textoCorto>
                  </muelleLlegadaEntidad>
                  <muelleSalidaEntidad xsi:type="ax239:MuelleEntidad">
                     <codigoMuelle>000000</codigoMuelle>
                     <textoCorto>LAS PALMAS GC</textoCorto>
                  </muelleSalidaEntidad>
                  <sentidoSalida>1</sentidoSalida>
                  <serviciosVentasEntidad xsi:type="ax239:ServiciosVentasEntidad">
                     <servicioVentaEntidad xsi:type="ax239:ServicioVentaEntidad">
                        <cantidad>0</cantidad>
                        <capacidad>1</capacidad>
                        <codigoServicioVenta>BY</codigoServicioVenta>
                        <disponibilidad>true</disponibilidad>
                        <disponibles>10</disponibles>
                        <tipoServicioVenta>P</tipoServicioVenta>
                     </servicioVentaEntidad>

----- REMOVED -------

                  </serviciosVentasEntidad>
                  <tipoSalida>0</tipoSalida>
                  <trayectoEntidad xsi:type="ax239:TrayectoEntidad">
                     <flagCompuesto>0</flagCompuesto>
                     <puertoDestinoEntidad xsi:type="ax239:PuertoEntidad">
                        <codigoPuerto>MOJ</codigoPuerto>
                        <textoCorto>MORROJABLE</textoCorto>
                        <textoLargo>Fuerteventura (Morrojable)</textoLargo>
                     </puertoDestinoEntidad>
                     <puertoOrigenEntidad xsi:type="ax239:PuertoEntidad">
                        <codigoPuerto>LPA</codigoPuerto>
                        <textoCorto>LAS PALMAS GC</textoCorto>
                        <textoLargo>Gran Canaria (Las Palmas de G.C.)</textoLargo>
                     </puertoOrigenEntidad>
                  </trayectoEntidad>
               </salidaEntidad>
            </salidasEntidad>
         </return>
      </ns:nasaSalidasDetalleResponse>
```

```
    </soapenv:Body>
</soapenv:Envelope>
```

Error Codes

Each command returned by the platform consists of a code element in the header, returning the value “0000” if the command has been performed correctly, or if there is any type of error in the request, an error code specific to each case will be returned.

Additionally, a text element is established with a detailed description of the error in question.

Example:

```
<ax210:codigo>0000</ax210:codigo>
<ax210:texto/></ax210:texto/>
```